



Tervise Arengu Instituut
National Institute for Health Development

EESTI TERVISEUURING 2006
Tabelid

ESTONIAN HEALTH INTERVIEW SURVEY 2006
Tables

Ardo Matsi
Leila Oja

Tallinn 2009

Tervise Arengu Instituut
National Institute for Health Development

EESTI TERVISEUURING 2006
Tabelid

ESTONIAN HEALTH INTERVIEW SURVEY 2006
Tables

Ardo Matsi
Leila Oja

Tallinn 2009

Kujundus: Puffet Invest OÜ
Trükk: AS Aktaprint
Tiraaž: 250

ISBN nr 978-9985-9977-1-0

© Tervise Arengu Instituut, 2009
National Institute for Health Development, 2009

Käesoleva väljaande andmete kasutamisel või tsiteerimisel palume viidata allikale.
When using or quoting the data included in this publication, please indicate the source.

SISUKORD

EESSÕNA	4
METODOLOOGILISED ALUSED	5
UURINGU KORRALDUS	5
VALIM JA KÜSITLUSTULEMUS	6
ANDMESISESTUS JA KODEERIMINE	7
TABELITE ESITUS	7
MÕISTED	8
KASUTATUD KIRJANDUS	11
TABELITE LOETELU	23
TABELID	28

EESSÕNA

Eesti Terviseuuringut 2006 lahutab eelmisest üleriigilisest terviseuuringust kümme aastat. Selle kümne aasta jooksul on keskmine eeldatav eluiga Eesti meestel kasvanud 3,3 aastat ja naistel 3,1 aastat, olles praegu kõrgem kui kunagi varem. Võrreldes Eesti keskmisi Euroopa riikide keskmistega, jääb Eesti meeste eluiga Euroopa meeste elueale alla enam kui kaheksa ja Eesti naiste eluiga Euroopa naiste elueale enam kui kolm aastat. Võrdlusest selgub, et meie rahvastiku tervises seisund pole veel piisavalt hea. Selle paremaks muutmiseks võiks terviseuuringu andmestik olla abiks ja suunanäitajaks, nii riigi kui ka rahvastiku grupi tasandil.

Käesolev tabelikogumik on metodoloogiaülevaate¹ järel arvult teine 2006. aasta terviseuuringu tulemusi tutvustav väljaanne. Tabelikogumikus esitatakse rahvastikupõhiselt tervise ja tervisega seonduvate valdkondade andmed erinevate sotsiaalsete, majanduslike ja demograafiliste taustatunnuste lõikes. Kuigi 10-aastase intervalliga uuringute ankeedid ei olnud identsed, püüti tabelite väljatöötamisel järgida 1996. aasta terviseuuringu analüüsi meetodeid ning tabelite esitust. See annab suures osas võimaluse võrrelda andmeid eelmise terviseuuringuga.^{2,3} Lisaks on tabelikogumikus esitatud lühiülevaade uuringu metodoloogiast ja küsitlustulemustest. Uuringu korraldust tutvustab põhjalikumalt uuringu metodoloogiaülevaade.

Terviseuuringu nõustamiseks moodustatud teadusnõukogusse kuulusid 2006. aastal tervisevaldkonna spetsialistid, ametnikud ja teadlased koosseisus: **Maarike Harro** – Tervise Arengu Instituut (TAI), direktress, teadusnõukogu esimees; Leila Oja – TAI, teadur, terviseuuringu 2006 koordinaator; Toomas Veidebaum – TAI, teadusdirektor; Mall Leinsalu – TAI ja Södertörni kõrgkool, Rootsi, teadur, terviseuuringu 1996 teadusnõukogu esimees; Mare Tekkel – TAI, vanemteadur, Eesti täiskasvanud rahvastiku tervisekäitumise uuringu koordinaator; Luule Sakkeus – sotsiaalministeerium, terviseinfo ja -analüüsi osakond, vanemanalüütik; Mare Ruuge – sotsiaalministeerium, terviseinfo ja -analüüsi osakond, analüütik; Triin Habicht – sotsiaalministeerium, rahvatervise osakond, tervisepoliitika juht; Jaanus Harro – Eesti Käitumis- ja Terviseteaduste Tippkeskus, juhataja; Raul Kiivet – Tartu Ülikool, tervishoiu instituut, juhataja; Anu Aluoja – Tartu Ülikool, psühhiaatriakliinik, dotsent; Urve Kask – Eesti Statistikaamet, rahvastiku- ja sotsiaalstatistika osakond, juhataja; Anne Kleinberg – Tallinna Lastehaigla, laste psühhiaatriaosakonna juhataja; Ferenc Szirko – Ida-Tallinna Keskhaigla, günekoloog.

Terviseuuring 2006 sai teoks tänu mitme ametkonna koostööle. Täname aastapikkuse pingsa koostöö ja kogemuse eest küsitlusvõrkude OÜ Faktum & Ariko ning OÜ Saar Poll küsitlusjuhte, kelle küsitlajate tänuväärse tööga koguti terviseuuringu mahukas andmestik. Täname ka 6434 küsitletut, kes ei pidanud paljuks kulutada oma aega küsitlustöös osalemiseks.

Täname Tervise Arengu Instituudi kollektiivi tulemusliku koostöö ja panuse eest terviseuuringu käivitamisel ja läbiviimisel. Täname kõiki abivalmis kaasamõtlejaid heade nõuannete ja soovitude eest uuringu edukaks toimumiseks.

Lugupidamisega terviseuuringu korraldajate nimel
Leila Oja

METODOLOOGILISED ALUSED

Eesti Terviseuuring 2006 on teine üleriigiline suuremahuline rahvastiku tervist ja tervisevaldkondi hõlmav küsitlusuuring. Uuringu põhivaldkonnad on rahvastiku tervises seisund, seda mõjutavaid tegureid, tervises seisundist tingitud sotsiaalse toimetuleku piirangud ning arstiabi kättesaadavus ja kasutamine. Terviseuuringu kavandamisel lähtuti esimese, 1996. aastal läbiviidud terviseuuringu metodoloogiast, et oleks võimalik hinnata rahvastiku tervises seisundi ja sellega seonduvate muude tegurite ajalisi muutusi.^{2,3}

Terviseuuringu eesmärgid sätestati järgmiselt:

- rahvastikustruktuurile vastava tervises seisundi ülevaate koostamine;
- sotsiaalsete, majanduslike, keskkondlike ja käitumuslike tegurite mõju hindamine rahvastiku tervises seisundile;
- tervises seisundist tulenevate abivajaduste kaardistamine.

Kuigi tervist määratletakse kui kehalise, vaimse ja sotsiaalse heaolu seisundit, mõjutavad tervises seisundit enim kroonilised haigused ja kestvad tervisehäired. Krooniliste tervisehäirete tekkepõhjused kuhjuvad eluea jooksul ja on seotud elupõliselt toimivate sotsiaalsete, majanduslike, keskkondlike ja käitumuslike teguritega. Käesolev terviseuuring järgib 1996. aastal läbiviidud terviseuuringu sündmusloolise käsitluse põhimõtet, et oleks võimalik uurida põhjuslikke seoseid tervise ja seda mõjutavate tegurite vahel. Kui tervisekadu saab alguse varases eas, võib see olla oluline tegur inimese edasise elukäigu muutmisel. Tervisekadu rahvastikutasandil mõjutab vähem või rohkem ühiskonna arenguvõimalusi, seda näiteks tööjõuressursi kao või siis otsest sotsiaal- ja majandusabi vajava rahvastikuosa osakaalu kaudu. Abi planeerimiseks on tervisekao hindamisel oluline teada, kas ja kui palju saab inimene abi oma eluga toimetulekuks ja kus esineb vajakajäämisi.

2002. aastal alustati Euroopa Liidus sihipärast tegevust Euroopa terviseuuringute süsteemi⁴ väljaarendamiseks ja küsitlusuuringute metodoloogia ühtlustamiseks. Euroopa terviseuuringute süsteem sätestab perioodiliste terviseandmete kogumise teatud tervisevaldkondade kohta ühtsete andmedefinitsioonide ja andmekogumise meetodite alusel, et muuta liikmesriikide terviseandmed võrreldavaks. Euroopa terviseuuringute süsteemi väljaarendamine toimub tervishoiu ja tarbijakaitse peadirektoraadi ja Euroopa Nõukogu Statistikaorganisatsiooni (EUROSTAT) koostöös. Kuna Eesti osaleb Euroopa terviseuuringute süsteemis, siis kasutati terviseuuringu 2006 küsimustikus kõiki neid Euroopa tervisemoodulid, mis olid küsimustiku koostamise ajaks valminud.⁵ Terviseuuringu andmete võrreldav osa edastatakse EUROSTAT-ile liikmesriikide tervisenäitajatega võrdlemiseks ning uuringu metoodikaosa lisatakse terviseuuringute ühtsesse andmebaasi.⁶

Käesolevas tabelikogumikus on esitatud terviseuuringu 2006 andmete esmaanalüüsi tulemused, kus tervises seisundi erinevaid aspekte, tervist mõjutavaid tegureid, arstiabi kasutamist ja tervisega seonduvad hoiakuid on hinnatud vanuserühmiti erinevate sotsiaalsete, majanduslike ja demograafiliste taustatunnuste lõikes.

UURINGU KORRALDUS

Vabariigi Valitsuse korraldusel lisati Eesti Terviseuuring 2006 riiklike statistiliste vaatluste loetellu. Riiklike statistiliste vaatluste korraldamist reguleerib riikliku statistika seadus⁷ ning andmete kogumisel, töötlemisel ja tulemuste avaldamisel lähtutakse riiklikest ja rahvusvahelistest nõuetest, kooskõlastades nimetatud tegevused isikuandmete kaitse seadusega. Andmete kogumise õigusliku aluse tagas lisaks riikliku statistika seadusele ka rahvatervise seadus ning Euroopa Parlamendi ja Nõukogu määrus Euroopa Liidu rahvatervist ning töötervishoidu ja tööohutust käsitleva statistika kohta.⁸ Terviseuuringut rahastati riigieelarvest ja uuringu otsene korraldamine delegeeriti Tervise Arengu Instituudile (TAI). Terviseuuringut plaaniti läbi viia aastatel 2006–2008. Enne uuringu alustamist registreeriti terviseuuring Andmekaitse Inspektsioonis vastavalt andmekogude seadusele.⁹ Uuring on kooskõlastatud Tallinna Meditsiiniuuringute Eetikaomiteega.

Terviseuuringuga seotud metodoloogiliste, analüütiliste ja korralduslike küsimuste lahendamiseks moodustati 2006. aastal TAI juurde 14-liikmeline teadusnõukogu, mille koosseisu kuulusid tervisevaldkonna spetsialistid, ametnikud ja teadlased. Teadusnõukogu aktiivsel osalusel valmis terviseuuringu ankeet, mida põhiuuringule eelnevalt testiti pilootküsitlusel. Küsitlusmeetodi valiku tegi teadusnõukogu, kes otsustas traditsioonilisema, paberkandjal ankeedi kasuks, sest küsitlusvõrkudel ei olnud piisavalt kogemust sülearvutitega küsitluseks. Terviseuuringu välitööde alguses ja kordusena 2007. aasta jaanuaris korraldati ulatuslik meediakampaania avalikkuse teavitamiseks.

Välitööde küsitlusteenus osteti sisse eraküsitlusvõrkudelt riigihanke korras. Silmast silma küsitlusintervjuusid viisid läbi OÜ Saar Poll ning OÜ Faktum & Ariko küsitlajad ning uuringu viimasel etapil palkas TAI omalt poolt juurde lisaküsitlajaid. Mõlemas küsitlusvõrgus korraldasid küsitlajate tööd küsitlusvõrgu koordinaatorid, kes pidasid sidet terviseuuringu läbivijatega TAI-s. Enne küsitlustööde algust, 2006. aasta oktoobris ja hiljem veel 2007. aasta jaanuaris korraldati kümme ühepäevast koolitust nii küsitlajatele kui ka küsitlusjuhtidele. Küsitlajad said valida ankeediõppe ja hilisema küsitluse vastavalt oma keelekasutusele, s.o kas eesti või vene keeles. Küsitlaja lubati ainult need küsitlajad, kes olid eksami edukalt sooritanud. Küsitlemisel osales 212 küsitlajat. Välitööd lõpetati 2007. aasta oktoobris, seega oli küsitlusperioodi pikkus 13 kuud.

VALIM JA KÜSITLUSTULEMUS

Riigiuuringute nõuete kohaselt põhineb terviseuuring tõenäosuslikul valimil, mis tähendab, et iga üldkogumi objekti jaoks on teada tema valimisse sattumise tõenäosus. Terviseuuringu üldkogumi moodustasid kõik 15–84-aastased (seisuga 01.01.2006) ehk aastatel 1921–1990 sündinud Eesti alalised elanikud. Loendina kasutati AS Andmevara rahvastiku andmebaasi. Valimi võtmisel kasutati kihistatud süstemaatilist valikut. Üldkogum jaotati elukoha, soo ja vanuse järgi mittekattuvateks kihtideks, et rakendada kihtides erinevaid kaasamistõenäosusi ning parandada sellega uuringutulemuste usaldusväärsust nimetatud lõigetes. Kokku moodustati 30 kihti.

Valimi esialgne maht oli 15 000 isikut. Enne välitööde algust valiti neist lihtsa juhuvalikuga 11 023 isikut, mis jäigi lõplikuks valimi mahuks. Valimi mahu määramisel kihtides arvestati üldkogumi suurust ning vastamistõenäosuse piirkondlikke ja vanuselisi erinevusi. Vanematest vanuserühmadest piisava arvu vastajate saamiseks oli üle 64-aastastel kaasamistõenäosus suurem. Väiksema elanike arvuga maakondadest on isikud valitud samuti suurema tõenäosusega, et saada piirkondlikku tulemit.

Küsitlusvõrkudele edastati 11 023 küsitletava isiku kontaktaadressid, täidetud ankeete laekus tagasi 6512. Puuduliku küsitlustöö tõttu osutus 78 ankeeti kasutuskõlbmatuks. Lõpliku andmebaasi suuruseks jäi 6434 kirjet, seega esialgne vastamismäär oli 58,4%. Olulisemateks kaopõhjusteks olid küsitletava kategooriline keeldumine uuringu teema või ajapuuduse tõttu ($n=2016$), isiku aadressilt mitteleidmine ($n=1694$) ning 516 korral ei otsitudki küsitletavaga kontakti. Valimisse sattunutest olid küsitluse ajaks surnud 72 isikut ja 261 isikut olid Eestist eemal olnud üle 12 kuu, mida tuleb käsitleda loendiveana. Loendiviga arvestades on terviseuuringu täpsustatud vastamismäär 60,2%.

Vastamismäär oli kihiti erinev, mistõttu tuli vanuse ja piirkonnajärgset mittevastamist kompenseerida kaalumise, et tõsta uuringu tulemuste täpsust. Pärast kao kompenseerimise kaalude arvutamist võrreldi uuringu hinnanguliselt leitud isikute arvu jaotust soo- ja vanuserühmade (28 rühma), elukoha (15 maakonda ja Tallinn) ja linna/maa jaotuse osas rahvastikustatistika andmetega. Hinnangute kvaliteedi parandamiseks korregeeriti eelneval etapil leitud kaalusid iga isiku jaoks leitud kalibreerimiskoeffitsiendiga, millega saadi kalibreeritud kaalud, kokku 896. Edasised hinnangud arvutati kalibreeritud kaalu kasutades, mis tagas uuringuandmete täpse vastavuse rahvastikustatistika andmetele. Kalibreeritud kaalude kasutamisel tuleb silmas pidada, et täpsed jaotused on siiski tagatud ainult kalibreerimiseks valitud gruppide, antud juhul soo- ja vanuserühmade, elukoha ja linna/maa jaotuse lõikes. Kui soovitakse väljundit

muude gruppide lõigetes, siis ei pruugi uuringust saadud jaotused ühtida täpselt rahvastikustatistikast teadaolevate jaotustega. Siiski aitab kalibreerimine ka muude lõigete puhul jaotusi lähendada.

ANDMESISESTUS JA KODEERIMINE

Terviseuuringu andmete sisestamiseks ja andmebaasi loomiseks kasutati litsentseeritud sisestustarkvara Blaise 4.7. Sisestamist kontrolliti 119 loogilise kontrolliga. Vastuste täpsustamist ja vea kõrvaldamist vajas 2615 ankeeti (40,1%).

Terviseuuringu andmete sisestamine toimus 2006. aasta oktoobrist 2007. aasta novembrini paralleelselt küsitlustööga. Terviseuuringu andmeid kodeerisid eksperdid, kes töötavad statistikaametis kodeerimise spetsialistidena. Kodeeritavad tunnused olid amet, eriala, majandusharu ja kroonilised haigused. Ameti kodeerimisel kasutati rahvusvahelise ametite klassifikaatori (ISCO-88)¹⁰ neljakohalist jaotust, eriala kodeerimisel rahvusvahelise haridusklassifikaatori (ISCED-97)¹¹ kolmekohalist jaotust. Sünni- ja elukohad kodeeriti omaavalitsuse (linna/valla) täpsusega Eesti haldus- ja asustusjaotuse klassifikaatori (EHAK)¹² alusel. Majandusharu kodeerimisel kasutati Eesti majanduse tegevusalade klassifikaatori (EMTAK 2003)¹³ kolmekohalist jaotust. Haiguste kodeerimisel oli aluseks rahvusvahelise haiguste ja tervisega seotud probleemide statistilise klassifikatsiooni kümnes väljaanne (RHK-10).¹⁴

Terviseuuringu elektroonilist andmebaasi säilitatakse dokumenteerituna ja märgenditega varustatuna SPSS-Windows 14.0 andmefaili kujul. Andmefail on anonüümne, mis ei sisalda küsitletute isikut identifitseerivaid tunnuseid. Andmefaili juurde kuulub väljatrükk terviseuuringu kõigi tunnustega ja nende kirjeldatud väärtustega. Terviseuuringu algandmeid väljastatakse taotlusvormi alusel TAI-st.

TABELITE ESITUS

Tabelite esitusel on kogumikus läbivalt kasutatud ühtseid taustatunnuseid, kokku 14 tunnust. Esimeses, absoluutarvudega tabelis (Tabel 1), on esitatud neist 3 (hallil taustal): kooselu, majanduslik aktiivsus ja enesehinnanguline tervis kõikide vastusevariantide lõikes. Järgnevates tabelites on kasutatud nende tunnuste ühendatud vastusevariante. Vastusevariantide ühendamise kirjeldus on esitatud mõistete peatükis. Sotsiaaldemograafilistest taustatunnustest on esitatud piirkond, asulatüüp, rahvus, perekonnaseis, haridus, majanduslik aktiivsus, sissetulek ja põlisus. Tervise- ja isiksusekesksetest taustatunnustest on esitatud tervises seisund, tervisekäitumine, kontrollkese ja enesehinnanguline tervis. Tabelites kasutatud sisuliste ja taustatunnuste mõistete selgitus on toodud järgnevas peatükis tähestikulises järjekorras.

Kogumikus on tabelid esitatud eraldi mees- ja naisrahvastiku kohta. Meeste (A) ja naiste (B) tabelid paiknevad identses formaadis üksteisega külgnevatel lehekülgedel. Kõigis A ja B tabelites on lisaks vastanuile ka mittevastanute arv, mis on tähistatud real: "vastamata". Vastamata real ei ole arvestatud isikuid, kes ei pidanudki antud küsimusele vastama. Tabelites viitab märk „-“ vastava näitaja puudumisele või ei osutunud vastava näitaja arvutamise võimalikuks. Tabelites on paralleelselt näidatud nii 5-aastased vanusrühmad (vanus on arvatud 01.01.2006 seisuga) kui ka vanusrühmadele vastavad sünnipõlvkonnad. Vanim vanuserühm (80–84 aastat) on sündinud aastatel 1921–1925 ning noorim vanuserühm (15–19 aastat) aastatel 1986–1990. Viimases tabeli veerus on summeeritud kõik vanusrühmad/sünnipõlvkonnad. Käesoleva kogumiku tabeliarvutuste protsentjaotuste tegemisel on kasutatud kaalutud andmeid. Tabelis 1 on vastajate arvuline jaotus taustatunnuste järgi esitatud kaalumata kujul absoluutarvudena, samuti ülemiste tabelite „Kokku“ jaotused on esitatud absoluutarvudena.

MÕISTED

Absoluutse alkoholi kogus. Absoluutse alkoholi koguse arvutamisel lähtuti metoodikast, milles 1 annus võrdub 10g absoluutse alkoholiga. Selle järgi võrdub 1 alkoholi annus 1 pudeli lahja õllega (0,5l), klaasi veiniga (100g) või pitsi kange alkoholiga (30g). Kasutatud tunnuse arvutamise metoodika on analoogne 1996. a terviseuuringus kasutatud metoodikaga.²

Aktiivne liikumine. Aktiivne liikumine on intensiivne kehaline tegevus nagu tervisejooks, pallimängud, ujumine ja uisutamine, ka raskem aiatöö.

Asulatüüp. Linnaasulaks nimetatakse haldusüksust, mille asustustihedus on üle 100 elaniku km² kohta. Väiksema asustustihedusega haldusüksust on loetud *maa*-asulaks. Kuna antud uuringus ei ole tunnuse arvutuse aluseks mitte haldusüksuse rahvaarv, vaid asustustihedus, siis ei ole asulatüübi tunnus võrreldav 1996. aastal kasutatud tunnusega.

Depressioon. Depressioon on emotsionaalne seisund, mille põhitunnused on meeleolu langus, huvi ja elurõõmu kadumine ning energia vähenemine.

Distressi määr. Emotsionaalne distress on seisund, mida iseloomustavad korraga mitu inimest häirivat negatiivset emotsiooni, eriti pinge, ärevus, meeleolu langus, millele lisanduvad sageli astenia ja unehäired. Emotsionaalset distressi on hinnatud emotsionaalse enesetunde küsimustike põhjal, mille koostamisel on aluseks olnud psüühikahäirete rahvusvahelistes klassifikatsioonides esitatud depressiooni ja ärevushäirete diagnostilised kriteeriumid.¹⁵ Vastavalt distressi määrale on küsitletud jagatud kahte rühma: *olulise distressita* ja *olulise distressiga*.

Enesehinnanguline tervis. Tunnuse arvutamiseks kasutati terviseseisundi minimooduli esimest küsimust "Milline on Teie tervis üldiselt?". Vastavalt vastusejaotusele on küsitletud jagatud kahte rühma: *hea või väga hea tervisega* ja *halva või väga halva tervisega*. Tabelis 1 on esitatud jaotus kõikide vastusevariantide osas.

Funktsionaalsed piirangud. Funktsionaalsed piirangud on keha funktsioonide piirangud kuulmises, nägemises ja liikumises.

Haridus. Haridustaset on hinnatud küsitlusajaks lõpetatud kõrgeima haridustaseme järgi. *Kõrgharidusega* isikud on lõpetanud kõrgema õppeasutuse ja nende õppimisaastate arv on keskmiselt 15–16 aastat. Vastavalt rahvusvahelisele ühtse hariduse klassifikaatori 11 kohaselt on keskeriõpe keskhariduse baasil võrdsustatud rakendusliku suunitlusega kõrghariduse esimese astmega ja käesolevas tabelikogumikus on see esitatud kõrghariduse jaotuses. *Keskharidusega* isikud on lõpetanud keskkooli, gümnaasiumi või mõne muu keskharidust andva õppeasutuse, õppimisaastate arv on neil keskmiselt 10–14 aastat. *Põhihariduse või madalama* haridustasemega rühma moodustavad need isikud, kes ei ole omandanud keskharidust (k.a alghariduseta isikud). Tunnus on võrreldav 1996. aastal kasutatud hariduse tunnusega.

Kehamassi indeks. Kehamassi indeks (KMI) leiti kehakaalu (kg) jagamisel pikkuse (m) ruuduga. Rasedatel paluti kirja panna raseduseelne kaal. KMI hindamisel võeti aluseks skaala, milles KMI < 18,5 tähistab alakaalu; vahemik 18,5–24,9 normaalkaalu, 25,0–29,9 ülekaalu ning KMI ≥ 30 tähistab rasvumist.

Kontrollkese. Tunnus iseloomustab isiku psühholoogilist kalduvust tajuda iseennast oma elukäigu kujundajana või vastupidiselt – näha elu pigem väliste jõudude poolt määratuna. Tunnus põhineb küsitletava vastustel kolmele alternatiivsete väidetega küsimustepaarile. Seesmise kontrollkeskmega isikuteks on loetud need küsitletavad, kes kõigi kolme küsimustepaari puhul eelistasid vastuseid, milles sündmuste kulgu hinnati sõltuvaks küsitletava tahtest. Välise kontrollkeskmega isikud eelistasid kõigi kolme väitepaari puhul varianti, kus sündmused toimuvad nende tegevusest ja tahtest sõltumatult. Tunnus on võrreldav 1996. aastal kasutatud kontrollkeskme tunnusega.

Kooselu. Vastus iseloomustab inimese partnersuhte tegelikku olukorda, *kooselus* või *mitte kooselus*. Tabelis 1 on esitatud perekonnaseis vastusvariantide jaotuses: *vallaline, abielus, vabaabielus, lesk, lahutatud/lahus elav*.

Leibkond. Ühte leibkonda kuuluvad kõik need inimesed, kes elavad koos ja jagavad mingis ulatuses ühist elarvet, milleks tavaliselt on toidueelarve. Leibkond saab olla ka üheliikmeline. Ajutiselt (näiteks seoses töö, õppimise või ajateenistusega) eemalviibivad isikud on loetud leibkonna liikmeteks, kui nad on säilitanud majanduslikud sidemed oma leibkonnaga. Kui leibkonna liige viibib hooldekodus ajutiselt (vähem kui 4 kuud), siis kuulub ta leibkonnaliikmete hulka. Tunnus on võrreldav 1996. aastal kasutatud leibkonna tunnusega.

Liikumispiirang. Liikumispiirangu määramisel on tunnuseks kasutatud kehaliste funktsionaalsete piirangute esinemist, mis segab liikumist vähemalt 500 m ulatuses ja trepist kõndimist.

Majanduslik aktiivsus. *Töötavate* hulka kuuluvad kõik, kes osalevad tööturul või on kaitseväes, samuti töötavad vanaduspensionärid. *Mittetöötavateks* loetakse töötud, mittetöötavad pensionärid, üliõpilased, kodused ja töövõimetuspensionärid. Tabelis 1 on esitatud majanduslik aktiivsus vastusvariantide jaotuses: *töötav, töötu, (üli)õpilane, pensionär, kodune*.

Möödukas liikumine. Möödukas liikumine on kerge kehaline tegevus, ka jalutuskäigud või kõnd tööle ja koju.

Piirkond. Piirkonna määramisel on kasutatud Eesti piirkondlike üksuste statistilist klassifikatsiooni, NUTS 3.¹⁶

Pidevat hooldust vajav isik. Pidevat hooldust vajav isik on see, kes ei tule oma tervises seisundi tõttu iseseisvalt toime igapäevaelu toimingutega nagu poeskäimine, toiduvalmistamine või enese eest hoolitsemine, ja kes vajab seetõttu hooldajat. Küsimuse alla ei kuulu väikelaste hooldamine.

Põhiamet. Põhiamet on amet, mida küsitlav on pidanud enamiku ajast oma tööelu jooksul. Kui küsitlaval on elu kestel olnud mitu ametit, siis põhiameti määrab ta ise selle järgi, mida ta oma põhiametiks peab.

Põlisus. Põlisus iseloomustab küsitlute sünnipärast sidet praeguse elukohamaaga. *Põlisrahvastiku* hulka on arvatud eesti päritolu rahvastik – kõik eestlased ja need mitte-eestlased, kes ise ja kelle vähemalt üks vanem on sündinud Eestis. Teistes riikides sündinud inimesi ja nende esimest järelpõlve on käsitletud *immigrantrahvastikuna*. Tunnus on võrreldav 1996. aastal kasutatud põlisuse tunnusega.

Rahvus. Rahvus sõltub inimese enesemääratlusest, mis ei ole üheselt seotud inimese emakeelega, kuid peaks olema kooskõlas vähemalt tema ühe vanema rahvusega. Tunnus on võrreldav 1996. aastal kasutatud rahvuse tunnusega.

Regulaarne suitsetamine. Regulaarne suitsetamine on igapäevane (praktiliselt iga päev) suitsetamine, mis on kestnud vähemalt ühe järjestikuse aasta. Tunnus on võrreldav 1996. aastal kasutatud regulaarse suitsetaja tunnusega.

Suhtelise vaesuse määr. Suhtelise vaesuse määr on isikute osakaal, kelle ekvivalentnetosissetulek on suhtelise vaesuse piirist madalam.¹⁷

Suhtelise vaesuse piir. Suhtelise vaesuse piir on 60% leibkonnaliikmete aasta ekvivalentnetosissetuleku mediaanist. Statistikaameti andmetel oli 2006. aastal suhtelise vaesuse piiriks 3479 krooni kuus.

Tervisehäire. Enesehinnanguliselt oluline pikaajaline tervisehäire. Tunnus on võrreldav 1996. aastal kasutatud tervisehäire tunnusega.

Tervisekäitumine. Selle all mõistetakse inimtegevust, mis on kas *tervist hoidev* ja tugevdav või *tervist kahjustav*. Tunnuse moodustamisel arvatati koondtunnus küsitletava tervisekäitumisest. Koondtunnuse arvutamiseks kasutati järgmisi tunnuseid: alkoholi tarbimise sagedus ja kogused, suitsetamise sagedus ja sigarettide arv päevas, narkootikumide tarbimine viimase 12 kuu jooksul, soola tarbimine, puu- ja juurvilja tarbimine, arstlikus tervisekontrollis käimine, kehaline aktiivsus, KMI ning turvaline seksuaalkäitumine. Äärmuste selgemaks eristamiseks on keskmine rühm tabelites jäetud esitamata.

Tervise seisund. Tervise seisundi määratlemisel on kasutatud järgmisi ankeeditunnuseid: hooldusvajadus, tervise seisund, tervisehäirete esinemine viimasel 12 kuul, vigastuste ja mürgistuste esinemine, kehaline ja meelelundkonnaga seotud funktsionaalsete piirangute esinemine ning toimetulekupiirangute esinemine.

- (1) *Terveks* on loetud isikud, kellel pole kunagi esinenud pikaajalist haigust või terviseprobleemi või kellel pole viimasel 12 kuul esinenud tervisehäireid, vigastusi ega mürgistusi, millest taastumine oleks nõudnud rohkem aega kui neli nädalat.
- (2) *Tervisehäirega* on isikud, kellel on viimasel 12 kuul esinenud tervisehäire, mis ei ole oluliselt piiranud igapäevategevusi. Funktsionaalseks toimetulekuks võib kasutada abivahendeid.
- (3) *Tõsisema tervisehäirega* on isikud, kelle tervisehäire ja/või pikaajaline terviseprobleem segab oluliselt nende igapäevategevusi ning kelle funktsionaalne toimetulek on raske.
- (4) *Toimetuleku piiranguga* on isikud, kes vajavad oma terviseprobleemi tõttu igapäevaseks toimetulekuks pidevat või perioodilist abi. Samuti kuuluvad sellesse gruppi isikud, kes on pimedad, kurdid või liikumisvõimetud.

Trauma. Trauma on vigastus või mürgistus, mis on tekkinud kas õnnetuse või sihiliku tegevuse tagajärjel.

Võistlussport. Võistlussport on saavutusele suunatud regulaarne kehaline treening, mille eesmärgiks on võimalikult heade sportlike tulemuste saavutamine võistlustel.

KASUTATUD KIRJANDUS

1. Oja L, Matsi A, Leinsalu M. Eesti Terviseuuring 2006. Metodoloogiaülevaade. Estonian Health Interview Survey 2006. Methodological Report 2006. Tervise Arengu Instituut. Tallinn, 2008.
2. Leinsalu M, Grintšak M, Noorkõiv R, Silver B. Eesti Terviseuuring. Metodoloogiaülevaade. Estonian Health Interview Survey. Methodological Report. Eksperimentaalse ja Kliinilise Meditsiini Instituut. Tallinn, 1998.
3. Leinsalu M, Grintšak M, Noorkõiv R. Eesti Terviseuuring. Tabelid. Estonian Health Interview Survey. Tables. Eksperimentaalse ja Kliinilise Meditsiini Instituut. Tallinn, 1999.
4. EC, Building a European Health Survey System: Improving information on self-perceived morbidity and chronic conditions Working Party Morbidity and Mortality, Luxembourg, 2004.
5. Report on guidelines and quality criteria for population health survey design and methods. Technical group health and health interview survey (HIS) statistics. Luxemburg, 2006.
6. European Health Interview & Health Examination Surveys Database. [www] www.iph.fgov.be/hishes (20.06.2008)
7. Riikliku statistika seadus. Elektrooniline Riigi Teataja, 1997.[www] <https://www.riigiteataja.ee/ert/act.jsp?id=12870562> (20.06.2008)
8. Euroopa Nõukogu ja Euroopa Parlamendi määrus Euroopa Liidu rahvastiku tervise ja töötervishoiu ja tööohutuse statistika kohta. [www] <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2006:055:0009:0013:ET:PDF> (20.06.2008)
9. Andmekogude seadus. Elektrooniline Riigi Teataja, 2004. [www] <https://www.riigiteataja.ee/ert/act.jsp?id=12792916> (20.06.2008)
10. Sotsiaalministeerium. Ametite klassifikaator, 1999.
11. Statistikaamet. Rahvusvaheline ühtne hariduse liigitus, 1999.
12. Statistikaamet. Eesti haldus- ja asustusjaotuse klassifikaator, 1990. [www] http://pub.e-tervis.ee/index.py/view_desc?standard_id=1567 (03.12.2008)
13. Justiitsministeeriumi registrikeskus. Eesti majanduse tegevusalade klassifikaator. Tallinn, 2003.
14. Sotsiaalministeerium. Rahvusvaheline haiguste klassifikatsioon, RHK-10. Tallinn, 1994.
15. World health Organization: The ICD-10 Classification of Mental and Behavioral Disorders. Diagnostic criteria for research, Geneva: World Health Organization, 1993.
16. Eesti piirkondlike üksuste statistiline klassifikaator (NUTS). Elektrooniline Riigi Teataja, 2002 [www] <https://www.riigiteataja.ee/ert/act.jsp?id=23919> (03.12.2008)
17. Statistikaamet. Statistika andmebaas [www] <http://www.stat.ee/andmebaas> (17.12.2008)

CONTENTS

PREFACE	14
METHODODLOGICAL BASIS	15
ARRANGEMENT OF THE SURVEY	15
SAMPLE AND RESULTS OF THE FIELDWORK	16
DATA ENTRY AND CODING	17
EXPOSITION OF TABLES	17
DEFINITIONS	18
REFERENCES	21
LIST OF TABLES	23
TABLES	28

PREFACE

Ten years separate Estonian Health Interview Survey 2006 from the previous nationwide health survey. During these ten years the Estonian men's life expectancy has increased by 3,3 years and women's life expectancy by 3,1 years, being currently higher than ever. However, comparing Estonian average figures with the European ones, the life expectancy of Estonian men and women falls down on the life-span of European men and women by more than eight and three years, respectively. It becomes evident from the comparison that our population's health status is not good enough. The data of the Health Interview Survey could help and show the direction for improving the situation, whether at the state or population's group level.

Present compendium of tables is the second issue after the methodological report¹ that introduces the results of the Health Interview Survey 2006. The data about health and health-related topics are presented in this compendium by different social, economic and demographic background characteristics. Although the questionnaires of the two surveys with the 10-year interval were not identical, analytical methods and the exposition of tables of Health Interview Survey 1996 were aimed to be followed while working out the tables. On a large scale, it enables to compare the data with the previous health survey^{2,3}. Furthermore, short overview about the methodology of the survey and results are presented in the compendium of tables. Methodological report studies the arrangement of the survey in detail.

In 2006, the Scientific Board that was formed for consulting the Health Interview Survey consisted of public health specialists, public servants from the Department of Social Affairs and researches in the following membership: Maarika Harro – NIHD, director, head of the Scientific Board; Leila Oja – NIHD, researcher, coordinator of the EHIS 2006; Toomas Veidebaum – NIHD, director of research; Mall Leinsalu – NIHD and Södertörn University College, Sweden, researcher, head of the Scientific Board of the EHIS 1996; Mare Tekkel – NIHD, senior researcher; coordinator of the Health Behaviour Survey of the Adult Population in Estonia; Luule Sakkeus – Ministry of Social Affairs, Department of Health Information and Analysis, senior data analyst; Mare Ruuge – Ministry of Social Affairs, Department of Health Information and Analysis, data analyst; Triin Habicht – Ministry of Social Affairs, Department of Public Health, head of health policy; Jaanus Harro – Estonian Centre of Behavioural and Health Sciences, head; Raul Kiivet – University of Tartu, Department of Public Health, head; Anu Aluoja – University of Tartu, Department of Psychiatry, docent; Urve Kask – Statistics Estonia, Department of Population and Social Statistics, head; Anne Kleinberg – Tallinn Children's Hospital, Department of Children's Psychiatry, head; Ferenc Szirko – East Tallinn Central Hospital, gynaecologist.

Health Interview Survey was accomplished thanks to the cooperation of several institutions. We thank the poll coordinators and interviewers of the poll companies LLC Faktum & Ariko and Saar Poll Ltd for their experience and a year-long intense cooperation. Thanks to their work the Health Interview Survey substantial data were gathered. Our thanks go also to the 6434 respondents who contributed their time to the research by answering the questionnaire.

We thank the members of the National Institute for Health Development for their effective cooperation and contribution in launching and carrying out the Health Interview Survey.

With all respect on behalf of the EHIS organizers
Leila Oja

METHODOLOGICAL BASIS

Estonian Health Interview Survey (EHIS) 2006 is the second large-scale national survey undertaken on the health and health-related topics of the population of Estonia. The Survey's main topics are the health status of the population, its determinants, health related limitations in social performance, health care utilization and availability. While planning EHIS 2006, the methodology of the first Health Interview Survey 1996 was taken into consideration, so it could be possible to assess the population's health changes and other related circumstances over time.^{2,3}

The objectives of the EHIS 2006 were formulated as follows:

- to give an overview of the health status according to the population structure;
- to evaluate the effects of social, economic, environmental and behavioural factors on the health status of the population;
- to map the need of assistance as regards health problems.

Although health is defined as the behavioural, mental and social well-being, the individual's health status is most affected by the chronic diseases and the long-lasting health disorders. The causal factors of the chronic diseases accumulate through the life course and are related to social, economic, environmental and behavioural factors. Present Health Interview Survey follows the event-history approach used in EHIS 1996, in order to study the causal relations between health and its determinants. When health loss starts at earlier stage, it can be an important factor in changing the individual's further life course. Health loss on a population level influences more or less the progress of society, for example, through the loss of human labour resource or the proportion of population dependent on social and economic assistance. In the process of assessing the health loss for the further aid plan it is important to know whether the individual receives the assistance to cope with his everyday life and to find out any possible shortcomings.

In 2002, The EU started to elaborate the European Health Survey System⁴ in a more systematic manner in order to harmonize the methodology of the surveys. European Health Survey System enacts the periodic health data collection about certain health topics on the basis of similar definitions and data collection methods, in order to make the health data comparable between the EU member states. The administration of the European Health Survey System is conducted through a collaboration of the Directorate General for Health and Consumer Affairs of the EU and the Statistical Office of the European Communities (EUROSTAT). Since Estonia participates in the European Health Survey System, all those European Health Modules that were ready by that time⁵ were integrated into EHIS 2006. The data from the comparable modules will be forwarded to EUROSTAT for cross-country comparisons and the methodological part will be added to the common HIS/HES database.⁶

The initial data results of EHIS 2006 are presented in the current compendium of tables. The aspects of individual's health status, its determinants, health care utilization and health related attitudes have been evaluated by age groups within the samples of different social, economic and demographic backgrounds.

ARRANGEMENT OF THE SURVEY

According to the Governmental Order EHIS 2006 was added to the list of national statistical surveys. National statistical surveys have been regulated in accordance with the Official Statistics Act⁷. As regards the data collection, processing and publishing of survey data, both national and international requirements are used in accordance with the Personal Data Protection Act. The legal basis for data collection is also ensured by the Public Health Act and by the Regulations of the European Parliament and the Council for Community Statistics on Public Health and Health and Safety at Work⁸. The EHIS 2006 was financed from the state budget and its implementation was delegated to the National Institute for Health development (NIHD). EHIS 2006 was to be conducted in 2006-2008. Before starting the survey

EHIS 2006 was registered in the Estonian Data Protection Inspectorate in accordance with the Database Act⁹. The Survey is approved by the Tallinn Medical Research Ethics Committee.

To resolve all the issues related to the methodological, analytical and organizational aspects of the survey, a Scientific Board was formed at the NIHD. It included 14 public health specialists, administrators and researchers. The Scientific Board had a big role in compiling the EHIS 2006 questionnaire which was piloted before the main survey. The Scientific Board decided to conduct the survey in a traditional form of paper-assisted interviews, since the research companies had not enough experience of conducting computer-assisted interviews. To inform the general public, a large-scale media campaign was launched at the beginning of the fieldwork and was repeated in January 2007.

The fieldwork service was bought from commercial poll companies through a public procurement procedure. The interviewers from Saar Poll Ltd and LLC Faktum & Ariko conducted face-to-face interviews and at the end of the fieldwork the NIHD had to hire additional interviewers. The interviewing work was organized by the coordinators of these companies who were in contact with the survey coordinators at the NIHD. Before the beginning of the fieldwork, October 2006 and later again, in January 2007, 10 one-day training sessions were held for the interviewers and coordinators. Interviewers had the choice of having their training and later on, interviewing according to their own language use, i.e. either in Estonian or in Russian. Only those interviewers who had passed the exam were allowed to carry out interviews. In all, 212 interviewers participated in the fieldwork. The fieldwork was completed in October 2007, thus the period of fieldwork was 13 months.

SAMPLE AND RESULTS OF THE FIELDWORK

According to the requirements of national surveys, EHIS 2006 is based on a probability sampling technique which means that each subject in a target population has a certain probability of being sampled. The target population of EHIS 2006 consisted of all permanent residents of Estonia aged 15–84 (on 01.01.2006), or in other words, those born in the period 1921–1990. The Population Registry held by PLC Andmevara was used as the sample frame. A stratified systematic sampling method was used to select the sample. The target population was divided into non-overlapping strata by place of residence, sex and age in order to apply different inclusion probabilities to these strata and thus, to improve the reliability of survey results by region, gender and age group. In all, 30 strata were formed for the sample selection.

The initial sample size was 15 000 persons. Before the beginning of fieldwork, 11 023 people were selected from the initial sample by simple random sampling. This group of individuals formed the final sample. To determine the sample size for each stratum, the size of the target population and the differences in the response probability by region and age group were taken into account. The inclusion probability for persons aged over 64 was increased in order to ensure that there would be enough participants from among those individuals in the older age groups. People from counties with a smaller population size were selected with a higher probability to ensure proper regional counts.

The contact addresses of 11 023 potential respondents were given to the poll companies, from where 6512 completed questionnaires were returned. 78 completed questionnaires were not eligible due to the poor interviewer work. The final number of database was 6434 entries, thus the initial response rate was 58, 4%. The most common reasons for non-response were the respondent's refusal due to the topic of the survey and lack of time (n=2016), not finding the respondents at the address provided (n=1694) and in 516 cases the interviewer did not make a contact with the respondent. Among the sampled people, 72 persons had died before the survey and 261 persons were away from Estonia for more than one year, which is termed as the error of the sampling frame. Considering the error of the sampling frame, the corrected response rate of the survey is 60,2%.

As the response rate was different by strata, the non-response among the strata of age group and region had to be compensated by weighting, in order to increase the accuracy of survey's results. After calculating the non-response compensated weights, the distribution of the estimated population size by gender and age (28 groups), by regions (15 counties and Tallinn) and by urban/rural areas was compared to the population data, provided by Statistics Estonia. To improve the quality of the estimates, the weights that were calculated during the previous stages were calibrated by using the calibration coefficient, through which the total number of calibrated weights, 896, was obtained. Further estimates were calculated by using the calibrated weight, which in turn guaranteed the accurate correspondence of the survey data to the actual population statistics data. When using the calibrated weights, it is important to keep in mind that the exact distribution is only ensured for those groups that were chosen for calibration, for example, in this case by gender and age groups, by region and by urban/rural areas. When one wishes a different outcome group, then survey-based distributions may not coincide accurately with the actual population statistics. Nevertheless, the calibration process helps to improve other distributions, as well.

DATA ENTRY AND CODING

For data entry and to create the EHIS 2006 database, the licensed data entry software programme Blaise 4.7 was used. The data entry process was controlled by 119 logical controls. 2615 questionnaires (40,1%) needed some form of correction.

The data entry of EHIS 2006 was done from October 2006 to November 2007 in parallel with the fieldwork. The EHIS 2006 data was coded by experts, who also work as coding specialists at Statistics Estonia. The variables that needed coding were respondent's occupation, educational qualifications, economic activity and chronic diseases. The occupation variable was coded by using the International Standard Classification of Occupations (ISCO-88)¹⁰ at the 4-digit level, while the educational qualification variable was coded by using the International Standard Classification of Education (ISCED-97)¹¹ at the 3-digit level. The place of birth and the place of residence were coded on the level of the local administrative units (town, rural municipality) according to the Estonian classification for administrative units (EHAK)¹². The economic activity variable was coded by using the Estonian statistical classification for economic activities (EMTAK 2003)¹³ at the 3-digit level. Chronic diseases were coded in accordance with the 10th release of the International Statistical Classification of Diseases and Related Health Problems (ICD-10)¹⁴. The electronic database of EHIS 2006 is saved in SPSS/Windows (Version 14.0) format, which includes all the variable and value labels. The data file is anonymous, which means that it does not include any information that may identify the respondent. The data file also includes a printout with all the EHIS 2006 variables and value labels. The raw data can be obtained from the NIHD through the application process.

EXPOSITION OF TABLES

Invariable background characteristics, all together 14, were used when presenting the tables in this compendium. In the first table with absolute values (Table 1), 3 variables (cohabitation, economic activity, self-estimated health) are presented in grey background in all answer categories. In the following tables answer categories combined of these variables are used. The description of combining the answer categories is presented in the definition section.

Variables related to the individual's socio-demographic background are region, settlement type, nationality, marital status, education, economic activity, income and origin. Individual's health and personal characteristics include the variables of health status, health behaviour, locus of control and self-estimated health. Definitions of the background variables used in the tables are presented in the subsequent section in alphabetical order.

Tables in the compendium are presented separately for male and female population. Male (A) and female (B) tables are located in the identical format on the adjoined pages. In all A- and B-tables, in addition to those who gave their answers, there is also the number of persons who didn't answer, which is presented on the row "Missing". The row "Missing" doesn't include those respondents who were not supposed to answer the corresponding question. In the tables the sign "-" indicates that the corresponding value is missing or it was not possible to calculate it. 5-year age groups (age was calculated on 01.01.2006), as well as generations according to the age groups are also displayed in the tables. People in the oldest age group (80-84) were born in 1921-1925 and in the youngest group (15-19) in 1986-1990. In the last column of the table, all the age groups/generations have been summed up.

Weighted data have been used in computing the percentage distribution of a spreadsheet in the present compendium. In Table 1, numerical distribution of the respondents by their background characteristics is presented in absolute values, as well as the distribution "Total" of the upper tables.

DEFINITIONS

The quantity of absolute alcohol. While calculating the quantity of absolute alcohol, the methodology which states that 1 dose equals to 10 g of absolute alcohol was used. According to this, 1 dose equals to 1 low-alcohol beer (0,5 l), glass of wine (100g) or one shot of strong alcohol (30g). The methodology of calculating the used variable is similar to EHIS 1996 methodology.²

Active movement. Active movement is an intense physical activity, as jogging, ball games, swimming and skating, also gardening.

The settlement type. A town settlement is an administrative unit which population density is more than 100 people per square kilometre. The administrative unit with a lower population density is considered to be a rural area. Due to the fact that the basis for calculating the variable in the present survey is not the population size, but the density, the settlement type variable is not comparable to the variable used in EHIS 1996.

Depression. Depression is an emotional status which main characteristics are mood changes, decreased interest and zest for life and loss of energy.

Distress rate. Emotional distress is the status when a person feels several negative disturbing emotions at the same time, especially tension, anxiety, mood decline, to which asthenia and sleeping disorders are often added. The individual's emotional distress is assessed by the module of emotional well-being which is elaborated according to the diagnostic criteria of depression and anxiety disorders that are presented in the international classification of mental disorders.¹⁵ According to the distress rate, the respondents are divided into two groups: *with a relevant distress and without a relevant distress*.

Self-estimated health. For calculating the variable, the first question "How do you evaluate your health in general?" of the health status mini module was used. According to the answer distribution, the respondents were divided into two groups: *with good or with very good health and with bad and with very bad health*. Table 1 shows the distribution of all answer categories.

Functional limitations. Functional limitations are body function limits on hearing, seeing and mobility.

Education. Education level has been evaluated by the highest completed educational level. People *with higher education* have graduated higher educational institution and their average study period is 15-16 years. According to the International Standard Classification of Education (ISCED) 11 vocational

education based on general secondary education is considered equal to the first level of vocational higher education and is presented under higher education in this compendium. People *with secondary education* have graduated high school, gymnasium or some other educational institution that provides secondary education and their average study period is 10-14 years. A group *with basic education or with lower educational level* is formed by those persons who have not acquired the secondary education (including persons without primary education). The variable is comparable to the variable of education used in EHIS 1996.

The body mass index. The body mass index (BMI) was found by dividing the body weight (kg) by the height (m) square. Pregnant women were asked to record their pre-pregnant weight. To evaluate the BMI, a scale was used as the basis. The BMI of less than 18,5 marks underweight, the range 18,5-24,9 normal weight, the range 25,0-29,9 overweight and BMI of more than 30 marks obesity.

Locus of control The variable characterizes the individual's psychological tendency to perceive oneself as someone who controls his life or, on the contrary, to believe rather that his life is guided by external forces. The variable is based on the respondent's answers to three question pairs that had a different set of possible responses. People *with internal locus* are considered to be the respondents who in case of all three question pairs preferred the answers in which the course of events was seen as depending on their own will. Persons *with external locus* preferred in case of all three statement pairs the version where events happen independent of their action and will. The variable is comparable to the variable of locus control used in EHIS 1996.

Cohabitation. The response characterizes the actual status of the person's relationship: *cohabitant* or *non-cohabitant*. In Table 1, the marital status is presented by the answer categories: single, married, cohabitant, widow, divorced/separated.

Household. The term refers to all individuals who live in the same dwelling and share to some extent the joint budget which is usually the food budget. The household can also have only one member. Persons who are temporarily away (due to their work, studies or military service) are considered as the household members in case they have retained economic relations with their household. In case the household member is temporarily (less than 4 months) in the nursing home, he also belongs to the household. The variable is comparable to the variable of household used in EHIS 1996.

Impaired mobility. The variable of impaired mobility is termed as the occurrence of the physical functional limitations that disturb the mobility of walking 500 m or less or climbing/descending the stairs.

Economic activity. The term *active* includes all people who participate in labour market or in military service, as well as working old-age pensioners. *Non-active* population is considered to be unemployed people, non-working pensioners, students, homemakers and people receiving pension for incapacity for work. In Table 1, the economic activity is presented by answer categories: working, unemployed, student, pensioner, and homemaker.

Moderate movement. Moderate movement is a light physical activity, also walking on foot, for example to work and home.

Region. Statistical classification of Estonian regional units, NUTS 3¹⁶ is used to determine the region.

Person in need of constant assistance. The term is referred to a person who due to his health status cannot cope independently with everyday procedures, like shopping, food preparation or taking care of oneself, and therefore needs a personal assistant. The term does not include nursing of young children.

Main occupation. Main occupation is an occupation that the respondent has held down during the most of his working period. In case the respondent has had several jobs during his life, the main occupation is determined according to what job the person himself considers as the main occupation.

Origin. Origin characterizes the respondents' birth bond with the present place of residence. *Native-born* population includes all Estonians and those non-Estonians who themselves or at least one of their parents were born in Estonia. *Not native-born* population refers to people born in other countries and to their first successive generation. The variable is comparable to the variable of origin used in EHIS 1996.

Nationality. Nationality depends on a person's self-definition which is not univocally related to his mother tongue, yet should be in accord with the nationality of one of his/her parents. The variable is comparable to the variable of nationality used in EHIS 1996.

Regular smoking. Regular smoking is everyday smoking (practically every day) that has lasted for at least one consecutive year. The variable is comparable to the variable of regular smoker used in EHIS 1996.

Relative poverty rate. Relative poverty rate is a proportion of people whose equivalent income is below the relative poverty threshold.

Relative poverty threshold. Relative poverty threshold is 60% of the national median equalized disposable income for household members. According to Statistics Estonia, the relative poverty threshold in 2006 was 3479 kroons per month.

Health disorder. Self-estimated relevant long-term health disorder. The variable is comparable to the variable of health disorder used in EHIS 1996.

Health behaviour. The term is referred to a human activity that is either *health protective* or *health harming*. In order to form a variable, the focal characteristic was calculated from the respondent's health behaviour. The following characteristics were used to calculate the focal characteristic: frequency and quantity of alcohol consumption, smoking frequency and the number of cigarettes consumed per day, drug consumption during the last 12 months, salt consumption, and the consumption of fruits and vegetables, attendance at medical checkups, physical activity, BMI and safe sexual behaviour. For differencing the extremes, the middle group is not presented in the tables.

Health status. The following questionnaire variables were used to determine the health status: need for assistance, health status, and occurrence of health disorders during the last 12 months, occurrence of injuries and intoxication, occurrence of functional limitations related to body and mind, and difficulties in coping.

- (1) An individual with *no health disorder* is a person who has never experienced a long-term disease or health problem or who has not experienced any health disorders, injuries or intoxication that required more than 4 weeks of recuperation during the last 12 months.
- (2) An individual with *less severe health disorders* is a person who has had a health disorder that has not substantially restrained the daily activities during the last 12 months.
- (3) An individual with *severe health disorders* is a person whose health disorder and/or long-term health problem disturbs substantially his daily activities and who has difficulties in functional coping.
- (4) An individual with *managing restrictions* is a person who because of his/her health problem needs constant or periodic assistance for everyday coping. Persons who are blind, deaf or have mobility impairment also belong to this group.


Trauma. Trauma is an injury or intoxication caused by an accident or deliberate activity.

Competitive sport. Competitive sport is a regular physical training directed to an achievement and its objective is to achieve good sportive results in competitions.

REFERENCES

1. Oja L, Matsi A, Leinsalu M. Eesti Terviseuuring 2006. Metodoloogiaülevaade. Estonian Health Interview Survey 2006. Methodological Report 2006. Tervise Arengu Instituut. Tallinn 2008.
2. Leinsalu M, Grintšak M, Noorkõiv R, Silver B. Eesti Terviseuuring. Metodoloogiaülevaade. Estonian Health Interview Survey. Methodological Report. Eksperimentaalse ja Kliinilise Meditsiini Instituut. Tallinn, 1998.
3. Leinsalu M, Grintšak M, Noorkõiv R. Eesti Terviseuuring. Tabelid. Estonian Health Interview Survey. Tables. Eksperimentaalse ja Kliinilise Meditsiini Instituut. Tallinn, 1999.
4. EC, Building a European Health Survey System: Improving information on self-perceived morbidity and chronic conditions Working Party Morbidity and Mortality, Luxembourg, 2004.
5. Report on guidelines and quality criteria for population health survey design and methods. Technical group health and health interview survey (HIS) statistics. Luxemburg, 2006.
6. European Health Interview & Health Examination Surveys Database. [www] www.iph.fgov.be/hishes (20.06.2008)
7. Riikliku statistika seadus. Elektrooniline Riigi Teataja, 1997.[www] <https://www.riigiteataja.ee/ert/act.jsp?id=12870562> (20.06.2008)
8. Euroopa Nõukogu ja Euroopa Parlamendi määrus Euroopa Liidu rahvastiku tervise ja töötervishoiu ja tööohutuse statistika kohta. [www] <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2006:055:0009:0013:ET:PDF> (20.06.2008)
9. Andmekogude seadus. Elektrooniline Riigi Teataja, 2004. [www] <https://www.riigiteataja.ee/ert/act.jsp?id=12792916> (20.06.2008)
10. Sotsiaalministeerium. Ametite klassifikaator, 1999.
11. Statistikaamet. Rahvusvaheline ühtne hariduse liigitus, 1999.
12. Statistikaamet. Eesti haldus- ja asustusjaotuse klassifikaator, 1990. [www] http://pub.e-tervis.ee/index.py/view_desc?standard_id=1567 (03.12.2008)
13. Justiitsministeeriumi registrikeskus. Eesti majanduse tegevusalade klassifikaator. Tallinn, 2003.
14. Sotsiaalministeerium. Rahvusvaheline haiguste klassifikatsioon, RHK-10. Tallinn, 1994.
15. World health Organization: The ICD-10 Classification of Mental and Behavioral Disorders. Diagnostic criteria for research, Geneva: World Health Organization, 1993.
16. Eesti piirkondlike üksuste statistiline klassifikaator (NUTS). Elektrooniline Riigi Teataja, 2002 [www] <https://www.riigiteataja.ee/ert/act.jsp?id=23919> (03.12.2008)
17. Statistikaamet. Statistika andmebaas [www] <http://www.stat.ee/andmebaas> (17.12.2008)

EESTI TERVISEUURING 2006 VASTAMISMÄÄR MAAKONNITI
ESTONIAN HEALTH INTERVIEW SURVEY 2006 RESPONSE RATE BY REGIONS



TABELITE NIMEKIRI

ÜLDTABELID

1. Küsitletute arv
2. Küsitletute rahvus
3. Küsitletute põlisus
4. Kooselu leibkonnas
5. Hooldusvajadus leibkonnas
6. Praeguse eluaseme tüüp
7. Praeguse eluaseme mugavused
8. Praegust elukohta iseloomustavad väliskeskkonna tegurid
9. Leibkonna omanduses olevad varad

TERVISESEISUND

10. Vähemalt ühe pikaajalise tervisehäire esinemine
11. Vereringeelundite häirete esinemine
12. Hingamiselundite häirete esinemine
13. Seede- või kuseelundite häirete esinemine
14. Lihasluukonnaga seotud tervisehäirete esinemine
15. Suguelunditega seotud tervisehäirete esinemine
16. Esimese kroonilise või pikaajalise haigus esmatekke ajastus
17. Vereringeelundite häire esmatekke ajastus
18. Hingamiselundite häire esmatekke ajastus
19. Seede- või kuseelundite häire esmatekke ajastus
20. Lihasluukonnaga seotud tervisehäire esmatekke ajastus
21. Suguelunditega seotud tervisehäire esmatekke ajastus
22. Mõnede haiguste esinemine elu jooksul
23. Emotsionaalse distressi esinemine viimasel neljal nädalal
24. Depressiooni esinemine viimasel kahel nädalal
25. Traumade/vigastuste arv elu jooksul
26. Esmatrauma tekke ajastus
27. Traumade tekke põhjused
28. Vähemalt ühe toimetulekupiirangu esinemine

LIST OF TABLES

GENERAL TABLES

1. Number of respondents
2. Ethnicity of respondents
3. Nativity of respondents
4. Living together in household
5. Need for nursing in household
6. Type of current dwelling
7. Conveniences of current dwelling
8. Environmental factors characterising current residential area
9. Properties belonging to household

HEALTH STATUS

10. Prevalence of at least one long-term health disorder
11. Prevalence of disorders of circulatory system
12. Prevalence of disorders of respiratory system
13. Prevalence of disorders of digestive or urinary system
14. Prevalence of disorders related to musculoskeletal system
15. Prevalence of disorders related to genital organs
16. Timing of the first occurrence of a chronic or long-term illness
17. Timing of first occurrence of disorder of circulatory system
18. Timing of first occurrence of disorder of respiratory system
19. Timing of first occurrence of disorder of digestive or urinary system
20. Timing of first occurrence of disorder related to musculoskeletal system
21. Timing of first occurrence of disorder related to genital organs
22. Lifetime prevalence of selected diseases
23. Prevalence of emotional distress during the last four weeks
24. Prevalence of depression during the last two weeks
25. Number of traumas/injuries during the lifetime
26. Timing of occurrence of first trauma
27. Causes of traumas
28. Prevalence of at least one limitation in performing usual activities

29. Kodutoimetuspriirangute esinemine
30. Enesega toimetulekupiirangute esinemine
31. Liikumispriirangute esinemine
32. Kuulmispriirangute esinemine
33. Nägemispriirangute esinemine
34. Kõnelemispriirangute esinemine
35. Haigustest või vigastustest tingitud tervisepiirangute esmatekke ajastus
36. Tervise enesehinnang

29. *Prevalence of limitations in performing housework*
30. *Prevalence of personal care disabilities*
31. *Prevalence of mobility limitations*
32. *Prevalence of hearing disabilities*
33. *Prevalence of seeing disabilities*
34. *Prevalence of speaking disabilities*
35. *Timing of first occurrence of health limitations caused by illness or accidents*
36. *Self-estimated health status*

TAASTETERVIS JA SEKSUAALKÄITUMINE**REPRODUCTIVE HEALTH AND SEXUAL BEHAVIOR**

37. Partnersuhted
38. Kooselude arv
39. Esmaskooselu ajastus
40. Esmasseksuaalvahekorra ajastus
41. Rasestumisvastaste vahendite kasutamine esmasseksuaalvahekorral
42. Esimese rasestumise ajastus
43. Esmasraseduse lõppemise viis
44. Laste arv
45. Esimese lapse sünni ajastus
46. Laste sünnijärgne seisund
47. Rinnapiimaga toitmine
48. Iseenda viljatusprobleemi teadvustamine
49. Viimase seksuaalvahekorra aeg
50. Vahekordade arv viimasel neljal nädalal
51. Seksuaalpartnerite arv viimasel 12 kuul
52. Enam kui üht seksuaalpartnerit viimasel 12 kuul omanute kondoomi kasutamistava
53. Vahendite kasutamine rasestumise ja/või suguhaiguste vältimiseks
54. Rasestumisvastaste vahendite mittekasutamise põhjus
55. Menstruaaltsükli regulaarsus
56. Menopausi ajastus
57. Tervist ohustava seksuaalkäitumise esinemine
58. Enesehinnang HI-viirusesse nakatumise võimaluse kohta

37. *Partnership status*
38. *Number of partnerships*
39. *Timing of first partnership*
40. *Timing of first sexual intercourse*
41. *Use of contraception at first sexual intercourse*
42. *Timing of first pregnancy*
43. *Outcome of first pregnancy*
44. *Number of children*
45. *Timing of the birth of first child*
46. *Postnatal health status of children*
47. *Breastfeeding*
48. *Consciousness of his/her own infertility problem*
49. *Time of the last sexual intercourse*
50. *Number of intercours during the last four weeks*
51. *Number of sexual partners during the last 12 months*
52. *Use of condom by persons having more than one sexual partner during the last 12 months*
53. *Use of contraceptives to avoid pregnancy and/or sexually transmitted diseases (STD)*
54. *Reasons for not using contraceptives*
55. *Regularity of menstruations*
56. *Timing of menopause*
57. *Sexual behavior that is harmful to health*
58. *Self-estimation of the possibility of being infected with HIV*

ARSTIABI

59. Perearsti külastamine viimasel 12 kuul
60. Viimase perearsti külastuse peamine põhjus
61. Viimane haiglasviibimine
62. Viimane eriarsti külastus
63. Viimase eriarsti külastuse põhjus
64. Viimane mammogrammi tegemine
65. Viimase mammogrammi tegemise põhjus
66. Viimane PAP-testi tegemine
67. Viimase PAP-testi tegemise põhjus
68. Viimane hambaarsti külastus
69. Alternatiivse abi kasutamine terviseprobleemide puhul
70. Ravimite tarvitamine viimasel neljal nädalal
71. Kõrgenenud vererõhu ravimite tarvitamine
72. Südame- ja veresoonekonna ravimite tarvitamine
73. Diabeediravimite tarvitamine
74. Astma ja teiste hingamisteede haiguste ravimite tarvitamine
75. Käsivõõgi valuvaigistite tarvitamine
76. Unerohutuse, rahustite (retseptiravimid) tarvitamine
77. Antibiootikumide tarvitamine
78. Vitamiinide, mineraalainete preparaatide või looduslike ravimite tarvitamine
79. Ravikindlustuse omamine

TERVISEKÄITUMINE

80. Suitsetamine elu jooksul
81. Regulaarse suitsetamise alustamise ajastus
82. Regulaarse suitsetamise kogukestus
83. Suitsetatud sigarettide arv päevas regulaarse suitsetamise perioodil
84. Suitsetamine viimasel neljal nädalal
85. Igapäevasuitsetajate päevas suitsetatud sigarettide arv viimasel neljal nädalal
86. Igapäevasuitsetajad tarvitatava suitsuliigi järgi viimasel neljal nädalal
87. Kunagi regulaarselt suitsetanute praegune suitsetamine
88. Mittesuitsetajate tubakasuitsule eksponeerituse aeg päevas tööl viibides
89. Kodu suitsetamine
90. Suitsetamine lapsepõlvkodus

HEALTH SERVICES

59. Visiting the family physician during the last 12 month
60. The main reason of the last visit to the family physician
61. Recency of the last hospitalisation
62. Recency of the last visit to a specialist
63. Reason for the last visit to a specialist
64. Recency of the last mammogram
65. Reason for the last mammogram
66. Recency of the last PAP-test
67. Reason for the last PAP-test
68. Recency of the last visit to the dentist
69. Use of alternative aid in case of health problems
70. Use of medication during the last four weeks
71. Use of medication for high blood pressure
72. Use of medication for heart and circulatory system
73. Use of medication for diabetes
74. Use of medication for asthma and other diseases of respiratory system
75. Use of over the counter analgetics
76. Use of prescribed sedatives
77. Use of antibiotics
78. Use of vitamins, minerals or natural medicaments
79. Health insurance

HEALTH BEHAVIOR

80. Smoking during the lifetime
81. Timing of beginning of regular smoking
82. Duration of regular smoking
83. Number of cigarettes smoked per day during the regular smoking period
84. Smoking during the last four weeks
85. Number of cigarettes smoked per day by daily smokers during the last four weeks
86. Type of cigarettes smoked by daily smokers during the last four weeks
87. Current smoking of those who have ever smoked regularly
88. Hours of daily exposure to tobacco smoke among non-smokers at work
89. Smoking at home
90. Smoking at parental home

91. Alkoholi tarvitamine elu jooksul	91. Consuming of alcohol during the lifetime
92. Esmakordselt alkoholi üle viie annuse tarvitamise ajastus	92. Timing of the first consuming of alcohol over five doses
93. Alkoholi tarvitamise sagedus suurima tarvitamise perioodil	93. Frequency of consuming alcohol during the maximum consumption period
94. Alkoholi tarvitamise sagedus viimasel neljal nädalal	94. Frequency of consuming alcohol during the last four weeks
95. Ühel tarbimiskorral tavaline korraga joodud õlle kogus	95. Usual amount of beer drunk at one sitting
96. Ühel tarbimiskorral tavaline korraga joodud veini (muu kerge alkoholi) kogus	96. Usual amount of wine (other light alcohol) drunk at one sitting
97. Ühel tarbimiskorral tavaline korraga joodud viina (muu kange alkoholi) kogus	97. Usual amount of vodka (other strong alcohol) drunk at one sitting
98. Alkoholi tarvitamise sagedus lapsepõlvkodus	98. Frequency of consuming alcohol at parental home
99. Kehaline aktiivsus elu jooksul	99. Physical activity during the lifetime
100. Harrastusspordiga tegelemise sagedus	100. Frequency of going in for recreational sports
101. Valmistoidule soola lisamise harjumus	101. Habits of adding salt to food at the time of eating
102. Kehamassiindeks	102. Body Mass Index
103. Keskmine pikkus	103. Average height

HARIDUS JA TÖÖ**EDUCATION AND OCCUPATION**

104. Kõrgem lõpetatud haridustase	104. The highest completed educational level
105. Tervisehäiretest tingitud õppimispiirangute esinemine	105. Health related limitations in educational career
106. Tööelu põhiline amet	106. Main occupation
107. Tööelu põhilise ametiga seondunud füüsiline koormus	107. Physical load related to main occupation during the whole working life
108. Tööelu põhilisele ametile enamus ajast iseloomulik töölaad	108. Mood of the work characterizing most of the time the main occupation
109. Tööelu põhilisele ametile enamus ajast iseloomulik töökeskkond	109. Environment characterizing most of the time the main occupation
110. Tööõnnetuste esinemine elu jooksul	110. Lifetime prevalence of accidents at work
111. Tavategevus	111. Usual activity
112. Praegune amet	112. Current occupation
113. Töönädala pikkus	113. Duration of working week
114. Haiguse tõttu töölt puudumine viimasel neljal nädalal	114. Absence from work due to illness during the last four weeks

ARVAMUSED**ATTITUDES**

115. Rahulolu elu erinevate külgedega	115. Being satisfied with different aspects of life
---------------------------------------	---

TABEL 1.A. Küsitlute arv sünnipõlvkonna järgi, mehed
TABLE 1.A. Number of respondents by birth cohort, males

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Küsitlute arv - Number of respondents	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111
TABEL 1.1.A. Küsitlute arv rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 1.1.A. Number of respondents in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	38	117	79	111	44	60	51	61	64	67	68	76	73	79	988
Ida-Virumaa	18	60	37	53	20	31	40	35	32	39	37	34	47	38	521
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	41	110	81	101	46	60	57	59	62	65	51	56	79	94	962
Järva, Lääne-Viru, Rapla	11	21	26	31	13	24	17	20	18	22	14	15	17	21	270
Lääne, Saare, Hiiumaa, Pärnumaa	21	33	38	36	22	20	29	28	28	20	20	12	21	42	370
Asulatüüp - Type of residence															
Linn - Urban	96	282	196	263	109	142	149	149	144	152	146	159	196	203	2386
Maa - Rural	33	59	65	69	36	53	45	54	60	61	44	34	41	71	725
Rahvus - Ethnicity															
Eestlane - Estonian	93	226	188	206	100	110	109	126	138	143	119	123	149	194	2024
Mitte-eestlane - Non-Estonian	36	115	73	126	45	85	85	77	66	70	71	70	88	80	1087
Põlisus - Native-born population															
Põlisrahvastik - Native-born	96	225	186	211	105	119	119	134	144	150	126	127	168	214	2124
Immigrantrahvastik - Not native-born	33	116	75	121	40	76	75	69	60	63	64	66	69	60	987
Perekonnaseis - Marital status															
Vallaline - Single	5	6	6	14	5	8	9	16	12	26	33	57	146	258	601
Abielus - Married	79	224	198	240	113	144	135	136	137	122	86	50	24	1	1689
Vabaabielus - Cohabiting	3	17	12	24	10	18	26	28	28	49	54	78	60	13	420
Lesk - Widow	38	77	33	30	6	6	3	3	2	0	0	0	0	0	198
Lahutatud / lahuselav - Divorced or separated	4	17	12	24	11	19	21	20	25	16	17	8	7	2	203
Kooselus - Cohabiting	82	241	210	264	123	162	161	164	165	171	140	128	84	14	2109
Mitte-kooselus - Not cohabiting	47	100	51	68	22	33	33	39	39	42	50	65	153	260	1002
Haridus - Education															
Põhi või madalam - Lower secondary or less	66	146	89	77	23	29	22	14	11	9	16	23	29	197	751
Kesk - Upper secondary	29	102	99	140	83	93	114	104	132	145	117	107	146	75	1486
Kõrg - University	34	93	73	115	39	73	58	85	61	59	57	63	62	2	874
Tavategevus - Usual activity															
Töötav - Employed	6	14	31	79	65	137	156	178	185	200	173	181	184	59	1648
Töötu / tööd otsiv - Unemployed	0	0	0	0	1	14	8	12	9	7	4	7	8	6	76
(Üli)õpilane - Student	0	0	0	0	0	0	0	0	0	0	1	1	39	202	243
Pensionär - Retired	123	327	230	253	79	39	26	11	9	5	10	3	2	0	1117
Kodune - At home	0	0	0	0	0	5	3	2	1	1	2	1	3	5	23
Aktiivne - Active	6	14	31	79	65	137	156	178	185	200	173	181	184	59	1648
Mitteaktiivne - Non-active	123	327	230	253	80	58	38	25	19	13	17	12	53	215	1463
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	24	76	49	68	30	47	32	35	29	25	16	9	21	50	511
Üle suhtelise vaesuse piiri - Above the risk of poverty	98	246	203	248	107	134	139	146	154	161	160	163	180	158	2297
Tervise seisund - Health status															
Terve - No health disorders	3	9	12	24	13	17	30	58	91	137	113	139	159	212	1017
Tervisehäired - Less severe health disorders	23	71	87	127	54	103	105	97	74	42	45	34	56	50	968
Tõsisemad tervisehäired - Severe health disorders	25	90	73	89	34	40	33	28	17	24	20	10	17	10	510
Toimetuleku piirangud - Managing restrictions	78	171	89	92	44	35	26	20	22	10	12	10	5	2	616
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	14	30	27	18	9	16	9	13	18	14	13	19	24	2	226
Tervist kahjustav - Health harming	17	39	27	37	26	26	34	41	30	24	26	20	18	5	370
Kontrollkese - Locus of control															
Seesmine - Internal	40	102	92	115	69	79	87	99	114	122	121	125	155	154	1474
Väline - External	23	49	29	29	12	18	13	6	7	2	13	1	2	2	206
Enesehinnanguline tervis - Self-estimated health															
Väga hea - Very good	2	8	5	11	1	7	8	11	19	24	19	46	59	87	307
Hea - Good	12	32	27	44	27	50	57	84	87	111	95	111	126	145	1008
Keskmine - Neither good or bad	60	176	158	207	95	103	103	95	83	73	68	34	46	41	1342
Halb - Bad	49	104	56	61	19	32	23	11	12	3	6	1	6	1	384
Väga halb - Very bad	6	21	15	9	3	3	3	2	3	2	2	1	0	0	70
Väga hea või hea - Very good or good	14	40	32	55	28	57	65	95	106	135	114	157	185	232	1315
Väga halb või halb - Very bad or bad	55	125	71	70	22	35	26	13	15	5	8	2	6	1	454
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	6	3	3	1	0	0	1	2	0	1	1	4	8	13	43
Normkaal - Normal weight	55	154	102	116	47	71	68	68	75	75	78	102	158	217	1386
Ülekaal - Overweight	53	139	112	149	59	79	83	92	87	102	83	62	59	41	1200
Rasvumine - Obesity	15	43	44	65	39	45	42	40	42	35	28	24	12	2	476
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 1.B. Küsitlute arv sünnipõlvkonna järgi, naised
TABLE 1.B. Number of respondents by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Küsitlute arv - Number of respondents	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
TABEL 1.1.B. Küsitlute arv rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 1.1.B. Number of respondents in background categories by birth cohort, females															
Piirkond - Region															
Harjumaa	68	94	88	117	41	70	70	79	62	60	76	62	79	70	1036
Ida-Virumaa	33	50	47	67	27	45	53	51	30	26	39	28	33	40	569
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	60	73	76	86	65	73	57	82	65	71	71	54	66	69	968
Järva, Lääne-Viru, Rapla	13	30	27	25	22	24	23	21	35	18	28	22	14	23	325
Lääne, Saare, Hiiumaa, Pärnumaa	18	40	36	49	25	36	33	27	33	26	32	16	15	39	425
Asulatüüp - Type of residence															
Linn - Urban	143	231	221	276	133	197	185	207	178	156	209	151	165	182	2634
Maa - Rural	49	56	53	68	47	51	51	53	47	45	37	31	42	59	689
Rahvus - Ethnicity															
Eestlane - Estonian	121	189	180	207	132	154	136	153	154	145	161	121	125	157	2135
Mitte-eestlane - Non-Estonian	71	98	94	137	48	94	100	107	71	56	85	61	82	84	1188
Põlisus - Native-born population															
Põlisrahvastik - Native-born	126	195	190	219	139	161	143	160	163	145	169	132	137	170	2249
Immigrantrahvastik - Not native-born	66	92	84	125	41	87	93	100	62	56	77	50	70	71	1074
Perekonnaseis - Marital status															
Vallaline - Single	12	12	14	18	12	12	10	17	12	18	26	37	78	209	487
Abielus - Married	19	60	77	127	81	133	128	145	132	103	123	66	32	5	1231
Vabaabielus - Cohabiting	1	5	8	13	13	18	19	30	38	40	67	65	89	26	432
Lesk - Widow	153	182	141	134	48	37	27	17	9	4	3	2	0	0	757
Lahutatud / lahuselav - Divorced or separated	7	28	34	52	26	48	52	51	34	36	27	12	8	1	416
Kooselus - Cohabiting	20	65	85	140	94	151	147	175	170	143	190	131	121	31	1663
Mitte-kooselus - Not cohabiting	172	222	189	204	86	97	89	85	55	58	56	51	86	210	1660
Haridus - Education															
Põhi või madalam - Lower secondary or less	108	146	93	114	38	27	24	9	8	9	15	20	18	151	780
Kesk - Upper secondary	65	77	118	132	86	125	114	121	100	97	124	65	109	88	1421
Kõrg - University	19	64	63	98	56	96	98	130	117	95	107	97	80	2	1122
Tavategevus - Usual activity															
Töötav - Employed	1	5	11	52	59	156	197	233	204	162	188	128	115	30	1541
Töötu / tööd otsiv - Unemployed	0	0	0	0	0	5	7	6	4	11	8	7	3	3	54
(Üli)õpilane - Student	0	0	0	0	0	0	0	0	0	0	5	5	45	200	255
Pensionär - Retired	191	282	263	291	121	82	26	18	7	4	7	1	2	1	1296
Kodune - At home	0	0	0	0	0	5	5	2	5	1	17	7	10	2	64
Aktiivne - Active	1	5	11	52	59	156	197	233	204	162	188	128	115	30	1541
Mitteaktiivne - Non-active	191	282	263	292	121	92	39	27	21	39	58	54	92	211	1782
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	99	129	128	135	51	61	43	47	50	36	34	19	33	38	903
Üle suhtelise vaesuse piiri - Above the risk of poverty	80	142	137	196	125	169	169	194	157	151	191	146	156	153	2166
Tervise seisund - Health status															
Terve - No health disorders	4	7	6	10	11	16	23	47	86	101	146	111	127	147	842
Tervisehäired - Less severe health disorders	17	32	64	99	77	117	113	128	86	62	73	47	58	75	1048
Tõsisemad tervisehäired - Severe health disorders	26	75	73	109	54	62	59	48	30	28	19	18	6	11	618
Toimetuleku piirangud - Managing restrictions	145	173	131	126	38	53	41	37	23	10	8	6	16	8	815
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	48	53	49	80	45	47	53	45	52	50	71	45	50	7	695
Tervist kahjustav - Health harming	8	27	17	18	8	17	29	32	21	8	27	19	16	3	250
Kontrollkese - Locus of control															
Seesmine - Internal	23	58	60	112	64	85	89	128	104	99	138	91	125	139	1315
Väline - External	75	55	34	38	10	15	15	15	9	5	8	3	6	5	293
Enesehinnanguline tervis - Self-estimated health															
Väga hea - Very good	2	1	2	3	5	5	10	10	23	31	54	45	56	71	318
Hea - Good	15	21	28	40	37	68	71	101	94	99	127	95	100	134	1030
Keskmine - Neither good or bad	66	121	148	208	102	135	122	127	92	64	59	39	49	34	1366
Halb - Bad	73	110	75	83	33	37	31	19	15	6	6	3	2	2	495
Väga halb - Very bad	36	34	21	10	3	3	2	3	1	1	0	0	0	0	114
Väga hea või hea - Very good or good	17	22	30	43	42	73	81	111	117	130	181	140	156	205	1348
Väga halb või halb - Very bad or bad	109	144	96	93	36	40	33	22	16	7	6	3	2	2	609
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	6	4	3	5	2	0	2	2	9	9	15	14	29	31	131
Normkaal - Normal weight	77	89	67	92	48	67	91	114	122	120	164	125	145	184	1505
Ülekaal - Overweight	65	120	113	129	67	80	76	88	60	50	42	28	24	22	964
Rasvumine - Obesity	38	73	90	117	62	101	67	56	34	22	25	13	8	4	710
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 2.A. Küsitletute rahvus (%) sünnipõlvkonna järgi, mehed
TABLE 2.A. Ethnicity of respondents (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort															Kokku
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Eestlased - Estonians	74,7	67,4	74,3	62,5	69,0	57,5	56,5	62,3	67,7	68,8	64,1	63,7	63,3	70,3	64,9	
	Venelased - Russians	16,0	26,3	18,6	30,0	23,3	32,6	34,7	29,6	28,1	23,2	28,6	34,5	33,9	26,5	29,0	
	Ukrainlased - Ukrainians	3,5	2,1	0,6	2,7	4,0	5,3	4,8	3,8	2,6	1,4	1,7	1,0	0,8	0,7	2,3	
	Valgevenelased - Byelorussians	1,8	1,8	1,9	2,7	1,5	2,4	0,4	2,7	1,2	2,1	0,5	0,0	0,0	0,8	1,3	
	Soomlased - Finns	0,9	0,3	2,2	0,3	0,7	0,7	1,1	0,0	0,4	0,5	0,0	0,4	0,3	0,0	0,5	
	Muu - Other	3,1	2,1	2,4	1,8	1,5	1,5	2,5	1,6	0,0	4,0	5,1	0,4	1,7	1,7	2,0	
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
	Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111	
	Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABEL 2.1.A. Eestlaste protsent rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 2.1.A. Percent of Estonians in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	67,8	54,8	59,2	42,6	58,1	42,7	43,7	45,1	50,9	61,0	59,3	56,0	55,4	53,6	52,9
Ida-Virumaa	12,6	25,7	28,4	24,2	14,9	14,8	10,3	8,4	23,5	8,2	10,6	15,2	2,1	7,5	12,6
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	90,2	93,0	89,8	87,1	91,6	77,5	84,9	85,7	90,9	91,3	84,8	93,2	89,8	93,5	88,8
Järva, Lääne-Viru, Rapla	90,6	95,5	92,4	89,1	100,0	69,5	69,8	95,5	87,2	92,0	93,0	100,0	88,6	100,0	89,2
Lääne, Saare, Hiiumaa, Pärnumaa	90,6	77,6	96,1	90,6	75,1	94,4	81,1	96,0	100,0	100,0	95,6	67,4	100,0	95,9	91,8
Asulatuüp - Type of residence															
Linn - Urban	67,5	60,6	64,6	53,1	61,6	46,4	46,6	48,7	53,3	58,5	54,3	56,6	55,3	59,8	54,9
Maa - Rural	91,7	95,0	97,3	93,3	88,1	84,0	86,0	94,3	98,4	92,0	93,1	94,2	97,6	96,9	93,2
Rahvus - Ethnicity															
Eestlane - Estonian	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Mitte-eestlane - Non-Estonian	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	97,4	98,5	97,9	97,2	95,3	91,9	91,4	93,5	95,3	93,7	93,7	92,7	87,7	89,3	92,9
Immigrantrahvastik - Not native-born	0,0	3,0	9,0	1,0	0,0	2,6	1,8	1,3	1,7	5,4	1,2	7,8	3,4	2,5	3,0
Kooselu - Cohabiting															
Kooselus - Cohabiting	76,9	67,0	74,4	63,4	71,7	56,9	55,2	58,8	66,6	69,1	63,3	69,7	64,2	94,9	64,7
Ei ole kooselus - Not cohabiting	71,0	68,4	73,9	59,0	54,6	60,4	62,8	77,8	72,7	67,7	66,4	52,1	62,8	69,0	65,4
Haridus - Education															
Põhi või madalam - Lower secondary or less	80,8	66,3	82,4	73,3	66,4	62,2	59,7	91,1	100,0	77,8	61,4	71,1	49,7	75,0	72,2
Kesk - Upper secondary	73,5	72,9	75,4	61,5	73,4	57,4	58,9	66,1	67,8	67,5	64,0	58,7	64,8	59,2	64,4
Kõrg - University	64,9	63,2	62,5	56,9	61,6	55,8	51,3	53,0	61,6	70,4	65,0	69,3	66,2	42,6	61,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	65,1	79,8	90,7	64,5	72,3	58,3	58,6	59,7	66,7	69,9	63,0	63,5	63,4	65,2	63,9
Mitteaktiivne - Non-active	75,2	66,8	72,0	61,8	66,3	55,4	48,2	81,4	77,5	50,5	76,8	65,9	63,1	71,7	67,1
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	67,7	66,9	79,4	68,2	63,4	61,0	72,0	78,7	79,4	79,3	85,3	65,5	49,1	76,4	71,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	78,3	67,9	73,3	61,1	72,0	57,2	56,2	59,9	67,9	72,3	63,7	66,6	69,4	76,9	66,5
Tervise seisund - Health status															
Terve - No health disorders	100,0	79,5	74,4	66,7	94,5	70,9	46,8	59,5	64,3	68,9	59,0	65,7	60,1	70,7	64,7
Tervisehäired - Less severe health disorders	67,8	75,7	74,4	63,0	65,1	54,7	59,9	61,1	68,4	68,5	68,2	54,2	74,6	71,6	64,4
Tõsisemad tervisehäired - Severe health disorders	90,5	66,2	75,6	61,8	67,7	60,4	59,5	72,3	57,9	81,2	78,4	50,7	57,3	72,3	66,9
Toimetuleku piirangud - Managing restrictions	70,6	63,8	73,2	61,3	67,3	55,5	50,6	63,9	87,1	42,3	75,3	79,9	47,5	0,0	64,9
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	87,0	76,4	93,0	74,5	79,9	70,0	76,9	76,3	91,7	67,7	61,2	90,0	78,1	53,2	78,5
Tervist kahjustav - Health harming	75,5	85,2	89,2	73,3	77,7	72,8	56,4	72,4	76,7	76,2	64,6	63,5	92,5	74,1	72,4
Kontrollikese - Locus of control															
Seesmine - Internal	68,8	64,6	68,3	70,1	69,0	55,5	56,2	61,1	61,0	61,1	62,2	60,1	63,3	65,5	62,2
Väline - External	76,7	53,3	71,2	35,2	67,6	45,7	18,1	29,3	63,5	0,0	64,0	0,0	0,0	100,0	50,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	100,0	87,7	76,3	71,2	90,0	59,8	62,5	63,2	67,3	70,4	61,2	62,7	62,2	68,8	65,7
Väga halb või halb - Very bad or bad	69,1	57,7	70,7	55,4	78,2	63,8	49,5	75,6	81,4	17,6	65,8	100,0	57,3	100,0	63,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	100,0	25,5	75,4	100,0	0,0	0,0	100,0	0,0	0,0	100,0	100,0	100,0	51,3	56,9	63,1
Normaal - Normal weight	65,8	64,7	67,5	61,4	59,7	55,5	52,4	69,0	66,8	59,3	65,8	62,1	61,9	69,1	63,4
Ülekaal - Overweight	80,4	67,9	79,3	63,5	72,9	58,1	58,2	59,2	62,6	72,9	62,9	58,7	67,1	79,7	65,2
Rasvumine - Obesity	77,0	77,1	77,5	61,5	74,5	59,6	59,1	63,4	79,7	77,5	62,0	75,9	72,9	100,0	69,1
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 2.B. Küsitletute rahvus (%) sünnipõlvkonna järgi, naised
TABLE 2.B. Ethnicity of respondents (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Eestlased - Estonians	64,3	68,0	66,4	60,4	75,3	62,5	58,6	58,3	68,6	73,1	66,5	66,6	59,3	67,1	65,1
Venelased - Russians	30,2	25,6	27,3	31,8	17,8	32,1	35,1	32,7	26,0	21,9	29,9	28,8	37,3	28,9	29,3
Ukrainlased - Ukrainians	2,1	1,6	1,0	1,0	2,7	3,1	3,0	4,4	1,3	2,8	0,9	2,7	0,7	1,3	2,1
Valgevenelased - Byelorussians	0,0	1,4	2,8	4,1	1,3	0,8	2,0	1,3	1,5	1,1	0,8	0,4	0,0	0,0	1,2
Soomlased - Finns	1,4	1,9	0,4	0,6	0,9	0,6	0,0	0,7	0,0	0,4	0,3	0,8	1,1	0,7	0,6
Muu - Other	2,0	1,5	2,1	2,1	2,0	0,9	1,3	2,6	2,6	0,7	1,6	0,7	1,6	2,0	1,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 2.1.B. Eestlaste protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 2.1.B. Percent of Estonians in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	48,4	60,7	55,2	51,9	68,6	49,3	47,1	41,9	58,1	64,1	55,6	61,4	50,4	58,3	54,6
Ida-Virumaa	21,7	10,4	17,5	12,6	37,0	14,5	12,5	17,6	8,1	3,8	3,8	12,6	6,2	0,0	12,4
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	89,0	90,0	87,2	88,7	84,6	83,7	84,1	85,4	88,0	93,5	91,1	85,9	86,4	87,6	87,5
Järva, Lääne-Viru, Rapla	89,9	87,9	89,0	93,9	86,4	83,8	83,5	80,2	77,8	94,6	83,5	84,9	85,0	91,7	85,7
Lääne, Saare, Hiiumaa, Pärnumaa	90,4	88,7	95,5	83,3	93,1	92,4	92,2	93,8	91,1	89,3	94,8	88,2	86,4	93,4	91,2
Asulatüüp - Type of residence															
Linn - Urban	54,3	60,2	61,1	50,1	66,0	52,9	49,1	48,3	62,6	64,7	61,4	61,2	49,8	56,8	56,7
Maa - Rural	89,0	95,0	85,7	95,2	98,0	94,3	87,7	91,8	86,9	97,3	90,5	89,4	92,8	93,0	92,1
Rahvus - Ethnicity															
Eestlane - Estonian	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Mitte-eestlane - Non-Estonian	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	94,5	95,7	94,7	93,3	95,0	94,8	92,0	95,8	93,2	98,8	95,4	90,8	87,9	92,3	93,7
Immigrantrahvastik - Not native-born	1,2	2,0	0,9	2,9	0,0	1,6	3,6	0,0	2,2	4,2	1,5	0,0	5,9	1,2	2,1
Kooselu - Cohabiting															
Kooselus - Cohabiting	82,9	67,6	63,6	63,6	72,6	62,7	58,7	59,8	71,6	71,3	64,8	65,7	57,6	61,3	64,8
Ei ole kooselus - Not cohabiting	62,2	68,2	67,7	58,1	78,3	62,1	58,3	55,2	58,9	77,7	72,6	68,6	61,7	68,0	65,4
Haridus - Education															
Põhi või madalam - Lower secondary or less	70,4	65,1	60,0	58,1	65,2	74,1	71,3	24,9	69,8	100,0	68,2	36,5	42,7	75,3	65,8
Kesk - Upper secondary	63,9	79,0	72,4	64,3	73,1	63,0	58,0	52,1	62,6	70,2	63,9	65,4	58,1	54,4	63,2
Kõrg - University	32,1	61,7	64,2	57,7	85,7	58,8	56,2	65,9	73,3	73,4	69,2	73,0	64,6	0,0	66,9
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	100,0	77,0	78,8	74,1	85,7	67,8	61,4	59,1	70,1	74,1	71,3	69,7	64,6	51,6	67,6
Mitteaktiivne - Non-active	64,1	67,9	65,9	57,9	70,3	53,0	42,8	49,8	55,1	68,9	50,2	59,2	52,0	69,7	62,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	58,8	68,1	65,5	55,0	69,7	58,5	53,6	46,0	75,2	65,0	74,6	72,3	63,0	63,3	62,9
Üle suhtelise vaesuse piiri - Above the risk of poverty	72,9	67,6	67,9	62,3	76,7	64,9	60,6	61,8	65,5	74,1	67,4	68,8	59,4	68,3	66,4
Tervise seisund - Health status															
Terve - No health disorders	100,0	85,6	100,0	62,6	80,1	75,3	39,1	56,1	73,3	73,6	66,1	69,3	55,6	62,4	65,1
Tervisehäired - Less severe health disorders	71,1	69,7	68,5	63,7	78,4	64,4	69,0	59,9	70,4	73,6	65,9	67,0	66,4	74,1	68,1
Tõsisemad tervisehäired - Severe health disorders	89,1	71,7	68,7	63,4	75,7	67,5	51,4	61,8	72,4	73,1	67,4	56,8	45,7	79,3	66,8
Toimetuleku piirangud - Managing restrictions	57,8	65,4	62,7	54,8	66,9	48,6	51,1	50,4	37,8	63,7	79,6	35,9	69,2	72,3	58,2
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	63,1	68,4	63,7	66,7	77,4	71,6	60,1	69,5	67,3	71,4	73,8	75,3	60,3	69,4	68,6
Tervist kahjustav - Health harming	50,5	90,4	87,7	63,8	39,2	81,1	65,0	64,3	56,8	69,9	76,0	88,2	66,9	71,3	70,9
Kontrollkese - Locus of control															
Seesmine - Internal	64,0	66,6	62,4	60,9	75,1	66,9	57,3	60,0	67,2	72,0	67,3	66,3	62,9	65,0	65,2
Väline - External	60,2	54,2	60,8	27,4	71,2	30,7	11,8	36,9	39,6	0,0	27,0	47,1	39,0	0,0	43,4
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	72,5	78,2	84,7	79,7	84,3	71,4	70,1	66,1	73,8	80,8	69,8	70,7	60,3	69,0	70,8
Väga halb või halb - Very bad or bad	61,4	62,8	63,5	50,0	72,6	52,3	27,7	41,9	51,4	73,1	56,3	0,0	100,0	100,0	56,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	39,9	71,3	62,7	63,5	100,0	0,0	100,0	100,0	56,8	81,2	58,2	45,1	52,5	55,6	58,3
Normaal - Normal weight	63,9	70,4	66,3	70,0	81,8	62,9	64,4	60,7	73,9	75,2	68,1	69,2	61,1	69,3	68,1
Ülekaal - Overweight	70,3	66,9	68,4	52,5	74,7	57,7	57,5	56,4	56,3	68,0	65,0	66,4	54,4	62,7	62,2
Rasvumine - Obesity	66,2	66,2	64,9	60,8	69,1	66,0	50,5	54,5	71,6	68,9	64,0	59,1	70,0	78,5	63,1
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 3.A. Küsitelute põlisus (%) sünnipõlvkonna järgi, mehed
TABLE 3.A. Nativity of respondents (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Põlisrahvastik - Native-born population	76,7	67,5	73,5	63,9	72,5	61,4	61,1	66,2	70,5	71,8	68,0	65,8	71,1	78,2	68,9
Immigrantrahvastik - Not native-born population	23,3	32,5	26,5	36,1	27,5	38,6	38,9	33,8	29,5	28,2	32,0	34,2	28,9	21,8	31,1
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TABEL 3.1.A. Immigrantrahvastiku protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 3.1.A. Percent of Not native-born population in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	32,2	44,4	42,1	55,7	37,2	54,8	52,3	49,9	44,2	35,3	36,1	40,2	36,3	34,7	42,2
Ida-Virumaa	82,3	76,7	73,1	72,3	80,3	77,9	82,5	86,0	71,8	78,7	83,2	79,1	76,2	67,0	77,8
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	7,8	7,0	11,0	11,7	6,5	14,1	10,7	8,0	7,7	9,9	11,1	6,8	6,4	3,9	8,4
Järva, Lääne-Viru, Rapla	9,4	4,5	7,6	10,9	0,0	30,5	30,2	9,0	12,8	8,0	7,0	0,0	11,4	0,0	11,2
Lääne, Saare, Hiiumaa, Pärnumaa	4,4	22,4	3,9	9,4	21,0	5,6	12,9	4,0	0,0	0,0	4,4	40,2	0,0	4,1	7,6
Asulatüüp - Type of residence															
Linn - Urban	30,8	39,4	35,9	45,5	35,0	49,5	47,4	45,2	42,5	37,9	40,5	40,7	35,1	30,5	40,1
Maa - Rural	5,5	5,0	4,2	5,4	8,6	12,3	14,0	7,2	1,6	6,5	6,9	5,8	2,4	0,0	5,9
Rahvus - Ethnicity															
Eestlane - Estonian	0,0	1,4	3,2	0,6	0,0	1,8	1,2	0,7	0,7	2,2	0,6	4,2	1,6	0,8	1,4
Mitte-eestlane - Non-Estonian	92,1	96,9	93,9	95,3	89,0	88,3	88,0	88,7	89,7	85,6	88,1	86,7	76,2	71,8	86,1
Põlisus - Native-born population															
Põlisrahvastik - Native-born	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Immigrantrahvastik - Not native-born	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kooselu - Cohabiting															
Kooselus - Cohabiting	22,2	32,6	26,6	35,5	24,3	39,2	39,7	36,5	30,7	26,7	33,8	29,1	27,5	5,1	32,0
Ei ole kooselus - Not cohabiting	25,1	32,3	26,2	38,4	45,4	35,4	35,0	22,2	23,8	34,5	27,0	43,8	29,7	22,8	29,4
Haridus - Education															
Põhi või madalam - Lower secondary or less	16,9	33,1	18,7	24,2	33,6	37,8	40,3	8,9	0,0	22,2	32,0	28,9	31,7	18,5	23,7
Kesk - Upper secondary	26,5	26,8	24,6	37,1	23,2	40,4	37,1	33,0	28,9	29,5	32,8	38,5	29,7	29,2	32,1
Kõrg - University	32,1	38,1	39,1	42,2	33,1	36,7	41,7	39,0	35,9	26,1	30,6	28,7	25,7	57,4	34,4
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	34,9	20,2	12,9	34,0	25,4	37,4	36,3	36,5	30,1	27,4	33,2	35,3	30,4	23,5	32,3
Mitteaktiivne - Non-active	22,7	33,1	28,4	36,7	29,3	41,5	49,7	14,4	22,5	41,4	18,2	17,0	23,5	21,4	28,7
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	32,3	31,6	21,8	32,0	32,2	39,0	21,2	18,4	20,6	20,7	14,7	21,2	42,7	14,4	25,4
Üle suhtelise vaesuse piiri - Above the risk of poverty	19,1	32,3	27,4	36,9	25,8	37,6	40,1	37,3	28,4	26,1	32,4	31,6	24,1	18,8	30,3
Tervise seisund - Health status															
Terve - No health disorders	0,0	33,3	25,6	33,3	5,5	24,1	46,2	35,8	34,3	27,3	35,2	32,9	30,4	22,0	30,2
Tervisehäired - Less severe health disorders	28,8	25,3	26,1	33,7	29,8	39,8	35,2	34,0	27,3	28,4	31,8	40,6	22,4	18,5	31,4
Tõsisemad tervisehäired - Severe health disorders	9,5	32,1	25,9	37,3	30,0	36,8	35,8	27,2	34,0	24,6	21,6	49,3	37,8	16,3	31,3
Toimetuleku piirangud - Managing restrictions	27,1	35,9	27,4	39,1	29,5	44,5	49,4	36,1	12,9	47,9	18,0	15,2	34,6	100,0	33,5
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	7,7	23,6	7,0	25,5	20,1	30,0	8,8	23,7	4,2	32,3	14,1	10,0	15,6	46,8	16,9
Tervist kahjustav - Health harming	24,5	14,8	10,8	29,7	22,3	27,2	39,7	24,5	23,3	29,2	35,4	30,6	7,5	25,9	26,8
Kontrollkese - Locus of control															
Seesmine - Internal	27,5	35,0	31,7	28,1	26,1	37,6	36,8	35,8	37,7	33,9	35,2	38,9	29,1	23,3	33,1
Väline - External	23,3	46,7	38,0	64,8	32,4	50,2	81,9	51,8	36,5	55,9	25,2	100,0	100,0	0,0	47,2
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	12,3	23,7	27,0	10,0	34,5	28,0	31,9	31,8	26,1	35,0	34,5	31,3	23,1	29,5
Väga halb või halb - Very bad or bad	27,6	42,5	30,1	43,0	21,8	36,2	50,5	24,4	18,6	61,7	34,2	0,0	26,2	0,0	34,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	74,5	24,6	0,0	0,0	0,0	0,0	100,0	0,0	0,0	0,0	0,0	34,1	34,0	30,0
Normkaal - Normal weight	29,5	35,5	35,3	37,8	37,4	40,2	44,6	32,3	32,2	36,5	31,9	34,5	30,9	23,2	32,7
Ülekaal - Overweight	19,6	32,6	20,0	35,3	25,9	37,4	35,4	34,7	34,8	23,4	32,6	40,2	25,9	11,9	31,0
Rasvumine - Obesity	23,0	20,5	22,5	35,7	18,0	38,1	37,4	28,9	14,0	24,5	31,6	24,1	13,5	0,0	26,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 3.B. Küsitlute põlisus (%) sünnipõlvkonna järgi, naised
TABLE 3.B. Nativity of respondents (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
Põlisrahvastik - Native-born population	67,6	70,5	69,8	63,6	79,3	65,3	62,2	60,9	73,0	72,8	69,3	73,3	65,2	72,3	68,7
Immigrantrahvastik - Not native-born population	32,4	29,5	30,2	36,4	20,7	34,7	37,8	39,1	27,0	27,2	30,7	26,7	34,8	27,7	31,3
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 3.1.B. Immigrantrahvastiku protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 3.1.B. Percent of Not native-born population in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	44,1	33,8	38,2	45,5	26,4	46,2	47,0	55,5	35,3	37,1	41,7	27,5	45,3	35,7	40,6	
Ida-Virumaa	81,2	91,5	82,5	83,9	63,0	81,4	93,8	76,9	88,6	92,3	81,1	77,2	75,8	79,1	82,2	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	8,4	7,2	8,4	5,0	13,0	13,6	7,9	11,9	5,9	4,8	9,0	11,1	9,2	12,4	9,3	
Järva, Lääne-Viru, Rapla	10,1	8,8	11,0	6,1	4,3	16,2	12,2	19,8	22,2	12,4	16,5	15,1	7,8	4,4	12,9	
Lääne, Saare, Hiiumaa, Pärnumaa	9,6	13,7	4,5	14,9	3,5	7,6	5,3	6,2	6,4	10,7	5,2	11,8	13,6	6,5	8,1	
Asulatüüp - Type of residence																
Linn - Urban	42,1	37,0	34,5	46,2	28,4	43,4	46,9	48,4	33,2	35,7	34,7	31,4	43,1	37,2	38,9	
Maa - Rural	8,1	3,7	14,3	3,2	2,0	5,7	9,9	8,2	8,2	2,7	12,0	6,8	5,4	3,6	6,4	
Rahvus - Ethnicity																
Eestlane - Estonian	0,6	0,9	0,4	1,7	0,0	0,9	2,3	0,0	0,9	1,6	0,7	0,0	3,4	0,5	1,0	
Mitte-eestlane - Non-Estonian	89,5	90,5	89,1	89,3	84,0	90,9	88,0	93,9	84,1	96,8	90,4	79,8	80,5	83,1	87,7	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
Immigrantrahvastik - Not native-born	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kooselu - Cohabiting																
Kooselus - Cohabiting	20,9	28,3	33,7	31,9	24,5	36,3	39,4	38,2	25,7	29,2	32,4	27,9	36,2	34,3	32,2	
Ei ole kooselus - Not cohabiting	33,7	29,8	28,5	39,6	16,4	32,2	35,2	41,1	31,4	22,2	24,8	23,7	32,9	26,7	30,2	
Haridus - Education																
Põhi või madalam - Lower secondary or less	27,8	33,4	34,4	36,9	29,0	25,9	9,4	75,1	30,2	0,0	27,2	45,3	50,2	21,6	29,6	
Kesk - Upper secondary	30,9	15,2	26,6	32,2	22,8	33,1	38,9	45,0	33,4	30,2	31,8	28,7	35,6	36,6	32,7	
Kõrg - University	62,2	37,8	31,0	41,6	11,8	39,0	43,5	31,8	21,7	26,8	30,0	21,9	30,3	100,0	30,5	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	38,5	10,7	24,3	14,3	31,2	35,9	38,4	26,4	26,3	26,9	23,8	28,1	36,6	29,4	
Mitteaktiivne - Non-active	32,6	29,3	31,0	38,6	23,8	40,8	48,4	47,2	33,0	31,1	43,6	33,3	44,0	26,2	33,4	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	36,2	30,2	30,5	41,2	25,6	39,1	41,2	54,0	22,1	35,0	21,1	23,1	27,9	34,6	33,6	
Üle suhtelise vaesuse piiri - Above the risk of poverty	25,2	29,1	29,1	34,8	19,5	32,2	36,5	35,8	29,9	26,3	30,1	24,8	36,4	27,4	30,3	
Tervise seisund - Health status																
Terve - No health disorders	0,0	14,4	0,0	27,2	19,9	24,7	51,9	43,9	23,3	26,9	33,0	21,8	39,9	33,3	31,2	
Tervisehäired - Less severe health disorders	21,9	29,1	29,7	30,7	19,3	33,2	30,7	36,9	27,1	26,4	28,6	33,0	25,3	19,6	28,8	
Tõsisemad tervisehäired - Severe health disorders	9,6	26,9	24,8	35,5	20,5	28,0	45,0	34,4	27,6	26,9	28,6	31,2	54,3	6,9	29,7	
Toimetuleku piirangud - Managing restrictions	38,8	31,3	34,7	42,9	24,2	48,7	39,1	47,4	41,0	36,3	10,0	64,1	19,8	27,7	37,1	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	29,8	25,2	33,8	30,0	19,5	24,0	38,0	25,6	27,6	27,2	26,8	16,5	39,6	30,6	28,1	
Tervist kahjustav - Health harming	22,3	9,6	12,3	36,2	32,5	18,9	23,2	32,2	43,2	30,1	24,0	11,8	28,6	28,7	25,1	
Kontrollkese - Locus of control																
Seesmine - Internal	36,0	27,9	32,4	37,8	21,5	32,2	37,6	39,5	28,9	28,3	29,5	26,4	31,0	29,0	31,1	
Väline - External	35,8	38,2	39,2	63,7	28,8	69,3	73,7	58,2	32,0	100,0	73,0	52,9	40,7	100,0	50,3	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	20,4	21,8	15,3	18,5	13,8	25,6	29,4	32,1	24,4	20,5	28,4	22,6	34,0	26,7	26,3	
Väga halb või halb - Very bad or bad	34,7	34,0	35,1	45,7	17,5	41,4	59,0	54,6	35,0	26,9	29,5	73,6	0,0	0,0	38,0	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	60,1	0,0	0,0	36,5	0,0	0,0	0,0	0,0	35,5	12,1	33,7	45,9	46,8	44,4	37,4	
Normkaal - Normal weight	28,5	29,6	32,6	28,7	16,4	34,0	33,8	36,4	21,9	25,9	31,1	24,1	32,1	24,7	28,3	
Ülekaal - Overweight	28,0	30,0	28,4	41,4	21,0	39,6	37,6	42,7	36,4	32,0	29,8	24,0	36,7	30,7	33,7	
Rasvumine - Obesity	35,8	30,8	30,8	37,4	25,3	31,2	44,7	41,2	28,4	31,1	27,5	40,9	30,0	21,5	33,8	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
Vanus - Age																

TABEL 4.A. Kooselu leibkonnas (%) sünnipölvkonna järgi, mehed
TABLE 4.A. Living together in household (%) by birth cohort, males

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Koos elukaaslasega - With partner	63,3	70,8	81,0	79,8	84,4	83,9	82,3	81,3	82,1	79,7	73,8	65,6	36,0	5,3	66,1
	Koos vähemalt ühe noorema põlvkonnaga - With at least one younger generation	10,1	15,5	15,1	15,6	17,5	30,7	40,6	57,1	75,3	72,5	60,1	38,8	14,6	0,8	36,9
	Koos vähemalt ühe vanema põlvkonnaga - With at least one older generation	0,0	0,6	0,4	1,9	1,9	4,1	9,4	9,6	13,0	15,3	19,4	23,8	48,0	91,8	23,3
	Vähemalt kolm põlvkonda koos - At least three generations together	0,0	0,0	0,0	0,2	0,5	2,3	1,9	3,0	6,7	6,0	3,3	2,0	1,0	0,0	2,3
	Elab üksi - Lives alone	32,0	24,8	15,4	17,2	12,6	12,8	13,2	12,7	9,2	10,4	11,8	16,3	18,9	4,5	13,2
	Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111
	Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 4.1.A. Üksi elavate isikute protsent rahvastikurühmades sünnipölvkonna järgi, mehed
TABLE 4.1.A. Percent of persons who live alone in background categories by birth cohort, males

Piirkond - Region																
Harjumaa	26,8	24,1	11,6	17,3	11,6	11,6	12,0	10,1	6,0	10,3	10,2	19,1	17,1	2,2	12,1	
Ida-Virumaa	17,7	22,6	20,1	16,4	11,9	12,0	8,0	8,4	9,6	8,2	5,3	14,3	8,4	5,0	10,1	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	30,4	26,5	13,9	16,8	15,1	10,6	17,2	13,1	13,5	14,0	18,2	13,9	25,0	6,1	15,4	
Järva, Lääne-Viru, Rapla	47,1	27,1	21,8	16,7	9,7	17,2	12,9	26,6	24,1	5,2	17,2	5,6	28,0	10,1	16,9	
Lääne, Saare, Hiiumaa, Pärnumaa	45,5	24,2	17,1	19,3	12,9	17,1	14,7	13,5	0,0	10,4	9,9	22,9	18,1	4,0	12,9	
Asulatüüp - Type of residence																
Linn - Urban	31,2	24,6	15,1	17,7	11,3	13,0	10,1	10,6	8,5	9,9	11,5	15,7	19,1	5,9	12,9	
Maa - Rural	33,7	25,6	16,0	15,6	16,1	12,1	22,2	17,8	10,9	11,6	13,0	18,9	17,9	1,0	14,2	
Rahvus - Ethnicity																
Eestlane - Estonian	32,6	26,3	15,8	17,2	10,7	13,1	13,6	16,6	9,3	12,2	16,0	14,8	23,4	5,4	14,5	
Mitte-eestlane - Non-Estonian	30,0	21,8	14,2	17,2	17,0	12,3	12,5	6,4	9,1	6,5	4,4	18,8	11,2	2,5	11,0	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	32,9	26,3	16,0	17,7	10,2	12,8	13,7	15,6	9,8	12,1	15,1	16,0	21,6	4,8	14,2	
Immigrantrahvastik - Not native-born	29,0	21,8	13,8	16,4	19,1	12,6	12,3	7,1	7,8	6,1	4,9	16,7	12,3	3,4	11,2	
Kooselu - Cohabiting																
Kooselus - Cohabiting	5,9	2,1	1,6	0,8	0,0	1,0	0,8	1,1	0,0	0,6	2,4	2,0	0,9	20,1	1,3	
Ei ole kooselus - Not cohabiting	77,0	79,9	74,4	82,0	81,1	74,3	70,5	63,4	51,5	48,9	38,6	43,4	29,1	3,7	36,6	
Haridus - Education																
Põhi või madalam - Lower secondary or less	28,2	26,2	18,4	23,7	30,0	23,0	34,4	36,1	25,1	17,0	13,4	10,9	8,3	3,1	14,6	
Kesk - Upper secondary	39,8	20,6	14,8	14,6	9,0	7,9	11,0	11,0	7,1	10,9	10,9	16,5	19,8	8,2	12,3	
Kõrg - University	32,0	27,4	12,3	16,4	10,2	14,7	9,5	10,8	10,8	8,0	13,3	17,7	21,8	0,0	14,0	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	15,9	15,1	17,9	10,5	4,4	8,4	10,6	10,4	7,4	9,6	12,0	15,9	21,6	13,3	12,1	
Mitteaktiivne - Non-active	32,7	25,3	15,0	19,3	19,4	23,2	23,8	29,5	27,4	24,1	10,2	21,2	9,0	2,1	15,7	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	55,1	65,0	42,2	56,3	48,5	31,1	28,6	13,7	12,4	5,8	15,1	8,4	0,0	4,1	24,6	
Üle suhtelise vaesuse piiri - Above the risk of poverty	28,4	14,2	10,0	7,7	3,4	6,9	9,5	11,1	8,6	9,1	10,0	18,1	22,2	5,4	11,3	
Tervise seisund - Health status																
Terve - No health disorders	0,0	35,7	27,6	11,7	7,6	13,8	13,1	13,1	9,2	9,2	11,1	15,0	18,7	5,5	11,7	
Tervisehäired - Less severe health disorders	33,7	28,0	15,9	14,0	9,3	9,6	14,6	10,5	5,9	10,1	12,4	21,4	22,5	1,5	12,5	
Tõsisemad tervisehäired - Severe health disorders	34,8	16,7	16,4	11,5	13,7	13,2	5,0	8,7	4,0	19,1	18,0	25,5	12,8	0,0	13,1	
Toimetuleku piirangud - Managing restrictions	31,8	27,3	12,4	29,0	17,7	21,4	17,1	30,0	25,5	9,8	7,2	7,7	0,0	0,0	20,6	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	41,2	31,9	9,6	14,0	10,2	15,9	14,3	15,9	5,9	16,2	17,7	33,8	7,9	0,0	16,5	
Tervist kahjustav - Health harming	28,3	27,4	17,3	12,0	8,3	7,3	19,9	11,0	12,8	6,9	19,0	5,8	26,7	15,0	13,8	
Kontrollkese - Locus of control																
Seesmine - Internal	36,2	27,0	12,5	17,3	5,6	5,8	8,0	7,1	8,1	5,8	11,3	17,5	18,6	3,6	10,8	
Väline - External	20,8	19,4	17,6	21,8	45,6	39,0	20,4	24,0	17,2	0,0	12,4	100,0	0,0	0,0	23,6	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	15,4	24,1	12,3	15,9	11,5	12,1	15,6	13,4	9,8	7,4	9,8	16,8	20,2	5,0	12,3	
Väga halb või halb - Very bad or bad	38,7	28,2	19,4	24,5	12,7	20,1	23,6	33,7	18,3	20,7	11,1	38,8	0,0	0,0	22,3	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	19,3	62,7	75,4	0,0	0,0	0,0	0,0	0,0	0,0	100,0	0,0	26,3	26,2	0,0	15,9	
Normaal - Normal weight	26,0	25,0	12,8	22,1	28,2	15,9	19,4	21,5	14,0	13,0	12,8	19,1	20,3	4,9	15,9	
Ülekaal - Overweight	37,4	24,9	14,4	14,5	4,6	13,5	10,4	5,6	6,4	6,2	12,0	10,6	16,8	4,6	10,6	
Rasvumine - Obesity	39,1	22,8	19,8	13,9	6,1	6,4	8,7	12,3	7,2	15,2	9,1	14,4	5,1	0,0	10,9	
Vanus - Age																
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 4.B. Kooselu leibkonnas (%) sünnipölvkonna järgi, naised
TABLE 4.B. Living together in household (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Koos elukaaslasega - With partner	10,2	22,1	31,7	41,2	53,1	60,6	63,7	67,8	76,4	71,9	77,9	70,9	58,5	12,7	53,9
Koos vähemalt ühe noorema põlvkonnaga - With at least one younger generation	30,7	24,6	18,5	19,7	20,0	33,6	50,2	62,7	85,7	91,0	85,0	68,2	31,3	2,5	46,1
Koos vähemalt ühe vanema põlvkonnaga - With at least one older generation	0,0	0,0	0,7	1,3	3,1	9,0	7,4	6,7	9,8	9,2	12,3	19,6	34,5	85,8	16,1
Vähemalt kolm põlvkonda koos - At least three generations together	0,0	0,0	0,4	0,4	0,8	4,0	4,4	3,7	8,4	6,1	8,9	8,6	6,9	1,5	4,2
Elab üksi - Lives alone	59,2	56,9	51,3	44,3	34,7	24,5	18,3	10,5	5,2	2,5	4,4	10,0	13,6	6,0	21,3
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 4.1.B. Üksi elavate isikute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 4.1.B. Percent of persons who live alone in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	51,7	58,5	49,1	40,8	34,6	23,4	18,2	9,1	4,0	6,4	2,7	14,8	12,9	8,1	20,5
Ida-Virumaa	69,6	49,6	48,9	54,4	36,1	28,8	19,9	20,4	6,6	0,0	10,1	3,4	12,1	9,9	25,5
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	68,0	62,8	52,2	43,8	29,8	16,0	17,6	12,1	4,0	0,0	3,6	6,7	16,0	6,9	20,9
Järva, Lääne-Viru, Rapla	52,1	46,4	66,3	59,7	32,1	35,1	16,4	8,1	8,0	0,0	7,8	8,5	27,0	0,0	22,5
Lääne, Saare, Hiiumaa, Pärnumaa	52,8	57,5	44,0	33,4	47,3	29,4	18,9	0,0	5,8	0,0	2,6	5,9	0,0	0,0	19,0
Asulatüüp - Type of residence															
Linn - Urban	56,2	55,3	51,2	44,7	38,7	25,9	18,3	12,5	6,3	2,5	5,4	11,0	14,9	6,9	22,0
Maa - Rural	66,8	62,4	51,8	43,0	24,8	19,8	18,2	3,7	2,0	2,7	0,0	6,1	9,3	3,6	19,1
Rahvus - Ethnicity															
Eestlane - Estonian	58,2	57,9	52,9	42,7	36,2	26,5	18,6	9,3	4,7	1,9	4,6	12,3	17,0	4,5	21,7
Mitte-eestlane - Non-Estonian	61,1	54,6	48,2	46,8	30,1	21,2	17,8	12,1	6,3	4,3	4,1	5,5	8,7	8,9	20,6
Põlisus - Native-born population															
Põlisrahvastik - Native-born	60,0	58,1	53,2	43,5	36,5	26,2	21,2	9,8	5,3	1,9	5,2	11,7	16,6	5,0	22,1
Immigrantrahvastik - Not native-born	57,7	53,9	46,9	45,8	27,7	21,3	13,6	11,6	4,8	4,2	2,6	5,4	8,1	8,5	19,6
Kooselu - Cohabiting															
Kooselus - Cohabiting	5,8	2,4	0,0	2,7	0,8	3,0	0,5	0,0	0,0	0,7	0,4	0,0	0,6	0,0	0,8
Ei ole kooselus - Not cohabiting	65,3	72,3	75,1	73,4	73,1	57,6	49,5	32,6	22,0	7,2	18,7	34,5	32,0	6,8	45,3
Haridus - Education															
Põhi või madalam - Lower secondary or less	65,7	57,5	56,7	41,2	39,2	37,9	41,8	18,2	18,4	0,0	9,0	4,3	18,2	1,0	32,4
Kesk - Upper secondary	42,7	56,8	52,8	50,3	33,5	24,2	17,8	10,0	7,3	1,4	3,4	6,2	8,4	14,7	19,8
Kõrg - University	78,5	55,6	40,5	39,8	33,7	21,5	13,2	10,5	2,7	3,8	5,0	13,7	19,5	0,0	17,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	100,0	39,3	51,7	42,8	48,7	23,1	18,6	9,5	5,8	3,1	4,6	13,8	19,6	24,2	14,3
Mitteaktiivne - Non-active	59,0	57,2	51,3	44,6	27,9	27,0	16,5	20,9	0,0	0,0	3,7	1,2	5,4	2,9	29,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	79,9	84,4	84,1	79,9	56,5	42,2	16,8	9,6	4,0	0,0	4,4	4,3	8,8	7,4	45,5
Üle suhtelise vaesuse piiri - Above the risk of poverty	39,5	37,4	23,8	23,3	26,8	19,6	17,9	9,4	5,4	3,3	4,5	11,3	15,7	6,5	14,6
Tervise seisund - Health status															
Terve - No health disorders	72,3	71,1	44,4	25,0	37,3	9,8	16,4	12,1	5,1	3,6	3,3	12,9	10,2	7,4	9,1
Tervisehäired - Less severe health disorders	53,2	48,7	50,8	52,6	39,6	22,8	17,3	10,3	3,6	2,2	6,3	4,8	16,1	2,9	18,4
Tõsisemad tervisehäired - Severe health disorders	55,0	52,8	45,4	42,8	28,5	32,2	19,5	5,8	7,5	0,0	0,0	7,9	0,0	12,9	26,8
Toimetuleku piirangud - Managing restrictions	60,3	59,4	55,2	40,7	33,2	23,3	20,7	15,7	8,6	0,0	20,4	0,0	40,9	0,0	40,7
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	40,1	62,0	61,3	36,1	32,3	26,2	19,7	17,7	4,1	5,4	7,3	11,3	18,5	0,0	22,1
Tervist kahjustav - Health harming	86,8	72,7	57,8	39,5	17,6	31,0	11,8	18,3	4,8	12,4	0,0	22,1	24,4	0,0	23,1
Kontrollkese - Locus of control															
Seesmine - Internal	57,5	48,0	42,7	38,6	30,2	25,2	18,9	9,2	4,0	3,9	4,0	8,3	12,9	5,5	14,6
Väline - External	55,5	41,3	39,4	47,3	41,8	8,2	15,6	16,9	0,0	0,0	6,9	0,0	0,0	24,4	32,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	52,4	48,8	48,8	48,5	42,9	21,5	16,3	12,6	4,8	3,9	4,1	9,7	13,4	6,6	12,3
Väga halb või halb - Very bad or bad	63,9	60,5	49,7	46,7	34,1	20,8	26,1	20,4	21,2	0,0	27,9	0,0	57,0	0,0	43,1
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	39,9	52,1	37,3	21,8	53,4	0,0	0,0	61,6	6,2	0,0	0,0	5,0	4,6	0,0	7,0
Normaal - Normal weight	61,6	58,5	44,6	46,7	37,9	22,6	26,8	10,5	5,7	2,3	4,9	8,0	14,7	6,3	16,7
Ülekaal - Overweight	64,2	58,4	57,5	46,1	31,8	25,4	9,3	9,2	3,7	2,8	1,8	12,5	14,7	12,8	26,9
Rasvumine - Obesity	45,4	53,8	48,5	41,1	33,0	25,1	16,9	10,4	5,6	4,4	8,2	24,5	25,1	0,0	27,9
Vanus - Age															
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 5.A. Hooldusvajadus leibkonnas (%) sünnipõlvkonna järgi, mehed
TABLE 5.A. Need for nursing in household (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Küsitletav vajab hooldust - Respondent needs nursing	26,4	20,2	15,2	12,1	9,8	5,9	2,1	2,3	2,5	1,4	3,8	2,4	1,6	0,0		4,6
Küsitletav ei vaja hooldust - Respondent doesn't need nursing	73,6	79,8	84,8	87,9	90,2	94,1	97,9	97,7	97,5	98,6	96,2	97,6	98,4	100,0		95,4
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274		3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
TABEL 5.1.A. Hooldust vajavate küsitletute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 5.1.A. Percent of respondents who need nursing in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	18,5	18,0	14,5	9,1	8,6	4,6	0,0	1,7	0,0	1,5	0,0	1,4	1,4	0,0		3,1
Ida-Virumaa	33,3	14,8	16,5	12,1	4,9	4,4	0,0	5,6	0,0	5,8	2,7	2,9	4,2	0,0		4,6
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	38,0	24,3	15,3	19,1	14,1	9,4	4,3	2,0	9,6	0,0	7,7	3,8	1,2	0,0		6,9
Järva, Lääne-Viru, Rapla	11,1	10,4	8,1	4,4	6,9	4,5	0,0	0,0	0,0	0,0	13,1	0,0	0,0	0,0		2,9
Lääne, Saare, Hiiumaa, Pärnumaa	24,2	30,4	20,6	13,6	10,2	5,2	7,0	3,0	0,0	0,0	6,7	7,6	0,0	0,0		6,2
Asulatüüp - Type of residence																
Linn - Urban	25,5	21,1	16,4	10,8	6,7	5,2	2,1	2,5	1,4	1,3	2,6	1,8	1,9	0,0		4,2
Maa - Rural	28,6	16,4	12,2	16,3	17,8	7,6	2,3	1,7	4,8	1,5	7,4	4,9	0,0	0,0		5,8
Rahvus - Ethnicity																
Eestlane - Estonian	25,2	21,1	15,6	13,4	10,8	6,8	3,1	1,5	3,2	0,0	5,4	2,0	0,9	0,0		4,9
Mitte-eestlane - Non-Estonian	29,9	18,4	14,1	10,0	7,5	4,6	0,8	3,7	1,1	4,5	1,1	3,0	2,7	0,0		4,1
Põlisus - Native-born population																
Põlisrahvastik - Native-born	25,3	21,0	15,7	12,5	11,6	6,3	2,9	1,4	3,1	0,7	5,1	2,4	1,3	0,0		4,8
Immigrantrahvastik - Not native-born	30,1	18,4	13,6	11,4	5,1	5,1	0,9	4,1	1,2	3,3	1,2	2,4	2,3	0,0		4,2
Kooselu - Cohabiting																
Kooselus - Cohabiting	27,0	18,7	15,8	8,8	10,4	4,9	1,4	0,9	1,5	0,4	1,9	1,4	1,6	0,0		4,4
Ei ole kooselus - Not cohabiting	25,4	23,8	12,5	25,1	6,3	10,7	5,3	8,3	7,0	5,3	9,4	4,4	1,6	0,0		5,2
Haridus - Education																
Põhi või madalam - Lower secondary or less	30,6	21,0	22,3	19,4	4,0	10,6	4,1	21,6	0,0	12,4	31,4	8,2	2,9	0,0		8,9
Kesk - Upper secondary	18,8	22,1	12,9	9,2	15,3	7,2	1,9	0,7	2,9	1,2	2,1	1,9	0,9	0,0		3,9
Kõrg - University	25,5	16,9	9,3	11,1	1,9	2,6	1,8	0,9	2,1	0,0	0,0	1,3	2,6	0,0		3,1
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	13,7	7,6	0,0	3,4	1,1	0,7	0,4	0,4	0,4	0,4	0,5	1,4	1,1	0,0		0,8
Mitteaktiivne - Non-active	27,0	20,8	17,3	14,8	16,9	18,3	9,1	15,9	23,5	18,4	41,9	17,5	3,2	0,0		12,6
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	24,3	17,6	20,0	25,8	15,6	12,3	5,9	7,5	15,7	5,5	23,0	21,7	0,0	0,0		11,6
Üle suhtelise vaesuse piiri - Above the risk of poverty	25,9	19,5	14,4	8,7	8,9	3,1	1,6	0,5	0,5	0,4	2,3	1,6	2,0	0,0		3,6
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0		0,0
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0		0,0
Tõsisemad tervisehäired - Severe health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0		0,0
Toimetuleku piirangud - Managing restrictions	44,1	40,9	44,6	44,7	33,8	33,5	16,6	26,4	24,4	29,2	64,7	44,3	82,0	0,0		37,4
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	7,8	13,4	2,6	10,2	0,0	0,0	0,0	0,0	5,9	0,0	0,0	0,0	0,0	0,0		1,8
Tervist kahjustav - Health harming	42,0	40,2	15,5	6,0	13,9	12,9	3,3	1,8	5,0	0,0	0,0	3,8	0,0	0,0		6,1
Kontrollkese - Locus of control																
Seesmine - Internal	14,9	10,8	5,9	5,3	1,9	3,0	0,8	2,5	1,8	0,0	1,6	0,6	1,9	0,0		1,8
Väline - External	47,5	47,4	61,2	48,4	24,4	24,8	15,1	39,4	9,4	100,0	23,6	0,0	0,0	0,0		33,0
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	5,6	3,4	4,5	1,9	0,0	0,0	0,0	0,8	0,7	0,0	0,8	1,3	0,4	0,0		0,6
Väga halb või halb - Very bad or bad	51,3	43,4	45,9	42,0	51,9	27,9	10,0	27,5	20,7	47,0	46,5	38,8	22,0	0,0		35,5
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	35,0	37,3	24,6	100,0	0,0	0,0	100,0	36,6	0,0	0,0	100,0	0,0	0,0	0,0		11,4
Normkaal - Normal weight	27,9	16,9	11,0	16,6	12,6	5,0	1,0	3,9	5,3	2,6	4,3	2,8	1,8	0,0		4,5
Ülekaal - Overweight	16,4	19,7	17,0	9,8	7,6	7,8	2,2	0,0	0,0	1,0	2,4	0,0	0,0	0,0		4,0
Rasumine - Obesity	55,0	30,6	19,6	7,6	9,8	3,7	1,7	0,0	2,9	0,0	4,5	3,9	7,0	0,0		5,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total

TABEL 5.B. Hooldusvajadus leibkonnas (%) sünnipõlvkonna järgi, naised
TABLE 5.B. Need for nursing in household (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
Küsitletav vajab hooldust - Respondent needs nursing		41,4	23,4	14,8	10,0	6,1	7,1	2,7	3,4	1,5	0,9	1,1	0,8	1,4	1,1	6,4
Küsitletav ei vaja hooldust - Respondent doesn't need nursing		58,6	76,6	85,2	90,0	93,9	92,9	97,3	96,6	98,5	99,1	98,9	99,2	98,6	98,9	93,6
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 5.1.B. Hooldust vajavate küsitlute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 5.1.B. Percent of respondents who need nursing in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	33,1	18,9	9,4	8,7	7,5	6,4	1,5	1,3	1,6	0,0	1,4	0,0	1,3	0,0	4,7	
Ida-Virumaa	39,2	26,6	14,5	8,2	0,0	9,3	1,8	3,7	9,8	3,8	5,1	3,4	6,0	2,5	8,1	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	53,5	29,1	17,1	16,2	8,7	6,2	3,1	6,7	0,0	1,8	0,0	0,0	0,0	1,9	8,2	
Järva, Lääne-Viru, Rapla	11,1	10,4	8,1	4,4	6,9	4,5	0,0	0,0	0,0	0,0	13,1	0,0	0,0	0,0	2,9	
Lääne, Saare, Hiiumaa, Pärnumaa	50,9	15,8	22,2	6,9	9,3	10,0	5,8	6,2	0,0	0,0	0,0	5,9	0,0	2,2	7,3	
Asulatüüp - Type of residence																
Linn - Urban	38,8	24,9	15,0	8,5	3,2	6,0	3,0	3,9	2,0	0,5	1,4	1,0	0,9	0,9	6,0	
Maa - Rural	48,0	18,2	13,7	14,9	13,3	10,9	1,9	1,7	0,0	2,1	0,0	0,0	2,9	1,6	7,5	
Rahvus - Ethnicity																
Eestlane - Estonian	42,0	22,6	15,8	10,2	7,3	6,5	1,9	3,1	0,0	0,7	0,8	0,0	1,1	1,2	6,1	
Mitte-eestlane - Non-Estonian	40,4	25,0	12,8	9,6	2,7	8,2	4,0	3,8	4,8	1,4	1,7	2,5	1,8	0,9	6,8	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	42,8	23,5	14,6	10,9	7,2	6,2	3,0	3,0	0,8	0,7	1,2	0,0	1,5	1,1	6,3	
Immigrantrahvastik - Not native-born	38,5	23,1	15,1	8,4	1,9	8,9	2,3	4,1	3,4	1,4	0,9	3,2	1,0	1,1	6,5	
Kooselu - Cohabiting																
Kooselus - Cohabiting	25,6	25,5	5,7	8,8	6,0	8,5	3,1	4,2	0,4	0,0	0,0	1,2	0,6	0,0	3,5	
Ei ole kooselus - Not cohabiting	43,2	22,8	19,0	10,8	6,2	5,0	2,1	1,7	5,1	3,2	5,1	0,0	2,4	1,3	9,7	
Haridus - Education																
Põhi või madalam - Lower secondary or less	44,2	25,9	17,1	12,7	11,3	19,4	4,4	31,7	20,1	0,0	17,7	4,4	0,0	1,8	14,5	
Kesk - Upper secondary	42,6	20,2	15,3	11,3	4,3	6,9	0,6	4,2	2,1	1,1	0,0	1,1	0,7	0,0	5,2	
Kõrg - University	22,2	21,6	10,3	4,9	5,8	4,2	4,7	1,1	0,0	0,8	0,0	0,0	2,6	0,0	3,2	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	0,0	6,4	2,3	1,9	1,3	0,9	0,7	0,0	0,0	1,2	1,7	0,0	1,1	
Mitteaktiivne - Non-active	41,7	23,8	15,4	10,6	8,0	16,3	10,8	28,9	8,9	4,7	5,0	0,0	0,8	1,3	12,4	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	45,1	22,5	12,6	12,9	13,6	10,2	9,0	9,5	2,8	5,6	8,6	0,0	2,4	0,0	12,9	
Üle suhtelise vaesuse piiri - Above the risk of poverty	37,5	23,9	15,5	8,0	3,5	6,1	1,2	2,0	0,4	0,0	0,0	1,0	1,3	1,0	4,3	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
Tõsisemad tervisehäired - Severe health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
Toimetuleku piirangud - Managing restrictions	55,1	38,5	31,2	27,9	30,1	33,6	16,1	26,8	15,2	18,6	40,3	29,7	20,3	30,6	33,0	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	32,3	24,1	8,3	11,0	6,9	9,5	0,0	6,5	1,3	2,2	0,0	0,0	2,6	0,0	5,9	
Tervist kahjustav - Health harming	35,9	32,2	27,6	15,0	17,6	0,0	0,0	5,8	0,0	0,0	0,0	0,0	0,0	0,0	6,2	
Kontrollkese - Locus of control																
Seesmine - Internal	9,6	19,7	13,4	7,2	3,4	4,7	0,9	1,3	0,7	0,0	0,0	0,0	0,0	0,0	2,1	
Väline - External	58,4	41,9	30,1	20,2	23,5	21,2	4,9	9,1	21,5	0,0	0,0	0,0	0,0	0,0	27,7	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	0,0	0,0	2,6	3,1	0,0	0,0	0,0	0,6	0,0	0,0	0,5	1,3	1,3	0,7	
Väga halb või halb - Very bad or bad	66,5	40,6	31,7	26,7	22,1	31,4	11,3	31,6	13,0	23,5	27,8	0,0	0,0	0,0	33,5	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	80,7	28,7	62,7	21,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,8	
Normkaal - Normal weight	41,0	19,0	12,2	8,8	6,2	6,5	3,4	2,8	1,0	0,9	0,4	0,6	1,9	1,4	4,3	
Ülekaal - Overweight	34,5	21,1	9,6	5,9	6,5	0,9	1,1	3,3	2,5	1,5	3,5	3,0	0,0	0,0	6,5	
Rasvumine - Obesity	41,4	30,6	21,4	15,0	4,3	12,6	3,7	5,0	2,0	0,0	2,9	0,0	0,0	0,0	11,3	
Vanus - Age																
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 6.A. Praeguse eluaseme tüüp (%) sünnipölvkonna järgi, mehed
TABLE 6.A. Type of current dwelling (%) by birth cohort, males

	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Omaette maja - Single family house	49,9	32,9	38,0	27,5	42,0	31,0	27,4	28,2	31,7	34,3	22,6	17,5	12,6	22,7	28,0
Osa majast - Part of single family house	1,7	1,8	4,0	2,5	3,3	4,9	3,9	4,4	6,8	4,4	5,9	3,3	5,5	5,0	4,4
Omaette korter - Apartment	48,4	62,6	57,6	68,0	52,2	62,6	64,8	65,1	59,8	60,0	69,1	78,1	74,5	69,7	65,1
Ühiskorter - Part of apartment	0,0	1,1	0,0	0,3	1,5	1,0	1,4	0,0	0,5	0,0	2,4	0,6	3,0	1,9	1,1
Kööktuba - One-room apartment	0,0	0,6	0,0	0,3	0,0	0,0	0,0	0,7	1,2	0,0	0,0	0,0	0,0	0,0	0,2
Tuba korterist / ühiselamutuba - Single room	0,0	0,6	0,0	0,7	0,0	0,0	1,9	1,6	0,0	0,8	0,0	0,5	3,2	0,7	0,8
Ühiselamukoht - Hostel	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,1
Hooldeasutus - Home for aged / nursing home	0,0	0,4	0,4	0,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,1
Muu - Other	0,0	0,0	0,0	0,0	1,0	0,5	0,6	0,0	0,0	0,5	0,0	0,0	0,0	0,0	0,2
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	117	317	243	312	138	174	176	180	171	185	157	145	153	104	2572
Vastamata - Missing (N)	12	24	18	20	7	21	18	23	33	28	33	48	84	170	539

TABEL 6.1.A. Keskmise elamispiind (m²) ühe leibkonnaliikme kohta, rahvastikurühmades sünnipölvkonna järgi, mehed
TABLE 6.1.A. Average floor area (m²) per one household member in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	37,1	31,2	28,2	30,3	35,1	30,5	27,5	28,1	24,7	25,8	30,3	33,9	28,9	24,2	29,0
Ida-Virumaa	29,2	28,0	28,3	29,8	23,4	29,4	25,9	24,9	21,1	23,3	19,3	21,8	22,5	20,9	23,8
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	39,7	40,5	42,4	39,1	36,5	37,9	44,3	35,9	32,7	27,2	30,6	30,8	34,1	25,8	34,1
Järva, Lääne-Viru, Rapla	57,0	35,0	41,5	38,5	33,9	41,7	38,2	50,0	35,8	23,4	34,4	23,1	34,6	32,5	35,7
Lääne, Saare, Hiiumaa, Pärnumaa	51,2	38,6	37,7	33,8	54,8	39,9	36,7	38,3	27,7	39,0	35,7	30,0	33,4	28,7	36,1
Asulatüüp - Type of residence															
Linn - Urban	38,3	32,5	32,7	30,9	33,6	31,8	31,7	29,9	24,8	24,2	28,5	28,0	27,6	25,4	28,8
Maa - Rural	48,5	42,5	41,1	43,0	46,2	42,0	40,4	41,2	34,0	32,9	32,9	40,5	41,2	26,2	37,6
Rahvus - Ethnicity															
Eestlane - Estonian	43,7	37,7	38,4	37,9	40,5	40,1	38,5	39,2	31,3	29,2	34,1	33,7	34,3	28,0	34,9
Mitte-eestlane - Non-Estonian	34,1	27,9	25,8	27,0	29,3	27,8	27,8	23,1	20,2	21,7	21,5	24,7	23,2	20,0	24,3
Põlisus - Native-born population															
Põlisrahvastik - Native-born	44,5	37,6	38,7	37,5	40,1	39,3	37,6	37,8	31,1	29,0	34,0	33,5	32,5	26,9	34,2
Immigrantrahvastik - Not native-born	30,7	28,1	25,4	27,2	28,8	27,7	28,0	24,1	19,7	21,4	20,2	24,4	24,4	21,2	24,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	34,4	30,1	31,3	32,7	36,8	33,5	32,5	30,2	25,1	23,5	25,4	27,0	24,8	42,0	29,2
Ei ole kooselus - Not cohabiting	53,3	45,4	51,9	38,1	38,3	41,6	40,0	46,0	39,7	41,5	41,5	36,9	33,3	24,7	34,9
Haridus - Education															
Põhi või madalam - Lower secondary or less	41,0	33,8	36,2	34,6	27,9	41,0	38,1	39,1	39,5	17,7	21,5	22,9	25,9	25,7	29,9
Kesk - Upper secondary	43,0	30,5	35,9	34,0	38,4	30,8	32,9	29,7	24,9	26,6	29,0	28,8	31,0	25,5	30,0
Kõrg - University	40,2	39,8	32,8	33,1	39,0	37,4	33,8	36,3	31,6	28,7	33,1	35,2	29,8	19,0	34,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	34,9	30,5	41,5	33,1	40,2	33,3	35,3	33,1	27,7	27,2	30,0	30,6	30,8	31,0	31,3
Mitteaktiivne - Non-active	41,5	34,7	34,3	34,0	34,4	38,6	27,8	32,6	28,0	19,9	25,5	26,3	27,1	24,1	30,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	51,0	44,5	38,3	34,9	35,8	35,9	33,7	28,1	26,0	20,9	29,5	20,8	25,4	21,4	30,4
Üle suhtelise vaesuse piiri - Above the risk of poverty	39,8	31,8	34,9	33,7	38,1	34,9	32,9	33,0	27,7	27,7	29,6	30,9	31,5	26,3	31,4
Tervise seisund - Health status															
Terve - No health disorders	42,7	46,6	37,1	31,7	50,1	36,3	38,3	29,3	28,2	26,3	29,9	30,9	29,9	26,2	29,4
Tervisehäired - Less severe health disorders	40,2	31,8	36,2	34,9	40,7	34,6	33,6	33,8	25,1	28,5	30,4	28,0	30,4	23,3	32,0
Tõsisemad tervisehäired - Severe health disorders	44,9	35,4	35,0	33,8	30,1	36,0	30,6	40,7	21,3	27,8	31,0	28,5	32,3	20,7	32,5
Toimetuleku piirangud - Managing restrictions	40,2	34,4	34,0	32,7	33,7	33,5	33,1	29,6	39,8	26,1	21,2	32,9	23,7	44,5	33,4
Tervisekäitumine - Health behaviour															
Tervist hoides - Health protective	46,3	40,8	40,4	32,0	35,6	35,9	39,4	26,7	25,5	34,2	37,3	50,5	25,9	21,7	35,2
Tervist kahjustav - Health harming	35,8	30,4	38,2	30,9	35,9	37,9	35,7	37,9	34,8	20,1	27,6	30,9	38,0	25,8	33,3
Kontrollkese - Locus of control															
Seesmine - Internal	41,5	38,6	37,7	37,3	42,7	35,1	35,6	34,5	28,4	26,3	31,0	32,4	29,9	26,1	31,9
Väline - External	36,1	29,4	30,2	26,5	34,5	31,8	21,5	19,6	24,5	26,3	30,1	16,0	16,3	33,1	28,4
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	32,1	38,5	33,6	37,5	50,2	40,0	35,1	34,4	28,1	25,9	30,4	31,3	29,9	26,5	30,7
Väga halb või halb - Very bad or bad	44,6	33,7	37,1	29,9	33,4	33,8	28,0	43,7	28,2	23,1	29,3	15,0	20,8	25,0	32,7
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	25,3	59,2	35,6	30,0	-	-	19,0	13,1	-	35,0	7,8	39,2	17,7	20,8	23,7
Normaal - Normal weight	40,6	32,4	32,8	32,4	36,4	35,5	30,9	33,9	27,9	24,4	30,0	33,0	29,5	25,3	30,2
Ülekaal - Overweight	42,0	37,0	35,6	35,8	38,2	36,3	33,4	31,5	27,8	27,3	30,6	24,3	32,5	28,2	31,7
Rasvumine - Obesity	47,1	32,8	39,6	31,7	36,0	31,0	39,6	36,1	27,3	31,0	26,3	34,0	34,8	39,8	33,2
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 6.B. Praeguse eluaseme tüüp (%) sünnipõlvkonna järgi, naised
TABLE 6.B. Type of current dwelling (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Omaette maja - Single family house	34,0	27,7	26,6	19,5	30,8	31,0	23,9	27,9	35,9	30,9	19,6	18,5	13,6	28,4	25,9
Osa majast - Part of single family house	3,1	3,6	3,2	3,6	4,6	4,9	3,5	3,5	3,8	6,7	6,5	6,3	2,3	6,4	4,4
Omaette korter - Apartment	60,7	65,3	68,1	75,5	61,9	61,6	70,6	66,0	60,0	60,9	73,9	73,3	77,5	56,5	67,1
Ühiskorter - Part of apartment	0,4	1,3	0,3	0,6	0,0	0,0	0,4	0,0	0,0	0,5	0,0	0,8	1,6	3,6	0,6
Kööktuba - One-room apartment	0,5	0,4	0,6	0,5	0,0	1,9	1,3	1,1	0,3	0,0	0,0	0,5	0,8	0,0	0,6
Tuba korterist / ühiselamutuba - Single room	0,0	1,0	0,7	0,0	1,3	0,6	0,3	1,5	0,0	1,0	0,0	0,6	4,2	3,0	1,0
Ühiselamukoht - Hostel	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,1	0,1
Hooldeasutus - Home for aged / nursing home	1,3	0,7	0,5	0,3	0,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,2
Muu - Other	0,0	0,0	0,0	0,0	0,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,1
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	179	272	267	324	172	237	218	238	198	180	218	155	163	112	2933
Vastamata - Missing (N)	13	15	7	20	8	11	18	22	27	21	28	27	44	129	390

TABEL 6.1.B. Keskmise elamispiind (m²) ühe leibkonnaliikme kohta, rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 6.1.B. Average floor area (m²) per one household member in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	36,5	39,0	36,6	33,6	38,3	33,9	27,0	27,5	22,5	25,0	22,8	26,4	22,6	24,0	28,6
Ida-Virumaa	38,3	32,8	35,3	37,2	34,5	27,8	31,4	29,5	20,8	21,6	21,2	21,2	21,2	20,9	28,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	45,9	46,0	49,7	41,0	39,9	39,5	41,8	31,5	22,4	22,9	24,2	25,1	32,5	27,9	33,8
Järva, Lääne-Viru, Rapla	49,2	37,8	43,3	43,4	38,1	46,9	32,2	34,1	24,8	24,0	23,8	27,4	28,1	22,0	32,4
Lääne, Saare, Hiiumaa, Pärnumaa	47,4	42,9	38,0	44,2	40,2	42,9	40,4	29,7	31,9	22,6	28,4	30,1	28,9	26,2	34,9
Asulatüüp - Type of residence															
Linn - Urban	37,2	37,7	36,8	34,6	37,1	34,3	32,1	28,5	23,6	22,4	23,9	26,2	25,5	22,9	29,5
Maa - Rural	52,5	49,5	53,8	49,6	42,1	46,3	35,8	33,7	25,8	27,7	23,0	24,6	26,8	29,6	36,1
Rahvus - Ethnicity															
Eestlane - Estonian	46,2	43,6	44,4	42,3	41,2	42,0	37,8	32,9	24,9	24,8	25,9	28,8	30,6	27,0	34,1
Mitte-eestlane - Non-Estonian	33,6	33,3	32,5	31,4	30,5	28,8	26,2	25,3	22,5	20,7	19,6	20,3	18,8	20,4	25,3
Põlisus - Native-born population															
Põlisrahvastik - Native-born	46,1	43,3	43,8	42,2	40,3	41,5	37,3	32,8	25,0	24,9	25,9	28,5	29,6	26,9	33,8
Immigrantrahvastik - Not native-born	32,4	33,2	32,4	30,6	31,8	28,7	26,0	24,9	21,9	20,5	19,1	19,0	18,7	19,2	25,0
Kooselu - Cohabiting															
Kooselus - Cohabiting	27,9	29,2	32,2	31,1	33,8	33,5	31,1	27,8	23,2	22,9	22,6	23,8	23,7	30,2	27,1
Ei ole kooselus - Not cohabiting	43,2	43,5	44,2	42,8	43,8	42,2	36,3	33,6	27,1	25,6	27,9	31,3	28,8	23,9	35,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	43,1	41,5	35,9	36,5	37,6	41,5	36,2	17,6	24,4	15,7	17,6	15,6	22,8	24,0	32,5
Kesk - Upper secondary	38,2	41,0	42,1	40,2	37,0	35,2	29,2	26,8	23,2	22,3	21,5	22,4	24,6	25,9	29,4
Kõrg - University	44,4	36,9	43,8	36,7	41,7	37,9	36,6	32,9	24,9	25,7	27,2	30,0	28,1	26,5	32,1
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	37,0	34,4	36,0	43,4	40,8	38,1	33,9	29,8	24,7	24,5	24,7	28,8	27,1	30,2	29,7
Mitteaktiivne - Non-active	41,6	40,4	40,6	37,0	37,4	34,9	28,0	28,5	19,3	20,3	20,6	18,9	24,1	23,7	32,5
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	46,1	48,2	44,7	42,5	42,7	36,3	30,4	24,7	20,8	18,9	19,8	18,1	26,6	21,3	35,0
Üle suhtelise vaesuse piiri - Above the risk of poverty	37,7	34,8	37,3	35,5	37,1	38,1	33,9	30,3	25,4	24,6	24,3	27,0	25,4	26,4	30,2
Tervise seisund - Health status															
Terve - No health disorders	32,0	59,6	35,3	31,5	36,6	34,6	29,1	27,8	24,8	23,2	23,5	28,0	25,0	24,4	25,7
Tervisehäired - Less severe health disorders	47,8	39,1	42,6	42,1	41,4	36,8	33,7	30,9	23,3	23,9	24,1	23,0	28,4	23,5	31,5
Tõsisemad tervisehäired - Severe health disorders	39,7	37,7	39,0	38,7	38,4	40,3	32,6	28,0	23,8	25,7	23,1	22,3	18,8	39,0	34,2
Toimetuleku piirangud - Managing restrictions	41,4	40,7	40,4	34,6	33,3	33,9	33,9	29,8	25,2	22,8	26,1	17,9	26,1	21,2	35,7
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	39,5	40,5	35,7	36,9	41,6	35,8	32,7	31,6	24,4	27,0	27,3	31,5	25,8	23,4	31,9
Tervist kahjustav - Health harming	44,5	49,5	37,0	34,0	32,6	31,2	47,0	33,8	22,4	26,7	21,7	25,9	33,9	18,6	33,2
Kontrollikes - Locus of control															
Seesmine - Internal	40,9	40,5	38,2	40,6	39,7	40,0	33,7	30,4	25,3	25,8	25,0	27,1	26,8	26,3	30,4
Väline - External	39,3	33,6	31,9	33,8	39,5	27,8	27,7	28,5	20,0	13,5	15,2	18,2	22,9	15,3	31,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	35,8	39,5	43,6	43,0	42,1	40,5	38,1	30,9	23,5	25,1	24,7	27,2	27,0	24,8	28,8
Väga halb või halb - Very bad or bad	44,9	39,7	39,4	36,6	40,5	36,0	30,1	28,1	27,9	22,3	22,0	14,5	66,7	40,0	37,2
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	29,7	31,2	26,7	27,2	39,3	-	45,9	37,0	20,6	23,8	23,6	20,7	24,4	25,9	24,8
Normaal - Normal weight	40,7	40,3	39,8	40,5	44,1	37,8	33,1	30,7	23,5	23,4	25,2	26,7	26,4	23,8	29,3
Ülekaal - Overweight	45,5	40,3	42,9	38,9	35,7	39,8	31,2	29,3	26,6	24,3	20,7	24,2	24,5	32,3	33,7
Rasvumine - Obesity	40,1	41,0	38,2	35,4	37,4	34,0	34,7	28,1	23,6	23,7	19,0	28,4	24,7	21,6	33,2
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 7.A. Praeguse eluaseme mugavused (%) sünnipõlvkonna järgi, mehed
TABLE 7.A. Conveniences of current dwelling (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Kanalisatsioon ja veevõrk - Sewer and piped water	84,6	89,3	89,7	90,7	91,2	92,0	93,5	95,2	95,5	96,1	97,0	98,6	98,3	94,2	94,6
Keskkuüte - Central heating	50,1	65,0	58,7	66,7	61,9	64,8	67,6	64,7	64,1	68,8	76,1	79,1	82,9	70,4	69,6
Soe vesi - Hot water	56,0	69,9	70,4	76,8	71,4	75,0	82,8	80,4	82,6	86,4	87,2	87,9	91,3	87,4	82,4
Vann ja/või dušš - Bath and/or shower	62,4	72,6	71,2	78,6	77,3	76,4	83,5	79,9	85,8	87,5	92,6	89,7	91,7	88,6	84,3
Telefon - Telephone	77,6	76,3	78,7	70,7	71,2	65,5	68,7	69,7	71,1	60,8	59,0	53,9	64,5	70,1	66,5
Internet - Internet	15,3	14,7	18,1	27,3	31,0	46,7	55,9	64,1	75,6	69,4	74,0	74,6	82,6	77,4	61,0
Pole mugavusi - No conveniences	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,0	0,0	0,0	0,0
Kokku - Total (N)	129	341	261	331	145	195	194	203	204	213	190	193	237	274	3110
Vastamata - Missing (N)	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1

TABEL 7.1.A.Sooja veeta isikute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 7.1.A. Percent of persons without hot water in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	18,6	11,2	6,5	7,9	20,4	11,6	8,1	11,8	4,4	7,6	1,5	3,8	4,4	7,8	7,5
Ida-Virumaa	53,1	29,6	24,4	21,6	21,6	19,1	5,6	17,8	8,6	24,7	5,3	18,1	4,9	6,0	14,0
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	58,6	45,7	37,8	33,6	41,1	40,8	28,4	25,2	28,7	19,3	22,8	27,8	11,3	16,8	26,9
Järva, Lääne-Viru, Rapla	56,0	49,6	66,3	38,6	38,5	41,7	24,2	22,0	42,2	15,0	24,1	13,3	26,5	10,5	29,6
Lääne, Saare, Hiiu, Pärnumaa	53,3	46,6	38,4	37,3	25,8	19,3	27,9	30,8	25,3	5,1	42,8	0,0	11,1	21,6	25,6
Asulatüüp - Type of residence															
Linn - Urban	31,1	24,1	15,5	15,6	22,8	17,5	8,9	13,6	12,7	11,7	11,2	10,2	5,8	9,8	12,6
Maa - Rural	74,2	54,4	63,2	48,0	43,1	42,9	41,6	33,7	27,5	17,8	17,6	20,6	21,1	19,6	31,7
Rahvus - Ethnicity															
Eestlane - Estonian	48,9	35,7	36,4	31,6	30,1	33,3	21,5	23,3	21,9	13,5	16,3	13,3	11,7	14,2	21,3
Mitte-eestlane - Non-Estonian	29,3	18,6	9,9	9,3	25,0	13,7	11,7	13,4	8,0	13,7	6,7	10,0	3,7	8,6	10,9
Põlisus - Native-born population															
Põlisrahvastik - Native-born	49,5	35,7	35,9	32,3	29,5	31,2	19,9	22,9	21,1	14,5	16,1	14,4	11,0	13,3	20,7
Immigrantrahvastik - Not native-born	25,6	18,6	12,1	7,2	26,1	15,1	13,0	13,0	8,8	11,1	5,9	7,7	3,1	10,0	10,8
Kooselu - Cohabiting															
Kooselus - Cohabiting	41,1	27,7	28,9	20,3	23,0	23,0	12,3	14,6	13,8	10,0	10,3	10,2	5,8	18,9	15,7
Ei ole kooselus - Not cohabiting	49,0	35,9	32,7	34,9	58,7	35,0	40,0	41,2	34,1	27,6	20,0	15,8	10,4	12,2	21,4
Haridus - Education															
Põhi või madalam - Lower secondary or less	58,2	44,0	40,4	39,7	42,0	42,7	41,3	63,1	54,8	43,3	55,0	23,2	6,8	13,8	29,7
Kesk - Upper secondary	36,3	24,8	25,8	25,3	30,8	30,7	21,1	19,7	16,0	12,2	11,0	11,9	9,8	9,8	17,1
Kõrg - University	24,8	14,7	21,1	10,7	16,4	11,8	1,9	12,0	13,9	11,9	5,3	8,8	7,1	0,0	10,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	43,3	4,4	22,5	6,9	13,5	19,4	13,9	14,4	12,5	11,9	10,5	12,4	9,2	14,1	12,7
Mitteaktiivne - Non-active	44,0	31,3	30,6	28,3	40,9	38,4	31,1	56,6	67,6	41,4	39,9	8,4	7,1	12,1	27,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	37,7	47,8	40,1	37,5	51,8	47,8	40,4	45,8	34,6	21,7	23,4	13,3	9,9	29,4	35,9
Üle suhtelise vaesuse piiri - Above the risk of poverty	46,2	25,0	27,4	20,9	21,6	17,7	13,9	12,1	12,2	11,3	10,9	10,0	8,8	9,7	14,1
Tervise seisund - Health status															
Terve - No health disorders	100,0	29,8	47,6	14,6	17,9	22,5	13,6	27,0	12,6	9,4	10,0	11,4	8,6	14,5	12,8
Tervisehäired - Less severe health disorders	31,4	24,2	25,9	16,4	16,3	24,8	16,6	16,0	15,0	13,4	11,6	14,1	10,7	5,4	16,2
Tõsisemad tervisehäired - Severe health disorders	53,7	33,4	32,7	25,7	31,5	26,5	12,8	4,0	27,8	30,6	20,5	20,9	0,0	9,2	22,8
Toimetuleku piirangud - Managing restrictions	42,3	30,9	28,4	33,0	45,6	25,1	30,1	37,7	39,6	34,9	33,7	6,8	18,0	0,0	32,7
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	42,9	21,0	34,1	25,6	10,2	10,5	21,5	13,4	11,9	9,0	13,9	0,0	0,0	0,0	11,7
Tervist kahjustav - Health harming	44,7	40,4	33,2	28,6	19,1	29,0	16,1	30,0	25,9	28,8	8,5	4,1	6,0	0,0	20,9
Kontrollkese - Locus of control															
Seesmine - Internal	28,7	23,3	21,2	14,3	17,6	19,0	7,0	13,2	11,2	11,1	8,8	11,6	5,4	10,2	11,5
Väline - External	51,7	25,6	22,6	21,8	44,1	49,1	16,9	29,3	16,8	44,1	42,3	100,0	0,0	54,1	32,8
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	25,7	31,0	18,9	9,5	23,9	21,0	10,0	14,0	13,5	9,4	6,8	9,2	8,2	13,1	11,3
Väga halb või halb - Very bad or bad	45,5	32,6	25,5	34,6	48,1	48,6	30,9	36,6	49,3	59,0	35,4	0,0	0,0	100,0	37,0
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	64,1	62,7	0,0	0,0	0,0	0,0	0,0	36,6	0,0	0,0	100,0	26,3	0,0	18,0	19,7
Normaal - Normal weight	44,4	31,8	28,8	27,0	37,6	27,6	26,5	33,4	20,6	19,8	12,2	14,6	9,8	12,4	19,5
Ülekaal - Overweight	41,7	28,1	28,7	22,8	23,7	25,0	13,3	10,6	13,4	8,1	14,0	9,3	6,6	12,2	15,5
Rasumine - Obesity	42,3	27,1	35,6	17,7	25,0	20,6	10,2	16,6	20,4	16,2	9,1	7,0	8,8	0,0	17,2
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 7.B. Praeguse eluaseme mugavused (%) sünnipõlvkonna järgi, naised
TABLE 7.B. Conveniences of current dwelling (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
Kanalisatsioon ja veevõrk - Sewer and piped water	85,9	88,7	91,0	94,6	94,6	95,7	95,1	95,7	98,1	97,8	97,8	97,9	98,4	98,7	95,6
Keskkuüte - Central heating	55,2	62,5	68,2	70,1	68,8	69,1	73,1	71,8	62,7	66,9	76,4	80,1	82,0	68,8	70,6
Soe vesi - Hot water	59,1	64,1	68,5	77,3	72,5	83,4	77,9	82,3	82,3	88,6	91,0	89,0	90,8	88,8	81,3
Vann ja/või dušš - Bath and/or shower	67,9	75,4	77,6	83,0	80,6	86,1	88,8	82,5	85,4	89,8	93,6	90,5	95,6	90,5	86,0
Telefon - Telephone	75,5	67,7	73,5	72,6	70,0	74,8	70,9	77,4	72,5	69,6	66,9	57,5	54,5	67,0	69,0
Internet - Internet	13,7	10,5	13,1	21,6	29,8	39,6	56,6	68,2	81,8	78,5	79,6	75,5	72,7	82,0	55,6
Pole mugavusi - No conveniences	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 7.1.B. Sooja veeta isikute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 7.1.B. Percent of persons without hot water in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	16,2	13,9	12,1	9,3	9,9	7,5	5,9	11,3	14,5	9,9	3,6	5,0	4,0	8,6	8,7
Ida-Virumaa	31,7	19,2	32,3	16,0	35,5	14,5	26,0	30,5	13,1	7,7	7,6	13,6	15,1	7,4	19,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	62,8	59,7	41,8	36,9	27,8	27,2	33,1	21,3	15,2	14,2	12,1	19,9	11,3	14,1	25,8
Järva, Lääne-Viru, Rapla	67,2	56,3	66,9	58,0	58,4	20,4	42,2	14,8	22,7	7,0	11,8	10,8	7,8	19,2	30,1
Lääne, Saare, Hiiu, Pärnumaa	64,4	50,2	32,2	28,3	27,7	21,8	32,8	18,4	26,1	16,4	18,8	13,4	29,3	10,6	25,6
Asulatüüp - Type of residence															
Linn - Urban	29,0	25,8	23,9	15,9	24,2	12,7	15,3	14,5	15,8	8,3	7,1	7,8	7,7	9,0	14,3
Maa - Rural	70,6	70,7	59,2	45,9	35,4	29,6	43,2	28,4	23,4	20,4	17,6	24,4	14,4	16,7	33,1
Rahvus - Ethnicity															
Eestlane - Estonian	55,6	45,0	36,6	32,5	31,3	19,2	27,0	20,7	16,9	10,2	10,5	10,0	10,5	12,1	21,9
Mitte-eestlane - Non-Estonian	14,4	16,6	21,3	7,8	15,8	12,2	15,2	13,5	19,5	14,7	6,0	13,0	7,3	9,2	12,8
Põlisus - Native-born population															
Põlisrahvastik - Native-born	54,1	43,8	35,9	31,1	32,2	18,8	26,4	20,3	18,1	11,0	10,5	9,0	9,5	11,2	21,5
Immigrantrahvastik - Not native-born	13,4	17,0	21,2	8,1	9,3	12,3	15,1	13,7	16,6	12,7	5,6	16,2	8,5	11,0	12,7
Kooselu - Cohabiting															
Kooselus - Cohabiting	48,1	28,1	26,4	22,9	27,4	15,8	21,0	15,7	14,4	9,8	8,8	11,9	11,7	24,6	16,2
Ei ole kooselus - Not cohabiting	40,1	38,1	33,8	22,6	27,5	17,7	24,1	22,0	28,2	15,7	9,6	8,8	5,6	9,2	21,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	49,3	44,0	42,1	31,8	28,2	29,0	41,1	61,0	31,8	20,8	33,3	34,8	15,3	11,8	30,8
Kesk - Upper secondary	34,5	39,9	30,9	23,8	28,4	20,7	24,5	20,4	23,7	15,6	9,7	16,5	12,1	10,2	20,4
Kõrg - University	16,1	13,4	17,0	10,7	25,5	8,1	14,9	12,8	12,1	6,5	4,7	2,8	3,9	0,0	9,9
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	38,5	21,2	6,7	15,8	10,5	18,9	16,2	18,0	11,6	7,4	8,5	9,2	8,9	13,1
Mitteaktiivne - Non-active	41,2	35,9	31,9	25,6	33,1	27,2	40,2	32,5	14,6	10,8	14,5	16,6	9,1	11,5	25,1
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	46,2	39,9	35,2	26,7	32,0	33,3	21,5	22,9	25,6	17,0	23,7	43,4	8,3	19,7	29,4
Üle suhtelise vaesuse piiri - Above the risk of poverty	39,1	31,8	28,4	19,2	24,6	12,1	21,4	16,4	16,2	11,2	6,5	8,3	10,0	9,8	15,7
Tervise seisund - Health status															
Terve - No health disorders	72,3	56,6	8,6	35,2	35,5	11,1	5,1	7,8	15,2	11,4	8,5	7,3	9,1	12,2	10,9
Tervisehäired - Less severe health disorders	43,0	37,3	17,5	22,8	29,3	14,6	23,8	17,1	18,9	5,2	4,9	16,4	7,0	10,1	16,8
Tõsisemad tervisehäired - Severe health disorders	40,1	45,4	28,6	22,8	16,7	13,8	25,6	24,4	23,7	23,0	25,8	7,8	14,3	0,0	23,4
Toimetuleku piirangud - Managing restrictions	40,0	30,7	40,9	21,4	38,0	25,8	22,6	25,5	14,9	18,6	21,8	54,7	17,6	15,9	30,2
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	38,3	39,0	19,6	19,0	26,0	8,6	15,1	7,4	16,4	11,0	4,2	2,8	1,6	12,7	13,6
Tervist kahjustav - Health harming	36,9	39,1	24,6	16,5	29,4	4,8	17,1	23,1	11,3	28,3	2,3	17,7	22,2	28,7	18,5
Kontrollkese - Locus of control															
Seesmine - Internal	46,0	37,0	31,7	20,0	26,9	11,2	18,5	16,0	9,3	9,9	4,9	5,7	6,9	7,2	12,8
Väline - External	37,4	29,5	24,9	14,0	47,9	25,0	16,0	45,6	42,7	48,8	34,0	47,1	37,7	40,5	31,6
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	31,6	26,6	18,6	27,6	28,2	7,7	17,0	10,9	11,9	8,8	6,8	6,2	7,2	9,5	10,5
Väga halb või halb - Very bad or bad	39,5	33,2	44,1	19,8	38,4	25,4	29,7	41,8	30,0	31,4	14,2	26,4	43,0	0,0	33,2
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	20,6	52,0	0,0	20,0	46,6	0,0	0,0	14,0	0,0	0,0	0,0	6,9	3,8	0,0	5,5
Normkaal - Normal weight	38,8	37,3	26,7	22,4	28,0	14,5	22,3	15,8	17,1	11,9	8,2	11,7	10,2	12,2	16,0
Ülekaal - Overweight	55,0	35,8	32,1	25,3	27,8	16,4	23,9	18,4	18,5	11,5	8,8	5,4	7,7	6,1	22,5
Rasumine - Obesity	29,2	32,2	35,5	19,7	24,6	18,1	20,5	21,4	19,7	14,7	20,6	22,5	15,0	70,2	23,3
80+ 75-79 70-74 65-69 60-64 55-59 50-54 45-49 40-44 35-39 30-34 25-29 20-24 15-19 Kokku															
Vanus - Age Total															

TABEL 8.A. Praegust elukohta iseloomustavad väliskeskkonna tegurid (%) sünnipõlvkonna järgi, mehed
TABLE 8.A. Environmental factors characterising current residential area (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Halb joogivesi - Bad drinking water	9,9	8,4	7,9	8,4	15,6	10,5	13,7	11,0	14,5	14,6	11,9	12,6	14,9	11,1	12,3
Täna-, rongi- või lennukimüra - Noise from streets, trains or planes	11,0	15,9	14,2	16,4	16,3	17,8	16,2	18,9	16,9	19,2	18,5	16,6	16,0	14,5	16,8
Tööstusmüra - Noise from industry	0,6	0,2	1,1	1,8	2,6	1,9	0,8	2,7	1,8	2,5	1,6	2,3	1,2	0,8	1,7
Kõrgepingeliinid kuni 500 m raadiuses - High voltage power lines at distance of 500 m	1,8	0,7	1,8	2,7	0,9	0,0	2,6	1,1	3,0	3,9	1,9	2,2	3,7	2,3	2,2
Õhusaaste liiklusest - Air pollution from traffic	15,6	12,7	11,7	9,4	16,2	10,4	13,8	14,4	12,7	10,0	13,7	16,4	11,2	10,0	12,5
Muu õhusaaste - Other air pollution	3,7	6,0	3,2	5,0	8,5	8,5	4,9	12,2	7,3	5,8	9,0	5,9	8,7	4,8	7,1
Pole häirivaid tegureid - No disturbing factors	71,0	69,2	68,5	67,0	61,2	64,3	63,7	59,5	59,9	59,9	62,2	61,3	61,4	69,0	63,2
Kokku - Total (N)	129	341	261	331	145	195	194	203	204	213	190	193	237	274	3110
Vastamata - Missing (N)	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
TABEL 8.1.A. Isikute protsent, kelle praeguses elukohas puuduvad häirivad väliskeskkonna tegurid rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 8.1.A Percent of persons who do not have any disturbing environmental factors at current residential area in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	59,4	67,6	67,8	62,4	64,0	62,4	66,0	55,9	60,5	65,9	64,3	61,4	68,2	61,5	63,2
Ida-Virumaa	51,0	61,7	68,5	61,2	44,2	62,6	44,4	44,8	56,8	53,6	47,8	41,0	39,8	60,5	50,6
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	84,4	78,6	73,3	78,0	64,9	72,2	69,1	64,0	58,9	64,3	70,0	65,1	63,4	76,4	68,5
Järva, Lääne-Viru, Rapla	62,5	51,8	54,2	59,2	56,4	39,6	54,8	60,7	58,2	30,4	50,4	72,3	47,0	76,6	54,2
Lääne, Saare, Hiiumaa, Pärnumaa	86,2	69,1	73,5	71,6	62,1	87,1	76,2	74,7	64,1	66,1	65,8	77,2	76,4	75,3	72,6
Asulatüüp - Type of residence															
Linn - Urban	67,9	70,4	69,1	66,0	56,9	63,8	63,5	57,4	61,3	59,1	58,0	59,9	61,0	66,4	61,9
Maa - Rural	78,3	64,4	67,1	70,4	72,3	65,6	64,3	64,3	56,9	61,5	74,8	67,4	63,4	75,4	66,8
Rahvus - Ethnicity															
Eestlane - Estonian	77,2	71,1	69,2	68,2	61,2	64,9	64,9	61,6	59,1	58,0	61,2	61,4	61,7	71,9	63,9
Mitte-eestlane - Non-Estonian	52,7	65,3	66,6	65,1	61,4	63,6	62,1	55,9	61,6	63,9	64,1	61,0	61,0	62,1	62,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	77,8	71,7	69,2	67,7	61,5	65,3	68,0	62,4	60,0	58,9	60,6	60,1	60,7	69,9	63,8
Immigrantrahvastik - Not native-born	48,7	63,9	66,8	65,9	60,5	62,8	56,9	53,7	59,6	62,5	65,6	63,6	63,4	65,6	61,8
Kooselu - Cohabiting															
Kooselus - Cohabiting	69,3	69,0	67,1	68,0	61,1	61,8	63,8	57,2	57,3	58,1	59,7	60,0	63,4	80,2	61,5
Ei ole kooselus - Not cohabiting	74,1	69,6	74,5	63,0	61,8	77,4	63,2	69,4	71,5	66,9	69,3	63,7	60,3	68,4	66,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	72,9	70,0	71,5	79,5	79,2	62,7	72,0	74,9	35,9	84,0	69,1	73,6	70,8	71,0	71,1
Kesk - Upper secondary	73,6	69,9	64,6	65,6	60,1	68,6	64,1	58,1	60,5	56,4	63,5	62,9	61,5	64,6	62,2
Kõrg - University	65,6	67,1	70,2	61,2	53,4	59,9	60,1	58,5	63,0	64,5	57,8	54,5	57,0	42,6	59,7
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	70,4	47,8	72,1	71,1	53,9	67,1	61,4	55,9	58,7	58,9	62,1	62,7	61,4	62,7	60,9
Mitteaktiivne - Non-active	71,1	70,2	68,0	65,8	67,3	57,6	73,1	85,4	72,1	75,3	63,8	39,8	61,5	70,7	68,0
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	67,7	66,4	70,3	72,6	68,9	75,7	80,8	74,6	78,1	60,6	74,2	52,2	53,5	73,9	71,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	70,7	69,8	69,3	65,4	59,6	59,3	60,8	55,4	60,0	61,0	63,2	62,8	63,3	69,0	62,5
Tervise seisund - Health status															
Terve - No health disorders	76,5	79,2	78,1	81,6	71,9	68,2	66,0	61,5	60,4	60,3	64,6	68,1	61,4	68,9	64,8
Tervisehäired - Less severe health disorders	75,6	71,3	64,5	66,1	70,6	63,5	63,5	57,7	59,3	66,0	57,4	38,4	62,0	68,1	61,8
Tõsisemad tervisehäired - Severe health disorders	63,7	75,1	69,4	63,8	45,9	65,5	52,7	49,0	70,9	55,2	62,8	36,8	62,2	79,3	60,0
Toimetuleku piirangud - Managing restrictions	71,9	64,5	70,6	67,9	58,4	63,5	75,3	78,5	51,6	39,0	56,6	68,2	52,5	58,3	64,8
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	64,2	74,0	70,0	53,9	69,3	73,8	28,6	34,6	74,0	68,4	51,1	49,4	68,9	53,2	59,8
Tervist kahjustav - Health harming	90,9	80,1	64,5	72,5	55,2	76,1	64,5	60,4	72,7	56,7	67,1	59,0	73,7	59,0	65,8
Kontrollikesk - Locus of control															
Seesmine - Internal	77,1	71,1	66,2	65,6	66,1	63,9	68,7	55,0	58,6	63,1	65,2	61,6	65,5	70,3	64,2
Väline - External	77,0	68,6	76,3	80,6	51,3	71,7	61,0	58,3	100,0	100,0	72,4	100,0	63,1	100,0	72,3
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	65,8	63,8	75,6	66,7	61,4	70,7	67,0	65,0	59,5	56,5	66,6	60,9	59,5	68,4	63,4
Väga halb või halb - Very bad or bad	71,7	71,7	74,2	69,4	64,0	51,5	68,7	59,5	33,6	82,4	63,5	100,0	64,7	100,0	64,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	86,6	100,0	100,0	100,0	0,0	0,0	100,0	100,0	0,0	100,0	0,0	80,1	77,1	49,1	68,7
Normaal - Normal weight	65,9	67,8	71,7	66,0	67,2	71,0	59,8	61,7	61,4	66,1	64,3	59,2	61,1	68,5	64,4
Ülekaal - Overweight	77,4	68,9	66,0	67,0	56,8	60,1	67,6	56,0	60,6	55,7	57,9	57,6	56,3	78,8	61,1
Rasvumine - Obesity	60,1	76,7	65,4	68,4	60,9	61,3	61,6	60,3	56,0	57,3	71,4	75,2	81,2	51,0	63,8
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 8.B. Praegust elukohta iseloomustavad väliskeskkonna tegurid (%) sünnipõlvkonna järgi, naised
TABLE 8.B. Environmental factors characterising current residential area (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Halb joogivesi - Bad drinking water	7,1	11,2	8,2	12,3	12,3	16,1	18,1	14,7	19,8	11,6	16,2	19,1	14,0	10,6	14,1
Täna-, rongi- või lennukimüra - Noise from streets, trains or planes	13,5	15,0	14,3	14,8	13,2	13,6	16,2	16,0	21,0	18,5	15,3	19,5	21,8	13,9	16,4
Tööstusmüra - Noise from industry	1,6	0,3	0,2	2,2	0,0	2,0	1,9	1,2	3,2	2,2	1,0	0,3	0,3	1,5	1,3
Kõrgepingeliinid kuni 500 m raadiuses - High voltage power lines at distance of 500 m	1,0	2,6	2,3	1,5	2,8	1,3	0,5	1,6	0,9	3,6	1,4	2,1	1,3	0,3	1,6
Õhusaaste liiklusest - Air pollution from traffic	9,3	10,8	11,3	14,5	12,6	12,2	12,6	15,5	14,9	15,9	9,7	14,4	15,0	10,3	13,0
Muu õhusaaste - Other air pollution	4,2	4,2	6,3	7,5	3,9	7,9	9,0	3,4	8,9	9,4	9,2	7,3	3,1	7,6	6,7
Pole häirivaid tegureid - No disturbing factors	76,2	67,3	67,3	64,2	61,3	60,8	62,0	61,6	55,8	57,5	64,5	57,8	60,5	67,5	62,5
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TABEL 8.1.B. Isikute protsent, kelle praeguses elukohas puuduvad häirivad väliskeskkonna tegurid rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 8.1.B. Percent of persons who do not have any disturbing environmental factors at current residential area in background categories by birth cohort, females															
Piirkond - Region															
Harjumaa	79,4	66,6	56,8	67,9	58,7	58,2	63,7	63,5	55,7	60,5	64,6	66,8	60,1	71,2	63,4
Ida-Virumaa	72,5	53,4	57,8	53,2	62,0	46,3	46,1	53,7	39,4	38,4	46,3	39,8	45,6	54,4	50,0
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	74,3	76,9	75,4	69,0	65,5	65,7	64,6	65,9	67,9	62,3	74,2	55,6	73,5	67,5	67,9
Järva, Lääne-Viru, Rapla	92,4	56,9	82,4	58,1	60,1	58,5	60,1	70,6	39,4	53,8	61,5	45,7	48,2	63,2	58,3
Lääne, Saare, Hiiumaa, Pärnumaa	61,2	74,0	79,2	63,3	58,5	76,4	74,1	46,7	67,5	53,7	66,2	62,4	50,9	71,3	65,8
Asulatüüp - Type of residence															
Linn - Urban	78,3	63,6	66,3	62,9	60,3	58,3	62,7	61,7	54,1	59,7	63,9	56,4	59,3	67,2	61,7
Maa - Rural	70,8	79,8	71,0	68,5	64,0	69,3	59,7	61,2	61,1	51,2	67,3	64,0	64,8	68,0	65,0
Rahvus - Ethnicity															
Eestlane - Estonian	77,7	71,8	70,8	66,3	60,9	63,1	62,0	66,6	58,8	58,1	67,5	64,1	56,8	67,9	64,4
Mitte-eestlane - Non-Estonian	73,3	57,5	60,5	60,9	62,6	57,1	61,9	54,7	49,2	55,9	58,6	45,4	65,9	66,4	58,9
Põlisus - Native-born population															
Põlisrahvastik - Native-born	77,3	70,1	70,2	65,8	60,9	63,0	63,2	64,9	58,6	57,9	66,4	63,2	55,2	66,7	63,8
Immigrantrahvastik - Not native-born	73,7	60,6	60,6	61,2	62,9	56,9	59,9	56,5	48,1	56,5	60,3	43,1	70,3	69,5	59,7
Kooselu - Cohabiting															
Kooselus - Cohabiting	66,8	57,2	70,4	59,1	57,6	62,6	63,4	64,8	54,9	58,6	65,0	58,0	66,2	63,5	61,5
Ei ole kooselus - Not cohabiting	77,2	70,1	65,9	67,7	65,6	58,1	59,6	54,9	58,8	54,8	62,6	57,4	52,4	68,0	63,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	71,1	68,9	68,7	63,9	59,1	65,8	69,9	68,3	60,3	46,6	72,0	58,3	64,5	68,1	66,6
Kesk - Upper secondary	84,5	63,1	66,2	62,1	60,6	62,2	61,6	64,7	55,0	57,8	63,6	46,9	62,6	65,7	61,7
Kõrg - University	76,1	68,4	67,5	67,2	64,0	57,8	60,5	58,4	56,1	58,2	64,4	65,0	56,8	100,0	61,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	77,0	89,9	75,3	58,1	59,9	62,8	62,5	55,7	60,3	64,6	61,6	55,3	80,4	61,3
Mitteaktiivne - Non-active	76,6	67,1	66,4	62,1	62,9	62,5	57,7	52,3	56,4	45,7	64,3	49,0	67,7	65,3	63,9
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	74,7	66,8	64,5	62,6	55,7	49,2	55,7	51,9	60,3	52,3	58,1	52,2	65,1	60,6	60,5
Üle suhtelise vaesuse piiri - Above the risk of poverty	77,5	66,1	68,3	66,5	64,0	65,1	64,3	64,3	55,9	61,1	65,8	60,0	60,5	69,8	63,9
Tervise seisund - Health status															
Terve - No health disorders	40,7	57,3	43,1	60,6	87,0	77,7	65,4	63,4	62,3	60,0	68,0	63,2	62,7	68,6	64,6
Tervisehäired - Less severe health disorders	70,9	69,7	74,9	70,6	61,2	59,0	65,4	64,9	51,1	64,1	57,9	43,1	56,7	65,2	61,4
Tõsisemad tervisehäired - Severe health disorders	76,2	62,9	70,3	62,0	62,9	63,1	57,1	53,0	64,8	32,6	48,4	63,6	68,1	61,2	60,3
Toimetuleku piirangud - Managing restrictions	77,7	69,1	62,8	61,1	51,8	57,7	57,4	58,4	35,5	59,3	100,0	50,0	52,7	75,7	63,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	74,2	59,7	59,4	56,0	54,6	75,0	58,4	62,8	59,4	69,8	67,2	59,4	65,3	58,7	63,0
Tervist kahjustav - Health harming	100,0	83,0	54,9	61,7	69,1	61,8	64,4	72,2	49,8	69,9	66,6	54,8	49,1	100,0	64,1
Kontrollikese - Locus of control															
Seesmine - Internal	91,5	70,5	70,1	70,3	60,1	64,6	65,0	61,6	49,8	60,6	68,1	58,3	67,3	70,1	64,1
Väline - External	74,9	61,1	83,3	67,5	48,6	67,2	75,3	64,4	68,8	31,7	50,6	47,1	50,3	40,5	66,2
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	82,5	66,8	58,9	70,9	74,6	62,4	61,0	66,7	61,5	58,2	65,4	60,7	60,5	68,1	63,6
Väga halb või halb - Very bad or bad	79,0	65,0	69,1	56,1	56,4	53,8	60,3	54,9	64,6	58,2	74,2	73,6	100,0	49,6	63,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	73,0	52,1	62,7	14,6	53,4	0,0	50,6	61,6	76,3	75,3	50,0	43,1	69,9	74,0	63,8
Normkaal - Normal weight	70,5	62,2	71,0	75,0	61,7	60,1	64,5	62,2	50,8	57,0	66,8	60,6	60,6	65,9	62,4
Ülekaal - Overweight	80,5	65,4	68,5	58,8	59,3	57,9	59,0	57,8	61,4	58,1	54,6	64,7	48,8	67,8	61,3
Rasvumine - Obesity	79,4	76,5	64,3	63,3	62,8	63,7	62,2	66,1	59,4	50,0	74,8	24,6	59,9	82,8	63,8
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 9.A. Leibkonna omanduses olevad varad (%) sünnipõlvkonna järgi, mehed
TABLE 9.A. Properties belonging to household (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Sõiduauto - Car	38,6	38,6	54,8	56,1	61,5	61,7	65,1	76,4	77,9	76,7	74,0	73,8	65,2	72,5	68,1
Veoauto, mikrobuss - Lorry, minibus	1,8	0,3	1,4	3,9	2,9	5,5	6,4	7,0	7,6	12,0	6,7	3,6	5,1	5,4	5,7
Töötuba tööriistadega - Work-room with tools	22,5	15,5	18,3	22,2	30,1	20,6	25,3	23,3	29,5	31,3	16,8	14,3	16,4	25,3	22,4
Põllutööriistad, farmiseadmed - Agricultural tools, farm machinery	7,9	6,4	11,2	9,6	6,5	7,9	12,6	11,2	7,2	12,8	6,6	3,4	5,8	10,8	8,6
Kariloomad - Livestock, poultry	3,6	1,7	3,7	4,3	3,1	1,6	2,8	1,8	1,8	4,1	0,8	2,5	1,4	4,6	2,6
Praegune eluase - Present abode	87,2	88,9	89,0	85,7	91,9	85,1	86,4	86,1	88,7	84,5	88,2	79,3	72,5	87,0	84,9
Korter/maja, krunt mujal - Apartment/house, plot elsewhere	6,5	5,6	12,9	13,6	13,8	16,1	17,1	17,3	18,7	20,5	23,5	19,5	20,0	20,9	18,0
Talu, suvila mujal - Farm, summer cottage elsewhere	11,6	16,9	22,7	24,6	23,8	24,8	24,8	20,7	18,0	14,0	17,1	14,9	22,2	19,1	19,9
Hoiused, väärtpaberid vähemalt 10 000 kr eest - Deposits, shares, bonds for more than 10 000 kr	35,3	26,3	29,4	28,6	26,3	17,9	21,7	32,4	24,0	20,3	26,2	23,0	15,3	16,2	23,0
Pole varasid - No properties	3,2	5,1	2,4	4,6	1,4	4,9	6,0	2,9	0,6	3,6	3,2	2,9	2,9	0,9	3,0
Kokku - Total (N)	129	341	261	331	145	195	194	202	204	213	190	193	237	274	3109
Vastamata - Missing (N)	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2

TABEL 9.1.A. Isikute protsent, kelle leibkonnal puuduvad varad, rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 9.1.A. Percent of persons who live in households without any properties in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	4,8	3,4	0,0	0,0	2,3	3,5	4,0	1,7	0,0	1,5	3,0	2,7	3,7	0,0	2,1
Ida-Virumaa	5,2	7,8	7,5	15,5	4,9	0,0	14,2	5,6	0,0	15,5	5,3	2,9	2,1	8,5	6,7
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	3,6	6,6	1,9	5,5	0,0	9,8	6,6	1,9	1,3	1,2	1,8	5,1	2,3	0,0	3,1
Järva, Lääne-Viru, Rapla	0,0	5,9	3,0	6,2	0,0	7,8	0,0	0,0	3,5	5,2	8,6	0,0	5,7	0,0	3,5
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	3,1	4,1	3,8	0,0	0,0	3,9	7,3	0,0	0,0	0,0	0,0	0,0	0,0	1,7
Asulatüüp - Type of residence															
Linn - Urban	3,3	4,8	2,9	3,8	2,0	4,7	6,6	3,3	0,9	3,7	3,7	2,6	3,6	1,3	3,3
Maa - Rural	3,0	6,4	1,3	7,1	0,0	5,4	4,3	1,9	0,0	3,4	1,7	4,5	0,0	0,0	2,3
Rahvus - Ethnicity															
Eestlane - Estonian	2,1	5,3	2,0	4,5	1,3	6,8	4,0	3,2	0,5	1,3	3,4	1,3	3,2	0,0	2,5
Mitte-eestlane - Non-Estonian	6,7	4,7	3,6	4,8	1,6	2,4	8,5	2,3	1,0	8,7	3,0	5,8	2,4	3,1	4,1
Põlisus - Native-born population															
Põlisrahvastik - Native-born	2,0	5,3	2,0	4,4	1,3	6,4	4,4	3,0	0,4	1,3	3,2	2,3	3,6	1,2	2,7
Immigrantrahvastik - Not native-born	7,3	4,7	3,5	4,9	1,8	2,6	8,5	2,6	1,1	9,6	3,3	4,3	1,1	0,0	3,8
Kooselu - Cohabiting															
Kooselus - Cohabiting	2,3	3,3	1,6	2,6	1,1	2,1	3,4	1,1	0,0	1,2	2,7	1,6	2,1	0,0	1,8
Ei ole kooselus - Not cohabiting	4,8	9,4	5,9	12,6	3,2	19,6	18,2	11,0	3,6	13,0	4,7	5,5	3,3	1,0	5,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	4,1	8,0	4,7	11,0	3,2	1,7	15,1	6,3	0,0	22,2	18,3	10,9	0,0	0,8	4,9
Kesk - Upper secondary	5,1	2,9	1,3	3,3	1,6	9,6	6,5	2,6	0,5	3,3	2,8	3,1	2,5	1,4	3,2
Kõrg - University	0,0	3,0	1,0	2,3	0,0	0,6	1,8	2,7	1,1	1,1	0,0	0,0	5,2	0,0	1,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	0,0	1,0	0,0	2,6	2,3	2,4	0,3	2,3	2,6	2,7	3,7	0,0	2,2
Mitteaktiivne - Non-active	3,4	5,3	2,8	5,7	2,6	10,4	21,1	6,8	3,6	24,1	10,2	6,8	0,0	1,2	4,9
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	6,4	5,9	3,2	15,9	2,4	16,4	19,6	11,2	0,0	11,6	18,4	8,4	0,0	3,0	9,1
Üle suhtelise vaesuse piiri - Above the risk of poverty	2,6	4,9	1,9	1,8	1,2	0,4	3,0	1,3	0,8	2,1	1,6	3,0	2,6	0,0	1,8
Tervise seisund - Health status															
Terve - No health disorders	0,0	13,9	0,0	9,9	0,0	7,7	9,1	2,9	0,0	2,9	4,0	2,4	4,4	0,7	2,8
Tervisehäired - Less severe health disorders	0,0	2,3	0,0	0,5	1,3	3,8	1,5	1,2	0,9	0,0	1,7	2,3	0,0	2,1	1,4
Tõsisemad tervisehäired - Severe health disorders	0,0	2,5	3,3	4,4	0,0	0,0	4,9	0,0	4,0	2,9	0,0	8,1	0,0	0,0	2,2
Toimetuleku piirangud - Managing restrictions	5,4	7,2	4,4	9,6	3,1	12,4	22,8	17,7	0,0	29,2	7,2	7,7	0,0	0,0	9,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	3,9	0,0	4,4	0,0	0,0	0,0	9,4	0,0	0,0	0,0	0,0	0,0	0,0	1,1
Tervist kahjustav - Health harming	8,5	10,0	6,0	0,0	0,0	12,9	7,2	6,9	0,0	2,9	0,0	5,8	6,0	0,0	4,5
Kontrollkese - Locus of control															
Seesmine - Internal	2,0	2,3	0,8	1,2	0,0	1,9	0,0	1,7	0,0	0,6	2,1	3,2	3,2	1,1	1,6
Väline - External	0,0	8,4	8,5	18,0	0,0	16,8	45,4	20,2	0,0	55,9	23,6	100,0	0,0	0,0	16,6
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	1,7	0,0	3,2	7,4	3,8	1,1	2,5	0,0	2,5	2,9	2,1	3,3	1,1	2,2
Väga halb või halb - Very bad or bad	6,4	7,3	4,1	13,0	0,0	8,5	28,5	8,2	0,0	47,0	11,1	38,8	0,0	0,0	10,3
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	36,6	0,0	0,0	0,0	0,0	11,7	0,0	4,9
Normaal - Normal weight	1,3	5,1	2,0	9,0	2,8	6,6	8,5	6,0	0,9	5,6	5,4	1,5	3,1	1,2	3,7
Ülekaal - Overweight	5,0	3,2	3,9	2,0	1,2	4,6	6,1	1,1	0,8	3,3	2,3	5,4	1,9	0,0	2,8
Rasvumine - Obesity	5,1	9,1	0,0	1,8	0,0	2,8	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,9
Vanus - Age															
80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 9.B. Leibkonna omanduses olevad varad (%) sünnipõlvkonna järgi, naised

TABLE 9.B. Properties belonging to household (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Sõiduauto - Car	14,1	18,6	23,1	31,7	41,1	50,0	53,5	57,3	71,5	70,1	71,3	69,1	61,1	67,6	53,0
Veoauto, mikrobuss - Lorry, minibus	0,0	0,7	1,5	0,3	2,2	4,2	0,8	4,9	8,0	6,4	6,0	1,2	1,9	6,3	3,4
Töötuba tööriistadega - Work-room with tools	6,4	4,8	4,6	8,6	9,7	17,1	14,3	13,5	20,9	18,7	11,9	11,9	8,6	18,6	12,7
Põllutööriistad, farmiseadmed - Agricultural tools, farm machinery	1,2	2,4	4,2	6,3	4,9	7,2	5,5	6,1	8,0	9,0	3,8	2,5	4,8	7,3	5,5
Kariloomad - Livestock, poultry	1,0	2,8	1,3	3,3	4,3	5,1	1,8	1,5	4,2	5,0	1,0	0,6	2,4	2,9	2,7
Praegune eluase - Present abode	79,5	84,0	85,6	88,3	83,6	88,6	85,3	87,9	93,8	88,8	83,6	80,2	69,0	87,4	84,8
Korter/maja, krunt mujal - Apartment/house, plot elsewhere	2,9	3,3	7,0	11,6	6,7	14,5	13,5	14,9	17,1	18,7	18,9	18,1	19,5	22,4	14,5
Talu, suvila mujal - Farm, summer cottage elsewhere	6,3	12,4	13,1	15,1	18,6	20,2	12,7	17,6	17,8	17,4	16,5	9,0	14,1	17,9	15,3
Hoiused, väärtpaberid vähemalt 10 000 kr eest - Deposits, shares, bonds for more than 10 000 kr	9,9	18,0	18,8	26,6	22,6	24,7	19,3	20,4	20,6	17,4	20,1	16,2	11,6	9,1	18,4
Pole varasid - No properties	15,7	8,7	9,3	4,4	6,4	4,7	4,3	1,9	0,5	1,4	2,1	3,5	3,7	3,1	4,3
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 9.1.B. Isikute protsent, kelle leibkonnal puuduvad varad, rahvastikurühmades sünnipõlvkonna järgi, naised

TABLE 9.1.B. Percent of persons who live in households without any properties in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	16,1	12,4	4,7	1,8	2,5	1,5	4,4	1,3	0,0	0,0	0,0	3,3	3,6	2,6	3,2
Ida-Virumaa	21,7	5,7	10,8	9,6	19,6	5,2	7,2	7,4	3,3	3,8	11,4	6,8	9,1	4,9	8,5
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	19,6	7,1	12,4	5,5	4,3	6,7	1,7	1,0	0,9	3,3	2,3	2,2	1,5	6,1	4,7
Järva, Lääne-Viru, Rapla	6,7	2,0	21,8	8,1	8,0	10,4	9,5	0,0	0,0	0,0	0,0	5,4	7,6	0,0	5,2
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	10,1	3,2	1,8	6,7	4,7	0,0	0,0	0,0	0,0	2,4	0,0	0,0	0,0	2,0
Asulatüüp - Type of residence															
Linn - Urban	17,4	9,2	6,9	4,5	7,4	5,0	4,9	2,4	0,7	0,5	2,6	4,3	2,8	4,3	4,5
Maa - Rural	11,4	6,8	18,3	4,2	4,0	3,6	2,3	0,0	0,0	3,9	0,0	0,0	6,9	0,0	3,8
Rahvus - Ethnicity															
Eestlane - Estonian	14,8	7,3	9,2	2,7	6,0	4,6	3,5	0,9	0,3	1,4	1,5	4,0	2,6	1,3	3,7
Mitte-eestlane - Non-Estonian	17,2	11,6	9,6	6,9	7,8	4,8	5,4	3,2	1,0	1,4	3,2	2,4	5,4	6,6	5,5
Põlisus - Native-born population															
Põlisrahvastik - Native-born	14,1	7,0	9,1	3,1	5,7	4,4	4,0	0,9	0,3	1,4	1,9	4,2	2,3	1,2	3,7
Immigrantrahvastik - Not native-born	19,0	12,5	9,8	6,6	9,3	5,2	4,7	3,4	1,1	1,4	2,6	1,5	6,3	7,9	5,8
Kooselu - Cohabiting															
Kooselus - Cohabiting	10,1	3,6	6,0	0,8	3,0	2,9	1,4	2,0	0,3	0,7	0,9	1,9	2,5	2,5	1,8
Ei ole kooselus - Not cohabiting	16,3	10,1	10,9	6,9	10,3	7,4	9,4	1,7	1,3	3,1	6,3	7,3	5,4	3,2	7,2
Haridus - Education															
Põhi või madalam - Lower secondary or less	15,6	8,3	8,4	7,2	6,4	10,7	7,5	9,1	10,1	11,3	9,0	8,0	0,0	1,8	6,9
Kesk - Upper secondary	17,5	7,3	10,8	4,0	5,6	4,3	4,2	2,3	0,5	1,8	1,7	5,4	5,9	5,3	4,6
Kõrg - University	10,0	11,1	7,9	1,7	7,8	3,6	3,5	1,0	0,0	0,0	1,6	1,3	1,6	0,0	2,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	10,5	0,0	5,6	3,9	2,8	0,6	0,6	0,6	2,0	3,6	3,5	6,2	2,3
Mitteaktiivne - Non-active	15,8	8,8	9,3	5,2	6,8	6,0	12,7	14,9	0,0	4,5	2,5	3,1	4,0	2,5	6,7
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	20,4	11,8	11,9	9,8	11,1	8,6	12,6	4,8	2,4	5,3	4,4	23,5	3,3	5,1	9,8
Üle suhtelise vaesuse piiri - Above the risk of poverty	9,6	5,9	5,9	0,9	3,7	3,3	2,9	1,1	0,0	0,7	2,0	1,7	3,4	3,2	2,6
Tervise seisund - Health status															
Terve - No health disorders	13,0	0,0	0,0	17,2	13,0	0,0	5,6	0,0	0,0	1,0	1,3	3,8	4,5	4,1	2,9
Tervisehäired - Less severe health disorders	12,3	2,5	7,0	3,9	6,8	2,2	1,3	1,6	0,0	0,0	2,4	2,8	3,1	1,9	2,5
Tõsisemad tervisehäired - Severe health disorders	14,3	8,6	2,5	1,1	4,6	6,0	4,8	1,5	1,6	3,7	0,0	4,3	0,0	0,0	3,9
Toimetuleku piirangud - Managing restrictions	16,4	10,2	14,8	6,5	6,7	9,9	11,1	6,3	3,1	7,5	20,4	0,0	0,0	0,0	10,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	18,1	13,3	8,3	1,0	4,8	5,1	2,6	0,0	0,0	0,0	0,8	5,4	1,4	0,0	3,5
Tervist kahjustav - Health harming	18,9	0,0	9,4	8,2	0,0	5,7	6,8	2,3	0,0	0,0	3,5	0,0	8,2	0,0	3,9
Kontrollkese - Locus of control															
Seesmine - Internal	26,3	4,5	9,9	3,9	6,5	5,2	1,5	0,5	0,7	0,0	1,2	2,2	3,9	1,6	2,7
Väline - External	15,7	11,1	8,7	9,9	7,7	0,0	4,9	13,9	0,0	17,1	6,9	0,0	20,4	24,4	10,3
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	26,5	10,7	5,0	3,5	3,1	2,5	0,0	0,0	0,0	0,8	1,6	2,4	3,9	3,3	2,2
Väga halb või halb - Very bad or bad	14,4	10,0	12,7	5,8	5,8	4,0	11,1	10,3	0,0	0,0	27,8	26,4	0,0	0,0	9,3
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	33,4	0,0	0,0	14,6	0,0	0,0	0,0	0,0	0,0	0,0	6,3	0,0	0,0	0,0	1,8
Normaal - Normal weight	10,1	11,0	5,8	4,2	6,8	5,6	6,8	1,8	0,0	1,5	1,7	3,2	4,1	3,1	3,7
Ülekaal - Overweight	19,9	6,3	12,3	4,5	7,5	3,1	0,0	3,4	2,1	2,0	0,0	8,4	8,2	7,8	5,5
Rasvumine - Obesity	16,8	10,2	8,7	4,1	5,3	5,3	5,6	0,0	0,0	0,0	5,4	0,0	0,0	0,0	5,0
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 10.A. Vähemalt ühe pikaajalise tervisehäire esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 10.A. Prevalence of at least one long-term health disorder (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Ei ole kunagi esinenud - Has never had	8,9	16,3	15,6	20,4	16,3	30,6	30,8	39,7	45,1	59,2	47,9	69,7	63,7	78,0		46,1
On kunagi esinenud - Has ever had	91,1	83,7	84,4	79,6	83,7	69,4	69,2	60,3	54,9	40,8	52,1	30,3	36,3	22,0		53,9
Esinenud viimasel 12 kuul - Has had during the last 12 months	84,3	78,1	75,7	72,6	77,6	59,2	60,0	47,9	44,3	30,5	41,4	22,3	29,0	16,6		45,1
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274		3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
TABEL 10.1.A. Vähemalt üht pikaajalist tervisehäiret viimasel 12 kuul omanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 10.1.A. Percent of persons who have had at least one long-term health disorder during the last 12 months in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	82,3	76,2	70,3	69,0	83,7	61,7	61,5	40,7	46,3	25,3	38,0	27,6	33,2	14,9		44,0
Ida-Virumaa	89,5	82,1	69,1	74,2	60,7	64,2	69,0	54,2	31,1	33,3	39,9	5,7	28,7	8,5		42,5
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	93,9	76,9	76,5	75,2	72,9	61,0	55,6	55,0	47,2	38,5	42,8	23,6	27,1	18,0		46,5
Järva, Lääne-Viru, Rapla	79,5	72,8	82,8	78,3	75,7	46,6	26,6	45,6	41,8	20,7	41,0	13,3	14,4	14,9		39,8
Lääne, Saare, Hiiumaa, Pärnumaa	70,0	87,8	83,9	71,5	83,2	56,4	74,2	50,5	46,5	37,7	55,8	25,0	30,6	24,3		52,9
Asulatüüp - Type of residence																
Linn - Urban	85,3	80,1	77,3	74,1	77,0	62,7	57,6	47,5	43,9	30,7	40,8	22,3	30,1	16,8		45,2
Maa - Rural	82,1	70,0	72,0	67,7	79,1	50,7	66,9	48,9	45,0	30,2	43,1	22,4	24,7	16,1		45,0
Rahvus - Ethnicity																
Eestlane - Estonian	82,5	77,2	77,2	69,5	77,8	61,3	56,3	50,7	48,8	29,3	42,0	25,0	32,5	19,1		46,2
Mitte-eestlane - Non-Estonian	89,8	79,9	71,5	77,7	77,2	56,2	64,8	43,4	34,8	33,3	40,3	17,5	23,0	10,6		43,2
Põlisus - Native-born population																
Põlisrahvastik - Native-born	82,1	77,2	76,4	70,2	78,1	59,4	54,8	49,4	48,8	30,5	40,2	25,8	31,0	18,6		45,3
Immigrantrahvastik - Not native-born	91,5	79,9	74,0	76,9	76,3	58,8	68,0	45,1	33,5	30,7	43,9	15,6	24,2	9,2		44,8
Kooselu - Cohabiting																
Kooselus - Cohabiting	83,9	77,8	74,6	73,0	76,2	60,0	59,6	47,9	44,3	30,7	38,8	22,9	29,5	32,6		50,0
Ei ole kooselus - Not cohabiting	85,0	78,8	80,6	70,9	85,2	54,7	61,7	48,0	43,9	29,9	48,6	21,2	28,8	15,7		35,6
Haridus - Education																
Põhi või madalam - Lower secondary or less	83,9	78,2	84,6	78,8	74,9	58,4	49,2	47,4	47,4	20,1	61,8	22,6	35,7	15,5		42,6
Kesk - Upper secondary	75,7	80,3	68,4	69,6	75,3	65,8	62,1	49,7	44,6	34,9	37,8	25,3	25,5	18,6		44,8
Kõrg - University	92,3	75,4	74,7	72,3	83,7	51,6	60,0	45,9	42,9	21,3	43,2	17,3	34,7	42,6		47,4
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	72,6	67,9	66,9	62,1	78,2	51,9	57,4	46,1	41,4	28,9	38,4	22,1	29,2	23,5		39,8
Mitteaktiivne - Non-active	84,9	78,6	77,0	75,9	77,1	76,6	70,6	61,4	73,4	56,9	74,9	25,8	28,4	14,7		56,0
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	74,1	77,9	76,8	74,5	80,8	58,4	70,4	52,5	61,8	34,0	51,3	35,0	19,5	14,4		53,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	86,5	77,6	77,0	72,2	76,3	58,4	57,9	46,8	43,2	31,5	40,2	21,8	29,8	16,6		44,9
Tervise seisund - Health status																
Terve - No health disorders	65,4	0,0	11,7	20,2	32,4	13,8	34,4	19,5	21,5	13,7	20,5	10,5	20,6	9,3		16,3
Tervisehäire - Less severe health disorders	61,0	56,9	65,1	57,5	75,4	47,5	58,2	49,6	59,0	71,0	66,4	53,6	39,7	36,1		55,3
Tõsisemad tervisehäired - Severe health disorders	96,8	77,0	85,7	91,0	81,4	91,3	77,8	86,6	59,4	61,9	80,2	53,5	56,7	69,4		78,8
Toimetuleku piirangud - Managing restrictions	88,0	92,1	86,3	90,0	91,6	82,8	77,2	77,3	77,6	31,2	88,9	48,2	82,7	58,3		82,4
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	71,9	79,3	63,5	62,8	89,4	68,6	35,5	66,6	26,0	14,5	38,1	23,9	40,5	0,0		45,3
Tervist kahjustav - Health harming	90,4	87,6	77,1	64,4	75,3	70,7	54,4	45,1	32,4	43,1	33,6	25,1	50,6	18,0		50,0
Kontrollkese - Locus of control																
Seesmine - Internal	84,4	64,7	70,0	66,0	73,6	52,4	55,9	50,7	35,1	27,4	43,5	19,7	25,5	15,9		38,8
Väline - External	86,3	94,7	87,7	91,7	93,9	90,7	73,8	100,0	38,9	100,0	59,6	0,0	63,1	45,9		80,3
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	58,2	41,1	37,2	27,4	34,6	30,1	38,2	25,0	19,9	17,4	29,4	17,9	18,5	10,3		21,1
Väga halb või halb - Very bad or bad	94,1	99,6	95,5	97,4	100,0	95,7	83,7	77,4	100,0	61,7	86,6	100,0	70,6	100,0		92,7
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	52,9	100,0	100,0	100,0	0,0	0,0	100,0	100,0	0,0	0,0	100,0	53,2	22,9	23,8		41,9
Normkaal - Normal weight	83,7	73,3	70,0	72,3	69,2	52,8	51,9	39,0	35,6	31,9	39,0	24,9	29,4	16,1		37,9
Ülekaal - Overweight	85,8	78,1	74,9	70,7	77,2	58,2	58,9	47,6	41,2	27,9	38,9	13,5	25,1	17,6		46,4
Rasvumine - Obesity	94,2	92,4	89,0	77,0	88,6	71,2	74,4	59,0	64,7	35,8	53,6	25,9	46,7	0,0		63,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
Vanus - Age																

TABEL 10.B. Vähemalt ühe pikaajalise tervisehäire esinemine (%) sünnipõlvkonna järgi, naised
TABLE 10.B. Prevalence of at least one long-term health disorder (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort															
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Ei ole kunagi esinenud - Has never had	8,0	8,2	8,9	7,5	16,3	21,8	30,5	31,3	40,9	46,5	55,8	58,8	61,3	61,5	35,3	
	On kunagi esinenud - Has ever had	92,0	91,8	91,1	92,5	83,7	78,2	69,5	68,7	59,1	53,5	44,2	41,2	38,7	38,5	64,7	
	Esinenud viimasel 12 kuul - Has had during the last 12 months	86,7	85,0	84,2	87,8	77,9	68,1	62,5	58,8	50,2	43,0	33,9	34,4	30,7	30,1	56,7	
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 10.1.B. Vähemalt üht pikaajalist tervisehäiret viimasel 12 kuul omanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised																	
TABLE 10.1.B. Percent of persons who have had at least one long-term health disorder during the last 12 months in background categories by birth cohort, females																	
Piirkond - Region																	
	Harjumaa	90,5	85,9	86,4	88,7	82,6	66,1	59,4	55,3	54,3	46,1	34,1	36,6	28,8	33,4	56,3	
	Ida-Virumaa	85,4	90,4	87,2	87,5	81,9	68,0	68,6	56,5	57,3	50,0	41,3	46,6	27,4	28,3	62,0	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	83,6	86,1	80,9	89,3	80,3	69,8	74,9	68,6	44,3	37,7	31,7	28,6	33,7	33,0	57,4	
	Järva, Lääne-Viru, Rapla	71,4	76,2	87,7	74,2	68,7	73,2	62,0	49,8	44,4	51,3	36,2	29,3	34,8	20,8	53,4	
	Lääne, Saare, Hiiumaa, Pärnumaa	95,2	82,4	76,9	91,5	67,4	66,2	46,9	59,7	51,8	33,3	28,4	29,7	34,3	24,9	54,1	
Asulatüüp - Type of residence																	
	Linn - Urban	85,4	84,6	84,3	89,0	78,8	68,9	62,2	56,6	49,7	48,0	35,1	36,3	28,6	32,5	57,1	
	Maa - Rural	90,0	86,5	83,8	83,7	75,7	65,2	63,5	66,1	51,6	28,5	28,2	26,3	38,2	24,1	55,6	
Rahvus - Ethnicity																	
	Eestlane - Estonian	84,6	82,0	83,1	85,6	76,1	66,1	59,1	63,2	48,9	37,9	32,9	30,4	34,4	28,1	55,2	
	Mitte-eestlane - Non-Estonian	90,5	91,4	86,5	91,1	83,5	71,4	67,2	52,5	53,0	56,9	35,8	42,5	25,3	34,2	59,6	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	85,4	82,6	82,6	85,7	76,1	65,8	60,3	63,5	50,0	38,7	33,7	30,4	34,5	28,8	55,4	
	Immigrantrahvastik - Not native-born	89,5	90,7	88,1	91,5	84,8	72,4	66,1	51,5	50,5	54,4	34,5	45,6	23,5	33,5	59,6	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	71,0	80,5	86,6	86,0	83,2	69,7	64,3	60,6	48,7	42,7	35,4	31,8	32,5	36,7	54,2	
	Ei ole kooselus - Not cohabiting	88,5	86,3	83,1	89,0	71,9	65,6	59,3	54,9	55,0	43,7	28,8	40,7	28,1	29,1	59,7	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	86,2	85,3	82,3	89,5	80,9	70,5	77,4	73,4	60,3	46,9	62,8	50,1	48,7	28,0	65,1	
	Kesk - Upper secondary	88,2	80,7	88,6	89,7	79,6	76,8	65,4	55,7	50,2	47,0	37,3	35,7	29,1	34,3	57,9	
	Kõrg - University	84,5	89,5	78,7	83,3	73,1	56,5	55,7	60,7	49,6	38,6	25,9	30,6	28,7	0,0	50,7	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	100,0	100,0	100,0	88,0	73,3	61,4	60,0	56,7	49,0	41,3	31,8	32,0	32,6	19,7	48,1	
	Mitteaktiivne - Non-active	86,6	84,8	83,5	87,8	80,2	79,7	76,1	80,1	60,5	49,9	41,0	40,1	28,1	31,8	66,5	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	89,5	87,8	80,2	88,7	73,8	69,0	77,1	62,9	46,6	45,7	42,6	41,3	40,2	33,6	68,7	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	84,3	83,2	86,8	87,4	78,8	69,6	59,5	57,0	50,0	41,9	33,3	32,2	27,8	30,5	53,5	
Tervise seisund - Health status																	
	Terve - No health disorders	40,7	42,7	59,2	30,5	35,1	57,7	34,0	25,1	18,6	23,8	15,7	21,1	19,2	19,4	21,4	
	Tervisehäired - Less severe health disorders	58,9	55,7	65,2	82,6	65,6	51,3	45,8	59,3	65,8	54,8	55,6	48,2	49,0	47,4	56,7	
	Tõsisemad tervisehäired - Severe health disorders	71,9	86,4	85,7	91,0	92,5	87,6	86,9	75,1	74,3	77,5	79,0	72,2	70,2	55,2	83,4	
	Toimetuleku piirangud - Managing restrictions	93,9	91,7	93,8	94,8	93,2	86,0	91,7	83,8	84,4	70,8	80,4	84,4	46,6	30,6	88,7	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	84,9	86,3	72,6	85,8	75,1	65,8	61,9	62,4	42,2	27,9	29,1	21,4	28,7	45,5	52,2	
	Tervist kahjustav - Health harming	76,2	79,6	89,0	88,3	78,4	79,8	53,5	60,9	31,3	28,8	37,8	22,2	50,1	30,1	53,8	
Kontrollkese - Locus of control																	
	Seesmine - Internal	60,9	81,5	74,7	80,7	69,6	53,7	52,7	53,3	39,6	37,0	28,7	26,3	29,1	29,0	44,1	
	Väline - External	93,2	94,6	87,1	96,7	71,6	95,9	63,2	56,1	63,8	82,9	18,4	26,4	37,7	59,5	79,5	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	52,7	53,3	59,3	62,3	39,1	37,2	33,8	38,7	31,1	24,1	24,3	25,4	21,8	26,8	29,6	
	Väga halb või halb - Very bad or bad	94,4	95,4	96,1	100,0	96,6	100,0	100,0	100,0	94,9	75,6	100,0	100,0	100,0	100,0	96,8	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	80,7	100,0	100,0	100,0	53,4	0,0	0,0	38,4	35,4	46,1	14,4	31,4	19,6	40,7	35,3	
	Normkaal - Normal weight	90,1	80,1	74,8	78,7	64,2	50,9	53,6	52,2	46,0	40,2	33,8	34,1	32,2	28,4	45,5	
	Ülekaal - Overweight	79,9	83,8	80,2	86,5	81,1	67,5	58,9	59,1	57,2	43,6	43,0	26,1	21,1	32,1	64,2	
	Rasvumine - Obesity	89,9	92,0	95,0	96,0	86,6	80,2	80,6	72,6	57,9	55,0	33,8	55,3	60,9	17,2	79,2	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 11.A. Vereringeelundite häirete esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 11.A. Prevalence of disorders of circulatory system (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Ei ole kunagi esinenud - Has never had	40,1	48,1	49,8	54,5	50,8	67,6	71,2	77,9	83,0	94,1	86,7	94,1	93,7	95,9	79,0	
On kunagi esinenud - Has ever had	59,9	51,9	50,2	45,5	49,2	32,4	28,8	22,1	17,0	5,9	13,3	5,9	6,3	4,1	21,0	
Esinenud viimasel 12 kuul - Has had during the last 12 months	50,9	48,4	43,8	42,5	47,0	26,7	27,2	19,3	13,1	4,1	10,9	5,3	4,6	3,8	18,5	
Kokku - Total (N)	129	341	261	332	145	192	194	203	204	213	190	193	237	274	3111	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 11.1.A. Vereringeelundite häireid viimasel 12 kuul omanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 11.1.A. Percent of persons who have had disorders of circulatory system during the last 12 months in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	50,8	47,9	46,7	47,5	48,6	27,1	25,5	21,0	17,0	3,0	10,6	4,7	4,0	2,3	18,2	
Ida-Virumaa	54,1	46,2	41,6	47,4	24,4	23,8	25,4	5,6	3,9	2,4	5,3	0,0	4,2	0,0	13,1	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	58,1	49,1	43,1	37,5	50,2	34,0	18,9	21,1	12,9	9,8	16,6	6,6	4,5	7,2	19,9	
Järva, Lääne-Viru, Rapla	44,0	43,8	51,4	28,0	38,4	12,0	19,0	20,5	17,8	0,0	8,6	5,6	0,0	10,5	16,4	
Lääne, Saare, Hiiumaa, Pärnumaa	39,9	54,8	35,3	45,3	58,3	30,1	52,9	23,9	7,9	0,0	8,7	17,3	12,5	0,0	23,7	
Asulatüüp - Type of residence																
Linn - Urban	52,0	49,1	46,3	46,6	41,0	27,6	27,4	19,9	12,9	3,8	9,8	3,0	4,5	3,5	18,1	
Maa - Rural	48,4	45,8	38,1	29,1	62,5	24,4	26,7	18,0	13,5	4,8	14,1	15,3	4,9	4,5	19,5	
Rahvus - Ethnicity																
Eestlane - Estonian	53,5	46,2	43,7	37,8	50,8	26,9	26,9	20,9	14,7	4,1	13,6	7,5	5,3	5,4	19,4	
Mitte-eestlane - Non-Estonian	43,2	53,1	44,3	50,5	38,6	26,4	27,6	16,7	9,7	3,9	6,0	1,5	3,3	0,0	16,8	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	52,9	46,1	43,0	38,3	52,4	25,8	26,3	20,7	15,2	4,0	12,8	7,2	4,7	4,8	18,8	
Immigrantrahvastik - Not native-born	44,5	53,3	46,2	50,0	32,9	28,1	28,6	16,7	8,1	4,4	6,7	1,6	4,2	0,0	17,7	
Kooselu - Cohabiting																
Kooselus - Cohabiting	52,6	46,3	41,8	43,8	49,9	28,5	28,2	21,9	14,7	4,7	9,9	5,6	5,6	11,3	22,4	
Ei ole kooselus - Not cohabiting	48,0	53,7	52,7	37,7	31,5	17,3	22,7	8,4	6,1	1,6	13,5	4,6	4,0	3,4	10,8	
Haridus - Education																
Põhi või madalam - Lower secondary or less	56,8	51,0	45,0	34,6	36,9	27,8	22,2	6,2	8,4	7,6	11,3	3,8	2,1	3,3	17,4	
Kesk - Upper secondary	28,4	43,3	41,8	42,8	43,5	30,0	29,4	15,4	12,5	3,5	6,7	5,7	6,4	5,1	16,6	
Kõrg - University	59,6	50,1	45,2	47,0	59,8	22,3	25,1	26,2	15,2	5,0	19,1	5,1	1,4	0,0	22,7	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	37,9	37,4	47,1	41,5	42,5	23,7	26,8	20,2	12,8	4,0	10,4	5,6	4,9	2,4	14,2	
Mitteaktiivne - Non-active	51,6	49,0	43,4	42,9	50,7	33,8	29,1	12,8	16,2	5,7	16,3	0,0	3,4	4,1	27,2	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	33,7	55,2	49,8	29,8	47,6	21,6	26,6	5,7	10,8	6,4	4,6	0,0	0,0	7,1	19,5	
Üle suhtelise vaesuse piiri - Above the risk of poverty	53,4	46,4	44,0	45,3	47,6	28,7	27,6	23,7	15,3	4,0	11,0	5,5	6,0	3,9	19,6	
Tervise seisund - Health status																
Terve - No health disorders	42,0	0,0	11,7	10,7	32,4	2,7	18,3	11,7	7,4	3,1	5,6	1,3	3,5	2,5	4,9	
Tervisehäired - Less severe health disorders	24,8	35,7	32,5	35,7	42,8	20,5	23,4	19,0	16,2	5,5	16,5	11,5	6,8	8,7	20,2	
Tõsisemad tervisehäired - Severe health disorders	63,6	48,4	49,6	56,0	46,3	30,7	40,3	47,6	21,5	9,5	27,1	19,7	8,3	8,4	36,7	
Toimetuleku piirangud - Managing restrictions	55,0	56,6	54,4	47,6	57,7	53,6	38,4	4,6	20,3	0,0	15,5	24,5	0,0	0,0	41,4	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	58,6	48,5	33,7	46,7	53,3	28,6	12,6	34,4	5,7	0,0	0,0	6,3	6,9	0,0	18,1	
Tervist kahjustav - Health harming	53,3	59,3	42,6	35,7	43,3	43,5	27,4	27,7	0,0	0,0	4,3	13,5	9,1	0,0	21,9	
Kontrollkese - Locus of control																
Seesmine - Internal	37,2	39,5	36,7	40,6	50,9	27,4	22,7	22,5	9,2	4,6	9,6	5,7	4,9	5,5	15,2	
Väline - External	55,6	59,2	54,7	44,8	40,4	26,6	34,8	0,0	29,5	0,0	23,1	0,0	0,0	0,0	34,8	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	34,2	23,3	11,8	13,2	15,7	11,6	19,0	9,7	8,5	3,8	5,9	4,1	3,5	3,2	6,6	
Väga halb või halb - Very bad or bad	71,4	65,7	68,2	58,6	52,7	49,8	40,7	18,6	31,8	14,7	10,4	0,0	0,0	0,0	48,2	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	35,0	74,5	38,6	100,0	100,0	0,0	0,0	63,4	0,0	0,0	100,0	0,0	0,0	0,0	14,3	
Normkaal - Normal weight	49,1	43,3	30,0	31,8	24,9	17,7	12,6	3,1	6,1	0,8	7,8	1,7	5,2	3,8	10,0	
Ülekaal - Overweight	53,6	48,6	49,3	44,4	48,1	23,2	29,3	16,9	14,0	4,5	10,2	5,0	4,3	5,4	20,7	
Rasvumine - Obesity	54,2	67,3	62,0	58,0	72,6	47,5	45,5	50,4	22,8	10,2	19,1	22,0	0,0	0,0	39,2	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															Total

TABEL 11.B. Vereringeelundite häirete esinemine (%) sünnipölvkonna järgi, naised
TABLE 11.B. Prevalence of disorders of circulatory system (%) by birth cohort, females

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Ei ole kunagi esinenud - Has never had	38,6	40,4	31,5	38,8	51,2	58,6	70,4	75,9	88,8	91,8	96,6	95,6	96,5	97,9	72,8
	On kunagi esinenud - Has ever had	61,4	59,6	68,5	61,2	48,8	41,4	29,6	24,1	11,2	8,2	3,4	4,4	3,5	2,1	27,2
	Esinenud viimasel 12 kuul - Has had during the last 12 months	58,7	55,0	64,8	57,4	46,4	39,3	26,9	23,2	10,1	5,9	2,8	3,0	2,2	1,2	25,2
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TABEL 11.1.B. Vereringeelundite häireid viimasel 12 kuul omanute protsent rahvastikurühmades sünnipölvkonna järgi, naised TABLE 11.1.B. Percent of persons who have had disorders of circulatory system during the last 12 months in background categories by birth cohort, females																
Piirkond - Region																
	Harjumaa	63,8	50,6	65,4	52,0	40,5	36,8	25,0	25,3	6,6	6,9	4,1	0,0	1,3	1,2	22,9
	Ida-Virumaa	65,1	64,9	66,5	53,8	57,2	40,2	24,3	21,3	6,6	0,0	5,0	3,4	6,0	0,0	28,5
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	55,9	65,7	68,3	65,7	59,1	42,9	27,3	27,0	15,3	6,0	2,7	7,2	1,2	3,2	28,6
	Järva, Lääne-Viru, Rapla	54,7	43,0	67,8	52,2	35,3	40,0	39,5	16,2	10,2	0,0	0,0	3,7	7,8	0,0	23,2
	Lääne, Saare, Hiiumaa, Pärnumaa	41,0	46,5	51,9	69,0	32,5	38,0	25,4	15,0	12,2	11,9	0,0	5,7	0,0	0,0	24,1
Asulatüüp - Type of residence																
	Linn - Urban	56,9	54,2	65,3	59,8	43,7	38,5	28,9	22,5	7,9	6,4	3,4	2,3	2,8	1,7	25,0
	Maa - Rural	63,3	57,6	63,1	49,3	52,8	41,9	20,9	25,7	16,8	4,3	0,0	6,0	0,0	0,0	25,9
Rahvus - Ethnicity																
	Eestlane - Estonian	54,7	53,0	60,8	52,5	48,3	37,7	26,3	23,6	11,9	5,6	1,7	4,0	1,4	1,8	24,4
	Mitte-eestlane - Non-Estonian	65,9	59,2	72,8	65,0	40,5	41,8	27,8	22,7	6,1	6,5	4,9	1,2	3,3	0,0	26,7
Põlisus - Native-born population																
	Põlisrahvastik - Native-born	56,1	53,5	60,4	53,9	47,2	38,7	26,3	24,1	12,0	5,6	1,7	3,6	1,8	1,7	24,4
	Immigrantrahvastik - Not native-born	64,2	58,5	75,1	63,7	43,3	40,4	28,0	21,8	4,9	6,4	5,4	1,5	2,9	0,0	27,0
Kooselu - Cohabiting																
	Kooselus - Cohabiting	55,0	53,8	64,8	52,5	49,9	38,8	28,5	23,5	10,8	5,7	2,9	1,5	2,3	3,5	20,9
	Ei ole kooselus - Not cohabiting	59,1	55,4	64,8	60,9	42,3	40,0	24,1	22,6	7,8	6,2	2,5	6,8	2,0	0,9	30,2
Haridus - Education																
	Põhi või madalam - Lower secondary or less	52,4	49,6	61,9	58,0	58,3	34,3	23,3	64,3	11,2	0,0	11,4	9,8	7,1	0,8	33,1
	Kesk - Upper secondary	71,5	57,6	69,0	62,1	46,7	43,3	31,2	23,3	10,1	6,2	4,2	4,4	1,3	2,0	26,3
	Kõrg - University	51,1	63,7	61,2	50,6	37,9	35,5	23,0	20,7	10,0	6,1	0,0	0,9	2,2	0,0	19,6
Majanduslik aktiivsus - Economical activity																
	Aktiivne - Active	0,0	54,0	68,9	49,5	42,1	34,5	26,4	21,7	10,2	6,5	3,3	3,9	2,0	3,1	15,8
	Mitteaktiivne - Non-active	59,1	55,0	64,7	58,9	48,4	47,6	29,8	38,2	8,8	3,3	1,2	1,0	2,5	0,9	35,9
Sissetulek - Income																
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	61,4	57,8	64,2	58,5	49,5	37,2	37,0	26,1	10,1	9,0	9,6	21,2	0,0	3,5	38,5
	Üle suhtelise vaesuse piiri - Above the risk of poverty	58,7	52,1	64,7	57,6	45,1	41,3	26,2	21,1	10,9	5,7	2,0	0,9	1,5	1,1	21,9
Tervise seisund - Health status																
	Terve - No health disorders	13,0	24,3	35,8	30,5	10,1	44,5	18,4	6,4	5,8	1,8	0,0	1,1	1,0	1,2	3,5
	Tervisehäired - Less severe health disorders	54,0	33,3	44,8	52,2	38,5	23,9	17,6	23,8	13,2	6,6	6,0	3,6	4,3	1,6	19,8
	Tõsisemad tervisehäired - Severe health disorders	48,3	54,1	68,5	60,8	57,0	49,2	28,1	30,8	16,7	14,4	11,7	11,0	0,0	0,0	41,4
	Toimetuleku piirangud - Managing restrictions	62,5	60,7	73,8	61,5	56,6	60,8	56,7	35,1	6,1	19,1	6,4	14,1	4,9	0,0	54,4
Tervisekäitumine - Health behaviour																
	Tervist hoidev - Health protective	61,4	55,2	53,7	51,0	40,3	34,5	28,7	23,6	5,9	3,7	2,8	0,0	2,0	14,9	22,8
	Tervist kahjustav - Health harming	76,2	60,0	74,1	58,9	67,7	41,4	26,1	22,6	3,6	0,0	4,5	2,9	0,0	0,0	24,5
Kontrollikese - Locus of control																
	Seesmine - Internal	52,1	44,9	50,7	51,2	40,9	36,2	23,2	21,6	6,4	4,7	1,0	0,9	1,9	1,7	15,8
	Väline - External	68,8	58,2	67,4	70,5	50,7	49,4	23,4	16,9	14,3	0,0	0,0	0,0	0,0	0,0	46,6
Enesehinnanguline tervis - Self-estimated health																
	Väga hea või hea - Very good or good	28,1	23,8	34,3	28,5	23,2	14,3	12,3	12,9	4,4	2,5	0,7	1,0	1,3	1,4	5,9
	Väga halb või halb - Very bad or bad	69,8	70,2	76,5	75,7	70,2	76,4	47,1	52,8	4,2	34,7	8,7	26,4	0,0	0,0	64,8
Kehamassiindeks - Body Mass Index																
	Alakaal - Underweight	61,8	49,0	62,7	43,5	53,4	0,0	0,0	0,0	6,2	0,0	8,1	0,0	0,0	2,2	7,0
	Normkaal - Normal weight	52,8	46,5	50,8	38,6	31,3	17,5	12,9	16,4	4,7	4,1	2,5	3,4	2,6	1,2	12,2
	Ülekaal - Overweight	54,9	55,0	61,3	59,8	44,3	34,6	22,2	16,3	15,9	7,9	3,4	0,0	0,0	0,0	31,8
	Rasvumine - Obesity	78,4	64,9	78,8	70,8	61,6	57,6	52,8	48,3	21,0	13,4	0,0	10,4	0,0	0,0	52,6
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
																Vanus - Age
																Total

TABEL 12.A. Hingamiselundite häirete esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 12.A. Prevalence of disorders of respiratory system (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														Kokku	
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Ei ole kunagi esinenud - <i>Has never had</i>	88,3	89,1	86,4	90,3	94,8	91,8	94,9	93,6	96,0	96,7	93,6	95,0	94,6	97,5	94,1	
	On kunagi esinenud - <i>Has ever had</i>	11,7	10,9	13,6	9,7	5,2	8,2	5,1	6,4	4,0	3,3	6,4	5,0	5,4	2,5	5,9	
Kokku - Total (N)		129	341	261	332	145	192	194	203	204	213	190	193	237	274	3111	
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 12.1.A. Hingamiselundite häireid omanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																	
TABLE 12.1.A. Percent of persons who have had disorders of respiratory system in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	21,2	11,2	19,2	8,5	4,6	13,3	5,5	3,4	1,6	4,5	9,1	6,8	6,9	3,5	6,8	
	Ida-Virumaa	15,6	11,7	7,5	9,5	11,9	9,0	13,6	11,2	3,9	7,2	5,3	0,0	4,2	0,0	6,7	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	4,8	6,9	9,3	12,5	6,3	5,1	1,6	5,0	7,3	0,0	4,1	5,5	4,2	2,1	4,8	
	Järva, Lääne-Viru, Rapla	9,0	13,6	17,2	9,7	4,7	2,2	0,0	4,5	10,7	0,0	8,6	0,0	0,0	3,0	4,7	
	Lääne, Saare, Hiiumaa, Pärnumaa	5,0	18,3	10,1	7,8	0,0	3,9	4,1	14,0	0,0	5,2	0,0	7,6	9,6	2,0	5,4	
Asulatüüp - Type of residence																	
	Linn - Urban	11,7	10,2	14,5	10,6	6,1	7,4	5,3	5,7	2,8	4,0	8,0	5,1	4,8	3,0	6,1	
	Maa - Rural	11,7	13,6	11,4	6,7	2,6	10,0	4,5	8,0	6,5	1,6	1,7	4,9	7,8	1,3	5,5	
Rahvus - Ethnicity																	
	Eestlane - Estonian	9,0	10,8	14,5	9,8	5,7	9,3	3,0	7,4	4,5	1,2	6,7	5,2	6,3	3,5	6,1	
	Mitte-eestlane - Non-Estonian	19,5	11,1	10,9	9,5	3,9	6,7	7,9	4,6	3,0	7,9	6,0	4,8	3,9	0,0	5,7	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	9,9	11,3	14,6	9,6	5,4	8,7	2,8	7,0	4,3	2,0	6,3	5,0	6,7	3,2	5,9	
	Immigrantrahvastik - Not native-born	17,6	10,0	10,6	9,9	4,4	7,4	8,8	5,2	3,3	6,6	6,7	5,1	2,3	0,0	5,9	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	9,7	11,8	13,9	10,0	5,3	7,7	5,1	4,8	3,8	3,5	7,3	4,0	5,5	15,9	6,3	
	Ei ole kooselus - Not cohabiting	15,0	8,6	12,0	8,7	4,6	10,5	5,3	13,3	4,7	2,5	4,1	7,0	5,3	1,7	5,2	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	16,6	8,7	18,4	13,0	4,8	8,4	4,8	7,0	9,4	0,0	8,1	8,2	9,2	2,3	6,8	
	Kesk - Upper secondary	0,0	12,0	10,5	10,7	5,3	5,4	3,7	6,1	2,3	4,8	3,7	6,7	6,3	1,8	5,2	
	Kõrg - University	12,8	12,9	11,7	6,5	5,1	11,4	7,8	6,6	6,6	0,0	11,5	1,2	1,3	42,6	6,5	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	0,0	12,8	12,0	7,3	5,0	4,5	3,9	5,6	3,3	3,1	7,0	4,9	3,6	5,6	4,7	
	Mitteaktiivne - Non-active	12,3	10,8	13,8	10,5	5,3	17,1	10,2	11,6	10,7	5,7	0,0	6,8	12,2	1,6	8,4	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	22,2	8,1	21,9	5,4	3,4	11,1	8,5	9,8	12,2	3,0	5,2	8,4	8,7	0,0	7,9	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	8,0	12,5	11,7	10,9	3,8	5,1	5,2	5,1	2,7	2,6	5,8	5,5	4,6	2,2	5,3	
Tervise seisund - Health status																	
	Terve - No health disorders	0,0	13,2	0,0	3,2	0,0	11,2	0,0	4,9	3,1	2,3	5,6	3,3	4,8	0,7	3,3	
	Tervisehäired - Less severe health disorders	8,5	4,9	14,3	6,3	5,5	8,0	6,9	5,9	5,3	7,4	11,2	3,7	6,2	8,9	7,1	
	Tõsisemad tervisehäired - Severe health disorders	9,1	14,9	9,8	14,4	6,8	6,0	0,0	6,0	0,0	3,2	4,1	21,1	9,9	8,4	7,6	
	Toimetuleku piirangud - Managing restrictions	14,0	11,1	17,7	11,8	5,0	9,7	10,4	14,3	6,2	0,0	0,0	17,0	0,0	0,0	10,1	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	0,0	17,5	12,0	8,4	0,0	0,0	12,6	11,5	5,0	0,0	0,0	0,0	0,0	0,0	3,9	
	Tervist kahjustav - Health harming	11,0	17,4	20,3	7,9	0,0	21,0	2,2	9,8	6,9	8,2	16,4	0,0	5,9	0,0	8,7	
Kontrollkese - Locus of control																	
	Seesmine - Internal	10,2	12,4	10,4	9,8	1,9	2,9	3,6	6,4	5,4	4,2	8,0	4,0	5,5	1,1	5,0	
	Väline - External	8,6	12,7	17,2	17,9	5,2	0,0	8,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,6	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	7,6	12,0	11,8	5,0	3,9	0,0	1,5	2,3	2,6	1,9	4,0	2,9	3,5	1,0	2,6	
	Väga halb või halb - Very bad or bad	18,0	13,4	18,9	19,1	3,3	17,3	14,9	8,9	0,0	0,0	0,0	38,8	35,3	0,0	13,9	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	17,9	0,0	38,6	100,0	0,0	0,0	0,0	36,6	0,0	0,0	0,0	33,3	11,7	0,0	12,3	
	Normkaal - Normal weight	11,9	12,2	15,4	7,4	7,4	4,5	7,4	6,2	3,0	5,1	4,7	4,0	5,4	2,2	5,4	
	Ülekaal - Overweight	9,1	10,3	11,2	7,3	4,5	10,8	3,4	4,9	5,2	2,3	6,2	4,2	3,4	4,8	5,6	
	Rasumine - Obesity	18,2	9,0	13,4	18,8	3,4	9,3	4,9	8,7	3,0	2,1	11,9	3,9	11,6	0,0	7,5	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 12.B. Hingamiselundite häirete esinemine (%) sünnipõlvkonna järgi, naised
TABLE 12.B. Prevalence of disorders of respiratory system (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Ei ole kunagi esinenud - Has never had	88,1	87,8	87,0	87,7	92,3	93,6	91,3	93,0	96,2	95,5	94,2	94,8	96,1	95,9	92,8	
On kunagi esinenud - Has ever had	11,9	12,2	13,0	12,3	7,7	6,4	8,7	7,0	3,8	4,5	5,8	5,2	3,9	4,1	7,2	
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 12.1.B. Hingamiselundite häireid omanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised																
TABLE 12.1.B. Percent of persons who have had disorders of respiratory system in background categories by birth cohort, females																
Piirkond - Region																
Harjumaa	15,7	13,1	14,8	13,6	9,9	7,5	8,8	7,8	5,6	6,9	9,5	7,8	3,9	4,5	8,6	
Ida-Virumaa	5,8	13,4	28,4	16,6	13,3	6,2	19,7	11,1	6,6	3,8	7,5	6,8	3,0	6,1	11,2	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	12,7	13,3	7,7	9,3	5,0	7,5	3,4	4,4	5,5	1,2	3,6	2,2	4,2	4,3	5,5	
Järva, Lääne-Viru, Rapla	14,4	8,3	1,6	9,4	3,7	4,8	3,7	3,7	0,0	6,7	2,7	3,7	7,8	2,6	4,2	
Lääne, Saare, Hiiu, Pärnumaa	0,0	10,0	11,0	8,8	8,2	3,3	6,1	7,4	0,0	3,7	0,0	0,0	0,0	2,2	4,5	
Asulatüüp - Type of residence																
Linn - Urban	14,1	11,7	14,5	13,5	8,7	6,1	9,6	8,2	4,5	5,1	7,1	4,0	4,3	5,1	7,9	
Maa - Rural	6,4	14,0	7,6	8,1	5,4	7,6	5,8	2,8	1,7	2,7	0,0	10,4	2,3	1,5	5,0	
Rahvus - Ethnicity																
Eestlane - Estonian	13,8	11,2	9,9	9,5	5,6	5,8	6,5	4,2	2,3	3,8	5,5	6,6	2,9	5,0	6,1	
Mitte-eestlane - Non-Estonian	8,5	14,5	19,1	16,4	14,1	7,5	11,8	10,9	7,2	6,4	6,6	2,4	5,2	2,3	9,2	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	13,4	11,9	9,5	9,3	5,4	5,5	6,2	5,4	2,9	3,8	6,8	6,0	2,7	5,2	6,2	
Immigrantrahvastik - Not native-born	8,7	13,1	21,2	17,4	16,8	8,1	12,9	9,5	6,3	6,3	3,6	3,0	6,1	1,1	9,3	
Kooselu - Cohabiting																
Kooselus - Cohabiting	3,9	7,5	10,6	9,8	5,9	5,2	9,9	6,9	2,9	5,3	6,1	6,6	1,1	2,5	5,9	
Ei ole kooselus - Not cohabiting	12,8	13,6	14,1	14,0	9,8	8,3	6,5	7,1	6,7	2,4	5,0	1,8	7,9	4,3	8,6	
Haridus - Education																
Põhi või madalam - Lower secondary or less	12,2	7,8	15,2	9,2	3,8	3,9	8,6	27,6	0,0	0,0	4,5	4,0	16,6	5,4	8,3	
Kesk - Upper secondary	13,2	17,4	13,0	16,0	8,5	8,1	8,2	9,4	3,5	5,9	5,8	6,5	3,4	1,8	7,8	
Kõrg - University	5,7	15,8	9,9	10,7	9,1	5,0	9,2	3,7	4,3	3,6	6,1	4,6	1,6	0,0	5,9	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	11,0	12,2	7,9	3,9	7,2	5,5	4,3	4,7	5,8	5,9	4,0	0,0	5,4	
Mitteaktiivne - Non-active	12,0	12,4	13,1	12,3	7,7	10,9	17,0	21,6	0,0	3,5	6,0	3,8	3,8	4,8	9,2	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	10,5	12,5	11,5	13,0	13,2	12,9	7,2	9,7	1,0	8,2	8,2	6,1	2,4	6,9	9,6	
Üle suhtelise vaesuse piiri - Above the risk of poverty	14,2	12,5	14,7	12,5	5,8	3,5	9,5	6,7	4,4	4,1	6,1	5,7	4,6	3,5	6,8	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	34,5	0,0	4,8	0,0	5,7	2,7	3,4	3,5	2,7	4,9	4,2	2,6	3,6	
Tervisehäired - Less severe health disorders	0,0	0,0	10,3	9,0	3,1	3,9	3,6	5,5	2,7	6,6	11,9	4,8	3,2	7,9	5,5	
Tõsisemad tervisehäired - Severe health disorders	9,7	10,4	9,0	14,9	14,7	15,3	14,7	6,9	4,6	4,9	9,2	5,7	14,3	0,0	11,0	
Toimetuleku piirangud - Managing restrictions	14,0	15,8	15,8	13,8	7,5	3,5	16,4	19,4	8,8	0,0	0,0	14,1	0,0	0,0	12,5	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	21,1	21,6	9,7	10,9	6,3	2,8	7,9	9,6	2,9	5,9	6,6	0,0	0,0	0,0	6,7	
Tervist kahjustav - Health harming	13,6	7,6	0,0	7,4	0,0	4,6	11,6	4,8	10,8	17,7	9,0	8,6	0,0	0,0	7,3	
Kontrollkese - Locus of control																
Seesmine - Internal	4,8	9,7	6,6	10,8	6,3	5,3	4,8	6,9	3,4	6,0	6,4	5,8	3,9	3,5	5,6	
Väline - External	16,5	10,7	24,9	21,8	13,5	8,1	9,8	0,0	9,7	0,0	0,0	0,0	0,0	17,6	12,6	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	0,0	8,5	2,3	5,0	1,6	3,3	3,6	1,4	2,8	2,9	6,1	2,3	3,8	3,3	
Väga halb või halb - Very bad or bad	14,5	17,4	17,2	20,2	7,3	14,5	19,5	28,2	4,2	17,4	0,0	0,0	0,0	49,6	16,3	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	14,2	22,3	0,0	14,6	0,0	0,0	0,0	0,0	0,0	12,1	0,0	0,0	1,8	2,7	3,2	
Normkaal - Normal weight	15,4	13,9	17,9	11,7	3,2	3,6	5,2	5,5	3,4	2,5	5,0	5,9	2,8	4,9	5,7	
Ülekaal - Overweight	10,1	11,4	10,0	11,3	8,3	5,8	7,2	9,1	7,9	4,2	1,8	0,0	3,2	0,0	7,5	
Rasumine - Obesity	7,0	11,2	13,7	13,8	11,4	8,8	15,5	7,3	0,0	12,0	21,9	5,8	30,0	0,0	11,3	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															Total

TABEL 13.A. Seede- või kuseelundite häirete esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 13.A. Prevalence of disorders of digestive or urinary system (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Ei ole kunagi esinenud - Has never had	70,1	71,3	69,9	75,3	76,3	81,0	71,5	79,2	82,3	87,3	88,9	91,9	92,4	99,0		84,1
On kunagi esinenud - Has ever had	29,9	28,7	30,1	24,7	23,7	19,0	28,5	20,8	17,7	12,7	11,1	8,1	7,6	1,0		15,9
Esinenud viimasel 12 kuul - Has had during the last 12 months	11,1	14,8	14,3	13,2	12,7	10,4	16,1	8,1	8,4	6,3	5,0	2,1	4,6	1,0		7,9
Kokku - Total (N)	129	341	261	332	145	192	194	203	204	213	190	193	237	274		3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
TABEL 13.1.A. Seede- või kuseelundite häireid viimasel 12 kuul omanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 13.1.A. Percent of persons who have had disorders of digestive or urinary system during the last 12 months in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	19,3	12,0	10,3	14,6	13,5	14,4	12,0	6,7	12,0	4,5	4,6	2,7	2,9	0,0		7,4
Ida-Virumaa	28,2	23,5	17,5	8,6	9,8	18,0	25,4	20,6	12,5	15,5	2,7	5,7	14,0	6,0		13,4
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	2,9	15,0	10,4	13,8	15,0	6,0	18,6	5,4	4,3	7,6	4,5	0,0	4,5	0,0		6,8
Järva, Lääne-Viru, Rapla	0,0	9,3	15,9	11,9	4,7	2,2	15,2	6,5	4,9	3,7	0,0	0,0	0,0	0,0		4,9
Lääne, Saare, Hiiumaa, Pärnumaa	5,9	17,8	24,5	13,8	13,5	8,9	11,0	6,3	4,2	0,0	15,8	0,0	0,0	2,0		8,0
Asulatüüp - Type of residence																
Linn - Urban	12,0	16,6	15,7	12,3	12,4	12,7	14,8	9,3	8,4	5,6	3,4	2,6	4,6	1,3		7,9
Maa - Rural	9,0	7,5	11,2	16,2	13,6	5,0	19,7	5,4	8,3	7,9	9,8	0,0	4,9	0,0		7,8
Rahvus - Ethnicity																
Eestlane - Estonian	7,2	12,9	13,5	11,4	13,5	9,6	11,4	4,8	4,8	4,2	5,5	1,0	3,8	0,4		6,2
Mitte-eestlane - Non-Estonian	22,9	18,7	16,8	16,2	10,9	11,5	22,1	13,7	16,0	10,9	4,2	4,0	6,0	2,2		11,0
Põlisus - Native-born population																
Põlisrahvastik - Native-born	7,7	12,8	13,6	11,7	12,9	8,4	10,6	5,3	7,3	4,0	5,2	1,6	5,0	0,9		6,4
Immigrantrahvastik - Not native-born	22,5	19,0	16,3	15,9	12,3	13,7	24,7	13,7	11,1	12,1	4,7	3,1	3,8	1,2		11,1
Kooselu - Cohabiting																
Kooselus - Cohabiting	11,1	14,6	13,9	12,4	11,5	9,6	15,9	7,7	7,4	6,7	2,8	0,6	4,4	0,0		8,3
Ei ole kooselus - Not cohabiting	11,2	15,3	16,2	16,4	19,3	14,4	16,7	10,1	12,8	4,6	11,3	5,0	4,8	1,0		7,0
Haridus - Education																
Põhi või madalam - Lower secondary or less	10,0	12,4	17,3	18,8	10,2	17,1	20,4	12,4	10,1	0,0	10,0	0,0	7,5	0,8		7,7
Kesk - Upper secondary	0,0	18,2	11,7	8,8	10,3	8,4	16,1	11,5	9,7	8,0	6,9	3,8	2,3	1,4		8,0
Kõrg - University	22,7	14,8	14,2	15,0	19,1	10,3	14,4	3,4	5,3	3,1	0,0	0,0	8,9	0,0		7,7
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	18,8	0,0	5,0	6,2	11,3	8,1	11,8	7,7	7,4	6,3	4,6	2,2	4,6	3,0		6,4
Mitteaktiivne - Non-active	10,7	15,5	15,6	15,4	13,9	16,0	33,7	11,5	18,3	5,7	9,6	0,0	4,8	0,4		10,9
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	9,6	16,0	23,6	12,7	19,8	9,1	17,5	12,2	17,0	6,4	9,5	0,0	3,6	1,7		11,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	12,3	14,0	12,4	13,4	8,4	10,3	15,8	6,9	6,5	5,6	5,0	2,0	4,2	0,0		7,1
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	10,1	7,2	5,0	2,2	3,7	3,1	2,8	0,5	3,1	0,0		2,2
Tervisehäired - Less severe health disorders	4,9	11,3	9,1	8,9	15,7	5,0	10,1	8,4	11,9	14,3	7,9	6,0	6,2	0,0		8,6
Tõsisemad tervisehäired - Severe health disorders	13,6	8,4	14,3	15,4	14,2	24,7	27,8	13,5	8,2	14,7	6,8	12,8	4,9	28,8		15,5
Toimetuleku piirangud - Managing restrictions	12,6	20,6	21,4	20,6	8,4	12,8	40,5	18,8	16,1	0,0	13,0	0,0	35,2	0,0		17,3
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	7,7	12,4	18,9	22,1	23,4	19,7	0,0	7,4	5,9	0,0	8,9	0,0	8,9	0,0		8,9
Tervist kahjustav - Health harming	4,2	16,9	12,3	9,4	11,2	16,3	19,0	0,0	4,8	12,4	8,0	0,0	0,0	0,0		8,2
Kontrollkese - Locus of control																
Seesmine - Internal	22,5	11,2	13,2	11,7	14,6	8,4	11,2	6,1	5,1	5,3	3,9	2,6	3,0	1,2		5,9
Väline - External	0,0	10,9	17,4	20,8	13,9	20,4	23,3	48,2	21,4	0,0	6,0	0,0	0,0	0,0		16,3
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	8,6	4,1	3,5	2,9	2,4	2,2	6,9	5,1	2,8	2,2	2,1	2,1	1,0	0,0		2,2
Väga halb või halb - Very bad or bad	13,5	22,2	22,2	23,4	16,7	16,7	34,5	22,3	25,7	14,7	10,4	0,0	0,0	100,0		21,1
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	37,3	100,0	0,0	0,0	100,0	63,4	0,0	0,0	100,0	0,0	0,0	0,0		11,3
Normkaal - Normal weight	7,1	14,9	20,6	16,3	16,8	12,2	15,8	13,1	5,2	11,7	8,6	2,7	4,0	0,8		8,0
Ülekaal - Overweight	15,9	14,4	11,2	11,7	12,4	10,0	21,0	5,8	11,3	3,7	2,7	2,1	6,8	2,1		8,6
Rasvumine - Obesity	13,0	17,7	6,5	10,2	8,3	8,3	5,1	2,5	7,6	2,1	0,0	0,0	5,1	0,0		5,4
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
Vanus - Age																

TABEL 13.B. Seede- või kuseelundite häirete esinemine (%) sünnipõlvkonna järgi, naised
TABLE 13.B. Prevalence of disorders of digestive or urinary system (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort															
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Ei ole kunagi esinenud - Has never had	73,3	63,8	68,2	66,5	73,1	76,1	76,2	79,3	81,8	85,0	84,3	89,4	89,1	94,9	79,6	
	On kunagi esinenud - Has ever had	26,7	36,2	31,8	33,5	26,9	23,9	23,8	20,7	18,2	15,0	15,7	10,6	10,9	5,1	20,4	
	Esinenud viimasel 12 kuul - Has had during the last 12 months	14,3	23,3	18,5	21,9	15,3	13,2	13,7	11,7	11,5	6,8	9,0	4,8	4,5	0,9	11,5	
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 13.1.B. Seede- või kuseelundite häireid viimasel 12 kuul omanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 13.1.B. Percent of persons who have had disorders of digestive or urinary system during the last 12 months in background categories by birth cohort, females																	
Piirkond - Region																	
	Harjumaa	18,1	21,7	17,2	26,7	14,8	11,9	15,7	9,2	8,3	5,2	9,0	2,9	0,0	0,0	10,3	
	Ida-Virumaa	20,4	38,1	26,2	29,6	13,3	25,7	24,3	20,4	23,0	15,4	13,8	11,4	15,3	2,5	20,2	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	13,1	22,7	18,4	14,6	18,4	14,5	11,3	13,6	10,5	1,7	4,6	7,0	10,4	2,4	11,1	
	Järva, Lääne-Viru, Rapla	0,0	22,4	20,2	16,2	21,3	9,5	8,5	10,1	18,8	24,8	13,5	4,3	0,0	0,0	12,9	
	Lääne, Saare, Hiiumaa, Pärnumaa	5,1	14,3	12,0	12,3	4,7	4,9	2,3	6,2	4,6	3,7	7,9	0,0	0,0	0,0	5,5	
Asulatüüp - Type of residence																	
	Linn - Urban	15,2	23,7	19,5	23,9	16,5	14,6	14,2	11,5	10,7	8,3	11,0	5,3	4,0	1,2	12,2	
	Maa - Rural	12,0	22,1	14,9	15,3	12,2	8,6	12,3	12,6	14,1	2,7	0,0	2,8	6,6	0,0	9,3	
Rahvus - Ethnicity																	
	Eestlane - Estonian	8,8	17,9	14,5	17,3	13,5	10,5	6,1	8,2	9,0	5,7	7,4	2,5	4,7	0,5	8,6	
	Mitte-eestlane - Non-Estonian	24,1	34,9	26,4	29,0	20,5	17,8	24,4	16,6	16,9	9,8	12,2	9,4	4,3	1,7	16,8	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	8,7	19,5	14,8	17,8	12,9	10,0	8,4	7,9	10,1	6,5	7,1	3,0	4,3	0,4	8,9	
	Immigrantrahvastik - Not native-born	26,0	32,5	27,2	29,1	24,4	19,2	22,4	17,6	15,3	7,9	13,3	9,8	5,1	2,1	17,2	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	9,7	28,0	19,6	21,7	15,2	14,2	14,4	11,9	10,3	4,8	9,2	6,3	4,5	2,4	11,1	
	Ei ole kooselus - Not cohabiting	14,8	22,0	18,0	22,1	15,3	11,7	12,4	11,3	15,2	12,0	8,5	1,4	4,5	0,7	11,9	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	17,5	26,4	23,7	22,3	18,7	15,5	31,2	9,1	29,7	9,5	4,5	5,4	5,5	0,9	14,8	
	Kesk - Upper secondary	8,7	14,5	19,6	21,9	15,1	12,8	12,6	15,1	11,1	8,4	13,4	2,7	4,4	0,8	11,3	
	Kõrg - University	15,3	26,8	8,9	21,5	13,3	13,1	10,7	8,8	10,8	5,1	4,8	6,2	4,5	0,0	9,8	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	0,0	45,3	17,1	17,5	11,7	13,3	12,2	11,1	11,3	6,3	9,4	6,1	3,5	0,0	9,5	
	Mitteaktiivne - Non-active	14,4	22,9	18,6	22,7	17,0	13,0	21,9	18,2	13,3	9,3	7,8	1,9	6,0	1,0	13,7	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	14,1	22,3	18,7	24,0	13,0	17,2	21,9	13,1	10,4	14,4	10,2	0,0	0,0	0,0	15,0	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	14,2	24,1	17,8	20,6	15,8	11,7	12,0	11,5	9,9	4,9	8,8	5,2	4,6	1,0	10,3	
Tervise seisund - Health status																	
	Terve - No health disorders	0,0	18,4	0,0	0,0	0,0	0,0	3,0	2,4	3,8	4,5	4,1	1,5	2,9	0,0	2,6	
	Tervisehäired - Less severe health disorders	0,0	9,8	3,7	16,1	14,3	11,4	11,1	10,4	12,9	11,4	17,8	7,9	6,0	1,9	10,5	
	Tõsisemad tervisehäired - Severe health disorders	6,9	23,1	13,7	22,8	16,7	15,4	23,0	19,5	23,8	0,0	17,9	20,6	0,0	0,0	17,4	
	Toimetuleku piirangud - Managing restrictions	17,7	26,1	29,4	28,1	19,2	18,3	14,2	20,0	20,2	21,3	0,0	0,0	15,5	8,4	21,9	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	11,0	17,8	10,6	23,4	16,4	16,9	13,3	10,9	6,3	0,0	5,2	0,0	2,9	0,0	9,3	
	Tervist kahjustav - Health harming	8,7	14,0	25,1	3,4	0,0	13,0	5,8	6,3	22,1	11,1	17,7	0,0	0,0	0,0	9,5	
Kontrollkese - Locus of control																	
	Seesmine - Internal	8,0	23,8	17,2	21,3	16,1	8,1	11,0	14,6	9,2	6,1	6,8	2,9	2,9	0,5	8,7	
	Väline - External	21,4	25,7	22,1	27,2	20,7	4,1	38,3	0,0	32,6	34,1	0,0	0,0	0,0	0,0	19,6	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	0,0	14,6	2,5	8,5	1,7	5,0	1,7	1,6	3,7	2,7	5,8	2,4	1,5	0,0	2,7	
	Väga halb või halb - Very bad or bad	17,9	30,3	27,7	37,6	21,5	21,8	30,7	36,4	25,8	17,4	15,9	0,0	57,0	0,0	27,1	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	19,0	51,0	0,0	36,5	0,0	0,0	0,0	0,0	7,4	0,0	6,3	0,0	1,8	0,0	3,8	
	Normkaal - Normal weight	14,2	22,7	17,0	20,2	20,4	9,5	13,3	10,3	8,0	9,8	9,0	4,7	5,0	1,2	9,2	
	Ülekaal - Overweight	12,6	24,7	24,0	18,7	18,5	10,7	13,5	13,2	17,7	0,0	12,1	2,0	3,7	0,0	14,2	
	Rasvumine - Obesity	19,0	20,9	12,6	26,3	8,4	17,7	14,8	12,9	15,4	9,8	6,3	18,4	0,0	0,0	15,4	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 14.A. Lihasluukonnaga seotud tervisehäirete esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 14.A. Prevalence of disorders related to musculoskeletal system (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Ei ole kunagi esinenud - Has never had	59,3	60,3	62,3	58,5	53,6	65,3	68,6	75,2	76,9	82,4	83,6	91,7	94,6	97,1		78,1
On kunagi esinenud - Has ever had	40,7	39,7	37,7	41,5	46,4	34,7	31,4	24,8	23,1	17,6	16,4	8,3	5,4	2,9		21,9
Esinenud viimasel 12 kuul - Has had during the last 12 months	36,3	33,2	30,5	35,6	39,7	27,4	25,3	19,8	20,4	13,5	15,0	6,3	5,4	2,6		18,3
Kokku - Total (N)	129	341	261	332	145	192	194	203	204	213	190	193	237	274		3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
TABEL 14.1.A. Lihasluukonnaga seotud tervisehäireid viimasel 12 kuul omanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 14.1.A. Percent of persons who have had disorders related to musculoskeletal system during the last 12 months in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	32,3	31,8	22,7	25,1	45,2	27,1	22,0	15,1	15,7	4,5	11,0	7,9	7,2	2,6		15,4
Ida-Virumaa	59,4	43,0	25,1	36,2	31,4	24,0	22,2	26,2	10,7	12,1	18,6	0,0	6,3	0,0		16,7
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	37,4	34,3	37,0	44,2	33,2	34,4	29,5	29,7	32,8	21,8	14,3	10,3	2,7	4,0		22,2
Järva, Lääne-Viru, Rapla	29,9	24,5	38,1	44,9	39,7	24,0	3,8	23,1	19,1	10,7	19,2	0,0	0,0	0,0		17,1
Lääne, Saare, Hiiumaa, Pärnumaa	30,8	28,9	33,7	41,0	43,0	19,7	42,4	6,1	20,2	32,5	25,8	0,0	9,6	2,7		22,2
Asulatüüp - Type of residence																
Linn - Urban	39,0	35,1	29,9	32,2	42,1	30,6	21,6	17,8	20,4	11,3	13,0	7,2	6,0	2,5		17,6
Maa - Rural	29,9	25,3	31,9	46,5	33,4	19,6	36,3	24,6	20,6	18,4	21,0	2,2	3,0	2,7		20,2
Rahvus - Ethnicity																
Eestlane - Estonian	31,0	34,2	32,6	36,8	38,5	28,1	27,1	19,7	24,2	15,6	14,2	6,8	6,1	3,6		19,1
Mitte-eestlane - Non-Estonian	52,2	31,2	24,3	33,5	42,4	26,5	23,0	20,1	12,6	8,7	16,3	5,4	4,2	0,0		16,8
Põlisus - Native-born population																
Põlisrahvastik - Native-born	32,0	34,0	33,1	37,2	38,7	26,9	26,5	18,9	23,2	15,8	13,4	6,6	5,5	3,3		18,5
Immigrantrahvastik - Not native-born	50,6	31,6	23,3	32,8	42,3	28,2	23,6	21,8	13,9	7,5	18,3	5,8	5,4	0,0		17,9
Kooselu - Cohabiting																
Kooselus - Cohabiting	30,1	35,8	26,9	37,4	34,7	27,8	23,5	19,6	20,6	13,3	15,7	6,6	10,1	6,8		21,2
Ei ole kooselus - Not cohabiting	47,1	26,9	45,9	28,2	66,7	25,3	34,0	20,8	19,6	14,1	13,0	5,7	2,8	2,3		12,6
Haridus - Education																
Põhi või madalam - Lower secondary or less	28,7	33,8	42,2	41,1	49,1	33,9	32,6	27,1	20,8	7,6	27,9	4,6	11,5	2,4		18,8
Kesk - Upper secondary	47,2	35,1	22,5	38,2	38,3	32,7	25,5	24,1	23,8	15,4	16,1	6,2	4,7	1,8		19,2
Kõrg - University	40,7	30,3	26,6	29,1	37,3	18,8	22,5	13,5	13,4	9,5	9,2	7,0	4,4	42,6		16,3
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	37,9	32,4	18,1	28,1	38,3	25,4	22,8	19,6	18,8	13,3	13,8	5,5	6,5	7,6		15,8
Mitteaktiivne - Non-active	36,2	33,2	32,2	37,9	40,8	32,2	35,8	21,9	37,2	16,7	28,9	19,1	1,5	1,2		23,4
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	38,0	27,8	42,1	42,6	50,5	33,8	33,9	25,9	28,1	19,7	18,5	13,3	3,6	0,0		25,9
Üle suhtelise vaesuse piiri - Above the risk of poverty	34,9	34,0	27,8	34,4	36,2	24,4	22,1	17,3	18,4	14,3	14,8	6,1	6,2	2,3		17,3
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	6,3	18,3	7,2	9,5	2,9	5,0	2,8	5,1	3,5	2,9	1,2		3,6
Tervisehäireid - Less severe health disorders	21,9	19,2	18,8	21,2	24,8	17,3	23,9	22,5	29,8	41,0	28,1	19,5	6,7	6,2		21,5
Tõsisemad tervisehäired - Severe health disorders	49,8	29,8	42,1	52,9	56,2	53,1	41,6	35,4	43,0	36,1	28,8	0,0	18,7	14,5		39,8
Toimetuleku piirangud - Managing restrictions	37,7	42,9	36,5	47,2	52,3	40,1	30,9	39,5	36,5	0,0	39,9	6,8	29,6	0,0		38,1
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	23,1	29,8	16,7	24,2	43,5	26,3	35,5	13,9	12,9	5,5	8,9	17,6	3,3	0,0		16,6
Tervist kahjustav - Health harming	49,1	43,7	28,8	16,6	33,5	31,9	21,9	22,8	20,5	18,4	14,3	0,0	10,8	0,0		20,5
Kontrollkese - Locus of control																
Seesmine - Internal	33,4	26,1	23,6	30,8	31,9	23,2	22,3	21,3	13,3	11,3	18,0	5,9	5,7	1,3		14,5
Väline - External	16,9	34,2	23,7	36,9	77,2	61,3	35,3	13,9	12,0	0,0	6,9	0,0	0,0	0,0		32,4
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	19,8	14,4	10,2	16,3	11,8	13,7	5,4	7,6	6,3	9,5	5,3	2,3	0,5		6,0
Väga halb või halb - Very bad or bad	37,9	46,6	47,3	48,1	61,9	46,5	50,9	33,7	43,3	0,0	58,0	0,0	22,0	0,0		45,2
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	13,4	62,7	75,4	0,0	0,0	0,0	0,0	63,4	0,0	0,0	0,0	19,9	0,0	0,0		11,1
Normaal - Normal weight	33,2	26,0	34,2	35,5	40,6	26,2	26,3	15,8	19,3	11,2	9,7	9,1	5,3	3,2		14,8
Ülekaal - Overweight	35,4	34,9	24,1	33,5	36,1	27,6	25,1	26,0	19,7	13,1	20,6	3,3	7,7	0,0		20,8
Rasvumine - Obesity	61,4	48,2	34,6	41,2	44,2	29,0	24,7	11,1	24,0	19,7	12,7	0,0	0,0	0,0		23,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
Vanus - Age																

TABEL 14.B. Lihasluukonnaga seotud tervisehäirete esinemine (%) sünnipõlvkonna järgi, naised
TABLE 14.B. Prevalence of disorders related to musculoskeletal system (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort															
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Ei ole kunagi esinenud - Has never had	52,4	46,5	49,4	55,8	52,3	62,2	66,2	74,4	80,8	83,4	91,0	88,1	93,9	94,4	73,0	
	On kunagi esinenud - Has ever had	47,6	53,5	50,6	44,2	47,7	37,8	33,8	25,6	19,2	16,6	9,0	11,9	6,1	5,6	27,0	
	Esinenud viimasel 12 kuul - Has had during the last 12 months	46,8	47,6	45,1	40,4	40,7	32,5	30,8	22,8	16,2	15,6	8,0	10,5	4,5	5,2	24,0	
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 14.1.B. Lihasluukonnaga seotud tervisehäireid viimasel 12 kuul omanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 14.1.B. Percent of persons who have had disorders related to musculoskeletal system during the last 12 months in background categories by birth cohort, females																	
Piirkond - Region																	
	Harjumaa	49,8	46,2	44,4	38,9	44,6	32,8	31,4	19,1	13,9	15,0	5,4	9,5	4,0	7,1	22,6	
	Ida-Virumaa	33,3	46,3	42,0	45,0	41,3	41,2	33,4	21,3	23,0	19,2	7,5	10,2	3,0	4,9	26,6	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	45,2	54,9	44,9	44,5	50,2	30,5	32,5	27,8	15,3	14,3	11,1	10,1	6,8	1,8	25,7	
	Järva, Lääne-Viru, Rapla	41,8	37,4	53,6	30,5	32,2	24,2	31,1	21,6	18,0	24,6	7,8	13,9	0,0	5,5	23,0	
	Lääne, Saare, Hiiumaa, Pärnumaa	62,7	47,1	42,5	38,4	18,4	33,2	23,5	28,2	16,5	10,7	10,9	11,8	5,7	5,9	23,4	
Asulatüüp - Type of residence																	
	Linn - Urban	45,8	47,7	43,8	41,2	38,6	34,2	29,9	24,6	17,9	16,3	7,2	9,9	4,4	5,0	24,0	
	Maa - Rural	49,3	47,0	49,5	37,5	46,0	26,8	33,6	16,7	10,7	13,7	11,5	12,9	4,7	5,7	24,1	
Rahvus - Ethnicity																	
	Eestlane - Estonian	47,3	44,4	46,2	37,9	37,1	28,4	27,0	21,9	12,6	14,0	7,4	11,3	5,9	5,3	22,6	
	Mitte-eestlane - Non-Estonian	45,8	54,2	42,8	44,1	51,7	39,3	36,2	24,0	24,1	20,0	9,0	8,7	2,4	4,9	26,7	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	47,0	46,2	45,9	39,0	38,2	29,3	27,9	21,5	14,7	14,1	7,5	10,3	5,9	6,1	23,0	
	Immigrantrahvastik - Not native-born	46,3	50,8	43,2	42,8	50,5	38,5	35,7	24,9	20,2	19,8	8,9	11,0	1,8	2,7	26,3	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	50,1	45,2	38,8	45,2	36,7	33,6	32,0	23,3	15,1	14,5	9,1	10,6	4,2	7,9	21,6	
	Ei ole kooselus - Not cohabiting	46,4	48,2	47,9	37,0	45,2	30,7	28,8	21,7	19,5	18,7	4,0	10,2	4,9	4,8	26,8	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	51,7	43,3	45,1	47,2	39,4	40,3	42,0	18,6	10,1	37,3	25,0	13,0	11,3	5,4	30,9	
	Kesk - Upper secondary	39,8	47,4	49,4	40,9	42,2	37,7	33,8	27,9	23,0	10,7	9,0	10,5	5,2	4,9	25,1	
	Kõrg - University	43,0	57,0	36,7	31,6	39,2	23,8	24,8	18,4	11,0	18,5	4,4	10,0	1,9	0,0	19,0	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	100,0	23,0	37,1	37,9	41,2	26,3	31,1	20,7	15,3	15,3	8,9	9,9	4,5	0,0	18,1	
	Mitteaktiivne - Non-active	46,5	48,0	45,4	40,8	40,5	43,4	29,2	43,7	24,3	17,3	4,9	11,9	4,4	6,1	30,7	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	42,9	48,5	44,2	38,9	35,7	40,8	41,1	24,6	10,5	19,8	12,1	19,6	7,8	3,3	31,8	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	52,8	48,3	45,0	40,6	42,5	30,7	27,3	23,1	18,3	15,1	6,8	10,7	3,9	6,0	22,3	
Tervise seisund - Health status																	
	Terve - No health disorders	0,0	0,0	0,0	10,2	4,8	5,1	0,0	0,9	1,6	4,8	0,9	2,3	3,2	0,9	2,2	
	Tervisehäired - Less severe health disorders	5,4	25,2	26,0	28,3	26,1	19,0	14,0	17,5	17,5	19,4	11,6	19,3	4,8	9,6	17,3	
	Tõsisemad tervisehäired - Severe health disorders	32,6	39,1	40,3	39,1	55,7	47,6	61,3	48,0	31,0	46,4	43,0	34,4	15,8	37,3	44,8	
	Toimetuleku piirangud - Managing restrictions	55,4	57,3	59,0	54,3	58,1	52,7	53,0	40,9	48,9	19,1	33,7	35,9	10,4	0,0	51,5	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	47,4	52,9	39,1	35,7	40,3	31,0	27,7	26,8	10,3	14,9	2,7	5,9	2,6	0,0	21,8	
	Tervist kahjustav - Health harming	35,9	52,3	55,1	29,1	44,6	40,6	29,8	33,6	11,7	0,0	6,6	2,9	4,5	0,0	23,3	
Kontrollkese - Locus of control																	
	Seesmine - Internal	32,6	50,9	38,7	35,2	35,5	24,3	26,5	19,8	10,4	13,4	4,5	6,0	2,9	7,0	16,2	
	Väline - External	55,2	41,7	64,9	50,3	44,5	34,3	25,1	41,5	14,1	17,1	0,0	0,0	0,0	0,0	39,7	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	14,2	4,9	14,5	17,3	10,0	15,0	9,3	15,4	5,8	5,6	4,3	6,4	2,4	3,4	6,8	
	Väga halb või halb - Very bad or bad	51,1	60,4	61,3	56,6	57,1	59,8	64,2	66,5	59,5	31,4	56,3	0,0	43,0	50,4	57,7	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	28,4	70,2	25,5	20,0	53,4	0,0	0,0	38,4	7,8	0,0	8,1	0,0	0,0	3,1	6,3	
	Normaal - Normal weight	49,1	32,7	44,0	37,4	27,0	21,1	20,6	17,9	14,8	13,4	6,1	10,6	5,3	5,5	15,8	
	Ülekaal - Overweight	41,4	50,7	38,9	40,0	49,6	37,4	29,8	26,6	16,5	17,8	11,7	3,0	3,5	6,2	30,7	
	Rasvumine - Obesity	50,4	60,6	53,2	43,8	43,0	36,2	47,2	26,8	22,8	30,8	14,5	28,6	8,7	0,0	39,4	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 15.A. Suguelunditega seotud tervisehäirete esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 15.A. Prevalence of disorders related to genital organs (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														Kokku	
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Ei ole kunagi esinenud - <i>Has never had</i>	94,3	92,1	90,9	95,5	93,4	94,8	93,0	90,8	93,1	91,9	89,2	91,9	96,6	99,4	93,5	
	On kunagi esinenud - <i>Has ever had</i>	5,7	7,9	9,1	4,5	6,6	5,2	7,0	9,2	6,9	8,1	10,8	8,1	3,4	0,6	6,5	
	Kokku - <i>Total (N)</i>	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111	
	Vastamata - <i>Missing (N)</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 15.1.A. Suguelunditega seotud tervisehäireid omanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																	
TABLE 15.1.A. Percent of persons who have had disorders related to genital organs in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	8,2	9,2	8,1	4,6	6,5	4,7	6,0	8,4	6,5	9,2	10,6	9,3	2,9	0,0	6,5	
	Ida-Virumaa	0,0	9,4	7,5	4,3	9,8	9,0	9,5	8,4	12,5	13,0	10,6	5,7	4,2	0,0	7,8	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	7,4	7,2	6,6	5,5	5,8	2,1	3,7	5,5	7,9	7,4	5,7	7,5	4,0	0,9	5,1	
	Järva, Lääne-Viru, Rapla	0,0	0,0	7,9	3,3	9,7	0,0	3,8	9,0	8,5	0,0	17,7	7,8	0,0	0,0	5,0	
	Lääne, Saare, Hiiumaa, Pärnumaa	4,4	8,5	16,6	3,2	3,9	17,2	14,0	19,2	0,0	8,2	18,6	7,6	5,7	1,9	9,3	
Asulatüüp - Type of residence																	
	Linn - <i>Urban</i>	8,1	8,7	10,0	3,8	8,1	5,1	7,7	11,1	8,5	8,0	11,2	8,7	2,6	0,8	7,0	
	Maa - <i>Rural</i>	0,0	4,8	7,0	6,6	2,5	5,6	4,6	4,8	3,6	8,3	9,6	5,7	6,9	0,0	5,1	
Rahvus - Ethnicity																	
	Eestlane - <i>Estonian</i>	4,5	7,4	8,7	5,8	5,4	5,2	7,1	9,9	6,0	9,7	12,3	9,5	3,5	0,8	6,8	
	Mitte-eestlane - <i>Non-Estonian</i>	9,3	9,0	10,4	2,3	9,1	5,2	6,8	8,0	8,8	4,7	8,2	5,8	3,3	0,0	5,9	
Põlisus - Native-born population																	
	Põlisrahvastik - <i>Native-born</i>	4,4	7,4	8,2	5,6	5,2	5,7	6,6	8,7	5,8	9,3	11,6	8,5	3,9	0,7	6,4	
	Immigrantrahvastik - <i>Not native-born</i>	10,1	9,0	11,7	2,4	10,2	4,5	7,5	10,3	9,6	5,2	9,2	7,4	2,3	0,0	6,6	
Kooselu - Cohabiting																	
	Kooselus - <i>Cohabiting</i>	5,3	8,4	8,3	4,3	5,8	4,6	6,7	5,2	5,9	8,7	11,4	7,5	7,7	5,5	6,9	
	Ei ole kooselus - <i>Not cohabiting</i>	6,4	6,8	12,8	5,3	10,4	8,4	8,0	26,7	11,7	5,9	9,2	9,3	1,0	0,3	5,6	
Haridus - Education																	
	Põhi või madalam - <i>Lower secondary or less</i>	2,3	8,2	10,1	2,3	2,3	0,0	6,6	5,7	6,8	7,6	5,2	4,6	2,9	0,0	3,0	
	Kesk - <i>Upper secondary</i>	3,8	8,5	7,0	4,8	5,9	3,9	5,3	11,8	8,1	9,1	10,0	8,2	3,3	2,0	7,0	
	Kõrg - <i>University</i>	13,4	6,7	10,8	5,4	10,4	8,7	9,9	6,7	4,5	5,8	13,9	9,2	4,2	0,0	8,0	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - <i>Active</i>	0,0	7,6	7,3	6,9	2,1	3,7	7,5	8,2	6,4	8,0	11,3	7,7	4,0	1,3	6,9	
	Mitteaktiivne - <i>Non-active</i>	6,0	7,9	9,4	3,7	10,2	8,8	4,9	16,5	11,6	10,3	4,9	14,7	1,5	0,4	5,7	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - <i>Below the risk of poverty</i>	12,6	6,7	10,1	4,5	12,0	3,0	8,2	9,4	15,4	3,4	0,0	0,0	3,6	0,0	6,0	
	Üle suhtelise vaesuse piiri - <i>Above the risk of poverty</i>	4,4	7,6	9,3	4,3	5,5	5,6	7,7	9,9	5,7	9,7	11,5	8,0	4,1	1,0	7,0	
Tervise seisund - Health status																	
	Terve - <i>No health disorders</i>	0,0	0,0	0,0	0,0	6,3	0,0	4,2	7,4	3,9	5,6	8,0	7,6	3,3	0,7	4,7	
	Tervisehäired - <i>Less severe health disorders</i>	4,9	3,2	6,4	8,1	6,6	5,5	8,4	5,2	10,0	6,2	15,5	9,0	3,5	0,0	6,9	
	Tõsisemad tervisehäired - <i>Severe health disorders</i>	7,4	6,5	14,1	2,5	1,5	8,3	7,9	20,1	14,3	18,0	23,1	20,4	5,3	0,0	10,4	
	Toimetuleku piirangud - <i>Managing restrictions</i>	5,6	11,1	8,9	2,3	10,8	3,8	3,1	21,3	3,5	29,4	0,0	0,0	0,0	0,0	7,5	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - <i>Health protective</i>	7,7	8,5	5,6	9,6	23,2	15,9	12,6	12,5	0,0	0,0	20,4	10,0	8,9	0,0	10,1	
	Tervist kahjustav - <i>Health harming</i>	10,0	13,4	0,0	9,4	3,8	8,7	0,0	7,5	5,0	5,0	11,2	8,2	4,6	15,0	6,4	
Kontrollkese - Locus of control																	
	Seesmine - <i>Internal</i>	5,4	5,9	9,5	8,8	7,4	2,6	6,7	6,9	5,8	5,2	9,0	6,9	3,1	0,5	5,5	
	Väline - <i>External</i>	0,0	11,1	6,1	3,3	36,5	19,7	0,0	15,4	0,0	0,0	6,3	0,0	0,0	0,0	9,8	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - <i>Very good or good</i>	7,6	2,9	2,7	7,5	5,7	2,9	9,1	7,3	5,2	7,6	9,5	5,8	4,0	0,7	5,3	
	Väga halb või halb - <i>Very bad or bad</i>	4,5	10,2	9,7	2,2	9,1	6,3	13,8	18,7	13,8	0,0	0,0	61,2	0,0	0,0	8,8	
Kehamassiindeks - Body Mass Index																	
	Alakaal - <i>Underweight</i>	0,0	0,0	37,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	33,3	0,0	0,0	5,7	
	Normkaal - <i>Normal weight</i>	4,2	8,4	11,7	1,0	11,0	11,9	9,1	11,2	8,0	2,9	10,9	9,2	4,0	0,7	6,5	
	Ülekaal - <i>Overweight</i>	5,4	7,9	9,3	7,5	7,3	2,2	5,6	6,4	4,9	9,5	12,1	8,0	2,9	0,0	6,7	
	Rasumine - <i>Obesity</i>	14,7	7,2	1,2	4,0	0,0	0,0	6,2	13,0	9,3	15,9	7,2	0,0	0,0	0,0	6,1	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 15.B. Suguelunditega seotud tervisehäirete esinemine (%) sünnipõlvkonna järgi, naised
TABLE 15.B. Prevalence of disorders related to genital organs (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Ei ole kunagi esinenud - Has never had	96,4	99,1	96,2	97,9	94,6	95,2	92,6	91,9	92,2	90,1	90,6	84,8	92,9	99,4	93,6	
On kunagi esinenud - Has ever had	3,6	0,9	3,8	2,1	5,4	4,8	7,4	8,1	7,8	9,9	9,4	15,2	7,1	0,6	6,4	
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 15.1.B. Suguelunditega seotud tervisehäireid omanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised																
TABLE 15.1.B. Percent of persons who have had disorders related to genital organs in background categories by birth cohort, females																
Piirkond - Region																
Harjumaa	4,5	0,0	4,7	2,6	4,9	3,0	10,3	7,8	9,9	10,3	10,5	13,2	8,8	0,0	6,9	
Ida-Virumaa	5,8	1,9	0,0	2,7	8,1	2,1	5,4	3,7	9,8	3,8	7,5	21,6	6,0	0,0	5,4	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	2,1	0,0	4,2	1,5	3,3	8,1	6,9	11,2	7,9	13,5	6,6	12,8	8,0	2,6	6,8	
Järva, Lääne-Viru, Rapla	0,0	0,0	0,0	0,0	3,7	10,4	6,7	8,1	3,2	0,0	13,1	10,8	0,0	0,0	4,7	
Lääne, Saare, Hiiumaa, Pärnumaa	4,8	4,5	8,7	1,8	10,4	2,4	2,5	7,4	7,0	12,2	8,4	31,7	0,0	0,0	6,5	
Asulatüüp - Type of residence																
Linn - Urban	3,4	1,1	2,9	2,2	5,3	4,5	7,9	7,6	10,4	10,4	7,9	14,7	7,0	0,9	6,5	
Maa - Rural	4,3	0,0	7,3	1,6	5,5	5,8	5,7	9,7	0,0	8,4	16,3	17,1	7,6	0,0	6,1	
Rahvus - Ethnicity																
Eestlane - Estonian	1,7	0,9	4,1	2,1	5,6	5,9	9,5	10,2	7,1	12,1	11,2	13,1	9,7	0,5	7,1	
Mitte-eestlane - Non-Estonian	7,1	0,8	3,3	2,1	4,7	3,0	4,3	5,1	9,4	3,9	5,8	19,3	3,3	1,0	5,1	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	1,6	0,9	3,9	2,0	5,3	6,1	9,4	9,8	7,5	12,2	10,7	12,5	9,8	0,4	6,9	
Immigrantrahvastik - Not native-born	7,9	0,9	3,6	2,3	5,6	2,5	3,9	5,4	8,8	3,8	6,3	22,7	2,1	1,1	5,2	
Kooselu - Cohabiting																
Kooselus - Cohabiting	6,3	0,0	2,7	3,9	6,1	6,0	3,3	6,4	6,0	6,3	9,2	16,5	8,2	2,5	7,0	
Ei ole kooselus - Not cohabiting	3,3	1,1	4,3	0,8	4,5	3,1	14,4	11,5	13,6	19,2	9,9	12,1	5,6	0,4	5,7	
Haridus - Education																
Põhi või madalam - Lower secondary or less	2,5	1,7	3,1	0,6	4,8	4,1	11,4	0,0	18,4	11,3	0,0	24,8	15,3	1,0	4,0	
Kesk - Upper secondary	5,4	0,0	4,4	2,5	4,4	6,5	6,3	6,8	3,3	6,2	10,5	14,8	6,2	0,0	5,8	
Kõrg - University	4,4	0,0	3,7	3,3	7,3	2,9	7,5	9,7	10,8	13,4	9,4	13,7	6,4	0,0	8,4	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	7,1	0,0	5,1	5,6	7,6	7,3	7,7	10,4	7,6	12,9	8,3	2,2	7,9	
Mitteaktiivne - Non-active	3,7	0,9	3,7	2,5	5,5	3,5	5,7	15,8	9,1	7,9	15,3	20,5	5,5	0,4	4,7	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	5,8	0,6	3,0	0,6	3,3	3,1	4,8	12,1	3,9	8,5	6,7	34,7	5,9	0,0	4,8	
Üle suhtelise vaesuse piiri - Above the risk of poverty	1,5	0,6	4,8	3,2	6,3	5,1	7,6	7,6	9,6	9,0	8,8	13,5	7,7	1,0	6,9	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	10,2	3,8	8,8	3,1	6,6	6,6	10,0	3,5	0,0	5,0	
Tervisehäired - Less severe health disorders	0,0	0,0	3,1	2,8	8,1	4,9	5,6	7,0	10,5	9,4	13,9	23,7	7,6	1,0	7,5	
Tõsisemad tervisehäired - Severe health disorders	4,5	0,0	4,7	3,4	6,2	4,7	10,8	6,7	9,2	16,9	12,6	22,8	14,3	7,2	7,3	
Toimetuleku piirangud - Managing restrictions	4,0	1,4	3,8	0,5	0,0	3,4	9,4	13,0	14,8	27,5	11,3	29,7	36,4	0,0	5,8	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	4,7	0,0	3,9	4,5	4,6	5,8	6,8	7,5	8,3	12,7	9,1	18,1	9,0	0,0	8,0	
Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	4,6	9,4	4,0	13,9	9,9	12,0	26,6	0,0	0,0	7,9	
Kontrollkese - Locus of control																
Seesmine - Internal	0,0	1,4	3,1	2,9	4,2	5,8	7,9	5,7	10,9	10,4	11,9	16,6	3,6	0,6	7,1	
Väline - External	3,5	1,4	6,2	0,0	0,0	0,0	9,4	4,7	7,4	0,0	0,0	73,6	32,2	0,0	5,3	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	0,0	2,8	2,6	5,0	5,0	5,0	9,5	5,7	9,7	9,4	14,1	6,3	0,7	6,9	
Väga halb või halb - Very bad or bad	2,6	1,8	5,1	0,9	8,1	1,7	8,0	17,6	12,5	52,1	0,0	52,9	0,0	0,0	5,8	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	0,0	0,0	53,4	0,0	0,0	0,0	14,0	22,8	8,3	0,0	4,4	0,0	6,0	
Normkaal - Normal weight	0,0	0,0	1,8	2,1	1,9	5,5	6,2	9,8	5,2	10,1	11,9	18,3	8,4	0,4	7,3	
Ülekaal - Overweight	4,5	2,1	6,2	3,4	7,8	5,7	6,6	6,0	11,5	10,9	5,1	10,3	0,0	3,4	6,2	
Rasumine - Obesity	11,0	0,0	2,5	0,7	3,7	3,7	10,0	7,9	9,7	0,0	0,0	14,8	12,1	0,0	4,8	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															Total

TABEL 16.A. Esimese kroonilise või pikaajalise haiguse esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, mehed
 TABLE 16.A. Timing of the first occurrence of a chronic or long-term illness (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	3,4	2,8	5,6	4,7	5,2	5,8	6,9	12,3	10,8	9,7	13,9	12,5	16,5	16,6		10,6
20	10,3	5,5	9,5	7,9	9,1	11,0	14,4	19,1	19,8	17,2	26,6	16,8	27,4	22,0		17,6
25	13,8	10,9	14,4	16,2	19,1	18,6	24,5	28,2	29,7	21,5	34,8	23,5	35,5	-		24,6
30	22,0	15,5	24,2	24,1	29,9	23,3	31,9	33,8	36,1	28,8	44,0	29,6	-	-		30,3
35	26,8	22,4	30,7	30,8	37,8	33,3	40,5	41,1	42,1	33,9	51,4	-	-	-		35,3
40	31,8	29,7	36,4	36,5	43,4	40,2	44,2	45,5	46,9	40,8	-	-	-	-		38,6
45	36,3	37,3	42,5	43,9	50,9	46,7	51,8	53,6	54,9	-	-	-	-	-		42,5
50	44,1	41,1	48,1	51,8	58,7	51,5	59,4	60,1	-	-	-	-	-	-		45,3
55	52,9	45,6	57,4	56,5	67,2	61,7	69,2	-	-	-	-	-	-	-		48,2
60	57,5	55,1	61,4	65,1	74,6	69,4	-	-	-	-	-	-	-	-		50,1
65	64,1	59,9	69,2	73,7	83,7	-	-	-	-	-	-	-	-	-		51,7
70	67,3	68,1	77,6	79,5	-	-	-	-	-	-	-	-	-	-		52,6
75	77,1	79,8	84,3	-	-	-	-	-	-	-	-	-	-	-		53,4
80	86,7	83,7	-	-	-	-	-	-	-	-	-	-	-	-		53,6
80+	91,0	-	-	-	-	-	-	-	-	-	-	-	-	-		53,7
Kokku - Total (N)	128	340	259	330	145	195	194	202	204	213	187	191	234	274		3096
Vastamata - Missing (N)	1	1	2	2	0	0	0	1	0	0	3	2	3	0		15
Pole esinenud kroonilisi või pikaajalisi haigusi Hasn't had chronic or long-term illness (N)	12	54	41	66	24	57	59	78	93	123	90	136	149	210		1192
Mediaanvanus - Median age	50	50	44	41	39	36	32	27	23	22	19	17	15	10		26
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
	Vanus - Age															

TABEL 16.B. Esimese kroonilise või pikaajalise haiguse esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, naised
 TABLE 16.B. Timing of the first occurrence of a chronic or long-term illness (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	4,3	3,0	4,7	4,9	7,3	12,0	10,3	9,9	12,3	11,0	17,1	22,1	22,5	27,2		12,9
20	6,6	6,1	10,9	11,1	18,0	16,3	17,8	16,8	25,0	21,2	24,2	29,3	31,2	37,3		20,6
25	11,4	13,0	16,8	19,7	27,3	26,5	23,9	28,2	33,4	30,6	31,2	36,9	38,7	-		28,1
30	15,2	19,8	24,7	27,2	35,8	33,2	31,7	35,8	39,2	39,7	38,3	41,2	-	-		33,9
35	21,5	25,5	31,4	35,4	43,7	42,0	37,1	42,6	44,6	47,4	43,9	-	-	-		39,0
40	28,1	31,3	37,5	43,5	49,5	50,9	41,7	48,8	51,1	53,5	-	-	-	-		43,5
45	35,4	39,8	44,0	50,6	53,4	57,4	49,6	60,3	58,8	-	-	-	-	-		48,0
50	45,3	49,2	53,6	57,6	60,4	65,6	58,5	68,6	-	-	-	-	-	-		52,5
55	52,6	58,4	64,9	66,8	70,8	72,1	69,1	-	-	-	-	-	-	-		56,6
60	56,3	65,9	70,2	76,8	79,9	78,1	-	-	-	-	-	-	-	-		59,2
65	66,7	71,5	78,5	86,1	83,7	-	-	-	-	-	-	-	-	-		61,3
70	74,1	82,2	85,9	92,5	-	-	-	-	-	-	-	-	-	-		63,1
75	80,0	87,6	91,1	-	-	-	-	-	-	-	-	-	-	-		63,9
80	86,5	91,8	-	-	-	-	-	-	-	-	-	-	-	-		64,3
80+	91,6	-	-	-	-	-	-	-	-	-	-	-	-	-		64,5
Kokku - Total (N)	183	286	274	342	180	247	233	259	224	201	245	182	207	237		3300
Vastamata - Missing (N)	9	1	0	2	0	1	3	1	1	0	1	0	0	4		23
Pole esinenud kroonilisi või pikaajalisi haigusi Hasn't had chronic or long-term illness (N)	16	24	27	24	30	52	67	76	91	94	134	105	127	147		1014
Mediaanvanus - Median age	50	49	45	41	33	34	31	29	22	22	18	14	13	11		28
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 17.A. Vereringeelundite häire esmastekke ajastus (kumulatiivne %) sünnipõlvkonna järgi, mehed
 TABLE 17.A. Timing of first occurrence of disorder of circulatory system (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	0,0	0,7	0,0	0,0	0,9	0,9	2,9	3,9	2,7	0,3	1,6	0,9	1,3	1,5		1,5
20	0,8	0,7	1,0	1,1	3,4	2,2	3,3	6,2	5,0	0,8	6,3	2,2	4,1	4,1		3,4
25	2,0	1,6	1,0	2,4	4,9	2,6	5,2	8,9	7,0	0,8	8,1	3,3	6,3	-		4,7
30	2,0	1,6	1,2	3,5	8,1	4,1	5,2	9,3	8,1	1,8	9,8	6,0	-	-		5,7
35	2,5	2,5	4,0	4,7	8,4	6,5	7,4	12,0	9,6	3,7	12,6	-	-	-		7,0
40	5,3	3,2	6,1	5,2	11,0	9,2	8,4	13,3	13,7	5,9	-	-	-	-		8,3
45	8,2	5,0	8,3	9,0	13,8	11,8	13,7	17,2	16,4	-	-	-	-	-		10,0
50	11,4	7,1	11,5	11,6	22,5	13,8	20,7	21,7	-	-	-	-	-	-		12,0
55	15,1	10,7	17,9	16,1	25,7	25,0	28,8	-	-	-	-	-	-	-		14,3
60	21,0	20,2	23,2	24,4	36,6	31,5	-	-	-	-	-	-	-	-		16,4
65	25,1	24,7	29,6	37,0	49,2	-	-	-	-	-	-	-	-	-		18,2
70	27,0	31,7	40,3	45,4	-	-	-	-	-	-	-	-	-	-		19,3
75	36,5	45,4	50,0	-	-	-	-	-	-	-	-	-	-	-		20,3
80	53,6	51,7	-	-	-	-	-	-	-	-	-	-	-	-		20,7
80+	59,7	-	-	-	-	-	-	-	-	-	-	-	-	-		20,7
Kokku -Total (N)	128	339	260	331	145	192	194	202	203	213	188	193	237	274		3099
Vastamata - Missing (N)	1	2	1	1	0	3	0	1	1	0	2	0	0	0		12
Pole esinenud vereringeelunditega seotud tervisehäireid - Hasn't had circulatory system disorders (N)	51	161	128	178	74	130	138	159	171	200	166	182	220	261		2219
Mediaanvanus - Median age	71	66	61	59	53	51	45	34	31	31	23	22	18	15		45
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 17.B. Vereringeelundite häire esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, naised
 TABLE 17.B. Timing of first occurrence of disorder of circulatory system (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	0,0	0,4	0,0	0,1	0,0	1,4	0,3	0,0	0,7	1,6	1,3	0,7	0,6	0,3		0,6
20	0,0	0,7	0,9	1,0	1,6	4,7	1,6	1,6	2,2	3,1	1,3	2,8	2,0	2,1		1,9
25	1,0	1,1	1,8	2,8	1,6	5,7	1,8	3,8	2,5	4,4	1,8	2,8	3,5	-		2,7
30	2,6	2,4	3,4	4,2	3,6	7,1	3,5	6,6	3,8	4,9	2,8	4,4	-	-		4,0
35	5,3	5,4	4,3	7,7	4,9	8,6	4,3	7,8	3,8	7,2	3,4	-	-	-		5,2
40	7,6	6,3	6,8	10,2	8,1	9,7	4,9	9,9	6,6	8,2	-	-	-	-		6,4
45	10,3	10,2	9,2	13,1	11,6	13,6	12,0	18,4	11,2	-	-	-	-	-		9,2
50	15,2	13,6	17,7	19,6	18,7	19,8	18,9	23,7	-	-	-	-	-	-		12,5
55	19,0	20,3	29,5	29,2	30,4	30,8	29,3	-	-	-	-	-	-	-		16,8
60	20,8	23,7	33,5	40,8	38,8	40,9	-	-	-	-	-	-	-	-		19,5
65	26,8	32,2	44,7	53,6	48,4	-	-	-	-	-	-	-	-	-		22,3
70	33,7	44,2	58,3	60,9	-	-	-	-	-	-	-	-	-	-		24,6
75	42,8	53,0	68,1	-	-	-	-	-	-	-	-	-	-	-		26,0
80	53,0	59,2	-	-	-	-	-	-	-	-	-	-	-	-		26,7
80+	60,4	-	-	-	-	-	-	-	-	-	-	-	-	-		26,9
Kokku - Total (N)	187	284	271	341	179	246	235	259	225	201	246	182	207	241		3304
Vastamata - Missing (N)	5	3	3	3	1	2	1	1	0	0	0	0	0	0		19
Pole esinenud vereringeelunditega seotud tervisehäireid - Hasn't had circulatory system disorders (N)	74	113	89	130	91	144	165	198	197	184	237	172	199	235		2228
Mediaanvanus - Median age	66	63	60	55	52	50	46	41	39	23	21	18	19	15		51
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 18.A. Hingamiselundite häire esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, mehed
 TABLE 18.A. Timing of first occurrence of disorder of respiratory system (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	0,0	0,7	2,1	0,5	0,9	1,3	1,0	2,0	1,4	1,6	4,0	3,7	3,7	1,6		2,1
20	1,8	1,4	3,1	1,1	0,9	2,4	1,0	2,5	1,9	2,8	5,1	4,4	4,1	2,5		2,7
25	1,8	3,4	3,1	2,0	0,9	2,4	1,7	3,0	1,9	2,8	5,8	5,0	5,4	-		3,2
30	1,8	3,7	4,1	2,3	0,9	2,7	1,7	3,6	2,5	3,3	6,4	5,0	-	-		3,5
35	1,8	4,4	5,5	2,5	2,1	2,7	2,7	3,6	2,5	3,3	6,4	-	-	-		3,7
40	2,7	6,0	5,9	2,7	3,0	4,7	3,0	3,6	2,5	3,3	-	-	-	-		4,0
45	4,1	6,3	7,8	3,6	3,5	5,7	3,6	5,4	4,0	-	-	-	-	-		4,6
50	5,3	6,3	7,8	5,1	3,5	5,7	4,4	6,4	-	-	-	-	-	-		4,9
55	7,1	7,1	9,2	6,3	4,0	6,3	5,1	-	-	-	-	-	-	-		5,2
60	7,7	7,5	9,4	6,6	4,7	7,2	-	-	-	-	-	-	-	-		5,3
65	9,9	7,5	10,3	8,0	5,2	-	-	-	-	-	-	-	-	-		5,5
70	9,9	7,7	11,6	9,7	-	-	-	-	-	-	-	-	-	-		5,7
75	9,9	9,6	13,3	-	-	-	-	-	-	-	-	-	-	-		5,8
80	10,9	10,9	-	-	-	-	-	-	-	-	-	-	-	-		5,8
80+	11,7	-	-	-	-	-	-	-	-	-	-	-	-	-		5,8
Kokku -Total (N)	129	341	260	332	145	193	194	203	204	213	190	193	237	274		3108
Vastamata - Missing (N)	0	0	1	0	0	2	0	0	0	0	0	0	0	0		3
Pole esinenud hingamiselundite häireid - Hasn't had respiratory system disorders (N)	114	304	226	297	137	179	184	190	196	206	179	184	225	267		2888
Mediaanvanus - Median age	51	38	43	48	39	36	33	26	29	17	12	7	9	11		20
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 18.B. Hingamiselundite häire esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, naised
 TABLE 18.B. Timing of first occurrence of disorder of respiratory system (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	1,5	0,0	0,5	0,9	1,2	2,3	1,3	1,7	0,9	0,4	1,7	1,1	2,7	2,3		1,4
20	1,5	1,1	1,6	1,5	2,3	3,1	1,7	2,0	0,9	1,8	2,5	1,1	3,2	3,2		2,0
25	2,1	2,6	1,9	2,9	3,1	3,7	2,1	2,3	1,2	1,8	3,7	2,9	3,9	-		2,7
30	3,6	2,6	3,2	3,1	3,9	4,0	3,7	2,8	1,2	2,8	4,8	5,2	-	-		3,4
35	3,6	3,3	3,2	4,2	5,0	4,2	4,0	3,3	2,5	3,2	5,3	-	-	-		3,9
40	4,0	3,6	4,3	5,5	5,0	5,1	4,9	4,6	3,0	4,5	-	-	-	-		4,5
45	5,2	4,6	5,4	6,6	6,8	5,3	6,4	5,4	3,8	-	-	-	-	-		5,1
50	5,6	6,0	6,4	7,4	7,3	5,3	7,7	7,0	-	-	-	-	-	-		5,6
55	6,6	6,0	7,4	8,6	7,7	5,3	8,2	-	-	-	-	-	-	-		5,8
60	7,0	7,8	8,4	9,2	7,7	5,9	-	-	-	-	-	-	-	-		6,1
65	7,4	8,6	9,9	10,8	7,7	-	-	-	-	-	-	-	-	-		6,3
70	9,0	9,7	11,7	12,3	-	-	-	-	-	-	-	-	-	-		6,7
75	10,2	10,8	13,0	-	-	-	-	-	-	-	-	-	-	-		6,9
80	11,3	11,9	-	-	-	-	-	-	-	-	-	-	-	-		7,0
80+	11,3	-	-	-	-	-	-	-	-	-	-	-	-	-		7,0
Kokku - Total (N)	191	286	274	344	180	247	235	260	225	201	245	182	207	239		3316
Vastamata - Missing (N)	1	1	0	0	0	1	1	0	0	0	1	0	0	2		7
Pole esinenud hingamiselundite häireid - Hasn't had respiratory system disorders (N)	169	252	237	301	165	232	215	241	215	193	232	173	199	231		3055
Mediaanvanus - Median age	51	49	52	42	29	18	36	36	30	26	21	22	9	8		30
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 19.A. Seede- või kuseelundite häire esmastekke ajastus (kumulatiivne %) sünnipõlvkonna järgi, mehed
 TABLE 19.A. Timing of first occurrence of disorder of digestive or urinary system (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	0,0	0,3	0,0	0,2	0,6	0,0	0,4	2,2	0,5	1,9	0,4	3,0	2,6	0,6		1,1
20	1,7	1,4	0,8	0,7	1,5	0,4	2,6	4,6	2,9	3,9	3,6	5,1	4,9	1,0		2,9
25	4,1	1,8	3,0	4,0	5,2	2,6	6,2	7,4	8,1	4,6	5,5	6,7	6,9	-		5,1
30	6,9	3,7	5,9	7,2	9,1	3,6	10,6	8,9	9,6	8,1	8,9	8,1	-	-		7,1
35	7,8	5,4	9,7	8,6	11,2	5,3	14,6	14,2	12,6	9,8	11,1	-	-	-		9,1
40	9,3	7,1	12,4	10,0	12,4	7,9	18,2	17,2	14,4	12,7	-	-	-	-		10,5
45	10,2	9,2	14,8	12,3	14,7	9,1	22,6	19,9	17,7	-	-	-	-	-		11,9
50	13,6	11,4	17,3	13,8	18,7	12,4	23,0	20,8	-	-	-	-	-	-		12,8
55	16,2	13,0	19,4	16,2	20,3	14,7	28,5	-	-	-	-	-	-	-		13,8
60	17,9	15,6	21,5	19,1	22,1	19,0	-	-	-	-	-	-	-	-		14,5
65	19,8	17,5	25,2	22,4	23,7	-	-	-	-	-	-	-	-	-		15,0
70	20,7	20,8	27,7	23,7	-	-	-	-	-	-	-	-	-	-		15,3
75	23,3	25,0	29,3	-	-	-	-	-	-	-	-	-	-	-		15,5
80	27,1	27,9	-	-	-	-	-	-	-	-	-	-	-	-		15,7
80+	29,5	-	-	-	-	-	-	-	-	-	-	-	-	-		15,7
Kokku -Total (N)	128	338	258	329	145	195	194	203	204	213	190	193	235	274		3099
Vastamata - Missing (N)	1	3	3	3	0	0	0	0	0	0	0	0	2	0		12
Pole esinenud seede- või kuseelundite häireid - Hasn't had digestive or urinary system disorders (N)	91	241	182	252	110	157	137	159	169	184	170	177	217	271		2517
Mediaanvanus - Median age	54	56	42	42	35	46	34	31	27	26	25	16	18	14		31
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 19.B. Seede- või kuseelundite häire esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, naised
 TABLE 19.B. Timing of first occurrence of disorder of digestive or urinary system (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	0,0	0,8	1,3	0,7	1,5	1,5	2,0	0,6	2,7	1,7	4,7	3,7	2,8	3,3		2,1
20	1,2	1,1	2,1	1,8	2,7	1,8	4,7	1,6	4,4	2,7	6,7	8,3	8,4	5,1		4,0
25	2,3	2,4	3,8	3,3	3,7	3,8	5,7	6,1	7,4	5,1	8,9	9,4	10,9	-		5,9
30	2,3	4,0	6,5	5,1	5,0	6,0	8,0	7,4	8,6	8,8	13,6	10,6	-	-		7,6
35	3,5	5,0	8,3	8,0	6,5	8,3	11,5	10,4	12,5	11,3	15,7	-	-	-		9,5
40	4,1	7,3	9,7	11,4	7,7	10,4	13,7	12,0	15,6	15,0	-	-	-	-		11,1
45	5,7	8,3	11,5	12,6	9,1	11,9	15,4	17,1	17,6	-	-	-	-	-		12,3
50	8,4	9,4	12,9	15,8	11,1	15,3	18,6	20,7	-	-	-	-	-	-		13,7
55	9,4	14,7	15,6	17,9	17,2	19,2	23,3	-	-	-	-	-	-	-		15,4
60	11,7	17,3	19,5	22,2	21,9	23,7	-	-	-	-	-	-	-	-		16,8
65	14,1	20,9	22,9	27,9	26,3	-	-	-	-	-	-	-	-	-		18,0
70	16,4	26,0	26,8	32,8	-	-	-	-	-	-	-	-	-	-		18,9
75	19,0	29,3	31,3	-	-	-	-	-	-	-	-	-	-	-		19,5
80	20,5	35,2	-	-	-	-	-	-	-	-	-	-	-	-		19,8
80+	25,1	-	-	-	-	-	-	-	-	-	-	-	-	-		20,0
Kokku - Total (N)	188	282	272	339	179	247	235	260	224	201	246	182	207	241		3303
Vastamata - Missing (N)	4	5	2	5	1	1	1	0	1	0	0	0	0	0		20
Pole esinenud seede- või kuseelundite häireid - Hasn't had digestive or urinary system disorders (N)	142	181	187	228	132	183	179	204	184	170	204	160	183	229		2566
Mediaanvanus - Median age	61	61	55	50	52	43	36	33	30	29	24	16	18	13		36
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
	Vanus - Age															

TABEL 20.A. Lihasluukonnaga seotud tervisehäire esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, mehed
 TABLE 20.A. Timing of first occurrence of disorder related to musculoskeletal system (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipölvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
15	0,0	0,4	1,1	0,9	0,7	0,6	0,6	0,5	2,0	1,5	1,0	0,7	0,0	2,3	1,0	
20	0,9	0,8	2,0	2,0	2,9	2,1	4,7	0,9	3,6	3,6	2,9	1,1	1,8	2,9	2,5	
25	1,5	1,8	3,5	6,2	7,6	3,6	9,6	4,4	9,1	6,5	7,6	2,0	4,9	-	5,4	
30	4,4	3,7	8,1	8,8	9,9	7,6	12,3	8,1	12,1	9,0	10,5	4,5	-	-	7,7	
35	8,3	7,5	11,6	12,8	15,6	13,5	14,1	9,4	13,1	11,3	13,6	-	-	-	9,7	
40	11,3	8,4	13,8	15,8	17,6	16,2	16,5	12,0	13,9	15,0	-	-	-	-	11,1	
45	13,5	14,4	16,3	19,0	24,9	19,8	19,4	15,4	16,7	-	-	-	-	-	12,9	
50	16,3	15,0	18,7	23,2	26,4	20,6	22,7	18,4	-	-	-	-	-	-	13,9	
55	18,9	17,7	22,5	24,4	28,6	24,5	26,1	-	-	-	-	-	-	-	14,9	
60	18,9	20,7	22,9	26,5	33,5	25,5	-	-	-	-	-	-	-	-	15,4	
65	20,5	22,3	25,8	31,6	36,3	-	-	-	-	-	-	-	-	-	16,0	
70	21,4	25,0	28,4	33,1	-	-	-	-	-	-	-	-	-	-	16,3	
75	25,5	29,2	30,2	-	-	-	-	-	-	-	-	-	-	-	16,5	
80	28,2	31,6	-	-	-	-	-	-	-	-	-	-	-	-	16,6	
80+	30,7	-	-	-	-	-	-	-	-	-	-	-	-	-	16,6	
Kokku - Total (N)	110	301	231	291	124	169	179	187	188	206	183	185	236	274	2864	
Vastamata - Missing (N)	19	40	30	41	21	26	15	16	16	7	7	8	1	0	247	
Pole esinenud lihasluukonnaga seotud tervisehäireid - Hasn't had musculoskeletal system disorders (N)	75	203	163	192	79	125	132	151	155	173	157	177	225	266	2273	
Mediaanvanus - Median age	47	51	40	40	41	34	30	34	23	26	24	25	20	10	30	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 20.B. Lihasluukonnaga seotud tervisehäire esmastekke ajastus (kumulatiivne %) sünnipõlvkonna järgi, naised
 TABLE 20.B. Timing of first occurrence of disorder related to musculoskeletal system (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	1,2	0,0	1,2	0,8	0,5	0,6	1,0	0,3	0,0	1,5	0,6	2,4	2,0	3,8		1,2
20	3,0	0,4	1,5	1,8	1,8	1,9	3,1	2,7	2,0	2,1	3,0	3,5	3,7	4,2		2,6
25	5,1	1,2	3,9	4,0	7,3	6,8	5,4	5,1	4,1	3,1	3,9	7,6	4,7	-		4,8
30	7,0	3,4	6,4	6,3	8,6	10,1	9,0	6,8	6,3	6,3	6,0	8,8	-	-		6,7
35	8,9	5,6	9,1	7,5	12,4	15,3	9,7	9,9	9,8	7,7	7,3	-	-	-		8,5
40	11,8	8,2	12,4	10,9	16,0	17,5	13,0	12,6	12,4	11,0	-	-	-	-		10,5
45	14,3	11,4	16,7	13,4	18,9	19,3	18,0	16,8	14,2	-	-	-	-	-		12,4
50	18,4	15,5	21,4	16,7	23,0	23,3	22,0	19,3	-	-	-	-	-	-		14,3
55	21,6	20,9	25,9	19,9	30,4	24,9	26,3	-	-	-	-	-	-	-		16,0
60	26,1	25,9	30,5	24,5	38,9	28,4	-	-	-	-	-	-	-	-		17,8
65	29,0	30,7	34,2	30,2	41,7	-	-	-	-	-	-	-	-	-		18,9
70	32,1	37,2	39,0	38,1	-	-	-	-	-	-	-	-	-	-		20,2
75	35,5	42,7	43,7	-	-	-	-	-	-	-	-	-	-	-		20,9
80	38,4	47,8	-	-	-	-	-	-	-	-	-	-	-	-		21,3
80+	41,3	-	-	-	-	-	-	-	-	-	-	-	-	-		21,4
Kokku - Total (N)	172	256	241	309	161	214	211	236	211	188	241	176	204	238		3058
Vastamata - Missing (N)	20	31	33	35	19	34	25	24	14	13	5	6	3	3		265
Pole esinenud lihasluukonnaga seotud tervisehäireid - Hasn't had musculoskeletal system disorders (N)	102	134	141	189	94	150	154	187	179	167	223	161	194	229		2304
Mediaanvanus - Median age	54	56	50	51	47	33	40	34	31	27	24	22	15	11		40
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 21.A. Suguelunditega seotud tervisehäire esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, mehed
 TABLE 21.A. Timing of first occurrence of disorder related to genital organs (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,3	0,0	0,4	0,0	0,0		0,1
20	0,0	0,0	0,3	0,7	0,5	0,0	1,0	1,1	1,7	2,7	1,8	1,3	1,6	0,6		1,2
25	0,6	0,0	0,8	1,1	2,1	0,4	3,7	3,8	5,0	5,6	7,4	5,5	3,4	-		3,4
30	0,6	0,2	1,3	1,6	2,1	0,4	4,8	5,4	5,8	6,7	10,9	7,8	-	-		4,4
35	0,6	0,2	1,3	1,6	2,7	2,8	5,6	7,2	6,0	7,6	10,9	-	-	-		4,9
40	0,6	0,2	1,5	1,6	3,4	4,0	5,6	8,2	6,3	7,6	-	-	-	-		5,1
45	0,6	0,2	2,1	1,6	4,3	4,0	6,5	9,3	7,0	-	-	-	-	-		5,4
50	0,6	0,2	2,5	1,6	4,3	4,0	6,5	9,3	-	-	-	-	-	-		5,4
55	0,6	0,2	2,5	2,2	5,2	4,9	6,5	-	-	-	-	-	-	-		5,6
60	0,6	0,2	3,0	3,0	5,2	5,3	-	-	-	-	-	-	-	-		5,7
65	1,7	1,1	5,0	3,9	6,6	-	-	-	-	-	-	-	-	-		5,9
70	2,5	2,7	7,4	3,9	-	-	-	-	-	-	-	-	-	-		6,1
75	3,3	5,9	8,8	-	-	-	-	-	-	-	-	-	-	-		6,2
80	3,9	7,6	-	-	-	-	-	-	-	-	-	-	-	-		6,3
80+	5,7	-	-	-	-	-	-	-	-	-	-	-	-	-		6,3
Kokku - Total (N)	129	339	258	329	145	193	188	201	202	210	188	191	237	273		3083
Vastamata - Missing (N)	0	2	3	3	0	2	6	2	2	3	2	2	0	1		28
Pole esinenud suguelunditega seotud tervisehäireid - Hasn't had disorders related to genital organs (N)	122	312	234	316	135	183	175	181	186	194	167	177	229	271		2882
Mediaanvanus - Median age	74	71	63	52	37	33	22	26	21	22	23	22	20	19		24
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 21.B. Suguelunditega seotud tervisehäire esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, naised
TABLE 21.B. Timing of first occurrence of disorder related to genital organs (cumulative %) by birth cohort, females

Vanuseks - <i>By age</i>	Sünnipölvkond - <i>Birth cohort</i>															Kokku <i>Total</i>
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,0	
20	0,0	0,0	0,0	0,0	0,9	0,0	0,0	0,3	0,9	1,5	2,6	7,7	3,7	0,6	1,4	
25	0,6	0,3	0,0	0,1	1,9	0,9	2,7	2,7	3,1	4,5	8,1	12,1	7,1	-	3,4	
30	0,6	0,3	0,2	0,5	1,9	1,7	3,6	5,3	3,1	7,8	8,9	15,2	-	-	4,4	
35	0,6	0,3	1,1	0,5	3,2	2,9	4,9	6,6	6,2	9,5	9,4	-	-	-	5,2	
40	1,8	0,3	1,5	0,7	3,2	3,5	5,4	7,0	7,1	9,9	-	-	-	-	5,5	
45	2,9	0,9	2,2	1,2	4,4	3,5	5,4	7,8	7,9	-	-	-	-	-	5,9	
50	2,9	0,9	2,6	1,4	4,4	3,5	6,3	8,1	-	-	-	-	-	-	6,0	
55	3,2	0,9	2,6	1,4	4,4	3,8	7,4	-	-	-	-	-	-	-	6,1	
60	3,2	0,9	2,6	1,4	4,4	3,8	-	-	-	-	-	-	-	-	6,1	
65	3,2	0,9	3,0	1,7	5,4	-	-	-	-	-	-	-	-	-	6,3	
70	3,6	0,9	3,8	1,7	-	-	-	-	-	-	-	-	-	-	6,3	
75	3,6	0,9	3,8	-	-	-	-	-	-	-	-	-	-	-	6,3	
80	3,6	0,9	-	-	-	-	-	-	-	-	-	-	-	-	6,3	
80+	3,6	-	-	-	-	-	-	-	-	-	-	-	-	-	6,3	
Kokku - <i>Total</i> (N)	192	287	273	341	180	244	234	259	223	201	244	182	206	241	3307	
Vastamata - <i>Missing</i> (N)	0	0	1	3	0	4	2	1	2	0	2	0	1	0	16	
Pole esinenud suguelunditega seotud tervisehäireid - <i>Hasn't had disorders related to genital organs</i> (N)	185	284	263	334	170	235	217	238	204	181	222	154	192	239	3118	
Mediaanvanus - <i>Median age</i>	39	40	41	40	33	30	30	28	32	25	22	19	19	18	24	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku <i>Total</i>	

TABEL 22.A. Mõnede haiguste esinemine elu jooksul (%) sünnipölvkonna järgi, mehed

TABLE 22.A. Lifetime prevalence of selected diseases (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Astma - Asthma	6,9	2,3	5,2	4,3	1,2	3,0	1,1	3,4	1,8	1,2	2,3	3,3	3,6	0,8	2,5	
Allergia - Allergy	3,3	3,8	4,0	3,8	1,4	2,2	2,1	1,2	2,0	4,1	7,8	6,2	8,6	9,5	4,8	
Suhkrutõbi - Diabetes	11,6	7,0	7,1	5,7	8,5	6,1	8,0	3,3	1,0	0,6	1,7	0,0	0,0	0,0	3,1	
Kilpnäärmehaigused - Thyroid diseases	0,6	1,6	2,0	1,3	0,0	0,0	0,9	0,0	0,9	0,6	0,7	0,0	0,0	0,2	0,5	
Silmakae e. Katarakt - Cataract	23,1	19,1	7,5	10,2	4,9	1,7	0,0	0,8	0,0	0,0	0,4	0,6	0,0	0,0	2,3	
Glaukoom - Glaucoma	3,3	4,5	4,7	4,6	2,4	1,8	0,4	1,0	0,4	0,0	0,0	0,0	0,0	0,0	1,0	
Kõrgvererõhktõbi, kõrge vererõhk - Hypertension (high blood pressure)	42,5	36,0	30,5	32,2	39,4	22,3	23,9	16,8	15,4	5,6	9,6	5,5	4,5	3,9	15,9	
Südameinfarkt - Myocardial infarction	27,9	18,9	18,4	17,5	14,5	11,6	7,8	5,4	1,2	0,3	3,2	0,5	2,5	0,3	6,1	
Südame isheemiatõbi - Cardiac ischemia	17,8	15,2	13,5	11,3	6,1	3,1	3,1	1,4	1,4	0,0	0,4	0,0	0,0	0,0	3,0	
Ajuinsult - Cerebral infarction(stroke)	8,3	7,2	9,2	4,9	6,2	1,9	0,4	0,0	0,5	0,0	0,7	0,0	0,0	0,0	1,6	
Krooniline bronhiit, kopsu laienemine, KOK - Chronic bronchitis, chronic obstructive lung disease	3,9	4,2	4,9	3,6	3,1	3,8	4,1	2,1	1,8	1,5	4,0	1,8	1,6	1,3	2,6	
Kopsutuberkuloos - Lung tuberculosis	1,8	5,0	5,0	2,9	0,9	2,0	0,0	1,9	0,4	0,6	0,7	0,0	0,6	0,3	1,1	
Mao- või kaksteistsõrmiksoole haavand - Gastric or duodenum ulcer	10,5	12,3	16,4	11,6	11,1	10,6	16,5	10,2	8,7	5,4	7,2	2,2	3,1	0,4	7,9	
Mao- või kaksteistsõrmiksoole põletik - Gastric or duodenum inflammation	1,7	5,6	1,8	4,0	2,3	3,0	2,1	2,4	1,0	2,3	2,1	2,0	1,1	0,0	2,0	
Maksapõletik ehk hepatiit - Hepatitis	2,9	1,5	2,4	1,3	3,7	2,4	1,2	4,2	3,1	2,6	1,3	2,9	1,0	0,0	2,1	
Sapipõiepõletik ja/või sapikivitõbi - Gallbladder inflammation and/or gallstones	10,7	9,1	10,3	6,9	2,8	3,6	6,9	3,5	4,8	4,2	0,7	0,7	1,3	0,6	3,6	
Neerupõletik ja/või neerukivitõbi - Nephritis	10,6	7,4	7,7	5,7	6,7	2,4	5,1	4,3	2,3	1,6	0,4	0,4	1,1	0,0	2,8	
Radikuliit/seljavalud - Radiculitis/backache	37,7	36,1	34,7	41,5	44,9	32,0	26,7	23,7	21,2	16,7	16,3	7,6	4,9	2,6	20,5	
Reumatoidartriit - Rheumatoid arthritis	6,0	8,0	5,8	4,8	5,1	5,6	3,7	3,2	2,9	2,0	0,5	0,7	1,1	0,0	2,7	
Luuhõrenemine (osteoporoos) - Osteoporosis	0,6	3,2	1,4	1,7	2,0	1,0	2,7	0,0	0,3	0,0	0,0	0,0	0,0	0,6	0,7	
Vähk (pahaloormuline kasvaja k.a. leukeemia ja lümfoom) - Cancer (malignant tumor, incl. leucaemia and lymphoma)	7,2	11,2	6,8	4,5	2,8	1,7	2,5	1,1	1,3	0,9	1,1	0,0	0,7	0,0	1,9	
Migreen või sagedased peavalud - Migraine or recurrent headaches	2,7	3,3	3,0	2,0	2,1	4,8	3,5	1,0	2,0	2,2	5,1	2,3	1,5	3,6	2,8	
Krooniline ärevus või depressioon - Chronic anxiety or depression	4,5	1,1	2,8	3,4	2,0	2,9	3,6	1,7	2,3	2,0	2,6	1,1	2,1	0,6	2,1	
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
							Vanus - Age								Total	

TABEL 22.B. Mõnede haiguste esinemine elu jooksul (%) sünnipölvkonna järgi, naised
TABLE 22.B. Lifetime prevalence of selected diseases (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Astma - Asthma	5,8	6,6	4,4	5,3	1,7	2,5	4,5	3,5	2,1	3,0	3,3	3,9	1,8	2,0	3,4	
Allergia - Allergy	9,6	6,2	9,5	6,3	11,5	12,2	8,5	9,2	11,5	11,1	11,4	12,2	16,2	15,3	11,0	
Suhkrutõbi - Diabetes	8,4	12,0	11,9	10,2	6,9	7,1	4,2	1,6	0,5	1,4	0,5	0,0	0,0	0,0	4,1	
Kilpnäärmehaigused - Thyroid diseases	9,0	10,9	11,8	13,5	9,5	11,5	10,8	10,9	6,5	6,1	3,2	2,4	2,5	2,1	7,7	
Silmakae e. Katarakt - Cataract	27,1	21,0	13,3	8,4	1,3	0,3	1,7	1,3	1,1	0,7	0,0	0,7	0,0	0,6	4,1	
Glaukoom - Glaucoma	4,1	6,1	5,2	3,8	1,6	0,4	2,2	0,5	0,0	0,0	0,0	0,0	0,0	0,0	1,4	
Kõrgvererõhktõbi, kõrge vererõhk - Hypertension (high blood pressure)	45,4	46,8	57,4	53,1	38,1	36,0	25,8	20,9	8,8	4,4	2,3	2,3	2,9	0,0	22,1	
Südameinfarkt - Myocardial infarction	18,4	14,7	15,2	12,1	9,5	8,7	4,7	4,4	2,3	4,1	1,6	2,5	1,0	2,1	6,3	
Südame isheemiatõbi - Cardiac ischemia	21,0	21,1	18,4	14,3	10,0	7,5	4,4	1,5	0,5	0,4	0,0	0,0	0,0	0,0	5,8	
Ajuinsult - Cerebral infarction(stroke)	10,3	4,5	5,2	3,2	2,5	2,5	1,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,7	
Krooniline bronhiit, kopsu laienemine, KOK - Chronic bronchitis, chronic obstructive lung disease	5,4	4,8	6,7	6,6	4,1	3,5	4,5	3,6	0,4	1,7	1,9	1,1	2,1	2,1	3,3	
Kopsutuberkuloos - Lung tuberculosis	2,9	2,5	2,5	1,5	1,9	0,8	0,6	0,5	1,3	0,4	0,9	0,9	0,0	0,0	1,0	
Mao- või kaksteistsõrmiksoole haavand - Gastric or duodenum ulcer	4,9	9,2	6,3	8,6	3,5	7,9	7,5	4,9	5,8	3,8	2,5	0,0	2,8	0,6	4,7	
Mao- või kaksteistsõrmiksoole põletik - Gastric or duodenum inflammation	4,0	5,3	5,3	4,6	2,6	0,0	4,3	1,9	2,9	1,8	2,2	2,5	2,6	0,0	2,7	
Maksapõletik ehk hepatiit - Hepatitis	2,1	4,8	6,3	3,2	2,5	3,6	2,0	1,7	3,2	0,3	2,4	1,2	0,5	0,0	2,3	
Sapipõiepõletik ja/või sapikivitõbi - Gallbladder inflammation and/or gallstones	15,6	21,8	18,1	17,2	17,0	14,8	8,1	9,1	5,9	4,3	6,4	1,8	1,1	1,3	9,3	
Neerupõletik ja/või neerukivitõbi - Nephritis	7,1	7,4	5,6	10,8	6,1	3,1	5,4	6,8	5,9	7,0	4,7	6,4	5,3	3,3	6,0	
Radikuliit/seljavalud - Radiculitis/backache	34,6	34,7	36,7	34,0	36,1	31,4	25,4	20,5	16,7	16,7	7,7	10,8	5,7	4,7	21,1	
Reumatoidartriit - Rheumatoid arthritis	13,9	18,6	12,2	14,6	15,6	12,8	12,3	7,6	3,6	1,5	1,3	1,1	0,4	0,9	7,6	
Luuhõrenemine (osteoporoos) - Osteoporosis	11,2	14,4	11,9	8,1	7,3	3,7	3,7	2,9	0,3	0,0	0,3	0,0	0,6	0,4	3,9	
Vähk (pahaloormuline kasvaja k.a. leukeemia ja lümfoom) - Cancer (malignant tumor, incl. leukaemia and lymphoma)	10,2	6,9	7,6	7,3	6,4	5,3	2,8	3,8	2,7	2,2	0,7	0,0	0,6	0,9	3,6	
Migreen või sagedased peavalud - Migraine or recurrent headaches	6,0	5,3	7,7	8,4	12,2	6,9	9,9	10,1	10,1	7,3	8,9	7,4	6,9	5,6	8,1	
Krooniline ärevus või depressioon - Chronic anxiety or depression	8,9	4,8	4,5	7,3	6,8	7,9	1,8	7,0	3,1	1,8	4,0	2,2	2,2	0,9	4,3	
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 23.A. Emotsionaalse distressi esinemine viimasel neljal nädalal (%) sünnipõlvkonna järgi, mehed
TABLE 23.A. Prevalence of emotional distress during the last four weeks (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														Kokku	
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		Total
Olulise distressita - Without distress		88,3	90,8	90,4	92,2	93,5	94,1	92,2	96,0	93,9	97,4	93,7	94,8	95,2	95,0	94,2	
Olulise distressiga - With distress		11,7	9,2	9,6	7,8	6,5	5,9	7,8	4,0	6,1	2,6	6,3	5,2	4,8	5,0	5,8	
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)		129	341	261	331	145	194	194	203	204	213	189	192	237	274	3107	
Vastamata - Missing (N)		0	0	0	1	0	1	0	0	0	0	1	1	0	0	4	
TABEL 23.1.A. Olulise emotsionaalse distressiga isikute protsent viimasel neljal nädalal rahvastikurühmades sünnipõlvkonna järgi, mehed																	
TABLE 23.1.A. Percent of persons who have had emotional distress during the last four weeks in background categories by birth cohort, males																	
Piirkond - Region																	
Harjumaa		18,5	10,3	11,1	10,9	9,3	11,0	8,0	1,2	6,1	3,0	4,5	5,1	5,4	3,9	6,2	
Ida-Virumaa		15,6	19,5	10,0	12,1	0,0	3,0	17,5	5,6	0,0	10,2	8,0	0,0	2,1	8,5	6,9	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru		10,4	5,0	5,9	5,9	8,4	2,6	3,0	3,5	9,4	0,0	7,6	7,8	8,1	5,0	5,6	
Järva, Lääne-Viru, Rapla		0,0	4,5	14,5	4,4	6,9	4,5	3,8	0,0	3,5	0,0	8,6	0,0	0,0	3,0	3,5	
Lääne, Saare, Hiiumaa, Pärnumaa		5,0	6,4	8,2	0,0	0,0	0,0	7,0	14,3	7,0	0,0	6,7	15,3	0,0	5,9	5,6	
Asulatüüp - Type of residence																	
Linn - Urban		12,5	9,8	10,4	8,9	7,2	6,4	8,9	3,4	4,6	1,7	7,8	5,6	5,4	5,3	6,2	
Maa - Rural		9,7	6,4	7,7	4,0	4,9	4,5	4,4	5,4	9,3	4,6	1,7	3,6	1,9	4,1	4,8	
Rahvus - Ethnicity																	
Eestlane - Estonian		9,8	5,0	8,2	4,2	5,5	5,8	3,1	5,8	8,5	0,0	6,9	4,0	4,9	6,1	5,3	
Mitte-eestlane - Non-Estonian		17,2	17,8	13,6	13,7	8,8	6,0	13,8	1,0	1,0	8,3	5,2	7,3	4,5	2,2	6,9	
Põlvkond - Native-born population																	
Põlvkond - Native-born		9,6	5,0	8,3	4,1	5,3	4,9	2,9	5,5	8,1	0,7	7,1	3,8	5,4	5,5	5,1	
Immigrantrahvastik - Not native-born		18,6	17,8	13,2	14,2	9,9	7,5	15,4	1,1	1,1	7,6	4,6	7,8	3,1	3,0	7,3	
Kooselu - Cohabiting																	
Kooselus - Cohabiting		9,2	6,8	7,6	4,7	4,2	4,5	5,8	2,9	6,1	1,3	4,1	4,7	1,0	11,1	4,4	
Ei ole kooselus - Not cohabiting		16,0	14,9	18,3	20,0	19,2	13,6	16,7	8,9	5,8	7,6	12,6	6,2	6,9	4,6	8,6	
Haridus - Education																	
Põhi või madalam - Lower secondary or less		17,2	10,9	12,5	12,2	4,0	12,7	19,0	12,7	0,0	22,2	22,1	2,8	13,1	3,8	8,8	
Kesk - Upper secondary		3,8	12,4	8,6	4,4	8,8	3,2	5,1	4,2	6,4	2,2	6,3	6,2	4,6	8,2	5,5	
Kõrg - University		8,5	2,7	7,3	9,1	3,3	6,7	8,5	2,3	6,5	0,0	2,2	4,3	1,3	0,0	4,4	
Majanduslik aktiivsus - Economical activity																	
Aktiivne - Active		0,0	0,0	6,9	4,8	2,0	2,4	5,1	1,6	4,7	1,1	3,9	5,5	2,4	6,2	3,5	
Mitteaktiivne - Non-active		12,3	9,6	10,0	8,7	10,2	14,5	18,7	21,2	20,2	26,5	34,8	0,0	13,6	4,6	10,7	
Sissetulek - Income																	
Allpool suhtelise vaesuse piiri - Below the risk of poverty		24,9	12,3	12,0	9,7	10,0	6,3	14,3	11,2	18,4	5,5	18,7	0,0	14,4	3,2	10,4	
Üle suhtelise vaesuse piiri - Above the risk of poverty		8,5	8,9	9,1	6,8	6,0	5,3	6,0	1,1	4,0	1,4	5,7	5,4	2,9	3,9	4,7	
Tervise seisund - Health status																	
Terve - No health disorders		0,0	0,0	0,0	3,3	0,0	0,0	2,4	3,2	2,1	0,9	2,0	3,7	3,8	3,9	2,8	
Tervisehäired - Less severe health disorders		4,9	0,0	2,4	1,7	0,0	2,4	4,8	0,8	6,7	0,0	2,8	5,9	3,6	7,4	3,2	
Tõsisemad tervisehäired - Severe health disorders		2,9	7,8	6,8	5,9	3,8	1,8	13,6	13,5	12,8	4,6	15,0	8,3	15,2	17,3	8,7	
Toimetuleku piirangud - Managing restrictions		17,1	14,3	20,3	19,6	19,4	24,7	19,8	10,5	15,6	32,1	53,3	21,7	18,0	0,0	20,2	
Tervisekäitumine - Health behaviour																	
Tervist hoidev - Health protective		7,7	6,6	4,4	3,7	10,2	7,7	0,0	6,0	7,4	0,0	0,0	3,6	3,4	0,0	4,3	
Tervist kahjustav - Health harming		0,0	6,0	13,0	10,9	4,0	11,7	7,2	0,0	3,5	5,2	0,0	15,4	0,0	0,0	5,3	
Kontrollkese - Locus of control																	
Seemine - Internal		9,1	3,0	3,8	1,4	0,0	1,7	0,8	4,0	0,8	0,8	3,8	4,3	2,7	2,0	2,4	
Väline - External		18,8	22,5	37,3	27,1	36,4	25,4	50,1	43,2	17,5	100,0	40,7	0,0	63,1	54,1	34,8	
Enesehinnanguline tervis - Self-estimated health																	
Väga hea või hea - Very good or good		7,6	2,9	4,5	0,0	0,0	2,2	1,1	0,9	1,8	0,0	2,2	4,0	1,6	3,6	2,2	
Väga halb või halb - Very bad or bad		22,3	22,9	24,7	25,5	35,2	16,9	37,3	29,5	21,7	67,7	24,2	0,0	43,2	100,0	27,4	
Kehamassiindeks - Body Mass Index																	
Alakaal - Underweight		13,4	0,0	61,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	100,0	26,3	23,3	0,0	13,7	
Normkaal - Normal weight		16,0	8,8	10,1	6,8	15,9	10,4	10,3	6,9	7,4	4,3	6,1	4,8	5,1	5,6	7,0	
Ülekaal - Overweight		10,3	11,1	9,8	7,4	1,5	1,6	7,9	3,8	3,2	2,3	3,2	4,6	2,5	3,6	4,4	
Rasvumine - Obesity		0,0	5,2	4,8	10,6	2,8	6,5	3,6	0,0	9,7	0,0	13,6	5,2	0,0	0,0	5,3	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 23.B. Emotsionaalse distressi esinemine viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 23.B. Prevalence of emotional distress during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Olulise distressita - Without distress	74,0	77,5	82,4	85,6	88,7	86,6	92,1	89,8	92,0	96,1	90,2	94,8	91,5	90,8	89,0
Olulise distressiga - With distress	26,0	22,5	17,6	14,4	11,3	13,4	7,9	10,2	8,0	3,9	9,8	5,2	8,5	9,2	11,0
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	190	287	274	344	180	248	236	260	225	201	246	182	207	240	3320
Vastamata - Missing (N)	2	0	0	0	0	0	0	0	0	0	0	0	0	1	3

TABEL 23.1.B. Olulise emotsionaalse distressiga isikute protsent viimasel neljal nädalal rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 23.1.B. Percent of persons who have had emotional distress during the last four weeks in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	25,4	21,8	16,4	17,7	10,0	14,4	10,3	9,1	9,9	5,2	11,8	4,9	7,5	4,0	10,9	
Ida-Virumaa	43,0	42,7	30,1	25,4	11,4	16,5	9,9	14,8	13,1	3,8	5,1	11,4	9,1	14,8	17,0	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	30,0	22,9	12,7	9,9	10,2	5,1	1,7	11,4	5,4	5,1	7,6	5,0	8,2	18,1	10,2	
Järva, Lääne-Viru, Rapla	6,7	9,7	15,7	0,0	23,2	23,3	14,8	5,8	5,4	0,0	13,3	0,0	17,3	4,4	10,0	
Lääne, Saare, Hiiumaa, Pärnumaa	6,5	13,7	17,1	6,0	4,7	13,9	2,5	8,8	7,3	0,0	7,6	5,9	7,9	6,4	7,6	
Asulatüüp - Type of residence																
Linn - Urban	23,4	24,2	19,0	15,3	9,8	11,3	9,0	10,2	10,0	4,5	8,2	5,7	9,6	9,8	11,3	
Maa - Rural	32,2	16,6	12,3	11,2	15,0	20,5	4,6	10,2	2,0	2,1	17,1	2,8	4,7	7,5	10,2	
Rahvus - Ethnicity																
Eestlane - Estonian	18,9	16,2	12,1	8,5	11,9	10,5	4,5	6,0	6,0	4,9	8,9	4,0	7,9	9,6	8,7	
Mitte-eestlane - Non-Estonian	38,8	35,9	28,3	23,4	9,7	18,3	12,8	16,0	12,4	1,4	11,6	7,5	9,4	8,2	15,5	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	20,1	16,8	11,5	8,9	12,2	11,3	6,4	5,8	7,7	4,9	8,9	4,1	7,2	8,9	9,0	
Immigrantrahvastik - Not native-born	38,5	36,2	31,6	23,9	7,8	17,3	10,5	17,0	8,9	1,4	11,7	7,9	11,0	9,7	15,6	
Kooselu - Cohabiting																
Kooselus - Cohabiting	0,0	17,1	8,1	10,1	8,2	12,1	9,0	10,0	7,1	1,4	8,9	5,7	5,2	9,7	7,8	
Ei ole kooselus - Not cohabiting	28,9	24,0	22,0	17,4	14,8	15,4	6,1	10,5	11,1	10,3	13,1	3,7	13,3	9,1	14,8	
Haridus - Education																
Põhi või madalam - Lower secondary or less	30,2	26,7	19,5	17,6	13,3	22,6	9,8	18,6	11,2	0,0	13,9	20,6	33,3	10,6	18,3	
Kesk - Upper secondary	22,2	17,5	14,6	14,1	15,2	16,8	8,1	12,1	10,9	1,9	12,2	5,0	7,6	6,9	11,0	
Kõrg - University	15,3	19,3	20,5	11,0	3,6	6,8	7,3	7,9	5,5	6,2	6,5	2,4	4,0	0,0	7,1	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	10,7	9,0	5,4	7,9	7,3	7,7	6,6	4,4	9,0	4,2	6,6	6,1	6,7	
Mitteaktiivne - Non-active	26,1	22,9	17,9	15,4	14,2	23,2	11,6	35,4	20,3	1,9	12,7	7,4	11,2	9,7	15,9	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	30,0	23,7	18,7	22,6	22,2	13,5	12,9	17,0	9,2	2,3	12,5	16,9	9,2	10,9	17,2	
Üle suhtelise vaesuse piiri - Above the risk of poverty	17,1	20,9	14,8	8,9	7,5	13,3	5,4	8,0	6,1	4,6	8,4	2,9	9,0	8,1	8,5	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	12,4	0,0	0,0	0,0	0,0	8,8	3,8	0,8	6,4	1,8	8,7	9,2	5,3	
Tervisehäired - Less severe health disorders	0,0	7,1	4,0	6,3	2,6	5,8	3,0	6,0	6,0	5,9	10,7	6,5	6,9	7,9	5,8	
Tõsisemad tervisehäired - Severe health disorders	15,5	14,3	16,5	11,5	12,5	18,3	14,5	14,6	4,5	4,9	24,6	21,1	26,5	17,2	14,1	
Toimetuleku piirangud - Managing restrictions	31,6	29,8	25,1	25,0	30,9	28,6	17,2	22,5	36,8	21,3	36,3	15,6	6,5	9,6	26,4	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	21,6	20,0	18,0	9,0	10,2	10,9	0,0	14,3	7,8	5,1	2,7	4,1	1,4	14,8	8,0	
Tervist kahjustav - Health harming	23,8	18,0	5,0	7,3	0,0	16,9	16,4	6,4	0,0	0,0	11,8	2,9	8,0	0,0	8,9	
Kontrollkese - Locus of control																
Seesmine - Internal	11,6	7,1	15,7	7,5	1,7	2,9	4,6	5,1	6,3	1,0	3,5	3,2	4,3	4,4	4,6	
Väline - External	43,9	47,7	40,4	40,8	57,3	49,4	10,7	37,5	21,5	17,1	38,8	0,0	27,1	17,6	38,3	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	0,0	0,0	0,0	0,0	5,7	2,6	3,4	2,3	2,6	7,5	0,5	7,1	7,8	4,3	
Väga halb või halb - Very bad or bad	39,5	34,7	32,0	27,6	23,9	36,9	20,1	41,2	35,7	17,4	91,3	26,4	57,0	0,0	32,5	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	66,6	28,7	0,0	14,6	0,0	0,0	0,0	0,0	7,8	0,0	0,0	9,0	19,0	12,9	11,9	
Normkaal - Normal weight	33,6	19,6	19,3	15,4	8,5	11,6	5,9	8,2	9,6	6,1	7,7	4,8	5,8	8,4	9,3	
Ülekaal - Overweight	14,2	24,9	15,8	11,5	13,6	13,6	4,5	10,3	3,6	1,4	18,7	7,7	0,0	12,0	11,3	
Rasvumine - Obesity	19,9	20,3	19,3	16,8	12,0	14,5	14,8	14,4	9,2	0,0	16,3	0,0	38,8	0,0	14,7	
Vanus - Age																
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
															Total	

	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
	Vanus - Age														Total

TABEL 24.B. Depressiooni esinemine viimasel kahel nädalal (%) sünnipõlvkonna järgi, naised
TABLE 24.B. Prevalence of depression during the last two weeks (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Olulise depressioonita - Without depression	80,4	84,1	92,0	88,8	90,6	88,5	93,2	91,7	93,8	95,2	93,6	93,6	95,9	95,6	91,9
	Olulise depressiooniga - With depression	19,6	15,9	8,0	11,2	9,4	11,5	6,8	8,3	6,2	4,8	6,4	6,4	4,1	4,4	8,1
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
	Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 24.1.B. Olulise depressiooniga isikute protsent viimasel kahel nädalal rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 24.1.B. Percent of persons who have had depression during the last two weeks in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	19,5	16,3	10,2	10,2	4,9	9,9	7,3	5,2	6,6	5,2	5,5	9,9	4,9	7,1	8,1	
Ida-Virumaa	33,3	32,3	14,7	21,9	9,9	15,6	11,7	13,9	13,1	7,7	5,0	8,0	3,0	7,4	13,5	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	17,9	8,2	5,5	7,1	13,0	7,7	4,9	9,7	4,7	4,7	3,4	3,0	5,4	3,3	6,7	
Järva, Lääne-Viru, Rapla	0,0	19,8	0,0	4,1	8,6	21,3	9,5	10,1	8,6	6,7	13,3	0,0	0,0	0,0	7,8	
Lääne, Saare, Hiiumaa, Pärnumaa	21,2	9,2	6,5	11,3	11,7	10,6	0,0	7,6	0,0	0,0	8,4	5,9	0,0	0,0	5,6	
Asulatüüp - Type of residence																
Linn - Urban	19,7	19,0	8,7	13,2	10,1	12,1	7,8	9,8	6,8	5,3	4,5	7,0	4,0	4,7	8,7	
Maa - Rural	19,3	5,3	5,5	4,6	7,7	9,7	3,8	3,3	4,1	3,5	14,9	3,7	4,7	3,6	6,1	
Rahvus - Ethnicity																
Eestlane - Estonian	16,3	10,3	2,8	7,5	7,6	8,9	4,5	7,4	4,1	5,6	5,8	3,2	4,7	3,7	6,1	
Mitte-eestlane - Non-Estonian	25,4	27,9	18,4	16,9	14,8	15,9	10,0	9,6	10,5	2,7	7,6	12,7	3,3	5,7	11,8	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	17,0	11,0	3,0	7,8	7,6	8,5	6,4	7,5	5,1	5,6	5,5	5,4	4,3	3,5	6,5	
Immigrantrahvastik - Not native-born	25,0	27,6	19,5	17,1	16,2	17,2	7,5	9,5	8,9	2,7	8,3	9,1	3,8	6,8	11,6	
Kooselu - Cohabiting																
Kooselus - Cohabiting	3,9	16,8	7,0	8,9	10,8	8,7	6,7	8,4	5,4	3,6	6,6	6,2	1,4	6,8	6,6	
Ei ole kooselus - Not cohabiting	21,3	15,6	8,4	12,8	7,7	16,0	6,9	8,2	8,6	7,9	5,6	6,8	8,1	4,0	9,8	
Haridus - Education																
Põhi või madalam - Lower secondary or less	21,1	17,5	8,1	11,6	17,8	26,5	13,1	9,5	0,0	0,0	22,4	8,4	7,1	4,0	11,6	
Kesk - Upper secondary	18,0	14,2	8,1	11,1	8,1	11,3	7,5	10,8	8,4	5,9	8,9	6,0	6,1	5,1	8,6	
Kõrg - University	15,9	14,4	7,7	10,8	5,9	8,0	4,5	6,0	4,7	4,2	1,2	6,3	0,8	0,0	5,5	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	0,0	8,9	5,8	5,5	3,8	5,3	5,0	4,9	5,7	5,5	2,4	3,9	4,9	
Mitteaktiivne - Non-active	19,7	16,2	8,3	11,6	11,1	22,1	23,7	39,1	16,2	4,5	8,8	8,5	6,6	4,5	11,8	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	22,8	17,0	7,1	14,9	10,9	21,4	15,0	12,2	4,9	5,5	10,9	4,6	6,8	5,1	12,2	
Üle suhtelise vaesuse piiri - Above the risk of poverty	16,2	15,5	7,9	8,5	9,1	8,7	5,0	5,9	6,5	4,1	5,0	6,4	3,2	3,8	6,5	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,7	2,3	1,0	2,8	2,3	4,2	5,7	3,0	
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	5,2	7,7	1,8	2,4	1,4	2,4	8,9	7,5	10,7	3,7	3,0	4,1	
Tõsisemad tervisehäired - Severe health disorders	11,0	9,6	1,6	6,9	11,0	16,7	12,0	13,2	7,6	8,8	20,5	19,8	0,0	0,0	10,3	
Toimetuleku piirangud - Managing restrictions	23,9	22,2	16,0	21,1	13,2	30,6	15,8	35,7	33,8	7,5	35,9	15,6	6,5	0,0	21,2	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	18,7	20,4	3,4	11,6	8,1	11,3	1,3	12,0	6,6	2,7	0,0	10,3	0,0	0,0	6,9	
Tervist kahjustav - Health harming	13,6	18,9	0,0	0,0	0,0	21,6	14,3	9,9	0,0	0,0	6,6	7,0	8,2	0,0	8,4	
Kontrollkese - Locus of control																
Seesmine - Internal	11,6	5,2	3,3	5,2	3,1	5,0	1,6	8,2	4,5	3,9	1,4	5,2	1,6	2,6	3,9	
Väline - External	29,1	33,6	18,3	33,9	17,0	38,8	9,2	21,1	24,9	17,1	16,1	47,1	0,0	24,4	25,5	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	7,1	0,0	0,0	2,5	8,5	0,0	1,6	1,6	2,3	4,3	3,6	1,6	2,7	3,2	2,7	
Väga halb või halb - Very bad or bad	29,4	24,6	18,4	27,4	19,5	34,5	18,5	47,4	35,9	0,0	63,5	26,4	0,0	0,0	25,8	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	52,4	28,7	0,0	14,6	0,0	0,0	0,0	0,0	7,8	0,0	8,1	9,0	0,0	9,2	6,7	
Normkaal - Normal weight	20,5	15,6	12,1	11,7	13,5	13,1	7,4	6,6	7,0	7,1	3,1	6,6	4,4	2,9	7,2	
Ülekaal - Overweight	14,2	18,8	5,6	9,8	9,7	8,1	4,8	10,2	5,7	0,0	16,8	7,7	0,0	10,7	8,7	
Rasvumine - Obesity	20,7	11,2	8,3	12,2	6,1	13,2	8,4	9,4	3,6	5,9	11,0	0,0	23,8	0,0	9,8	
Vanus - Age																
80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total		

TABEL 26.A. Esmastrauma tekke ajastus (kumulatiivne %) sünnipõlvkonna järgi, mehed
TABLE 26.A. Timing of occurrence of first trauma (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
15	1,9	1,5	2,6	3,5	5,1	4,5	3,9	3,8	7,0	6,3	7,1	7,8	9,4	12,1	6,4
20	8,9	4,1	4,1	5,2	9,5	8,8	7,8	7,2	11,8	10,3	10,6	13,6	21,5	23,4	12,0
25	14,7	6,4	7,5	7,3	10,7	12,3	12,4	11,1	16,4	13,7	15,7	19,3	28,0	-	15,7
30	15,6	8,0	11,5	11,5	12,2	15,4	16,5	16,2	20,7	18,4	20,2	24,8	-	-	19,0
35	17,0	11,0	14,4	14,3	14,9	18,5	20,8	20,3	24,7	24,1	27,0	-	-	-	21,9
40	18,4	13,3	17,4	18,0	16,1	20,2	25,4	22,4	28,5	27,7	-	-	-	-	23,7
45	19,9	16,4	18,3	20,6	18,2	22,8	27,0	25,4	33,2	-	-	-	-	-	25,1
50	19,9	19,5	19,0	22,8	21,7	22,8	33,3	30,6	-	-	-	-	-	-	26,5
55	21,4	21,0	21,8	25,1	23,1	29,9	39,4	-	-	-	-	-	-	-	27,9
60	24,1	22,8	23,4	27,6	25,5	33,7	-	-	-	-	-	-	-	-	28,6
65	24,9	24,7	23,8	29,6	28,9	-	-	-	-	-	-	-	-	-	28,9
70	25,8	25,4	25,7	31,9	-	-	-	-	-	-	-	-	-	-	29,2
75	25,8	28,2	28,4	-	-	-	-	-	-	-	-	-	-	-	29,4
75+	28,4	29,3	-	-	-	-	-	-	-	-	-	-	-	-	29,4
Kokku - Total (N)	129	339	261	331	145	195	194	203	204	213	189	193	237	274	3107
Vastamata - Missing (N)	0	2	0	1	0	0	0	0	0	0	1	0	0	0	4

TABEL 26.1.A. Esmastrauma tekke mediaanvanus rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 26.1.A. Median age at occurrence of first trauma in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	29	38	34	35	16	43	35	30	23	24	23	19	17	13	20
Ida-Virumaa	35	43	42	34	46	30	23	26	17	20	26	25	12	15	24
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	40	41	33	38	32	31	27	28	34	24	28	16	19	15	25
Järva, Lääne-Viru, Rapla	20	43	28	37	46	34	32	34	19	30	20	10	15	15	28
Lääne, Saare, Hiiu, Pärnumaa	21	52	34	35	44	23	46	29	16	22	13	15	18	15	22
Asulatüüp - Type of residence															
Linn - Urban	22	40	37	33	46	34	35	27	23	24	23	19	17	14	22
Maa - Rural	33	53	30	42	19	25	27	32	28	27	24	16	18	15	24
Rahvus - Ethnicity															
Eestlane - Estonian	23	42	33	35	30	34	30	32	25	25	22	19	18	14	23
Mitte-eestlane - Non-Estonian	22	41	42	40	42	34	35	26	20	20	24	19	16	14	23
Põlisus - Native-born population															
Põlisrahvastik - Native-born	23	42	34	35	30	28	31	32	25	24	23	16	17	15	22
Immigrantrahvastik - Not native-born	22	41	42	42	49	37	35	26	20	25	24	19	16	13	25
Kooselu - Cohabiting															
Kooselus - Cohabiting	22	38	34	34	32	30	35	29	23	24	23	17	16	11	26
Ei ole kooselus - Not cohabiting	29	46	50	42	34	34	23	33	28	28	26	20	17	14	18
Haridus - Education															
Põhi või madalam - Lower secondary or less	33	38	34	39	26	30	20	32	25	32	8	20	17	13	18
Kesk - Upper secondary	20	47	33	37	41	34	31	29	26	25	23	19	17	15	25
Kõrg - University	22	42	35	33	10	31	36	27	18	24	27	16	13	12	23
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	49	38	49	29	32	37	35	29	23	24	23	19	17	15	22
Mitteaktiivne - Non-active	22	42	34	40	36	30	26	27	31	32	25	27	14	13	25
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	35	41	50	42	26	34	23	29	31	32	19	20	16	10	28
Üle suhtelise vaesuse piiri - Above the risk of poverty	22	42	29	35	42	31	36	29	23	24	24	16	17	15	23
Tervise seisund - Health status															
Terve - No health disorders	-	71	52	47	39	34	21	32	19	24	23	20	16	14	18
Tervisehäired - Less severe health disorders	20	43	31	34	32	30	35	29	26	28	24	18	17	14	23
Tõsisemad tervisehäired - Severe health disorders	36	41	28	41	26	43	31	29	23	25	23	26	18	13	26
Toimetuleku piirangud - Managing restrictions	23	40	36	38	41	30	31	28	31	20	25	16	-	-	31
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	20	45	31	57	8	37	32	29	31	18	27	26	13	-	26
Tervist kahjustav - Health harming	20	48	37	50	32	50	31	25	28	29	17	12	19	14	23
Kontrollkese - Locus of control															
Seesmine - Internal	44	48	35	35	19	28	35	32	23	28	23	20	16	14	21
Väline - External	40	38	52	31	27	28	36	21	20	35	8	-	-	-	30
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	24	42	36	22	34	34	32	32	19	25	22	16	16	15	18
Väga halb või halb - Very bad or bad	33	41	32	46	27	28	31	40	20	32	30	-	19	13	32
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	8	62	-	25	-	-	-	30	-	10	6	-	17	12	13
Normkaal - Normal weight	40	38	36	39	27	25	35	34	23	29	24	20	17	14	20
Ülekaal - Overweight	22	45	25	34	32	41	28	28	28	24	24	19	15	15	26
Rasvumine - Obesity	18	31	34	33	46	34	35	29	19	20	19	15	16	-	27
80+ 75-79 70-74 65-69 60-64 55-59 50-54 45-49 40-44 35-39 30-34 25-29 20-24 15-19 Kokku Vanus - Age Total															

TABEL 26.B. Esmatrauma tekke ajastus (kumulatiivne %) sünnipõlvkonna järgi, naised
TABLE 26.B. Timing of occurrence of first trauma (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
15	1,0	1,1	3,0	2,0	1,9	2,3	2,9	2,5	4,7	4,5	4,5	5,5	6,6	8,5	3,9
20	2,6	1,8	5,2	2,7	2,5	4,6	5,8	3,1	5,3	4,9	5,7	8,0	11,6	11,9	5,7
25	4,1	2,8	5,8	3,0	3,9	7,4	6,6	4,4	6,9	6,3	7,9	11,3	12,3	-	7,1
30	4,5	3,3	6,5	3,9	4,4	8,5	8,4	5,8	7,7	9,0	9,6	14,0	-	-	8,2
35	5,4	5,5	7,0	5,2	8,6	11,5	10,3	7,3	9,6	9,9	11,3	-	-	-	9,6
40	6,0	7,2	7,7	8,5	9,8	13,8	12,9	10,7	11,9	15,4	-	-	-	-	11,3
45	6,6	9,0	9,7	11,3	12,7	15,7	15,8	12,8	16,2	-	-	-	-	-	12,9
50	7,2	12,4	12,8	15,5	16,7	16,7	19,3	15,9	-	-	-	-	-	-	14,4
55	7,8	17,7	15,8	19,8	20,7	19,7	21,8	-	-	-	-	-	-	-	15,9
60	9,0	20,7	16,7	22,9	27,4	24,8	-	-	-	-	-	-	-	-	17,2
65	11,1	22,1	20,2	27,8	29,7	-	-	-	-	-	-	-	-	-	18,1
70	14,3	24,3	26,3	31,6	-	-	-	-	-	-	-	-	-	-	19,0
75	17,7	27,5	30,2	-	-	-	-	-	-	-	-	-	-	-	19,5
75+	26,8	32,2	-	-	-	-	-	-	-	-	-	-	-	-	20,1
Kokku - Total (N)	190	287	274	342	180	248	236	260	225	201	246	182	207	241	3319
Vastamata - Missing (N)	2	0	0	2	0	0	0	0	0	0	0	0	0	0	4

TABEL 26.1.B. Esmatrauma tekke mediaanvanus rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 26.1.B. Median age at occurrence of first trauma in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	64	53	49	49	48	34	39	29	24	29	21	16	15	7	33
Ida-Virumaa	66	51	54	54	54	31	33	38	23	17	28	7	17	13	38
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	73	57	68	48	46	38	38	37	33	36	9	18	12	9	38
Järva, Lääne-Viru, Rapla	61	57	64	53	47	24	30	34	20	7	17	14	8	12	35
Lääne, Saare, Hiiu, Pärnumaa	80	50	64	48	45	49	29	36	41	23	18	27	20	12	37
Asulatüüp - Type of residence															
Linn - Urban	68	53	53	50	46	37	37	36	29	28	21	17	14	13	35
Maa - Rural	72	49	65	48	55	37	41	36	36	27	2	16	15	8	37
Rahvus - Ethnicity															
Eestlane - Estonian	72	52	53	51	48	33	36	37	32	29	16	18	12	9	36
Mitte-eestlane - Non-Estonian	51	52	54	49	47	44	38	36	27	23	21	13	15	13	34
Põlisus - Native-born population															
Põlisrahvastik - Native-born	72	52	52	51	48	33	39	37	35	29	16	18	12	9	37
Immigrantrahvastik - Not native-born	48	52	63	49	42	44	32	36	22	23	21	13	17	13	33
Kooselu - Cohabiting															
Kooselus - Cohabiting	61	53	64	51	43	34	36	27	33	29	18	13	12	13	31
Ei ole kooselus - Not cohabiting	69	51	49	50	49	39	38	37	31	27	22	23	15	9	39
Haridus - Education															
Põhi või madalam - Lower secondary or less	70	52	64	53	51	38	39	29	20	30	21	17	13	8	42
Kesk - Upper secondary	66	53	49	46	47	44	39	36	35	23	16	12	15	17	36
Kõrg - University	66	55	52	56	43	33	31	41	24	29	21	22	11	-	33
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	67	66	48	52	34	38	36	32	29	16	17	12	18	9	30
Mitteaktiivne - Non-active	69	52	52	50	46	38	36	38	19	9	21	13	17	9	43
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	70	54	48	50	36	43	26	43	35	28	10	12	17	14	42
Üle suhtelise vaesuse piiri - Above the risk of poverty	66	51	60	52	48	33	37	34	24	29	21	20	14	9	33
Tervise seisund - Health status															
Terve - No health disorders	-	57	29	8	53	56	11	27	33	24	18	15	13	9	17
Tervisehäired - Less severe health disorders	51	58	62	52	53	33	30	34	22	35	22	20	15	10	29
Tõsisemad tervisehäired - Severe health disorders	59	51	54	53	36	34	31	32	36	35	21	23	20	7	36
Toimetuleku piirangud - Managing restrictions	70	51	51	48	47	41	41	41	13	9	32	18	14	13	46
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	71	67	64	53	42	29	44	27	24	15	10	24	16	-	35
Tervist kahjustav - Health harming	76	53	48	64	32	33	37	45	33	-	16	16	19	15	33
Kontrollkese - Locus of control															
Seesmine - Internal	61	58	60	54	49	33	30	29	24	24	21	23	15	10	29
Väline - External	73	52	66	55	32	53	23	37	28	25	6	-	-	15	49
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	69	57	48	53	55	37	30	36	24	27	18	20	14	9	21
Väga halb või halb - Very bad or bad	70	52	54	45	46	44	32	43	13	28	32	6	14	16	46
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	70	-	51	43	-	-	-	-	35	30	-	12	14	13	16
Normkaal - Normal weight	69	53	64	57	55	35	37	33	21	28	21	17	14	10	27
Ülekaal - Overweight	76	54	54	53	46	39	29	41	33	37	16	23	16	7	41
Rasumine - Obesity	56	50	48	46	49	37	41	37	40	12	28	23	19	15	41
Vanus - Age															Kokku Total
80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 27.B. Traumade jaotumine põhjuse ti (%) sünnipõlvkonna järgi, naised
TABLE 27.B. The distribution of traumas by causes (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Liiklusõnnetus - Traffic accident	24,1	17,0	8,9	16,4	18,9	12,3	21,9	19,4	24,3	15,9	9,7	7,6	16,0	8,8	16,0
	Tööõnnetus - Accident at work	39,0	47,7	36,9	50,9	46,8	34,0	41,7	21,3	26,8	16,3	14,1	16,2	6,7	4,6	30,0
	Sportõnnetus - Accident related to sports	4,1	1,8	12,3	3,0	6,2	14,9	5,9	15,4	13,2	15,0	12,9	17,8	23,6	21,4	11,9
	Tahtlik vägivald - Intended violence	0,0	1,2	4,3	2,8	0,0	4,8	3,0	4,3	1,7	0,0	5,4	3,5	2,4	0,0	2,5
	Sõjaga / sõjaväestatud tegevusega seotud trauma - Accident related to war or military service	3,9	1,8	2,2	1,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5
	Vabaaja tegevusega seotud trauma - Accident during a leisure time activity	28,9	30,5	35,4	25,8	28,1	34,0	27,5	39,6	34,0	52,8	57,9	54,9	51,3	65,2	39,1
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	29	63	49	74	46	48	46	44	41	35	27	26	33	32	593

TABEL 27.1.B. Vähemalt üht vabaaja tegevusega seotud traumad omanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 27.1.B. Percent of persons who have had at least one accident during a leisure time activity in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	4,4	7,6	13,2	5,2	12,4	9,0	4,4	11,3	9,5	8,1	4,1	9,9	6,6	7,0	8,0
Ida-Virumaa	2,9	8,5	2,0	10,5	3,3	5,2	3,6	3,7	13,1	3,8	7,5	10,2	12,1	9,9	6,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	3,4	4,0	1,1	4,5	7,9	7,0	7,4	5,0	4,3	8,6	3,3	6,5	9,0	11,3	6,3
Järva, Lääne-Viru, Rapla	10,8	9,7	23,0	4,1	2,4	10,4	0,0	5,8	0,0	18,8	8,8	5,4	4,8	0,0	6,8
Lääne, Saare, Hiiumaa, Pärnumaa	11,3	10,6	0,0	8,5	8,1	11,4	10,4	7,4	4,8	7,1	11,6	5,7	5,7	10,3	8,2
Asulatüüp - Type of residence															
Linn - Urban	4,2	8,1	9,2	4,5	9,3	9,7	5,9	8,2	7,5	11,1	6,7	6,6	8,4	9,5	7,9
Maa - Rural	7,2	5,4	4,9	12,6	4,8	4,4	3,3	6,0	2,4	2,1	1,8	15,1	5,2	4,9	5,5
Rahvus - Ethnicity															
Eestlane - Estonian	6,3	6,6	10,3	5,8	7,0	9,0	5,7	5,6	6,5	9,0	6,7	8,4	7,3	8,4	7,4
Mitte-eestlane - Non-Estonian	2,7	9,3	4,2	7,2	11,0	7,7	4,6	10,6	5,8	8,1	4,1	7,9	8,2	7,8	7,2
Põlisus - Native-born population															
Põlisrahvastik - Native-born	6,0	6,0	10,2	6,1	6,6	9,9	5,9	6,4	5,3	9,1	6,9	7,6	8,2	7,8	7,3
Immigrantrahvastik - Not native-born	3,0	11,0	3,8	6,8	13,1	5,8	4,2	9,5	8,9	8,0	3,6	9,9	6,8	9,3	7,3
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	4,3	6,9	4,0	4,6	8,6	6,8	5,7	6,8	6,7	6,7	9,4	4,6	12,6	6,6
Ei ole kooselus - Not cohabiting	5,6	8,3	8,9	8,0	11,9	8,3	2,4	11,7	4,7	14,0	2,9	5,3	12,1	7,6	8,1
Haridus - Education															
Põhi või madalam - Lower secondary or less	6,5	7,6	3,9	6,1	12,5	3,6	11,3	0,0	10,1	0,0	8,6	4,0	22,4	10,5	8,3
Kesk - Upper secondary	2,4	3,1	11,1	7,5	6,4	5,9	2,2	8,9	6,7	7,0	5,2	11,0	9,5	4,4	6,8
Kõrg - University	5,7	12,3	9,3	5,1	7,6	13,0	7,2	7,0	5,7	11,4	6,2	7,1	1,9	0,0	7,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	15,4	6,3	5,6	12,0	7,9	4,9	8,1	6,0	8,9	5,7	6,6	6,2	2,7	6,9
Mitteaktiivne - Non-active	5,1	7,3	8,4	6,5	6,0	9,5	6,9	3,0	8,9	8,2	6,3	12,0	9,8	9,1	7,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	4,2	9,8	8,6	10,4	13,3	7,1	1,9	3,1	9,6	11,4	17,8	9,2	11,8	7,4	8,8
Üle suhtelise vaesuse piiri - Above the risk of poverty	5,6	6,1	8,6	4,1	6,2	8,6	6,8	9,4	5,6	9,0	3,6	9,0	7,3	8,6	7,2
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	0,0	13,0	7,5	8,8	8,4	4,8	5,6	5,5	5,2	5,5	5,3	5,6
Tervisehäired - Less severe health disorders	0,0	9,4	14,7	9,3	6,5	8,4	2,1	6,9	6,2	8,9	8,5	13,6	7,7	11,4	7,9
Tõsisemad tervisehäired - Severe health disorders	8,2	5,1	7,1	3,7	8,7	7,2	8,6	9,8	6,7	19,6	0,0	12,2	30,1	25,4	8,5
Toimetuleku piirangud - Managing restrictions	5,1	8,4	6,1	6,8	8,5	10,5	7,1	6,2	11,9	11,1	0,0	14,1	19,6	8,4	7,9
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	5,5	7,3	12,7	4,5	5,0	10,1	3,9	6,9	4,8	11,1	5,5	7,1	0,0	0,0	6,1
Tervist kahjustav - Health harming	0,0	3,1	10,5	7,3	0,0	7,0	10,7	11,3	4,8	0,0	0,0	29,1	8,0	0,0	8,5
Kontrollikese - Locus of control															
Seesmine - Internal	14,5	4,2	3,2	3,8	5,5	6,2	5,1	9,0	7,9	7,9	5,9	7,8	5,6	6,3	6,5
Väline - External	4,6	9,0	12,9	14,6	7,2	0,0	4,9	6,1	0,0	0,0	0,0	0,0	0,0	0,0	6,3
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	6,8	0,0	8,3	8,8	4,8	8,5	4,1	9,1	4,8	6,5	5,0	7,8	5,3	8,1	6,5
Väga halb või halb - Very bad or bad	3,3	9,6	8,9	5,7	2,2	3,2	8,5	16,9	13,7	31,4	0,0	26,4	43,0	49,6	8,2
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	8,5	0,0	0,0	8,8	4,5	8,3	4,8
Normaal - Normal weight	5,3	9,4	5,3	10,0	8,4	10,8	3,1	8,8	7,3	7,6	5,6	6,5	9,9	8,1	7,6
Ülekaal - Overweight	5,1	5,7	10,0	6,2	8,6	9,1	5,2	6,4	6,4	8,5	11,5	12,5	0,0	11,1	7,5
Rasvumine - Obesity	6,1	8,5	8,7	3,9	5,6	6,4	8,3	7,4	2,0	19,9	2,8	16,6	0,0	0,0	7,0
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 28.A. Vähemalt ühe toimetulekupiirangu esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 28.A. Prevalence of at least one limitation in performing usual activities (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Piiranguta - Without limitations	40,1	50,7	65,9	72,9	71,0	82,5	87,2	91,3	89,7	95,2	94,1	94,6	98,1	99,2	87,6
Esinevad toimetulekupiirangud - Has limitations	59,9	49,3	34,1	27,1	29,0	17,5	12,8	8,7	10,3	4,8	5,9	5,4	1,9	0,8	12,4
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TABEL 28.1.A. Vähemalt ühe toimetulekupiiranguga isikute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 28.1.A. Percent of persons who have at least one limitation in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	59,5	45,5	27,4	20,6	31,2	19,7	6,0	5,0	4,0	5,7	1,5	5,5	1,4	2,2	10,0
Ida-Virumaa	71,8	57,9	34,4	34,5	34,2	16,4	19,2	14,0	2,9	12,6	5,3	2,9	4,2	0,0	13,8
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	60,4	52,4	32,3	37,2	31,8	18,9	17,1	11,0	23,2	1,5	9,3	8,0	2,4	0,0	15,2
Järva, Lääne-Viru, Rapla	35,5	38,4	41,9	26,3	22,0	11,2	13,0	9,0	19,8	3,7	21,7	0,0	0,0	0,0	13,2
Lääne, Saare, Hiiu, Pärnumaa	65,5	51,8	43,3	18,4	18,2	16,1	14,1	9,2	4,0	0,0	6,7	7,6	0,0	0,0	12,1
Asulatüüp - Type of residence															
Linn - Urban	59,2	50,9	34,3	25,6	29,8	16,5	12,1	9,2	8,4	2,6	4,6	3,9	2,4	1,1	11,8
Maa - Rural	61,7	43,0	33,4	31,9	26,8	19,8	15,1	7,5	14,2	9,6	10,0	11,9	0,0	0,0	14,2
Rahvus - Ethnicity															
Eestlane - Estonian	56,6	46,7	33,5	26,6	28,2	16,9	11,5	8,9	13,2	2,9	7,0	6,8	1,4	0,0	12,4
Mitte-eestlane - Non-Estonian	69,7	54,8	35,5	27,9	30,6	18,3	14,6	8,3	4,1	8,9	4,1	3,0	2,7	2,8	12,4
Põlisus - Native-born population															
Põlisrahvastik - Native-born	57,0	46,9	33,6	25,8	28,2	15,8	10,6	8,4	12,7	3,5	7,2	6,9	1,8	0,0	12,0
Immigrantrahvastik - Not native-born	69,7	54,4	35,2	29,3	31,1	20,2	16,3	9,2	4,5	8,1	3,3	2,4	2,3	3,8	13,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	55,9	47,0	36,3	23,7	27,7	15,8	12,5	5,5	8,4	2,8	3,7	4,4	1,6	0,0	12,9
Ei ole kooselus - Not cohabiting	67,0	55,0	24,3	40,6	35,7	26,5	14,4	22,2	18,7	12,5	12,3	7,3	2,1	0,9	11,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	66,6	53,6	42,7	34,2	34,6	24,7	20,7	33,9	8,0	30,5	31,4	8,2	2,9	1,2	18,9
Kesk - Upper secondary	46,4	48,3	34,7	26,3	36,6	22,5	13,6	8,2	12,3	2,1	5,5	4,3	1,4	0,0	11,6
Kõrg - University	59,5	43,9	22,1	23,6	10,2	9,1	8,7	4,9	6,4	7,2	0,0	6,3	2,6	0,0	9,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	46,2	29,9	15,6	9,5	12,6	10,0	5,9	6,4	6,4	3,0	2,0	3,9	1,1	0,0	4,9
Mitteaktiivne - Non-active	60,6	50,3	36,6	32,6	42,4	35,6	41,6	25,5	49,4	33,4	51,4	28,2	4,8	1,0	27,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	72,4	51,5	38,0	38,5	37,9	25,0	37,1	15,1	28,3	9,1	35,6	35,0	0,0	0,0	24,9
Üle suhtelise vaesuse piiri - Above the risk of poverty	56,1	48,2	33,7	24,1	27,3	15,0	7,3	5,8	7,8	2,4	3,6	3,6	2,0	0,6	10,4
Tervises seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Tõsisemad tervisehäired - Severe health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Toimetuleku piirangud - Managing restrictions	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	43,3	50,4	11,8	18,1	10,2	11,9	0,0	9,4	10,2	0,0	0,0	0,0	0,0	0,0	7,6
Tervist kahjustav - Health harming	71,1	54,5	44,9	16,3	31,5	23,8	12,7	9,6	12,9	0,0	0,0	9,5	0,0	0,0	14,2
Kontrollkese - Locus of control															
Seesmine - Internal	53,4	32,4	22,3	18,2	13,9	9,9	5,8	6,2	6,4	1,9	3,3	4,1	1,9	0,9	6,4
Väline - External	85,0	79,7	73,8	65,9	67,3	48,0	33,7	53,3	21,4	100,0	29,6	0,0	0,0	0,0	52,6
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	28,7	13,7	12,5	5,3	13,3	6,6	2,8	5,4	4,7	3,3	2,9	4,5	0,4	0,6	3,4
Väga halb või halb - Very bad or bad	93,4	76,9	69,3	70,8	87,9	49,9	46,7	54,5	56,9	85,3	46,5	38,8	22,0	0,0	63,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	72,3	37,3	24,6	100,0	0,0	0,0	100,0	36,6	0,0	0,0	100,0	0,0	0,0	6,6	15,7
Normkaal - Normal weight	50,8	48,7	32,0	29,5	30,1	19,2	11,8	10,8	12,9	5,6	6,2	4,7	2,3	0,6	10,8
Ülekaal - Overweight	60,8	48,7	34,9	23,3	21,4	15,0	12,3	6,3	5,4	3,8	3,9	2,1	0,0	0,0	11,4
Rasvumine - Obesity	86,3	54,3	37,3	29,9	39,4	19,4	13,8	6,2	15,8	6,2	9,0	14,4	7,0	0,0	18,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 28.B. Vähemalt ühe toimetulekupiirangu esinemine (%) sünnipõlvkonna järgi, naised
TABLE 28.B. Prevalence of at least one limitation in performing usual activities (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														Kokku	
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Piiranguta - Without limitations	24,8	39,3	52,6	64,3	79,6	78,8	83,0	87,3	90,1	95,1	97,2	97,2	93,3	96,4	80,7	
	Esinevad toimetulekupiirangud - Has limitations	75,2	60,7	47,4	35,7	20,4	21,2	17,0	12,7	9,9	4,9	2,8	2,8	6,7	3,6	19,3	
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 28.1.B. Vähemalt ühe toimetulekupiiranguga isikute protsent rahvastikurühmades sünnipõlvkonna järgi, naised																	
TABLE 28.1.B. Percent of persons who have at least one limitation in background categories by birth cohort, females																	
Piirkond - Region																	
	Harjumaa	72,8	65,4	39,3	35,1	19,9	19,4	15,7	7,8	9,9	5,2	2,7	0,0	4,9	4,1	17,2	
	Ida-Virumaa	94,2	61,9	61,5	43,5	16,6	31,0	21,5	16,7	16,4	11,5	5,1	6,8	12,1	4,9	26,5	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	68,3	55,4	49,7	41,4	26,9	21,8	16,5	17,6	10,2	4,4	5,0	4,8	8,4	1,9	20,5	
	Järva, Lääne-Viru, Rapla	77,2	56,9	44,5	15,8	17,9	18,9	23,4	9,7	11,8	4,6	0,0	0,0	11,5	0,0	16,6	
	Lääne, Saare, Hiiumaa, Pärnumaa	79,1	59,5	52,9	31,1	12,5	17,4	11,0	16,9	3,2	0,0	0,0	11,8	0,0	6,4	17,9	
Asulatüüp - Type of residence																	
	Linn - Urban	76,2	63,0	47,0	36,6	20,1	21,4	18,6	14,9	9,7	4,5	2,5	2,1	7,2	1,9	19,4	
	Maa - Rural	72,9	52,7	48,8	32,8	21,0	20,6	12,1	5,5	10,5	5,9	4,3	6,0	5,1	8,0	18,7	
Rahvus - Ethnicity																	
	Eestlane - Estonian	67,7	58,3	44,8	32,4	18,1	16,5	14,8	11,0	5,5	4,3	3,3	1,5	7,8	3,9	17,2	
	Mitte-eestlane - Non-Estonian	88,8	65,6	52,6	40,7	27,3	29,1	20,1	15,1	19,6	6,6	1,7	5,5	5,1	3,0	23,0	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	68,1	59,1	44,3	32,1	19,5	16,7	16,6	11,0	8,0	4,3	3,6	1,4	8,3	3,6	17,6	
	Immigrantrahvastik - Not native-born	90,1	64,5	54,5	42,0	23,7	29,8	17,6	15,4	15,1	6,5	0,9	6,8	3,8	3,6	22,8	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	45,5	48,0	37,0	32,5	23,4	20,3	16,7	10,4	9,1	3,2	1,9	2,6	4,3	10,0	12,8	
	Ei ole kooselus - Not cohabiting	78,6	64,2	52,2	37,9	16,9	22,7	17,5	17,6	12,6	9,3	5,9	3,4	10,1	2,7	26,8	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	79,0	62,8	52,4	41,9	31,7	44,2	19,6	40,8	38,6	0,0	20,5	19,8	11,3	3,7	34,8	
	Kesk - Upper secondary	72,6	58,8	48,1	34,5	18,8	21,7	20,7	12,0	13,6	4,5	1,9	1,1	5,7	3,5	17,8	
	Kõrg - University	62,9	58,2	38,6	30,2	15,5	14,7	12,2	11,7	5,3	5,7	1,2	0,8	7,0	0,0	12,4	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	0,0	0,0	37,1	26,5	6,7	10,7	11,3	9,0	8,7	3,1	1,7	1,8	8,2	2,7	7,4	
	Mitteaktiivne - Non-active	75,7	61,7	47,8	37,4	27,0	39,8	48,9	50,1	20,9	12,6	6,4	5,3	4,7	3,8	32,7	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	77,5	68,3	49,6	36,3	32,1	39,0	36,0	17,7	16,5	13,3	8,6	11,2	5,3	0,0	35,2	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	70,7	53,6	44,3	34,4	15,9	16,0	11,9	10,5	8,3	3,5	2,1	2,3	7,4	3,1	14,3	
Tervise seisund - Health status																	
	Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
	Tervisehäired - Less severe health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
	Tõsisemad tervisehäired - Severe health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
	Toimetuleku piirangud - Managing restrictions	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	75,9	59,5	24,6	33,0	23,4	23,9	6,8	20,9	13,5	5,9	0,0	1,7	9,0	0,0	17,9	
	Tervist kahjustav - Health harming	62,6	71,3	54,3	33,8	30,9	8,6	13,5	13,7	5,9	0,0	4,5	0,0	5,4	0,0	17,0	
Kontrollkese - Locus of control																	
	Seesmine - Internal	48,6	52,4	34,7	24,6	14,0	10,6	6,4	9,7	9,5	4,0	0,0	2,0	3,2	2,9	9,1	
	Väline - External	90,5	81,9	64,8	61,4	51,4	41,3	36,4	21,1	21,5	17,1	0,0	0,0	20,4	0,0	55,1	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	30,2	23,9	6,6	13,9	3,1	6,0	4,3	3,8	1,6	0,7	0,7	1,1	5,0	3,9	3,5	
	Väga halb või halb - Very bad or bad	92,5	81,2	70,6	68,3	55,8	54,1	63,6	62,4	60,6	58,3	58,3	26,4	43,0	0,0	70,0	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	80,7	80,7	62,7	78,2	0,0	0,0	0,0	0,0	7,8	0,0	8,1	0,0	3,9	0,0	8,5	
	Normkaal - Normal weight	77,4	48,5	40,1	34,9	15,8	20,3	7,2	5,8	10,4	4,6	1,4	3,5	7,6	4,2	12,4	
	Ülekaal - Overweight	65,6	58,1	44,3	22,9	17,5	12,3	13,4	18,6	6,3	7,8	6,3	3,0	3,6	4,3	21,9	
	Rasumine - Obesity	82,2	77,9	55,2	48,2	26,6	29,0	35,3	18,8	14,3	2,4	2,9	0,0	10,1	0,0	34,6	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 29.A. Kodutoimetuspäirangute (söögit tegemine, kütmine, koristamine jm) esinemine (%) sünnipölvkonna järgi, mehed
TABLE 29.A. Prevalence of limitations in performing housework such as cooking, heating, cleaning up (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Päiranguta - Without limitation	57,3	69,3	81,3	86,9	86,3	92,2	95,8	96,1	96,3	97,1	95,4	98,5	99,1	99,6		93,8
Vajab abi - Help is needed	42,7	30,7	18,7	13,1	13,7	7,8	4,2	3,9	3,7	2,9	4,6	1,5	0,9	0,4		6,2
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	129	341	261	331	145	195	194	203	204	213	190	193	237	274		3110
Vastamata - Missing (N)	0	0	0	1	0	0	0	0	0	0	0	0	0	0		1
TABEL 29.1.A. Kodutoimetuspäirangut omavate isikute protsent rahvastikurühmades sünnipölvkonna järgi, mehed TABLE 29.1.A. Percent of persons who have limitation in performing housework in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	38,2	27,2	14,5	9,7	14,9	6,4	0,0	3,4	0,0	3,0	0,0	1,4	1,4	0,0		4,4
Ida-Virumaa	61,5	32,8	19,0	13,8	19,5	0,0	4,7	0,0	2,9	9,2	8,0	0,0	0,0	0,0		6,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	44,9	34,4	18,2	19,7	11,8	12,4	11,7	7,3	9,4	1,5	7,4	1,7	0,0	1,3		8,5
Järva, Lääne-Viru, Rapla	29,5	20,3	27,5	17,0	6,9	11,5	0,0	0,0	9,9	0,0	13,1	0,0	0,0	0,0		6,9
Lääne, Saare, Hiiumaa, Pärnumaa	42,7	37,9	20,9	5,8	14,3	5,2	3,1	6,1	0,0	0,0	6,7	7,6	4,2	0,0		6,8
Asulatüüp - Type of residence																
Linn - Urban	43,0	30,6	20,6	13,2	13,2	7,8	4,8	4,3	3,1	2,2	4,2	1,3	1,1	0,0		6,2
Maa - Rural	41,9	30,8	14,2	13,0	15,1	7,7	2,7	3,0	5,0	4,3	5,7	2,2	0,0	1,3		6,4
Rahvus - Ethnicity																
Eestlane - Estonian	37,4	31,3	18,4	13,7	13,0	8,8	4,3	5,3	4,4	1,4	5,3	0,7	1,5	0,5		6,5
Mitte-eestlane - Non-Estonian	58,3	29,4	19,5	12,2	15,3	6,3	4,2	1,7	2,2	6,0	3,3	3,0	0,0	0,0		5,8
Põlvkond - Native-born population																
Põlvkond - Native-born	38,3	31,0	18,0	12,9	13,7	8,3	4,0	5,0	4,3	1,2	5,6	1,6	1,3	0,5		6,3
Immigrant - Not native-born	57,3	30,0	20,5	13,6	13,8	7,0	4,7	1,9	2,4	7,1	2,5	1,2	0,0	0,0		6,1
Kooselu - Cohabiting																
Kooselu - Cohabiting	39,1	29,0	19,3	10,6	13,8	5,0	4,2	1,3	2,5	0,0	1,9	0,0	2,6	0,0		5,7
Ei ole kooselu - Not cohabiting	48,8	34,6	16,2	23,2	13,4	22,1	4,3	15,3	9,2	14,1	12,2	4,4	0,0	0,4		7,3
Haridus - Education																
Põhi või madalam - Lower secondary or less	47,1	34,9	30,6	16,0	11,9	18,1	4,1	21,6	0,0	30,5	26,2	3,8	0,0	0,5		11,5
Kesk - Upper secondary	30,4	31,6	15,6	13,1	18,5	8,0	6,7	2,2	4,8	2,0	3,4	1,2	1,5	0,0		5,6
Kõrg - University	45,3	23,2	7,7	11,5	5,1	3,7	0,0	3,1	2,1	0,0	1,3	1,3	0,0	0,0		3,8
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	22,4	0,0	7,6	3,4	2,4	1,0	1,9	0,4	0,6	0,5	0,5	0,5	0,0		1,1
Mitteaktiivne - Non-active	44,8	31,1	21,3	14,9	22,2	20,8	17,9	18,5	37,2	39,1	51,1	17,5	2,6	0,5		16,7
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	59,1	37,1	29,9	19,1	23,4	15,4	7,4	12,3	24,9	12,2	27,2	21,7	0,0	2,1		16,3
Üle suhtelise vaesuse piiri - Above the risk of poverty	36,8	27,9	16,6	10,8	11,4	4,7	3,1	1,6	0,5	0,8	2,8	0,5	1,2	0,0		4,5
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	11,7	4,3	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,9	0,5		0,4
Tervisehäired - Less severe health disorders	0,0	3,0	0,8	1,4	2,4	1,0	0,0	0,6	0,0	0,0	0,0	0,0	0,0	0,0		0,5
Tõsisemad tervisehäired - Severe health disorders	7,2	4,2	1,5	5,3	0,0	4,4	5,0	2,9	0,0	9,1	0,0	0,0	5,4	0,0		3,3
Toimetuleku piirangud - Managing restrictions	68,9	58,6	51,3	40,6	44,2	36,5	26,9	37,8	36,0	40,4	70,4	27,9	0,0	0,0		44,0
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	30,3	33,6	0,0	8,4	10,2	7,7	0,0	9,4	5,9	0,0	0,0	0,0	0,0	0,0		4,8
Tervist kahjustav - Health harming	55,3	35,1	22,2	9,8	7,2	15,4	0,0	1,9	2,3	0,0	0,0	3,8	4,9	0,0		5,9
Kontrollkese - Locus of control																
Seemine - Internal	33,3	13,3	4,5	7,3	3,0	5,2	1,7	1,5	1,7	0,0	2,2	0,0	1,4	0,0		2,1
Väline - External	66,9	69,0	61,1	38,6	50,2	27,0	12,3	39,4	21,4	100,0	29,6	0,0	0,0	0,0		39,1
Enesehinnangu tervis - Self-estimated health																
Väga hea või hea - Very good or good	7,6	5,6	4,5	0,0	3,3	0,0	0,0	1,9	0,0	0,9	1,4	0,8	0,0	0,4		0,8
Väga halb või halb - Very bad or bad	72,1	58,5	56,1	43,4	59,3	30,4	20,1	39,5	36,7	100,0	35,4	38,8	22,0	0,0		44,6
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	72,3	37,3	24,6	100,0	0,0	0,0	100,0	0,0	0,0	0,0	100,0	0,0	0,0	0,0		10,7
Normaal - Normal weight	39,6	30,4	14,0	16,9	21,4	6,4	6,3	7,9	7,5	4,6	6,2	2,0	1,3	0,5		6,5
Ülekaal - Overweight	39,5	29,9	23,6	8,7	12,1	6,6	1,8	0,6	0,0	1,7	2,4	0,0	0,0	0,0		5,1
Rasvumine - Obesity	54,6	32,8	17,0	14,9	6,9	12,1	3,6	2,0	5,0	2,5	4,5	0,0	0,0	0,0		7,0
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
Vanus - Age																

TABEL 29.B. Kodutoimetuspriirangute (söögit tegemine, kütmine, koristamine jm) esinemine (%) sünnipölvkonna järgi, naised
TABLE 29.B. Prevalence of limitations in performing housework such as cooking, heating, cleaning up (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Piiranguta - Without limitation	43,3	58,7	75,0	78,3	90,5	91,3	89,8	93,6	95,2	98,4	98,6	97,2	98,9	98,0	88,9	
Vajab abi - Help is needed	56,7	41,3	25,0	21,7	9,5	8,7	10,2	6,4	4,8	1,6	1,4	2,8	1,1	2,0	11,1	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABEL 29.1.B. Kodutoimetuspriirangut omavate isikute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 29.1.B. Percent of persons who have limitation in performing housework in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	48,6	33,1	19,5	20,6	5,0	7,9	8,4	3,9	5,0	3,5	1,4	1,6	0,9	0,0	8,8	
Ida-Virumaa	63,8	43,8	32,1	25,5	6,6	11,3	13,5	5,6	3,3	0,0	5,1	0,0	0,0	7,4	13,9	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	62,6	50,2	26,2	28,3	17,4	11,8	8,3	10,7	5,3	0,9	1,4	4,8	1,2	1,9	13,7	
Järva, Lääne-Viru, Rapla	42,0	48,2	28,6	9,3	6,1	8,5	19,1	3,7	8,6	0,0	0,0	0,0	4,8	0,0	10,3	
Lääne, Saare, Hiiumaa, Pärnumaa	72,5	38,6	26,7	17,3	7,9	3,3	7,6	9,2	0,0	0,0	0,0	11,8	0,0	4,4	10,7	
Asulatuüp - Type of residence																
Linn - Urban	55,7	42,1	23,4	22,8	7,8	8,6	11,7	7,4	5,6	1,3	1,4	2,0	1,4	2,2	11,1	
Maa - Rural	59,1	38,6	30,9	17,7	13,4	9,3	5,9	3,2	2,4	2,7	1,8	6,0	0,0	1,6	11,1	
Rahvus - Ethnicity																
Eestlane - Estonian	54,4	40,2	26,6	19,6	9,6	7,7	8,2	6,8	4,4	2,2	1,3	2,2	1,8	1,7	10,7	
Mitte-eestlane - Non-Estonian	60,9	43,8	21,8	24,9	9,0	10,5	13,1	5,8	5,7	0,0	1,7	3,9	0,0	2,8	11,9	
Põlvkond - Native-born population																
Põlvkond - Native-born	54,9	41,0	24,9	19,3	10,4	7,8	10,0	7,0	5,3	2,2	1,7	3,0	1,0	1,6	10,8	
Immigrantrahvastik - Not native-born	60,5	42,2	25,1	25,8	5,8	10,5	10,6	5,5	3,3	0,0	0,9	2,2	1,3	3,3	11,6	
Kooselu - Cohabiting																
Kooselu - Cohabiting	46,5	38,2	16,3	18,7	9,6	7,7	8,1	6,4	3,6	1,3	0,4	3,1	0,8	2,4	6,5	
Ei ole kooselu - Not cohabiting	57,9	42,2	29,0	23,8	9,3	10,4	13,9	6,5	8,5	2,4	5,1	2,0	1,5	2,0	16,4	
Haridus - Education																
Põhi või madalam - Lower secondary or less	61,9	47,1	27,1	27,9	23,2	14,0	19,9	43,4	28,5	15,2	17,7	11,4	0,0	2,3	24,0	
Kesk - Upper secondary	56,4	35,0	29,6	19,4	6,4	9,5	10,3	6,7	5,7	0,5	0,6	0,0	1,2	1,7	9,4	
Kõrg - University	29,2	36,2	13,2	17,4	5,5	6,5	7,8	4,0	2,7	1,4	0,0	3,0	1,1	0,0	6,0	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	0,0	9,1	0,0	3,2	6,7	3,2	3,4	0,8	0,0	0,6	1,3	0,0	2,5	
Mitteaktiivne - Non-active	57,0	42,1	26,0	23,9	14,0	18,4	30,0	39,3	17,5	4,9	6,4	7,7	0,8	2,4	20,8	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	53,5	45,1	28,9	22,0	13,4	11,5	24,4	9,7	7,9	0,0	8,6	6,6	0,0	2,1	20,4	
Üle suhtelise vaesuse piiri - Above the risk of poverty	58,8	39,1	19,4	20,4	7,1	7,5	7,0	5,2	3,6	2,1	0,4	2,7	1,0	1,5	8,0	
Tervise seisund - Health status																
Terve - No health disorders	48,5	0,0	0,0	0,0	0,0	0,0	3,4	1,4	0,0	0,0	0,0	0,0	0,7	1,6	0,7	
Tervisehäired - Less severe health disorders	10,8	2,8	0,0	1,6	0,0	1,8	0,6	0,6	0,7	0,0	0,0	1,8	0,0	0,0	0,8	
Tõsisemad tervisehäired - Severe health disorders	5,8	11,5	4,8	7,6	7,8	2,5	7,4	3,5	0,0	5,0	0,0	7,7	0,0	0,0	5,6	
Toimetuleku piirangud - Managing restrictions	71,7	62,8	50,0	52,6	34,4	34,1	45,8	40,8	45,6	19,1	51,7	56,1	9,4	30,6	50,2	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	56,7	41,5	6,7	14,1	9,3	5,9	5,3	6,8	7,7	3,7	0,0	4,4	1,7	0,0	9,4	
Tervist kahjustav - Health harming	49,5	45,0	54,9	26,5	17,6	13,2	12,9	11,7	3,6	0,0	0,0	0,0	0,0	0,0	12,9	
Kontrollkese - Locus of control																
Seesmine - Internal	33,5	25,6	13,4	16,0	4,4	2,9	4,1	3,4	3,8	3,1	0,0	4,2	0,7	1,7	4,6	
Väline - External	76,4	64,3	36,2	38,0	23,5	22,6	24,2	16,3	21,5	0,0	0,0	0,0	0,0	0,0	39,1	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	24,7	15,5	4,1	3,6	0,0	1,9	1,0	1,3	0,0	0,0	0,0	1,1	1,0	1,7	1,2	
Väga halb või halb - Very bad or bad	78,4	63,0	49,3	55,0	41,4	29,6	46,5	53,6	48,2	17,4	27,8	0,0	0,0	0,0	52,3	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	80,7	80,7	62,7	41,9	0,0	0,0	0,0	0,0	7,8	0,0	0,0	0,0	2,1	2,4	6,7	
Normaal - Normal weight	64,5	33,6	17,6	16,7	8,9	8,1	6,8	2,2	5,4	1,2	0,9	4,0	0,5	2,3	7,1	
Ülekaal - Overweight	44,7	36,1	19,8	14,9	12,1	3,9	12,5	8,5	1,1	2,7	3,5	0,0	4,3	0,0	12,5	
Rasvumine - Obesity	52,7	55,9	35,6	31,7	5,8	13,1	12,9	12,2	7,6	2,4	2,9	0,0	0,0	0,0	19,4	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
Vanus - Age																

TABEL 30.A. Enesega toimetuleku piirangute (söömine, iseenda pesemine, riietumine, tualeti kasutamine jm) esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 30.A. Prevalence of personal care disabilities such as eating, washing him(herself, dressing, using toilet etc (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														Kokku	
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Piiranguta - Without disability	75,3	79,7	87,6	92,2	89,0	94,7	95,3	97,5	97,6	98,8	96,9	99,6	99,0	99,5	95,8	
	Piiranguga - Has disability	24,7	20,3	12,4	7,8	11,0	5,3	4,7	2,5	2,4	1,2	3,1	0,4	1,0	0,5	4,2	
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
	Kokku - Total (N)	129	341	261	331	145	195	194	203	204	213	190	193	237	274	3110	
	Vastamata - Missing (N)	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	
TABEL 30.1.A. Enesega toimetuleku piirangut omavate isikute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																	
TABLE 30.1.A. Percent of persons who have personal care disability in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	30,7	19,7	9,4	6,4	10,3	4,7	2,0	1,7	0,0	0,0	1,1	0,0	1,4	1,3	3,1	
	Ida-Virumaa	33,3	25,8	7,5	15,5	9,8	0,0	8,0	0,0	0,0	3,4	0,0	0,0	0,0	0,0	3,7	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	17,5	19,8	12,8	8,2	11,7	7,5	8,7	5,6	7,6	2,7	4,2	1,7	1,6	0,0	5,8	
	Järva, Lääne-Viru, Rapla	26,7	15,5	19,5	4,4	17,3	9,1	0,0	0,0	4,9	0,0	13,1	0,0	0,0	0,0	5,3	
	Lääne, Saare, Hiiumaa, Pärnumaa	19,8	19,8	15,5	6,1	8,8	3,7	3,1	3,0	0,0	0,0	6,7	0,0	0,0	0,0	4,1	
Asulatuüp - Type of residence																	
	Linn - Urban	27,2	20,1	12,5	7,1	10,1	4,1	4,6	1,9	1,4	0,4	2,2	0,0	0,7	0,7	3,7	
	Maa - Rural	18,7	21,2	12,3	10,3	13,3	8,3	4,8	3,8	4,6	2,8	5,7	2,2	2,4	0,0	5,6	
Rahvus - Ethnicity																	
	Eestlane - Estonian	22,0	18,7	13,7	6,4	11,9	6,7	4,1	2,9	3,1	0,6	4,9	0,7	1,6	0,7	4,6	
	Mitte-eestlane - Non-Estonian	32,5	23,6	8,6	10,1	9,1	3,5	5,5	1,7	1,1	2,5	0,0	0,0	0,0	0,0	3,5	
Põlvkond - Native-born population																	
	Põlvkond - Native-born	22,2	18,4	13,3	6,3	12,6	6,2	3,8	2,8	3,0	0,6	4,6	0,6	1,4	0,6	4,4	
	Immigrantrahvastik - Not native-born	32,9	24,2	9,9	10,5	6,9	3,9	6,1	1,9	1,2	2,7	0,0	0,0	0,0	0,0	3,9	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	26,9	21,6	12,4	6,8	12,2	5,1	4,1	0,8	1,9	0,4	2,0	0,0	1,6	0,0	4,5	
	Ei ole kooselus - Not cohabiting	20,9	17,0	12,5	12,0	4,6	6,4	7,4	9,8	4,8	4,3	6,2	1,2	0,7	0,5	3,8	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	24,9	21,2	18,5	12,2	11,4	12,2	8,8	21,6	0,0	18,1	26,9	3,8	0,0	0,7	8,4	
	Kesk - Upper secondary	20,4	23,4	11,6	7,8	15,3	7,0	5,8	1,8	2,8	0,0	1,5	0,0	1,6	0,0	3,9	
	Kõrg - University	28,0	15,4	5,7	5,2	2,1	0,9	1,2	0,0	2,1	1,1	0,0	0,0	0,0	0,0	2,0	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	13,7	22,4	0,0	1,1	6,9	2,2	2,3	0,7	0,6	0,3	1,0	0,0	1,3	0,0	1,2	
	Mitteaktiivne - Non-active	25,2	20,2	14,1	9,9	14,4	13,0	14,6	15,1	21,3	15,0	27,0	6,8	0,0	0,6	10,5	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	33,1	20,3	23,7	11,5	13,6	10,7	12,6	10,7	14,2	3,7	13,5	8,4	0,0	0,0	10,4	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	21,6	19,4	10,0	6,9	10,5	3,6	2,6	0,0	0,0	0,0	2,4	0,0	1,3	0,8	3,1	
Tervise seisund - Health status																	
	Terve - No health disorders	0,0	0,0	11,7	0,0	6,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,1	
	Tervisehäired - Less severe health disorders	0,0	0,0	0,0	0,0	2,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,6	0,3	
	Tõsisemad tervisehäired - Severe health disorders	4,4	0,9	0,8	2,3	0,0	2,0	5,0	4,9	0,0	2,9	4,9	0,0	6,8	0,0	2,6	
	Toimetuleku piirangud - Managing restrictions	39,7	40,6	34,3	26,8	32,8	28,3	30,3	21,1	23,7	18,1	44,5	7,7	29,6	0,0	30,3	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	12,5	16,9	0,0	7,9	10,2	0,0	0,0	0,0	5,9	0,0	0,0	0,0	0,0	0,0	2,4	
	Tervist kahjustav - Health harming	26,9	23,9	16,1	3,0	15,9	11,7	2,2	3,1	5,9	0,0	0,0	0,0	0,0	0,0	5,2	
Kontrollkese - Locus of control																	
	Seesmine - Internal	16,1	8,2	4,7	0,5	4,2	3,0	3,2	2,8	0,0	0,0	2,3	0,0	0,9	0,9	1,7	
	Väline - External	57,1	43,2	45,2	33,8	33,5	20,5	5,9	39,4	21,4	0,0	10,8	0,0	0,0	0,0	26,5	
Enesehinnangu tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	0,0	7,6	0,0	0,0	6,3	0,0	1,9	0,0	0,0	0,0	0,8	0,0	0,6	0,6	0,5	
	Väga halb või halb - Very bad or bad	46,2	44,1	40,0	28,0	38,0	26,2	15,3	32,4	20,7	38,3	25,0	38,8	22,0	0,0	31,2	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	0,0	37,3	24,6	0,0	0,0	0,0	100,0	0,0	0,0	0,0	0,0	0,0	15,7	0,0	7,7	
	Normaal - Normal weight	26,9	19,5	8,6	12,9	14,2	1,9	5,2	2,7	3,9	2,1	2,2	0,0	0,8	0,0	3,6	
	Ülekaal - Overweight	22,7	18,6	14,8	5,2	12,0	5,6	4,0	2,0	0,0	0,0	3,5	0,0	0,0	3,2	4,2	
	Rasvumine - Obesity	33,7	25,5	14,4	4,8	5,7	10,5	3,1	0,0	5,0	2,5	4,5	0,0	0,0	0,0	5,2	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 30.B. Enesega toimetuleku piirangute (söömine, iseenda pesemine, riietumine, tualeti kasutamine jm) esinemine (%) sünnipölvkonna järgi, naised
TABLE 30.B. Prevalence of personal care disabilities such as eating, washing him(her)self, dressing, using toilet etc (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Piiranguta - Without disability	67,8	76,5	85,5	89,8	92,5	93,3	95,1	96,8	98,2	97,5	99,4	99,0	99,3	99,5		93,8
Piiranguga - Has disability	32,2	23,5	14,5	10,2	7,5	6,7	4,9	3,2	1,8	2,5	0,6	1,0	0,7	0,5		6,2
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	206	241		3322
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	1	0		1

TABEL 30.1.B. Enesega toimetuleku piirangut omavate isikute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 30.1.B. Percent of persons who have personal care disability in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	26,1	18,9	9,3	9,0	2,5	8,4	5,4	2,6	1,6	1,7	0,0	0,0	0,0	0,0		4,7
Ida-Virumaa	52,1	37,0	22,3	16,6	0,0	7,2	6,2	0,0	0,0	7,7	2,5	3,4	0,0	0,0		9,3
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	33,7	27,4	16,1	11,0	12,7	4,4	0,0	4,3	2,7	3,5	1,4	2,4	2,7	1,9		7,5
Järva, Lääne-Viru, Rapla	35,3	29,8	15,3	13,4	5,6	9,1	9,5	0,0	3,2	0,0	0,0	0,0	0,0	0,0		6,6
Lääne, Saare, Hiiumaa, Pärnumaa	21,5	9,0	16,5	2,5	16,1	3,3	5,2	10,5	0,0	0,0	0,0	0,0	0,0	0,0		5,0
Asulatuüp - Type of residence																
Linn - Urban	33,5	25,0	15,2	10,7	5,6	7,7	5,0	3,6	2,3	2,6	0,3	0,5	0,9	0,0		6,4
Maa - Rural	28,8	18,1	12,0	8,4	12,3	3,2	4,6	1,9	0,0	2,1	1,8	3,0	0,0	1,6		5,8
Rahvus - Ethnicity																
Eestlane - Estonian	28,2	20,8	13,2	9,1	8,4	5,8	4,4	2,7	1,7	2,4	0,5	0,9	1,2	0,7		5,8
Mitte-eestlane - Non-Estonian	39,3	29,2	17,1	11,8	4,7	8,2	5,7	3,9	1,9	2,7	0,8	1,2	0,0	0,0		7,1
Põlvkond - Native-born population																
Põlvkond - Native-born	29,7	21,2	12,5	9,6	9,0	6,0	4,4	2,6	2,4	2,4	0,5	0,8	1,1	0,6		5,9
Immigrant - Not native-born	37,2	29,0	19,0	11,3	1,9	8,0	5,8	4,1	0,0	2,7	0,9	1,5	0,0	0,0		7,1
Kooselu - Cohabiting																
Kooselu - Cohabiting	14,5	25,7	11,1	9,8	6,2	6,4	3,8	3,1	0,4	1,6	0,4	0,0	0,6	0,0		3,5
Ei ole kooselu - Not cohabiting	34,2	22,8	16,1	10,5	9,0	7,1	6,9	3,5	6,1	4,6	1,3	3,4	0,8	0,5		9,4
Haridus - Education																
Põhi või madalam - Lower secondary or less	33,5	28,5	15,1	14,1	17,9	10,8	4,4	9,5	18,4	0,0	4,4	9,7	4,2	0,7		13,2
Kesk - Upper secondary	36,8	11,0	17,2	11,6	4,7	7,2	6,0	4,6	2,8	0,5	0,6	0,0	0,6	0,0		5,5
Kõrg - University	9,6	27,3	8,6	3,7	5,3	4,9	3,8	1,6	0,0	4,6	0,0	0,0	0,0	0,0		3,3
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	20,3	4,5	4,2	3,3	2,1	1,4	1,3	1,2	0,0	0,6	0,0	0,0		1,5
Mitteaktiivne - Non-active	32,3	23,9	14,3	11,3	9,1	12,6	20,7	21,9	5,9	8,0	2,6	1,9	1,7	0,5		11,6
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	34,7	26,6	12,8	12,1	10,2	7,2	13,2	6,5	2,6	2,3	2,1	11,2	0,0	0,0		11,8
Üle suhtelise vaesuse piiri - Above the risk of poverty	27,9	22,2	15,3	8,9	6,2	6,0	3,6	2,4	0,9	2,7	0,4	0,0	0,5	0,0		4,5
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0		0,0
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	0,0	0,0	1,2	0,0	0,0	0,0	0,8	0,0	0,0	0,0	0,0		0,2
Tõsisemad tervisehäired - Severe health disorders	0,0	2,5	0,0	2,2	3,4	2,2	2,4	4,0	0,0	6,7	0,0	0,0	0,0	0,0		2,2
Toimetuleku piirangud - Managing restrictions	42,7	37,6	30,6	26,6	31,6	26,2	25,5	19,6	17,7	26,6	21,2	34,5	11,0	12,7		30,2
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	29,3	24,4	8,2	6,7	8,6	10,1	0,0	5,1	1,2	4,8	0,0	0,0	0,0	0,0		5,5
Tervist kahjustav - Health harming	27,2	32,3	34,9	19,3	0,0	8,6	0,0	4,9	3,6	0,0	0,0	0,0	0,0	0,0		6,8
Kontrollkese - Locus of control																
Seesmine - Internal	12,9	16,8	7,2	7,3	2,4	3,4	0,0	2,4	0,0	1,8	0,0	0,0	0,0	0,0		1,9
Väline - External	47,3	44,2	20,4	21,3	9,8	16,4	14,2	9,1	14,1	17,1	0,0	0,0	0,0	0,0		24,6
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	0,0	0,0	2,5	0,0	1,9	0,0	0,0	0,0	0,4	0,0	0,0	0,0	0,5		0,3
Väga halb või halb - Very bad or bad	49,9	41,5	27,8	26,1	28,0	27,7	27,7	28,9	21,0	26,9	13,6	26,4	43,0	0,0		32,7
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	66,6	28,7	62,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0		2,9
Normaal - Normal weight	39,5	21,9	12,2	5,6	8,5	6,9	3,7	1,3	1,6	1,4	0,9	1,4	1,0	0,6		4,2
Ülekaal - Overweight	19,2	22,8	8,3	7,0	7,2	3,4	3,2	3,0	0,0	5,7	0,0	0,0	0,0	0,0		6,3
Rasvumine - Obesity	31,5	26,7	22,1	17,4	5,6	9,1	8,7	7,5	5,6	2,4	0,0	0,0	0,0	0,0		11,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
	Vanus - Age															

TABEL 32.B. Kuulmispiirangute esinemine (%) sünnipölvkonna järgi, naised
TABLE 32.B. Prevalence of hearing disabilities (%) by birth cohort, females

[illegible]

TABEL 32.1.B. Kuulmispiiranguga isikute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 32.1.B. Percent of persons with hearing disability in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	24,2	18,2	10,5	5,2	7,5	3,0	5,8	1,3	0,0	1,7	1,4	0,0	4,0	1,5	4,7	
Ida-Virumaa	32,0	27,7	24,5	13,8	9,9	7,2	3,6	0,0	0,0	0,0	2,6	0,0	0,0	0,0	7,5	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	38,3	15,9	9,8	5,6	3,9	4,0	8,0	2,1	0,0	2,6	0,8	2,4	1,5	0,0	5,4	
Järva, Lääne-Viru, Rapla	0,0	17,0	8,1	9,4	5,6	3,3	4,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,0	
Lääne, Saare, Hiiumaa, Pärnumaa	11,3	18,7	9,8	2,4	0,0	2,5	0,0	0,0	3,2	0,0	0,0	0,0	0,0	0,0	2,8	
Asulatüüp - Type of residence																
Linn - Urban	26,8	19,3	12,0	7,0	5,8	4,1	5,9	1,4	0,0	1,4	0,6	0,0	1,6	0,0	4,8	
Maa - Rural	26,0	17,5	12,0	5,8	4,6	2,8	1,9	0,0	1,9	1,6	3,2	3,0	4,7	2,0	5,1	
Rahvus - Ethnicity																
Eestlane - Estonian	21,7	16,0	9,9	4,3	2,8	1,6	2,1	0,4	0,7	2,0	1,1	0,0	2,8	0,9	3,7	
Mitte-eestlane - Non-Estonian	35,2	25,0	16,3	10,5	13,7	7,4	8,9	1,9	0,0	0,0	0,9	1,7	1,6	0,0	6,9	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	21,5	16,5	9,4	4,4	4,0	2,4	3,4	0,4	0,6	2,0	1,5	0,0	3,6	0,8	4,0	
Immigrantrahvastik - Not native-born	37,0	24,4	18,1	10,9	11,2	6,3	7,3	2,1	0,0	0,0	0,0	2,2	0,0	0,0	6,7	
Kooselu - Cohabiting																
Kooselus - Cohabiting	20,8	15,4	7,3	6,5	7,1	4,2	3,5	1,1	0,6	0,6	0,7	0,8	1,8	4,5	2,9	
Ei ole kooselus - Not cohabiting	27,2	19,8	14,3	6,9	3,7	3,1	7,3	0,9	0,0	3,7	2,1	0,0	3,1	0,0	7,1	
Haridus - Education																
Põhi või madalam - Lower secondary or less	27,1	23,1	12,1	10,4	10,0	3,6	3,1	0,0	0,0	0,0	4,6	5,7	7,1	0,0	9,8	
Kesk - Upper secondary	25,0	10,2	10,6	6,0	2,4	4,1	8,1	1,7	1,1	0,8	1,5	0,0	1,2	1,6	4,0	
Kõrg - University	28,3	19,6	14,8	3,6	7,6	3,4	1,8	0,6	0,0	2,2	0,0	0,0	2,6	0,0	3,1	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	23,0	6,3	8,9	2,4	2,4	4,0	1,1	0,5	1,8	0,2	0,0	3,3	0,0	1,9	
Mitteaktiivne - Non-active	26,7	18,8	12,3	6,4	7,0	6,3	9,9	0,0	0,0	0,0	3,8	1,9	0,9	0,7	8,2	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	24,0	20,1	15,1	5,3	4,3	8,9	6,8	1,7	0,0	0,0	2,2	0,0	2,6	0,0	8,2	
Üle suhtelise vaesuse piiri - Above the risk of poverty	25,7	17,6	9,2	8,1	6,1	1,6	3,9	1,0	0,7	1,4	0,9	0,7	2,5	0,0	3,7	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
Tervisehäired - Less severe health disorders	22,3	11,2	1,8	1,7	0,0	0,7	1,0	0,0	0,0	2,5	1,9	0,0	1,4	0,0	1,2	
Tõsisemad tervisehäired - Severe health disorders	7,6	5,3	0,0	0,0	2,4	1,3	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,3	
Toimetuleku piirangud - Managing restrictions	31,4	26,8	24,5	17,5	23,1	14,8	23,5	8,2	4,8	13,7	16,9	20,3	28,7	15,9	21,9	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	18,2	21,6	8,3	3,4	10,7	3,2	6,0	0,0	0,0	0,0	0,0	0,0	5,1	0,0	4,5	
Tervist kahjustav - Health harming	27,2	20,3	6,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,2	
Kontrollkese - Locus of control																
Seesmine - Internal	12,3	17,9	5,9	5,9	8,7	0,9	1,2	1,5	0,0	0,7	1,0	1,1	0,6	1,0	2,3	
Väline - External	33,1	25,6	16,3	6,5	9,8	4,1	12,4	0,0	0,0	0,0	0,0	0,0	20,4	0,0	15,1	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	20,3	20,5	2,5	2,5	0,0	1,1	3,1	1,2	0,0	0,6	0,7	0,0	2,2	0,7	1,3	
Väga halb või halb - Very bad or bad	28,7	20,4	12,8	9,7	13,2	0,0	17,9	6,7	0,0	17,4	14,2	0,0	0,0	0,0	14,4	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	28,4	49,0	37,3	36,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,9	
Normkaal - Normal weight	26,4	17,8	11,1	5,6	8,8	5,7	4,6	0,6	0,0	1,8	1,1	0,8	3,3	0,8	3,7	
Ülekaal - Overweight	26,1	24,1	13,0	4,2	3,3	2,2	2,9	1,6	0,0	1,5	0,0	0,0	0,0	0,0	5,9	
Rasumine - Obesity	23,6	10,6	10,8	9,1	5,3	3,7	7,8	1,1	3,0	0,0	2,9	0,0	0,0	0,0	6,3	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															Tota

TABEL 33.A. Nägemispiirangute esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 33.A. Prevalence of seeing disabilities (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														
		1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Nägemispiiranguta - Without seeing disability		17,0	15,1	9,6	17,6	19,7	14,8	25,1	44,9	70,9	86,5	85,6	89,6	83,5	88,8	57,9
Nägemispiiranguga - Has a seeing disability		81,6	84,3	89,3	82,0	80,3	85,2	74,9	55,1	29,1	13,5	13,7	10,4	16,5	11,2	41,9
Pime - Blind		1,4	0,6	1,1	0,4	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,2
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		128	341	261	332	145	195	194	203	204	213	190	193	237	274	3110
Vastamata - Missing (N)		1	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 33.1.A. Nägemispiiranguga isikute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 33.1.A. Percent of persons who have seeing disability in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa		78,8	83,7	92,3	83,7	79,0	88,4	74,0	51,6	34,4	16,4	19,4	12,0	23,1	13,9	42,6
Ida-Virumaa		94,8	89,0	90,0	77,6	90,0	86,6	69,2	48,6	15,4	5,8	10,6	6,6	6,3	10,0	36,6
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru		82,4	79,5	89,4	84,1	76,8	83,5	78,4	58,1	25,8	17,2	10,0	12,9	8,8	6,6	40,6
Järva, Lääne-Viru, Rapla		76,5	89,6	85,7	84,5	74,7	74,3	70,3	67,8	31,2	6,3	4,6	0,0	44,7	9,1	45,0
Lääne, Saare, Hiiu, Pärnumaa		85,4	97,1	92,2	78,4	86,9	91,1	80,3	56,7	31,8	10,7	15,5	9,7	5,4	15,3	47,8
Asulatüüp - Type of residence																
Linn - Urban		79,0	85,0	89,0	84,1	82,2	84,0	75,1	53,7	27,9	14,0	17,4	10,1	19,2	11,4	42,2
Maa - Rural		90,7	84,4	93,9	77,0	75,4	88,3	74,4	58,5	31,6	12,2	5,3	11,5	5,0	10,6	42,0
Rahvus - Ethnicity																
Eestlane - Estonian		81,5	87,4	90,1	83,9	79,9	81,4	78,8	56,5	31,7	15,2	14,9	10,9	20,1	11,5	42,7
Mitte-eestlane - Non-Estonian		85,7	79,7	91,5	80,0	81,3	90,5	69,9	52,8	23,6	9,7	13,3	9,4	10,2	10,5	41,1
Põlisus - Native-born population																
Põlisrahvastik - Native-born		81,9	87,9	90,0	83,3	78,3	82,4	77,3	55,2	31,0	15,2	14,1	11,3	18,4	10,6	41,5
Immigrantrahvastik - Not native-born		84,4	78,6	91,8	80,9	85,6	89,8	71,3	54,9	24,7	9,0	15,0	8,5	11,9	13,3	43,4
Kooselu - Cohabiting																
Kooselus - Cohabiting		80,1	84,5	92,9	82,7	80,5	85,5	75,2	53,1	28,5	12,8	13,8	10,1	16,0	0,0	48,2
Ei ole kooselus - Not cohabiting		86,8	85,9	79,9	81,5	79,1	83,8	73,6	64,1	31,9	15,9	16,0	10,9	16,8	11,8	30,2
Haridus - Education																
Põhi või madalam - Lower secondary or less		85,9	87,7	88,5	80,2	68,7	93,8	70,5	65,2	35,9	0,0	22,0	0,0	8,6	8,9	39,2
Kesk - Upper secondary		93,0	84,5	94,5	82,4	88,0	84,0	79,4	54,8	28,1	13,4	10,9	7,7	16,0	17,3	40,1
Kõrg - University		67,5	81,0	87,2	83,8	71,2	83,6	68,6	53,8	30,0	16,0	19,4	18,1	21,5	0,0	47,7
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active		81,2	100,0	91,0	82,5	82,7	83,7	73,4	55,7	30,3	13,3	12,9	10,3	15,9	9,9	35,8
Mitteaktiivne - Non-active		82,6	84,2	90,4	82,4	78,3	88,9	81,3	50,8	17,5	16,2	31,6	10,7	18,9	11,5	55,1
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty		82,2	85,8	91,6	80,5	79,7	88,2	73,2	66,9	23,4	15,2	13,2	13,3	17,4	6,5	51,8
Üle suhtelise vaesuse piiri - Above the risk of poverty		83,4	84,5	90,3	82,6	81,9	83,5	75,7	53,2	30,6	13,3	14,4	10,8	15,6	10,9	41,7
Tervise seisund - Health status																
Terve - No health disorders		0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Tervisehäired - Less severe health disorders		82,4	91,6	98,9	90,9	89,9	95,3	89,7	81,3	61,4	51,7	45,0	44,6	60,2	59,5	75,5
Tõsisemad tervisehäired - Severe health disorders		68,1	86,5	89,5	87,0	91,2	86,1	79,8	66,4	28,2	23,3	25,9	23,3	13,2	9,2	64,3
Toimetuleku piirangud - Managing restrictions		90,6	85,7	94,7	86,4	84,0	97,9	100,0	80,4	38,2	22,5	18,0	24,3	18,0	0,0	76,4
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective		48,4	86,9	86,3	84,8	76,2	87,4	77,5	38,7	21,3	28,0	8,9	10,2	45,7	0,0	44,8
Tervist kahjustav - Health harming		90,4	68,8	81,7	79,9	88,3	95,1	84,9	70,2	32,6	6,6	17,2	32,8	29,0	0,0	54,9
Kontrollkese - Locus of control																
Seesmine - Internal		77,9	82,5	93,3	82,8	77,3	81,5	72,7	51,7	26,9	12,4	14,8	7,1	13,5	8,9	34,3
Väline - External		89,6	75,3	94,9	86,2	79,8	79,6	74,4	81,0	56,1	44,1	17,1	0,0	0,0	0,0	67,9
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good		71,4	80,2	91,0	69,9	59,7	80,2	70,4	48,4	24,0	15,5	9,7	10,6	16,4	10,5	25,6
Väga halb või halb - Very bad or bad		93,9	82,3	93,8	82,5	93,2	94,2	87,1	88,3	36,6	20,7	10,4	0,0	0,0	0,0	77,0
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight		67,1	25,5	62,7	100,0	0,0	0,0	100,0	100,0	0,0	0,0	0,0	20,5	14,6	18,4	28,9
Normkaal - Normal weight		83,5	85,1	91,8	74,4	68,2	86,8	72,7	58,7	33,8	20,8	14,5	8,4	19,7	10,1	36,4
Ülekaal - Overweight		83,4	86,0	89,9	87,3	89,3	85,2	74,1	52,4	23,0	9,8	12,8	11,4	4,7	12,4	44,9
Rasvumine - Obesity		82,0	87,0	90,4	85,5	81,0	82,9	79,5	51,6	33,8	8,1	19,0	14,7	29,7	49,0	53,7
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABLE 33.B. Prevalence of seeing disabilities (%) by birth cohort, females

TABEL 33.1.B. Nägemispiiranguga isikute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 33.1.B. Percent of persons who have seeing disability in background categories by birth cohort, females

TABLE 33.1.B. Percent of persons who have seeing disability in background categories by birth cohort, females

	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
	Vanus - Age														Total

TABEL 34.A. Kõnelemispiirangute esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 34.A. Prevalence of speaking disabilities (%) by birth cohort, males

[illegible]

TABEL 34.1.A. Kõnelemispiiranguga isikute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 34.1.A. Percent of persons with speaking disability in background categories by birth cohort, males

Piirkond - Region																	
Harjumaa	2,7	0,9	4,7	3,6	0,0	0,0	0,0	3,4	0,0	0,0	0,0	1,0	0,0	0,0	0,8		
Ida-Virumaa	0,0	0,0	2,5	0,0	0,0	0,0	0,0	0,0	2,9	5,8	0,0	0,0	0,0	0,0	0,8		
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	2,1	1,5	1,0	1,6	0,0	3,0	1,4	1,5	2,8	1,8	5,8	1,7	0,0	3,6	2,1		
Järva, Lääne-Viru, Rapla	0,0	0,0	0,0	0,0	6,9	0,0	0,0	6,5	4,9	0,0	0,0	0,0	5,7	0,0	1,9		
Lääne, Saare, Hiiumaa, Pärnumaa	3,7	3,1	2,8	3,2	0,0	5,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	4,1	1,4		
Asulatüüp - Type of residence																	
Linn - Urban	3,1	1,0	3,0	2,5	0,0	0,5	0,5	1,5	1,7	0,5	1,2	0,6	0,6	1,9	1,1		
Maa - Rural	0,0	1,6	1,7	1,2	2,3	3,2	0,0	4,3	1,2	3,0	1,7	2,2	0,0	1,0	1,8		
Rahvus - Ethnicity																	
Eestlane - Estonian	1,7	0,8	3,1	0,9	0,9	1,7	0,7	2,1	1,2	0,7	1,2	1,4	0,7	2,4	1,4		
Mitte-eestlane - Non-Estonian	3,5	1,8	1,1	4,4	0,0	0,9	0,0	2,7	2,2	2,6	1,5	0,0	0,0	0,0	1,2		
Põlisus - Native-born population																	
Põlisrahvastik - Native-born	1,7	0,8	2,6	1,4	0,9	1,6	0,6	2,5	1,2	1,1	2,0	1,3	0,6	2,2	1,5		
Immigrantrahvastik - Not native-born	3,8	1,8	2,6	3,7	0,0	1,0	0,0	1,9	2,4	1,7	0,0	0,0	0,0	0,0	1,0		
Kooselu - Cohabiting																	
Kooselus - Cohabiting	3,4	0,8	3,2	1,4	0,8	0,5	0,5	2,1	0,5	1,0	0,7	0,0	1,2	0,0	1,0		
Ei ole kooselus - Not cohabiting	0,0	1,7	0,0	5,5	0,0	5,7	0,0	3,5	6,3	2,3	3,1	2,6	0,0	1,8	2,0		
Haridus - Education																	
Põhi või madalam - Lower secondary or less	1,3	2,1	2,2	5,3	4,0	3,9	0,0	8,9	0,0	9,8	11,8	3,8	0,0	1,5	2,8		
Kesk - Upper secondary	6,6	0,0	3,7	0,8	0,0	1,7	0,7	1,3	2,4	1,2	0,6	0,8	0,7	2,2	1,2		
Kõrg - University	0,0	0,7	1,6	1,9	0,0	0,0	0,0	2,4	0,0	0,0	0,0	0,0	0,0	0,0	0,5		
Majanduslik aktiivsus - Economical activity																	
Aktiivne - Active	0,0	0,0	0,0	0,0	0,0	0,6	0,0	1,9	0,0	0,4	0,6	0,5	0,6	0,0	0,5		
Mitteaktiivne - Non-active	2,3	1,1	3,0	2,9	1,2	3,1	1,9	5,3	17,0	16,2	9,9	6,8	0,0	2,1	3,0		
Sissetulek - Income																	
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	1,4	1,5	4,0	0,0	5,7	0,0	0,0	11,4	4,3	9,8	8,4	0,0	6,1	3,9		
Üle suhtelise vaesuse piiri - Above the risk of poverty	2,8	0,8	2,1	1,4	0,9	0,0	0,5	2,3	0,0	0,4	0,6	0,6	0,6	1,0	0,8		
Tervise seisund - Health status																	
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,2	0,0	0,5	0,9	0,0	0,0	1,4	0,6		
Tervisehäired - Less severe health disorders	3,6	0,0	2,6	0,8	0,0	0,8	0,0	2,1	0,0	0,0	0,0	0,0	1,8	1,6	0,8		
Tõsisemad tervisehäired - Severe health disorders	3,2	0,0	0,0	1,3	0,0	0,0	0,0	0,0	5,5	4,5	0,0	9,1	0,0	9,2	1,4		
Toimetuleku piirangud - Managing restrictions	1,5	2,2	5,1	5,6	2,2	5,3	2,9	7,4	11,1	9,8	13,4	7,7	0,0	0,0	5,1		
Tervisekäitumine - Health behaviour																	
Tervist hoidev - Health protective	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	7,0	0,0	0,0	0,0	0,7		
Tervist kahjustav - Health harming	4,8	0,0	0,0	3,0	0,0	0,0	0,0	0,0	2,3	4,1	0,0	0,0	6,0	0,0	1,1		
Kontrollkese - Locus of control																	
Seesmine - Internal	2,0	0,0	1,2	0,9	0,0	0,0	0,8	2,6	0,6	0,6	0,8	0,7	0,0	1,6	0,8		
Väline - External	5,3	2,4	10,7	10,3	0,0	10,6	0,0	24,0	9,4	0,0	6,0	0,0	0,0	0,0	6,7		
Enesehinnanguline tervis - Self-estimated health																	
Väga hea või hea - Very good or good	5,6	0,0	3,5	1,9	0,0	1,4	0,0	3,5	0,0	0,5	0,9	0,6	0,6	1,4	1,0		
Väga halb või halb - Very bad or bad	2,1	2,4	6,5	7,4	4,7	3,2	2,8	11,3	21,4	20,7	11,1	38,8	0,0	0,0	6,7		
Kehamassiindeks - Body Mass Index																	
Alakaal - Underweight	27,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,2		
Normkaal - Normal weight	2,1	0,0	2,4	2,1	0,0	1,0	0,0	0,0	4,4	3,5	3,3	0,9	0,6	1,4	1,5		
Ülekaal - Overweight	0,0	2,7	4,0	2,5	1,5	2,3	0,0	2,3	0,0	0,0	0,0	0,0	0,0	4,2	1,1		
Rasumine - Obesity	0,0	0,0	0,0	1,7	0,0	0,0	1,7	3,3	0,0	0,0	0,0	0,0	0,0	0,0	0,7		
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku		
	Vanus - Age																Tota

TABEL 34.B. Kõnelemispiirangute esinemine (%) sünnipõlvkonna järgi, naised
TABLE 34.B. Prevalence of speaking disabilities (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Räägib normaalselt - <i>Speaks normally</i>	95,8	99,0	98,6	98,7	99,2	99,0	99,1	100,0	99,4	99,6	99,1	98,7	100,0	98,7	99,1
	Kõne defektidega, aeglane - <i>Speaks with defects, slowly</i>	4,2	1,0	1,4	1,3	0,8	1,0	0,9	0,0	0,6	0,4	0,9	1,3	0,0	1,3	0,9
	Ei väljendu arusaadavalt, tumm - <i>Can't inarticulate understandably, dumb</i>	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	192	287	274	343	180	248	236	259	225	201	246	182	207	241	3321
	Vastamata - Missing (N)	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2

TABEL 34.1.B. Kõnelemispiiranguga isikute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 34.1.B. Percent of persons with speaking disability in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	4,6	1,1	1,2	1,8	0,0	1,5	0,0	0,0	1,6	0,0	1,4	1,6	0,0	1,5	1,0	
Ida-Virumaa	2,9	1,9	2,0	0,0	0,0	0,0	3,6	0,0	0,0	0,0	2,6	0,0	0,0	0,0	0,9	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	6,7	1,2	1,1	1,4	0,0	1,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,0	0,9	
Järva, Lääne-Viru, Rapla	0,0	0,0	3,6	3,2	5,6	0,0	2,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,0	
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,6	0,0	7,7	0,0	0,0	0,6	
Asulatüüp - Type of residence																
Linn - Urban	3,1	0,7	1,8	1,3	1,1	0,7	1,1	0,0	0,8	0,6	1,0	0,9	0,0	0,4	0,8	
Maa - Rural	7,2	1,8	0,0	1,3	0,0	1,9	0,0	0,0	0,0	0,0	0,0	3,0	0,0	3,6	1,2	
Rahvus - Ethnicity																
Eestlane - Estonian	3,5	0,6	1,5	2,1	1,0	1,6	1,0	0,0	0,0	0,0	0,8	1,9	0,0	1,5	1,0	
Mitte-eestlane - Non-Estonian	5,6	1,8	1,3	0,0	0,0	0,0	0,7	0,0	1,9	1,5	0,9	0,0	0,0	0,9	0,8	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	4,5	0,6	1,4	2,0	1,0	1,5	0,9	0,0	0,8	0,0	1,2	1,8	0,0	1,4	1,1	
Immigrantirahvastik - Not native-born	3,6	1,9	1,4	0,0	0,0	0,0	0,8	0,0	0,0	1,5	0,0	0,0	0,0	1,0	0,6	
Kooselu - Cohabiting																
Kooselus - Cohabiting	0,0	1,8	2,3	1,7	1,5	1,6	0,0	0,0	0,0	0,0	0,0	1,8	0,0	2,2	0,7	
Ei ole kooselus - Not cohabiting	4,7	0,7	1,0	1,0	0,0	0,0	2,4	0,0	2,5	1,5	3,8	0,0	0,0	1,2	1,2	
Haridus - Education																
Põhi või madalam - Lower secondary or less	5,4	0,5	2,1	1,9	0,0	0,0	0,0	0,0	0,0	0,0	13,4	5,7	0,0	1,6	2,0	
Kesk - Upper secondary	3,5	1,5	1,6	1,7	1,5	0,9	0,6	0,0	1,3	0,0	0,0	0,0	0,0	0,8	0,8	
Kõrg - University	0,0	1,3	0,0	0,0	0,0	1,4	1,3	0,0	0,0	0,9	0,0	1,3	0,0	0,0	0,5	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	0,0	0,0	0,0	1,5	0,7	0,0	0,0	0,5	0,0	1,0	0,0	0,0	0,4	
Mitteaktiivne - Non-active	4,3	1,0	1,5	1,5	1,2	0,0	2,0	0,0	5,9	0,0	3,8	1,9	0,0	1,5	1,5	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	3,6	1,3	1,0	1,7	0,0	0,0	1,8	0,0	0,0	0,0	6,5	6,6	0,0	0,0	1,3	
Üle suhtelise vaesuse piiri - Above the risk of poverty	0,0	0,8	1,1	1,1	1,1	1,4	0,8	0,0	0,0	0,5	0,0	0,9	0,0	0,4	0,6	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,8	0,0	2,1	0,0	0,5	0,5	
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	3,4	0,0	1,2	0,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,4	
Tõsisemad tervisehäired - Severe health disorders	0,0	1,6	0,9	0,0	0,0	1,7	1,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	
Toimetuleku piirangud - Managing restrictions	5,7	0,9	2,5	0,7	3,8	0,0	1,8	0,0	5,9	0,0	30,4	0,0	0,0	28,6	2,8	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	1,6	3,8	0,0	1,5	3,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	
Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
Kontrollkese - Locus of control																
Seesmine - Internal	0,0	0,0	0,0	0,8	0,0	1,6	0,0	0,0	0,0	0,8	0,0	0,0	0,0	0,5	0,3	
Väline - External	7,7	1,5	0,0	0,0	0,0	0,0	0,0	0,0	14,1	0,0	0,0	0,0	0,0	0,0	2,4	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	0,0	0,0	2,6	0,0	1,9	0,7	0,0	0,0	0,6	0,0	1,7	0,0	1,5	0,7	
Väga halb või halb - Very bad or bad	7,5	1,1	2,4	0,0	0,0	0,0	2,1	0,0	8,5	0,0	14,2	0,0	0,0	0,0	2,3	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	20,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	7,2	0,0	0,0	1,4	
Normkaal - Normal weight	5,9	2,1	3,0	0,0	2,8	2,0	0,8	0,0	1,0	0,7	0,0	1,0	0,0	1,7	1,1	
Ülekaal - Overweight	0,0	0,7	0,0	1,7	0,0	0,0	1,8	0,0	0,0	0,0	3,5	0,0	0,0	0,0	0,6	
Rasvumine - Obesity	0,0	0,0	2,1	1,9	0,0	1,1	0,0	0,0	0,0	0,0	2,9	0,0	0,0	0,0	0,7	
Vanus - Age																
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	

TABEL 35.A. Haigustest ja vigastustest tingitud tervisepiiangute esmastekke ajastus (kumulatiivne %) sünnipõlvkonna järgi, mehed
 TABLE 35.A. Timing of first occurrence of health limitations caused by illnesses or accidents (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipõlvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
15	1,0	0,9	2,3	1,2	1,1	1,6	1,7	2,6	1,1	1,9	2,8	1,1	0,3	1,4	1,5	
20	3,8	1,4	3,1	1,2	2,0	4,1	2,6	2,9	1,9	1,9	3,5	1,8	1,1	2,5	2,3	
25	5,8	2,5	4,6	2,1	3,7	5,8	2,6	3,4	2,9	4,4	4,5	2,8	2,4	-	3,4	
30	7,3	4,0	6,4	3,8	5,9	7,9	4,0	3,4	3,3	4,9	7,6	4,6	-	-	4,5	
35	7,7	6,0	8,4	5,8	7,3	7,9	6,8	5,2	3,9	5,5	9,7	-	-	-	5,5	
40	8,3	8,2	9,3	7,3	10,9	9,0	7,9	6,2	6,1	5,9	-	-	-	-	6,4	
45	8,3	9,1	10,2	9,7	13,2	11,7	9,9	7,8	7,5	-	-	-	-	-	7,3	
50	11,1	12,6	12,0	12,9	15,8	13,1	10,9	9,1	-	-	-	-	-	-	8,2	
55	11,1	14,7	15,0	15,6	17,8	16,1	16,9	-	-	-	-	-	-	-	9,3	
60	14,5	17,9	15,9	19,7	22,2	19,5	-	-	-	-	-	-	-	-	10,2	
65	18,5	22,0	20,6	23,3	26,6	-	-	-	-	-	-	-	-	-	11,0	
70	20,3	27,8	24,8	27,1	-	-	-	-	-	-	-	-	-	-	11,6	
75	24,7	33,9	28,3	-	-	-	-	-	-	-	-	-	-	-	12,0	
80	33,4	39,5	-	-	-	-	-	-	-	-	-	-	-	-	12,2	
80+	39,0	-	-	-	-	-	-	-	-	-	-	-	-	-	12,3	
Kokku - Total (N)	129	339	259	328	145	192	194	203	204	213	189	192	236	274	3097	
Vastamata - Missing (N)	0	2	2	4	0	3	0	0	0	0	1	1	1	0	14	
Mediaanvanus - Median age	66	62	54	51	47	40	41	32	33	23	25	20	20	13	39	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
	Vanus - Age															

TABEL 35.B. Haigustest ja vigastustest tingitud tervisepiiangute esmastekke ajastus (kumulatiivne %) sünnipölvkonna järgi, naised
 TABLE 35.B. Timing of first occurrence of health limitations caused by illnesses or accidents (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipölvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
15	2,3	0,3	2,1	1,1	1,9	1,8	1,9	1,2	1,8	2,4	1,3	2,1	1,4	1,3	1,6	
20	2,9	1,5	3,4	1,7	3,4	2,6	4,5	1,5	3,9	3,1	1,5	3,3	2,1	1,9	2,6	
25	5,6	3,4	3,8	5,0	8,0	5,3	6,5	3,3	4,6	4,2	2,6	4,2	2,1	-	4,2	
30	8,3	6,0	4,9	6,8	9,9	7,0	8,0	5,0	5,8	5,6	3,7	4,8	-	-	5,5	
35	10,8	8,8	6,4	8,5	11,8	9,7	8,3	5,7	8,7	5,6	4,3	-	-	-	6,6	
40	14,6	11,7	8,1	12,2	13,7	11,7	9,8	7,0	9,8	7,0	-	-	-	-	8,0	
45	19,2	13,7	12,0	14,9	16,7	12,3	14,0	8,8	10,5	-	-	-	-	-	9,5	
50	24,4	18,2	16,1	17,6	17,8	14,2	15,3	11,0	-	-	-	-	-	-	10,8	
55	26,5	23,7	20,3	18,7	21,2	16,2	17,6	-	-	-	-	-	-	-	12,1	
60	29,4	27,0	22,9	21,7	26,2	20,2	-	-	-	-	-	-	-	-	13,4	
65	35,0	30,2	26,8	25,4	29,1	-	-	-	-	-	-	-	-	-	14,4	
70	37,0	35,5	31,1	32,8	-	-	-	-	-	-	-	-	-	-	15,6	
75	41,2	40,0	33,7	-	-	-	-	-	-	-	-	-	-	-	16,1	
80	44,0	44,3	-	-	-	-	-	-	-	-	-	-	-	-	16,5	
80+	50,1	-	-	-	-	-	-	-	-	-	-	-	-	-	16,7	
Kokku - Total (N)	187	286	272	344	180	247	235	260	225	201	246	182	207	241	3313	
Vastamata - Missing (N)	5	1	2	0	0	1	1	0	0	0	0	0	0	0	10	
Mediaanvanus - Median age	53	52	50	47	41	36	39	32	28	20	23	15	13	14	41	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
	Vanus - Age															

TABEL 36.A. Tervise enesehinnang (%) sünnipõlvkonna järgi, mehed
TABLE 36.A. Self-estimated health status (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort															
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Väga hea või hea - Very good or good	11,6	12,0	12,4	17,0	19,1	29,6	35,1	47,8	52,2	63,3	60,9	82,6	78,4	85,4	52,5	
	Keskmine, rahuldav - Average	46,5	51,6	60,7	61,5	67,5	52,8	51,8	46,5	40,6	34,4	35,3	16,3	19,1	14,3	38,4	
	Väga halb või halb - Very bad or bad	41,9	36,4	26,9	21,5	13,4	17,6	13,1	5,7	7,2	2,3	3,8	1,1	2,5	0,3	9,1	
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)		129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111	
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 36.1.A. Oma tervist keskmisest halvemaks hinnanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																	
TABLE 36.1.A. Percent of persons who assessed their own health status to be worse than average in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	43,7	38,7	23,6	19,7	6,3	14,0	6,0	3,4	3,2	1,5	2,7	1,4	4,0	0,0	6,8	
	Ida-Virumaa	51,0	43,0	30,5	16,4	14,7	19,4	18,3	5,6	2,9	9,2	5,3	0,0	2,1	0,0	9,8	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	42,3	33,3	29,8	27,2	22,7	19,3	15,7	11,0	15,9	1,5	3,7	1,7	2,4	0,0	11,4	
	Järva, Lääne-Viru, Rapla	17,3	15,2	30,4	18,0	6,9	17,2	0,0	0,0	4,9	0,0	13,1	0,0	0,0	0,0	7,0	
	Lääne, Saare, Hiiu, Pärnumaa	45,5	42,7	24,3	23,9	18,2	24,7	26,9	6,1	7,0	0,0	0,0	0,0	0,0	2,0	11,9	
Asulatüüp - Type of residence																	
	Linn - Urban	41,3	36,5	26,9	19,6	13,0	13,8	11,8	4,5	6,0	1,3	4,0	0,8	3,2	0,4	8,3	
	Maa - Rural	43,4	36,4	26,8	27,9	14,5	26,7	16,7	8,4	9,6	4,3	3,4	2,2	0,0	0,0	11,1	
Rahvus - Ethnicity																	
	Eestlane - Estonian	38,8	31,2	25,6	19,1	15,2	19,5	11,5	6,8	8,6	0,6	3,9	1,7	2,3	0,4	8,9	
	Mitte-eestlane - Non-Estonian	51,3	47,3	30,7	25,6	9,4	14,9	15,2	3,7	4,1	6,0	3,6	0,0	3,0	0,0	9,3	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	39,6	31,1	25,6	19,2	14,5	18,2	10,6	6,4	8,3	1,2	3,7	1,6	2,7	0,4	8,5	
	Immigrantrahvastik - Not native-born	49,7	47,5	30,5	25,6	10,6	16,5	16,9	4,1	4,5	5,0	4,1	0,0	2,3	0,0	10,1	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	38,0	34,1	25,1	19,9	12,8	16,1	11,2	2,2	6,2	0,0	2,8	1,0	4,0	0,0	9,2	
	Ei ole kooselus - Not cohabiting	48,8	42,0	34,5	28,0	16,7	25,1	21,8	20,5	11,4	11,2	6,8	1,2	1,7	0,3	8,8	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	53,7	44,0	32,5	31,5	7,9	32,8	33,5	28,3	0,0	30,5	11,8	3,8	3,5	0,4	15,2	
	Kesk - Upper secondary	20,4	32,2	29,3	22,0	20,2	21,8	10,2	6,2	7,9	1,2	3,6	1,2	2,9	0,0	8,4	
	Kõrg - University	39,1	29,5	16,2	14,8	2,6	7,0	11,0	1,1	7,0	0,0	2,2	0,0	1,3	0,0	6,0	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	0,0	15,1	3,6	5,3	3,2	8,6	5,3	2,2	3,8	0,0	2,2	0,7	1,6	0,0	2,7	
	Mitteaktiivne - Non-active	44,0	37,5	30,1	26,6	21,8	39,2	45,3	30,6	41,2	39,1	22,1	6,8	6,2	0,4	22,0	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	50,8	44,5	44,9	29,6	17,0	33,8	21,4	11,3	22,8	12,2	10,1	8,4	4,6	1,7	19,7	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	38,6	32,6	23,6	19,1	12,8	11,8	11,0	3,0	5,4	0,0	3,5	0,8	2,3	0,0	7,3	
Tervise seisund - Health status																	
	Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,3	0,0	0,0	0,0	0,9	1,5	0,0	0,5	
	Tervisehäired - Less severe health disorders	0,0	7,6	4,0	4,2	0,0	5,3	5,7	0,8	7,2	0,0	1,7	0,0	1,3	0,0	3,1	
	Tõsisemad tervisehäired - Severe health disorders	14,0	25,4	24,6	17,6	6,8	30,4	23,7	13,5	5,1	3,2	17,0	0,0	9,9	9,2	16,2	
	Toimetuleku piirangud - Managing restrictions	65,4	56,8	54,8	56,3	40,7	50,0	47,6	35,5	39,6	40,4	30,0	7,7	29,6	0,0	46,5	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	22,9	19,6	12,9	9,7	10,2	4,2	21,2	0,0	5,9	0,0	0,0	0,0	0,0	0,0	5,0	
	Tervist kahjustav - Health harming	48,4	50,8	27,2	16,1	13,9	24,1	14,1	7,0	6,7	0,0	0,0	0,0	0,0	0,0	10,2	
Kontrollkese - Locus of control																	
	Seesmine - Internal	35,7	19,1	11,8	6,7	3,7	12,2	7,1	3,6	3,4	0,0	2,6	0,0	2,7	0,5	3,9	
	Väline - External	73,3	67,4	62,0	60,0	39,2	40,1	57,5	53,3	9,4	100,0	6,9	0,0	0,0	0,0	44,2	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
	Väga halb või halb - Very bad or bad	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	35,0	74,5	24,6	100,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	11,7	0,0	7,2	
	Normkaal - Normal weight	37,0	35,0	22,6	25,5	13,7	12,3	14,5	5,4	9,7	3,0	5,4	1,2	2,3	0,0	7,6	
	Ülekaal - Overweight	42,9	37,1	29,4	17,9	9,9	23,8	11,3	4,8	7,1	1,7	2,7	0,0	1,5	2,1	9,8	
	Rasumine - Obesity	59,7	36,1	30,7	22,3	18,4	14,5	14,5	5,3	2,9	2,5	3,2	0,0	6,7	0,0	11,1	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 36.B. Tervise enesehinnang (%) sünnipõlvkonna järgi, naised
TABLE 36.B. Self-estimated health status (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Väga hea või hea - Very good or good	8,3	7,8	10,3	13,4	24,3	29,3	35,5	43,8	52,8	64,1	75,1	77,0	76,5	85,2	46,7
	Keskmine, rahuldav - Average	35,6	43,3	53,0	60,0	57,6	53,2	50,0	48,4	40,4	32,0	22,9	21,5	22,6	13,7	38,9
	Väga halb või halb - Very bad or bad	56,1	48,9	36,7	26,6	18,1	17,5	14,5	7,8	6,8	3,9	2,0	1,5	0,9	1,1	14,4
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
	Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 36.1.B. Oma tervist keskmisest halvemaks hinnanud protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 36.1.B. Percent of persons who assessed their own health status to be worse than average in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	53,2	42,2	31,9	29,3	9,9	20,9	18,6	9,1	5,0	5,2	0,0	1,6	0,0	3,0	13,5
Ida-Virumaa	65,4	65,7	40,1	27,7	13,3	21,7	19,7	5,6	6,6	3,8	5,1	6,8	0,0	0,0	18,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	58,1	53,9	39,0	26,5	30,4	10,1	9,2	9,2	8,8	4,9	2,8	0,0	3,3	0,0	15,5
Järva, Lääne-Viru, Rapla	42,0	43,5	55,2	17,5	13,6	18,4	13,2	3,7	12,0	0,0	3,9	0,0	0,0	0,0	13,8
Lääne, Saare, Hiiumaa, Pärnumaa	59,4	44,9	24,1	23,1	18,3	16,1	5,2	6,2	2,4	0,0	2,6	0,0	0,0	0,0	11,8
Asulatüüp - Type of residence															
Linn - Urban	53,0	51,0	34,9	28,0	17,5	15,5	17,0	9,7	7,5	3,2	1,3	1,9	0,5	0,8	14,4
Maa - Rural	63,8	41,6	43,5	22,0	19,5	24,3	6,9	1,5	4,9	5,8	5,5	0,0	2,2	2,0	14,5
Rahvus - Ethnicity															
Eestlane - Estonian	53,6	45,1	35,1	22,0	17,5	14,7	6,9	5,6	5,1	3,9	1,7	0,0	1,5	1,7	12,5
Mitte-eestlane - Non-Estonian	60,6	57,0	39,9	33,7	20,1	22,3	25,3	10,9	10,6	3,9	2,7	4,6	0,0	0,0	17,9
Põlisus - Native-born population															
Põlisrahvastik - Native-born	54,1	45,8	34,1	22,8	18,9	15,7	9,6	5,8	6,1	3,9	2,1	0,5	1,3	1,6	13,0
Immigrantrahvastik - Not native-born	60,2	56,4	42,7	33,4	15,3	20,9	22,7	10,9	8,9	3,8	2,0	4,2	0,0	0,0	17,5
Kooselu - Cohabiting															
Kooselus - Cohabiting	39,0	44,1	30,5	23,4	18,1	17,7	14,1	7,5	4,7	0,6	1,9	1,6	0,6	0,0	9,4
Ei ole kooselus - Not cohabiting	58,0	50,3	39,6	28,9	18,2	17,1	15,2	8,4	13,8	12,3	2,6	1,4	1,2	1,3	20,2
Haridus - Education															
Põhi või madalam - Lower secondary or less	57,9	50,0	41,1	31,4	22,9	23,5	30,5	30,3	28,5	12,1	11,8	15,1	9,7	1,8	26,6
Kesk - Upper secondary	56,2	47,1	40,6	29,2	16,0	17,7	15,3	11,5	11,1	3,4	2,6	0,0	0,0	0,0	13,9
Kõrg - University	45,4	48,8	22,9	17,6	18,5	15,7	9,8	3,2	2,2	3,6	0,0	0,0	0,0	0,0	8,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	0,0	13,7	8,2	10,5	8,7	4,3	5,6	3,2	1,5	0,6	0,9	0,0	4,7
Mitteaktiivne - Non-active	56,4	49,8	38,3	29,0	22,9	29,8	46,8	43,3	17,8	6,8	4,0	3,7	0,9	1,3	25,4
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	60,8	54,9	40,2	29,9	20,2	19,3	29,0	17,0	13,4	13,0	4,4	9,2	0,0	0,0	27,0
Üle suhtelise vaesuse piiri - Above the risk of poverty	49,0	43,1	32,3	24,2	17,4	17,2	10,7	4,4	4,8	1,7	1,2	0,0	1,1	1,8	10,4
Tervise seisund - Health status															
Terve - No health disorders	20,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,9	0,0	0,5	0,0	0,8	0,0	0,4
Tervisehäired - Less severe health disorders	7,0	8,5	2,6	7,6	5,5	3,0	1,8	0,6	2,3	1,8	0,0	0,0	0,0	3,7	2,5
Tõsisemad tervisehäired - Severe health disorders	22,1	32,3	37,3	19,8	18,0	26,4	18,0	14,7	11,0	7,9	7,5	12,1	0,0	0,0	19,9
Toimetuleku piirangud - Managing restrictions	69,0	65,5	54,7	50,9	49,7	44,6	54,4	38,3	41,8	46,1	42,7	14,1	5,5	0,0	52,4
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	53,6	46,8	11,2	19,6	20,0	23,0	7,8	10,8	6,2	4,8	0,0	0,0	0,0	0,0	12,0
Tervist kahjustav - Health harming	35,9	50,9	50,5	30,5	17,6	13,2	10,1	11,7	0,0	0,0	4,3	0,0	0,0	0,0	12,8
Kontrollikese - Locus of control															
Seesmine - Internal	35,3	38,3	23,1	13,0	13,1	8,9	6,4	6,1	4,6	2,6	0,0	0,0	0,0	0,0	5,7
Väline - External	72,1	72,2	59,0	58,5	30,7	53,7	28,5	18,8	21,5	0,0	0,0	0,0	0,0	0,0	47,2
Enesehinnangu tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Väga halb või halb - Very bad or bad	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	80,7	70,2	25,5	43,5	0,0	0,0	0,0	0,0	16,2	0,0	0,0	0,0	0,0	0,0	5,6
Normaal - Normal weight	62,2	33,0	31,9	16,7	17,7	11,3	8,6	5,3	5,2	3,9	1,2	2,2	1,2	0,7	8,2
Ülekaal - Overweight	43,7	51,5	34,5	24,0	25,7	13,7	12,2	5,8	7,3	4,2	2,8	0,0	0,0	6,2	18,5
Rasvumine - Obesity	56,4	62,2	42,3	36,5	11,5	24,7	25,9	16,3	9,3	4,9	8,3	0,0	0,0	0,0	26,0
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 37.A. Partnersuhted (%) sünnipõlvkonna järgi, mehed
TABLE 37.A. Partnership status (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Abielus - Married	60,8	65,6	76,7	72,5	78,2	75,8	69,2	66,0	67,5	56,1	45,4	24,9	9,6	0,4	49,1
Vabaabielus - Cohabiting	2,5	5,2	4,3	7,3	6,2	8,1	13,1	15,3	14,6	23,6	28,4	40,7	26,5	4,9	17,0
Püsiv seksuaalpartner - Regular sexual partner	0,0	0,0	0,0	0,2	0,0	0,0	0,6	1,6	0,6	2,2	4,6	8,8	20,5	14,7	5,4
Partnerita - Without partner	36,7	29,2	19,0	20,0	15,6	16,1	17,1	17,1	17,3	18,1	21,6	25,6	43,4	80,0	28,5
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TABEL 37.1.A. Partneriga isikute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 37.1.A. Percent of persons who have partner in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	63,8	72,5	83,7	78,2	83,7	85,5	80,0	88,2	88,3	78,8	82,1	68,2	57,7	20,4	72,1
Ida-Virumaa	66,7	64,8	79,9	83,6	88,1	82,0	87,3	83,2	83,6	76,3	73,4	82,9	54,5	34,5	73,6
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	65,8	71,9	80,2	80,9	80,7	83,6	78,3	78,4	76,0	79,2	76,2	75,6	51,7	13,7	67,4
Järva, Lääne-Viru, Rapla	52,9	77,4	74,9	82,9	90,3	82,8	94,7	73,4	75,9	94,8	84,4	81,1	65,0	17,5	75,7
Lääne, Saare, Hiiumaa, Pärnumaa	61,3	64,0	82,2	77,5	87,1	82,9	85,3	82,5	83,0	94,8	70,2	92,4	63,8	22,5	72,8
Asulatüüp - Type of residence															
Linn - Urban	62,3	70,6	80,2	78,3	84,6	82,9	86,4	84,1	84,9	81,0	78,6	75,1	57,2	19,4	71,7
Maa - Rural	65,7	71,4	83,1	85,6	83,9	86,5	72,5	79,8	77,9	83,8	77,9	71,3	53,8	21,6	70,9
Rahvus - Ethnicity															
Eestlane - Estonian	65,2	70,3	81,2	80,9	87,7	83,1	80,3	78,1	80,7	83,2	78,4	77,8	59,3	19,2	71,0
Mitte-eestlane - Non-Estonian	57,9	71,7	80,7	78,5	77,2	85,0	86,1	90,7	86,8	79,0	78,5	68,6	51,8	22,1	72,4
Põlisus - Native-born population															
Põlisrahvastik - Native-born	64,2	70,7	81,0	80,5	88,3	83,1	81,2	79,4	80,6	84,5	77,1	76,4	58,3	20,3	70,6
Immigrantrahvastik - Not native-born	60,4	71,0	81,3	79,1	74,3	85,3	85,5	89,6	87,6	75,2	81,3	70,7	52,3	19,2	73,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Ei ole kooselus - Not cohabiting	0,0	0,0	0,0	1,1	0,0	0,0	3,1	8,3	3,5	10,7	17,6	25,6	32,1	15,6	15,8
Haridus - Education															
Põhi või madalam - Lower secondary or less	66,9	66,6	76,6	72,5	70,0	73,5	68,6	56,8	50,3	62,3	69,6	82,0	59,4	19,5	49,6
Kesk - Upper secondary	58,3	75,9	82,3	84,1	87,4	87,7	84,5	81,3	84,0	80,8	76,8	74,4	53,2	20,6	74,4
Kõrg - University	61,1	71,6	85,1	79,9	86,5	83,4	85,0	89,1	85,8	88,0	84,1	71,9	63,5	42,6	81,1
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	86,3	77,3	73,1	87,1	90,6	88,5	87,9	87,5	86,0	83,5	81,4	74,4	62,7	31,5	79,6
Mitteaktiivne - Non-active	62,2	70,5	82,1	77,8	79,4	73,1	62,0	48,9	49,2	55,1	44,8	75,1	33,8	16,9	54,9
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	33,9	34,0	56,8	41,7	51,5	66,7	67,8	73,1	78,3	76,6	56,6	70,3	34,6	19,0	54,5
Üle suhtelise vaesuse piiri - Above the risk of poverty	70,9	83,1	86,6	91,1	93,8	90,3	85,9	85,4	82,9	83,8	82,2	76,0	62,5	21,0	77,0
Tervises seisund - Health status															
Terve - No health disorders	100,0	64,3	72,4	80,0	92,4	79,1	80,0	88,6	84,9	85,7	80,9	75,6	58,9	18,5	65,9
Tervisehäired - Less severe health disorders	62,9	67,9	81,8	85,1	88,3	87,8	83,6	83,3	83,2	81,4	81,7	78,9	54,0	25,3	77,5
Tõsisemad tervisehäired - Severe health disorders	72,3	79,8	74,9	83,0	79,7	83,1	85,4	88,5	87,7	74,6	75,0	57,2	50,5	33,1	77,3
Toimetuleku piirangud - Managing restrictions	59,0	67,4	86,5	69,7	80,8	75,7	80,1	52,0	67,4	46,9	45,7	61,0	29,6	0,0	69,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	61,4	68,1	80,3	79,4	89,8	84,1	77,2	90,6	82,8	81,9	82,3	66,3	53,9	0,0	75,1
Tervist kahjustav - Health harming	66,7	65,7	82,7	84,9	91,7	91,6	85,2	81,0	77,0	79,5	76,7	74,8	57,7	33,1	79,1
Kontrollkese - Locus of control															
Seesmine - Internal	59,4	71,0	82,9	82,1	93,4	89,0	90,2	92,7	85,7	88,6	84,4	72,4	56,8	24,7	74,5
Väline - External	59,9	67,5	91,0	74,0	54,4	62,1	73,8	46,7	73,4	0,0	23,1	100,0	36,9	0,0	60,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	84,6	71,8	88,7	82,2	84,8	83,8	80,9	86,7	83,1	86,9	81,4	74,0	57,1	19,0	67,1
Väga halb või halb - Very bad or bad	57,3	66,3	75,7	73,8	80,6	77,0	70,5	32,1	71,4	0,0	53,5	61,2	56,8	0,0	67,0
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	58,8	62,7	24,6	100,0	0,0	0,0	100,0	100,0	0,0	0,0	100,0	100,0	49,8	9,3	45,2
Normkaal - Normal weight	62,7	71,4	87,4	74,4	66,2	77,0	77,6	74,3	77,4	77,5	75,7	70,1	55,8	20,1	61,9
Ülekaal - Overweight	62,9	71,1	76,6	85,0	95,4	84,6	84,3	88,6	85,0	85,3	80,5	79,2	63,4	24,8	79,9
Rasumine - Obesity	68,9	66,6	81,2	79,5	89,6	94,0	88,2	85,8	86,8	83,3	79,2	79,3	38,6	0,0	82,8
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 37.B. Partnersuhted (%) sünnipõlvkonna järgi, naised
TABLE 37.B. Partnership status (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Abielus - Married	9,6	20,7	28,6	37,9	46,0	53,3	55,5	56,6	59,2	51,3	50,1	35,4	14,3	2,1	38,5
Vabaabielus - Cohabiting	0,6	1,4	3,1	3,3	7,1	7,3	8,2	11,2	17,2	20,6	27,8	35,5	44,2	10,6	15,4
Püsiv seksuaalpartner - Regular sexual partner	0,0	0,0	0,4	0,0	0,0	0,0	0,3	0,0	1,2	2,6	1,7	7,2	10,4	24,1	3,9
Partnerita - Without partner	89,8	77,9	67,9	58,8	46,9	39,4	36,0	32,2	22,4	25,5	20,4	21,9	31,1	63,2	42,2
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 37.1.B. Partneriga isikute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 37.1.B. Percent of persons who have partner in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	8,1	20,8	32,3	38,9	50,5	55,2	65,7	69,2	77,3	74,4	79,5	72,4	72,6	30,9	57,3
Ida-Virumaa	2,9	28,5	33,7	37,4	47,6	54,7	56,8	68,5	72,2	80,8	82,4	81,8	66,7	37,1	54,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	8,3	24,5	30,6	45,6	63,4	78,6	65,8	66,7	74,9	70,8	72,0	85,9	60,3	39,6	58,9
Järva, Lääne-Viru, Rapla	21,9	19,4	27,6	35,4	49,3	46,9	58,6	65,0	86,6	62,3	86,6	77,0	55,6	55,0	58,5
Lääne, Saare, Hiiumaa, Pärnumaa	25,7	16,5	37,2	49,4	44,6	61,2	69,4	66,9	74,8	89,3	83,1	82,5	92,1	35,0	59,7
Asulatüüp - Type of residence															
Linn - Urban	11,7	24,8	31,7	40,0	50,5	58,6	61,4	66,2	75,1	72,2	80,3	76,1	69,2	37,8	57,2
Maa - Rural	6,4	12,8	34,0	45,0	59,5	67,2	71,9	73,3	85,1	81,1	76,1	86,9	68,0	34,1	59,6
Rahvus - Ethnicity															
Eestlane - Estonian	13,1	21,9	31,0	43,4	51,2	60,8	63,8	69,5	80,0	73,2	78,4	77,5	68,8	37,2	57,9
Mitte-eestlane - Non-Estonian	4,9	22,4	34,4	37,8	58,9	60,2	64,2	65,4	72,2	78,0	81,9	79,4	69,1	35,9	57,6
Põlisus - Native-born population															
Põlisrahvastik - Native-born	11,9	22,5	30,7	44,1	50,6	59,1	62,1	68,8	78,1	73,0	78,4	77,1	68,3	36,2	57,3
Immigrantrahvastik - Not native-born	6,6	21,2	35,5	36,0	62,8	63,4	67,0	66,2	76,2	78,4	82,2	81,0	70,2	38,3	58,9
Kooselu - Cohabiting															
Kooselus - Cohabiting	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Ei ole kooselus - Not cohabiting	0,0	0,0	0,6	0,0	0,0	0,0	0,8	0,0	5,1	9,3	7,6	24,9	25,2	27,6	8,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	6,3	18,5	26,6	41,1	58,0	61,6	48,0	81,8	50,2	82,1	68,1	79,2	70,4	28,0	36,3
Kesk - Upper secondary	18,4	26,8	34,7	40,4	53,9	62,6	60,8	74,2	77,3	75,1	80,8	77,8	63,5	51,9	61,3
Kõrg - University	4,3	24,4	35,3	42,2	48,6	57,8	71,4	61,3	79,3	73,2	79,9	78,2	75,8	40,7	65,6
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	15,4	58,5	40,4	37,7	62,1	65,1	67,6	76,4	72,0	78,4	73,9	69,5	54,9	68,3
Mitteaktiivne - Non-active	10,2	22,2	31,0	41,3	60,6	57,9	57,8	69,8	88,3	85,1	83,4	88,1	68,2	33,7	45,9
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	3,2	5,7	5,8	11,5	31,6	42,3	57,3	58,4	62,5	64,7	71,3	71,6	72,8	29,9	34,1
Üle suhtelise vaesuse piiri - Above the risk of poverty	19,3	36,0	56,3	59,0	61,6	66,1	65,6	70,5	83,3	76,4	80,3	80,4	69,0	39,6	66,0
Tervise seisund - Health status															
Terve - No health disorders	0,0	28,9	32,1	54,7	24,2	73,5	72,0	64,5	76,9	81,7	79,6	79,4	67,4	35,2	67,4
Tervisehäired - Less severe health disorders	26,1	36,6	38,7	40,3	50,0	61,2	59,4	71,1	79,5	67,6	82,5	75,2	70,6	39,8	61,5
Tõsisemad tervisehäired - Severe health disorders	23,5	26,0	37,8	44,6	57,5	58,8	70,6	71,0	79,6	73,2	77,6	81,8	100,0	38,8	57,2
Toimetuleku piirangud - Managing restrictions	6,1	17,5	25,6	37,5	61,1	57,9	62,6	55,4	70,0	46,4	53,2	65,5	64,6	35,2	36,7
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	21,5	26,5	25,7	53,3	60,5	58,8	66,7	58,7	86,4	69,1	80,6	84,0	76,1	58,2	64,2
Tervist kahjustav - Health harming	0,0	6,9	24,8	36,8	53,0	47,5	69,3	41,7	81,0	90,1	64,2	71,9	56,7	69,9	55,0
Kontrollkese - Locus of control															
Seesmine - Internal	28,2	32,5	42,1	49,6	59,7	60,5	65,9	66,7	83,6	71,4	82,3	78,8	68,1	37,5	64,4
Väline - External	3,7	17,0	20,1	34,2	42,5	79,8	58,1	63,1	78,5	82,9	93,1	73,6	82,6	22,9	39,1
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	28,1	31,0	38,9	42,8	37,0	63,4	70,4	65,7	81,6	73,4	78,7	80,2	70,4	34,4	65,0
Väga halb või halb - Very bad or bad	7,1	19,9	26,4	36,2	53,0	61,4	61,9	65,3	52,3	10,3	72,2	73,6	43,0	0,0	35,2
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	14,2	28,7	62,7	20,0	46,6	0,0	49,4	0,0	63,9	87,7	100,0	91,0	72,1	38,9	65,6
Normaal - Normal weight	8,2	20,9	35,8	37,3	45,3	52,3	59,1	67,1	78,0	69,7	78,3	76,9	70,5	35,1	59,3
Ülekaal - Overweight	11,7	23,0	25,8	43,9	52,6	63,5	68,8	74,2	76,2	76,9	88,0	87,7	59,6	39,1	56,0
Rasvumine - Obesity	12,8	20,0	36,5	42,5	61,4	63,8	65,7	62,6	81,8	88,2	60,6	59,1	52,2	82,8	55,1
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 38.A. Kooselude arv (%) sünnipõlvkonna järgi, mehed
TABLE 38.A. Number of partnerships (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
0	1,5	1,2	2,5	3,9	4,7	4,0	4,4	7,9	4,9	12,6	14,4	25,8	58,4	94,8	23,3	
1	80,2	78,9	78,4	72,2	73,8	71,5	68,4	61,0	67,6	65,7	64,9	60,4	36,0	4,9	57,9	
2	16,8	17,1	15,7	19,2	18,1	19,2	22,0	23,7	21,0	20,1	17,8	11,5	4,8	0,3	15,4	
3 või enam - 3 or more	1,5	2,8	3,4	4,7	3,4	5,3	5,2	7,4	6,5	1,6	2,9	2,3	0,8	0,0	3,4	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 38.1.A. Keskmine kooselude arv rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 38.1.A. Average number of partnerships in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	1,3	1,3	1,3	1,3	1,3	1,4	1,4	1,5	1,3	1,2	1,4	1,3	1,2	1,0	1,3	
Ida-Virumaa	1,2	1,2	1,3	1,2	1,3	1,3	1,4	1,4	1,4	1,3	1,3	1,2	1,1	1,5	1,3	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	1,2	1,2	1,2	1,2	1,2	1,2	1,3	1,4	1,4	1,3	1,1	1,1	1,2	1,0	1,2	
Järva, Lääne-Viru, Rapla	1,1	1,3	1,2	1,4	1,3	1,4	1,2	1,4	1,4	1,3	1,1	1,1	1,0	1,0	1,3	
Lääne, Saare, Hiiumaa, Pärnumaa	1,1	1,2	1,2	1,3	1,1	1,2	1,3	1,2	1,4	1,4	1,5	1,1	1,1	1,0	1,3	
Asulatüüp - Type of residence																
Linn - Urban	1,2	1,3	1,2	1,3	1,3	1,3	1,4	1,4	1,3	1,3	1,4	1,3	1,1	1,1	1,3	
Maa - Rural	1,1	1,1	1,3	1,3	1,2	1,3	1,3	1,4	1,5	1,3	1,1	1,1	1,2	1,0	1,3	
Rahvus - Ethnicity																
Eestlane - Estonian	1,2	1,2	1,3	1,3	1,2	1,3	1,3	1,5	1,4	1,3	1,2	1,2	1,1	1,0	1,3	
Mitte-eestlane - Non-Estonian	1,2	1,2	1,2	1,3	1,5	1,4	1,4	1,4	1,3	1,2	1,4	1,3	1,2	1,5	1,3	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	1,2	1,2	1,3	1,3	1,2	1,3	1,3	1,4	1,4	1,3	1,3	1,2	1,1	1,0	1,3	
Immigrantrahvastik - Not native-born	1,2	1,2	1,1	1,3	1,4	1,4	1,4	1,4	1,3	1,2	1,3	1,3	1,3	1,5	1,3	
Kooselu - Cohabiting																
Kooselus - Cohabiting	1,2	1,2	1,2	1,3	1,2	1,3	1,3	1,4	1,3	1,3	1,3	1,2	1,1	1,0	1,3	
Ei ole kooselus - Not cohabiting	1,2	1,2	1,3	1,4	1,4	1,4	1,6	1,5	1,7	1,2	1,4	1,2	1,3	1,2	1,4	
Haridus - Education																
Põhi või madalam - Lower secondary or less	1,1	1,1	1,2	1,2	1,4	1,4	1,3	1,4	1,4	1,3	1,4	1,4	1,2	1,0	1,3	
Kesk - Upper secondary	1,2	1,3	1,2	1,3	1,2	1,3	1,4	1,5	1,4	1,3	1,2	1,3	1,1	1,2	1,3	
Kõrg - University	1,4	1,3	1,3	1,3	1,3	1,3	1,4	1,4	1,4	1,2	1,4	1,1	1,1	1,0	1,3	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	1,2	1,4	1,4	1,3	1,2	1,3	1,4	1,4	1,4	1,3	1,3	1,2	1,2	1,2	1,3	
Mitteaktiivne - Non-active	1,2	1,2	1,2	1,3	1,3	1,3	1,3	1,3	1,6	1,0	1,2	1,2	1,0	1,0	1,3	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	1,1	1,2	1,3	1,3	1,5	1,4	1,2	1,4	1,2	1,2	1,5	1,9	1,2	1,0	1,3	
Üle suhtelise vaesuse piiri - Above the risk of poverty	1,2	1,2	1,2	1,3	1,2	1,3	1,4	1,4	1,5	1,3	1,3	1,2	1,1	1,1	1,3	
Tervises seisund - Health status																
Terve - No health disorders	1,2	1,1	1,1	1,3	1,4	1,5	1,3	1,3	1,4	1,2	1,3	1,2	1,2	1,1	1,3	
Tervisehäired - Less severe health disorders	1,1	1,2	1,3	1,3	1,3	1,3	1,4	1,5	1,4	1,3	1,3	1,3	1,1	1,0	1,3	
Tõsisemad tervisehäired - Severe health disorders	1,3	1,3	1,3	1,2	1,2	1,3	1,2	1,3	1,1	1,3	1,2	1,8	1,0	1,0	1,3	
Toimetuleku piirangud - Managing restrictions	1,2	1,2	1,2	1,3	1,3	1,3	1,3	1,6	1,3	1,6	1,3	1,0	1,0	1,0	1,3	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	1,3	1,2	1,5	1,1	1,3	1,2	1,3	1,6	1,4	1,4	1,3	1,2	1,1	0,0	1,3	
Tervist kahjustav - Health harming	1,3	1,3	1,5	1,4	1,3	1,2	1,4	1,4	1,5	1,1	1,4	1,1	1,2	0,0	1,3	
Kontrollkese - Locus of control																
Seesmine - Internal	1,3	1,2	1,2	1,4	1,3	1,3	1,3	1,4	1,3	1,2	1,2	1,2	1,1	1,1	1,3	
Väline - External	1,1	1,3	1,1	1,4	1,3	1,5	1,5	1,2	1,4	0,0	1,4	0,0	1,0	0,0	1,3	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	1,0	1,3	1,3	1,4	1,3	1,4	1,4	1,4	1,4	1,3	1,2	1,2	1,2	1,1	1,3	
Väga halb või halb - Very bad or bad	1,2	1,2	1,3	1,3	1,1	1,4	1,3	1,6	1,6	1,0	1,2	1,0	1,0	0,0	1,3	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	1,2	1,4	1,0	1,0	0,0	0,0	1,0	1,4	0,0	1,0	1,0	1,2	1,0	0,0	1,2	
Normkaal - Normal weight	1,2	1,3	1,3	1,3	1,3	1,3	1,4	1,4	1,5	1,3	1,3	1,3	1,2	1,1	1,3	
Ülekaal - Overweight	1,2	1,2	1,3	1,3	1,2	1,3	1,3	1,4	1,3	1,3	1,3	1,2	1,2	1,0	1,3	
Rasumine - Obesity	1,1	1,2	1,1	1,4	1,3	1,4	1,4	1,6	1,4	1,2	1,3	1,2	1,0	0,0	1,3	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															Total

TABEL 38.B. Kooselude arv (%) sünnipölvkonna järgi, naised
TABLE 38.B. Number of partnerships (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku <i>Total</i>
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
0	5,2	5,7	5,1	4,5	5,6	4,1	4,0	5,3	2,9	8,8	7,7	16,6	36,2	82,6	15,3	
1	76,3	80,4	76,8	72,8	67,6	67,2	69,1	67,6	72,2	66,5	68,8	63,7	57,1	16,9	64,6	
2	15,7	12,2	15,8	20,6	22,9	24,7	20,8	23,1	21,9	19,8	21,0	18,2	6,1	0,5	17,3	
3 või enam - 3 or more	2,8	1,7	2,3	2,1	3,9	4,0	6,1	4,0	3,0	4,9	2,5	1,5	0,6	0,0	2,8	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABEL 38.1.B. Keskmise kooselude arv rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 38.1.B. Average number of partnerships in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	1,3	1,2	1,3	1,3	1,3	1,3	1,4	1,3	1,4	1,4	1,3	1,3	1,1	1,0	1,3	
Ida-Virumaa	1,2	1,2	1,3	1,2	1,3	1,4	1,5	1,3	1,2	1,3	1,3	1,4	1,2	1,0	1,3	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	1,2	1,2	1,2	1,3	1,3	1,4	1,2	1,3	1,3	1,3	1,2	1,2	1,1	1,0	1,3	
Järva, Lääne-Viru, Rapla	1,0	1,2	1,1	1,2	1,3	1,4	1,3	1,6	1,2	1,1	1,5	1,1	1,2	1,0	1,3	
Lääne, Saare, Hiiumaa, Pärnumaa	1,2	1,1	1,1	1,2	1,4	1,3	1,5	1,5	1,3	1,4	1,2	1,4	1,2	1,3	1,3	
Asulatüüp - Type of residence																
Linn - Urban	1,2	1,2	1,2	1,2	1,3	1,3	1,4	1,3	1,3	1,3	1,3	1,3	1,1	1,0	1,3	
Maa - Rural	1,3	1,1	1,1	1,3	1,4	1,5	1,3	1,3	1,4	1,3	1,2	1,2	1,1	1,1	1,3	
Rahvus - Ethnicity																
Eestlane - Estonian	1,2	1,2	1,2	1,3	1,3	1,4	1,4	1,3	1,3	1,3	1,2	1,2	1,1	1,0	1,3	
Mitte-eestlane - Non-Estonian	1,2	1,2	1,2	1,2	1,3	1,3	1,3	1,3	1,3	1,4	1,3	1,3	1,1	1,0	1,3	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	1,2	1,2	1,2	1,3	1,3	1,4	1,4	1,3	1,3	1,3	1,3	1,3	1,1	1,0	1,3	
Immigrantrahvastik - Not native-born	1,2	1,2	1,2	1,2	1,3	1,3	1,4	1,4	1,2	1,4	1,3	1,3	1,1	1,0	1,3	
Kooselu - Cohabiting																
Kooselus - Cohabiting	1,2	1,2	1,2	1,2	1,3	1,3	1,4	1,4	1,3	1,3	1,3	1,3	1,1	1,0	1,3	
Ei ole kooselus - Not cohabiting	1,2	1,2	1,2	1,3	1,4	1,3	1,4	1,3	1,4	1,3	1,3	1,1	1,1	1,0	1,3	
Haridus - Education																
Põhi või madalam - Lower secondary or less	1,3	1,2	1,2	1,2	1,4	1,7	1,3	1,2	1,6	1,3	1,4	1,6	1,1	1,1	1,3	
Kesk - Upper secondary	1,2	1,2	1,2	1,3	1,3	1,4	1,4	1,4	1,3	1,3	1,3	1,2	1,1	1,0	1,3	
Kõrg - University	1,1	1,2	1,3	1,2	1,3	1,2	1,4	1,3	1,3	1,3	1,2	1,2	1,1	1,0	1,3	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	1,0	1,0	1,3	1,2	1,2	1,2	1,4	1,3	1,3	1,3	1,3	1,2	1,1	1,0	1,3	
Mitteaktiivne - Non-active	1,2	1,2	1,2	1,3	1,4	1,6	1,5	1,3	1,2	1,5	1,3	1,3	1,1	1,0	1,3	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	1,2	1,2	1,2	1,3	1,4	1,5	1,4	1,2	1,4	1,3	1,3	1,4	1,2	1,0	1,3	
Üle suhtelise vaesuse piiri - Above the risk of poverty	1,2	1,2	1,2	1,2	1,3	1,3	1,4	1,4	1,3	1,3	1,3	1,3	1,1	1,0	1,3	
Tervises seisund - Health status																
Terve - No health disorders	2,1	1,3	1,0	1,2	1,4	1,1	1,1	1,4	1,3	1,3	1,3	1,2	1,1	1,0	1,2	
Tervisehäired - Less severe health disorders	1,1	1,2	1,2	1,2	1,3	1,3	1,3	1,3	1,3	1,3	1,2	1,1	1,1	1,0	1,2	
Tõsisemad tervisehäired - Severe health disorders	1,3	1,1	1,2	1,4	1,3	1,4	1,5	1,3	1,3	1,4	1,4	1,8	1,2	1,3	1,4	
Toimetuleku piirangud - Managing restrictions	1,2	1,2	1,2	1,2	1,5	1,6	1,6	1,4	1,3	1,4	1,5	1,6	1,0	1,0	1,3	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	1,1	1,1	1,1	1,2	1,3	1,1	1,1	1,2	1,1	1,2	1,3	1,2	1,1	1,0	1,2	
Tervist kahjustav - Health harming	1,5	1,2	1,1	1,3	1,1	1,4	1,5	1,4	1,6	1,7	1,2	1,5	1,1	1,0	1,4	
Kontrollkese - Locus of control																
Seesmine - Internal	1,2	1,2	1,3	1,3	1,2	1,2	1,3	1,3	1,3	1,3	1,3	1,3	1,2	1,0	1,3	
Väline - External	1,2	1,2	1,3	1,2	1,4	1,4	1,1	1,2	1,3	1,2	1,5	1,0	1,0	1,0	1,2	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	1,2	1,3	1,2	1,2	1,2	1,3	1,3	1,4	1,3	1,3	1,2	1,2	1,1	1,0	1,2	
Väga halb või halb - Very bad or bad	1,2	1,2	1,2	1,3	1,5	1,5	1,3	1,4	1,4	1,4	2,1	2,7	1,0	0,0	1,3	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	1,5	1,2	1,0	1,0	1,0	0,0	1,5	1,4	1,0	1,5	1,3	1,4	1,2	1,2	1,3	
Normaal - Normal weight	1,2	1,2	1,2	1,2	1,3	1,4	1,2	1,3	1,3	1,3	1,3	1,2	1,1	1,0	1,2	
Ülekaal - Overweight	1,2	1,2	1,2	1,3	1,4	1,3	1,4	1,4	1,3	1,4	1,3	1,4	1,1	1,0	1,3	
Rasvumine - Obesity	1,3	1,1	1,3	1,3	1,3	1,4	1,6	1,4	1,3	1,2	1,1	1,6	1,3	1,0	1,3	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
Vanus - Age																

TABEL 39.A. Esmaskooselu ajastus (kumulatiivne %) sünnipölvkonna järgi, mehed
TABLE 39.A. Timing of first partnership (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
15	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0
16	0,0	0,0	0,4	0,0	0,0	0,0	0,0	0,5	0,0	0,0	0,0	0,6	1,4	0,5	0,3
17	0,0	0,0	0,4	0,2	0,0	0,7	0,7	0,5	0,6	0,0	1,2	1,2	3,0	2,1	1,0
18	0,0	0,2	0,4	0,5	0,0	2,2	1,8	2,3	2,1	1,7	6,6	3,3	7,0	3,2	2,9
19	2,5	0,5	1,4	1,8	0,7	4,9	5,4	4,2	7,7	5,3	10,9	7,6	10,4	3,7	5,7
20	3,2	2,6	1,9	4,5	2,2	8,1	8,2	10,1	11,0	9,2	17,1	14,6	16,0	5,1	9,6
21	3,2	8,0	5,1	7,4	7,8	12,4	15,0	21,3	23,4	15,9	27,8	22,1	22,2	-	16,1
22	8,7	10,6	10,0	14,1	14,0	24,9	37,5	37,6	35,9	31,9	37,6	29,8	29,3	-	26,1
23	18,9	20,4	14,8	23,9	25,5	35,1	51,0	57,2	49,9	42,6	45,3	37,3	33,9	-	35,5
24	20,6	30,1	24,0	34,4	38,0	49,1	62,7	66,7	62,4	52,9	51,8	46,5	38,1	-	44,1
25	37,5	42,9	39,1	49,2	53,4	58,1	68,8	70,7	71,1	58,2	59,0	54,5	41,6	-	51,4
30	73,8	84,3	80,1	84,7	88,5	85,1	85,9	86,8	89,9	76,2	80,0	74,2	-	-	70,3
35	93,2	92,9	91,7	92,3	93,8	92,0	91,2	90,0	92,5	83,7	85,5	-	-	-	74,5
40	97,9	97,6	95,2	93,7	94,8	94,3	93,5	91,1	94,6	87,4	-	-	-	-	75,9
40+	98,5	98,8	97,4	96,1	95,3	96,0	95,6	92,0	95,1	-	-	-	-	-	76,6
Kokku - Total (N)	126	338	257	329	145	194	194	203	203	213	190	193	237	274	3096
Vastamata - Missing (N)	3	3	4	3	0	1	0	0	1	0	0	0	0	0	15

TABEL 39.1.A. Esmaskooselu alustamise mediaanvanus rahvastikurühmades sünnipölvkonna järgi, mehed
TABLE 39.1.A. Median age at beginning of first partnership in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	26	26	25	25	24	23	22	21	22	23	24	22	20	18	23
Ida-Virumaa	28	24	25	24	24	21	23	22	22	21	21	23	21	16	23
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	26	26	26	24	25	24	23	23	23	22	22	23	20	17	23
Järva, Lääne-Viru, Rapla	26	25	25	25	24	23	22	22	23	22	22	20	21	19	23
Lääne, Saare, Hiiu, Pärnumaa	27	26	25	24	23	25	23	22	22	23	22	22	20	16	23
Asulatüüp - Type of residence															
Linn - Urban	26	25	25	25	24	23	22	22	22	23	23	23	21	17	23
Maa - Rural	26	26	25	24	25	23	23	22	22	23	21	24	19	17	23
Rahvus - Ethnicity															
Eestlane - Estonian	26	26	25	25	25	24	23	22	23	23	22	23	20	17	23
Mitte-eestlane - Non-Estonian	25	24	24	24	24	23	22	22	22	22	22	22	21	16	22
Põlisus - Native-born population															
Põlisrahvastik - Native-born	26	26	25	25	25	24	23	22	23	23	22	23	20	17	23
Immigrantrahvastik - Not native-born	25	24	25	24	23	23	22	22	22	23	21	22	21	16	22
Kooselu - Cohabiting															
Kooselus - Cohabiting	26	26	25	24	24	23	22	22	22	23	22	23	21	17	23
Ei ole kooselus - Not cohabiting	27	25	25	25	27	23	23	22	23	23	23	20	19	18	23
Haridus - Education															
Põhi või madalam - Lower secondary or less	26	26	25	25	24	23	21	21	24	24	20	21	19	17	23
Kesk - Upper secondary	26	26	25	25	24	23	22	22	22	22	22	22	20	18	23
Kõrg - University	26	25	25	24	25	24	23	22	22	23	23	23	22	19	23
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	24	26	26	26	24	24	22	22	22	23	22	23	20	16	22
Mitteaktiivne - Non-active	26	26	25	25	24	23	23	23	22	23	23	23	21	17	24
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	26	26	26	25	24	23	22	23	23	23	20	20	20	17	23
Üle suhtelise vaesuse piiri - Above the risk of poverty	26	25	25	24	24	24	22	22	22	22	22	23	20	17	23
Tervise seisund - Health status															
Terve - No health disorders	22	26	25	25	25	25	22	22	23	23	22	23	20	17	22
Tervisehäired - Less severe health disorders	28	26	25	25	25	23	23	22	22	22	22	23	20	19	23
Tõsisemad tervisehäired - Severe health disorders	25	25	25	24	24	23	22	23	24	24	23	20	21	-	24
Toimetuleku piirangud - Managing restrictions	26	25	25	24	24	23	22	22	22	22	23	23	22	-	24
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	25	25	25	25	25	24	21	22	22	23	21	23	22	-	23
Tervist kahjustav - Health harming	24	26	24	25	23	24	22	22	22	25	22	24	21	-	23
Kontrollkese - Locus of control															
Seesmine - Internal	26	25	26	24	25	23	22	22	22	22	22	22	20	17	22
Väline - External	28	26	24	23	28	22	21	24	25	-	20	-	21	-	24
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	29	25	25	25	25	24	22	22	22	23	22	23	20	17	22
Väga halb või halb - Very bad or bad	27	25	25	24	24	23	23	21	23	19	22	26	19	-	24
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	30	25	21	23	-	-	27	21	-	24	25	23	18	-	23
Normkaal - Normal weight	27	25	26	25	25	24	23	22	22	22	24	23	21	17	23
Ülekaal - Overweight	25	26	25	24	24	24	22	22	22	23	21	22	20	17	23
Rasvumine - Obesity	25	26	25	23	24	22	22	22	22	23	21	24	21	-	23
Vanus - Age															
80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 39.B. Esmaskooselu ajastus (kumulatiivne %) sünnipõlvkonna järgi, naised
TABLE 39.B. Timing of first partnership (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
15	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
16	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3	0,0	1,1	2,1	0,3	0,9	0,4
17	0,8	0,0	0,7	0,2	0,4	0,8	2,6	0,3	1,8	2,4	6,7	8,2	4,4	5,3	2,7
18	2,0	1,5	3,6	4,0	5,8	2,2	5,7	5,4	8,5	10,1	14,7	17,9	11,7	9,2	7,8
19	4,8	4,6	7,2	10,3	11,9	9,2	12,8	11,6	21,6	25,8	27,3	27,2	23,2	13,7	15,9
20	9,3	13,0	13,5	21,3	22,5	22,9	24,2	26,0	32,3	40,0	40,0	39,8	36,0	17,4	26,7
21	16,1	21,1	22,7	33,0	34,5	36,3	39,7	42,3	43,2	55,7	51,5	50,3	45,2	-	37,7
22	22,5	30,8	35,4	43,5	45,2	48,2	55,1	54,8	60,1	65,2	58,5	56,9	55,3	-	47,8
23	32,8	38,5	40,7	54,1	52,5	58,0	65,6	66,1	68,6	71,7	66,6	64,5	60,3	-	55,5
24	47,4	51,2	53,1	61,6	61,1	69,7	72,3	73,0	74,3	78,9	71,5	70,6	62,5	-	62,5
25	55,7	57,7	66,8	68,2	68,1	75,4	77,0	78,6	80,7	81,7	75,5	74,7	63,6	-	67,6
30	82,4	83,8	85,6	86,8	87,6	87,2	89,1	89,9	93,1	88,6	89,8	83,3	-	-	79,7
35	88,6	89,7	91,8	92,9	92,6	93,8	93,5	93,4	96,2	90,5	92,3	-	-	-	83,1
40	92,9	91,9	93,8	94,9	93,2	94,5	95,1	94,4	96,9	91,2	-	-	-	-	84,1
40+	94,7	94,6	94,8	95,5	94,4	95,8	96,0	94,7	97,1	-	-	-	-	-	84,7
Kokku - Total (N)	190	284	272	344	180	247	235	260	225	201	246	181	206	241	3312
Vastamata - Missing (N)	2	3	2	0	0	1	1	0	0	0	0	1	1	0	11

TABEL 39.1.B. Esmaskooselu alustamise mediaanvanus rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 39.1.B. Median age at beginning of first partnership in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	24	23	23	22	22	23	21	22	21	20	20	19	20	18	21
Ida-Virumaa	23	23	22	22	21	22	20	20	21	20	20	20	20	18	21
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	23	23	23	22	22	22	21	22	21	20	21	19	19	17	21
Järva, Lääne-Viru, Rapla	24	23	23	21	23	21	21	20	20	20	19	20	18	16	21
Lääne, Saare, Hiiumaa, Pärnumaa	25	24	24	21	21	21	21	21	20	19	21	19	18	19	21
Asulatüüp - Type of residence															
Linn - Urban	24	23	23	22	22	22	21	21	21	20	20	20	20	18	21
Maa - Rural	23	24	24	21	21	21	21	21	21	19	20	20	18	16	21
Rahvus - Ethnicity															
Eestlane - Estonian	23	24	24	22	23	21	21	21	21	20	20	20	19	18	21
Mitte-eestlane - Non-Estonian	24	23	23	22	20	22	21	21	21	20	19	19	19	17	21
Põlisus - Native-born population															
Põlisrahvastik - Native-born	24	24	23	22	23	21	21	21	21	20	20	20	19	18	21
Immigrantrahvastik - Not native-born	24	23	23	22	20	22	21	21	21	20	19	19	20	17	21
Kooselu - Cohabiting															
Kooselus - Cohabiting	27	24	23	22	21	21	21	21	21	20	20	20	19	18	21
Ei ole kooselus - Not cohabiting	23	23	23	22	22	22	21	21	20	20	22	20	20	17	22
Haridus - Education															
Põhi või madalam - Lower secondary or less	24	23	22	21	20	20	21	18	18	19	19	18	18	16	21
Kesk - Upper secondary	23	23	23	22	22	21	21	20	20	19	19	20	19	18	21
Kõrg - University	24	24	24	23	23	22	22	22	21	21	22	20	20	19	22
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	22	25	21	22	23	22	21	21	21	20	20	20	19	18	21
Mitteaktiivne - Non-active	24	23	23	22	21	21	21	20	21	20	20	19	19	17	22
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	23	23	23	22	23	21	20	22	20	19	20	18	18	17	21
Üle suhtelise vaesuse piiri - Above the risk of poverty	24	23	23	22	22	22	21	21	21	20	20	20	19	18	21
Tervise seisund - Health status															
Terve - No health disorders	19	21	24	23	24	20	23	21	21	20	20	20	19	18	20
Tervisehäired - Less severe health disorders	26	24	23	22	23	22	21	21	21	20	20	21	19	18	21
Tõsisemad tervisehäired - Severe health disorders	23	24	23	22	21	22	21	20	21	20	19	19	20	16	21
Toimetuleku piirangud - Managing restrictions	23	23	23	22	21	21	20	21	20	20	20	18	18	17	22
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	24	23	23	22	22	22	22	21	21	21	21	20	19	19	21
Tervist kahjustav - Health harming	24	22	24	23	23	23	20	20	20	19	22	20	19	17	21
Kontrollkese - Locus of control															
Seesmine - Internal	24	23	23	22	23	22	21	21	21	20	20	19	19	18	21
Väline - External	24	23	24	22	22	21	22	22	21	19	18	24	21	17	22
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	23	23	24	22	23	21	22	21	21	20	21	20	19	18	21
Väga halb või halb - Very bad or bad	23	23	23	21	22	22	20	20	20	19	16	17	19	-	22
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	27	25	25	25	27	-	22	20	23	20	22	19	20	17	20
Normaal - Normal weight	23	24	24	23	22	22	22	22	21	20	20	20	19	18	21
Ülekaal - Overweight	23	24	23	22	22	22	21	20	20	20	20	20	19	18	21
Rasvumine - Obesity	23	22	23	21	22	22	20	20	20	19	21	19	18	17	21
Vanus - Age															
80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 40.A. Esmasseksuaalvahekorra ajastus (kumulatiivne %) sünnipõlvkonna järgi, mehed
TABLE 40.A. Timing of first sexual intercourse (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
15	0,7	0,5	1,2	2,0	2,5	3,2	3,7	5,0	6,6	5,3	4,2	7,9	6,8	4,3	4,6
16	0,7	2,9	2,5	4,2	5,0	5,0	11,0	9,6	12,7	13,5	10,8	15,0	18,5	18,5	11,4
17	6,2	7,9	8,3	11,6	9,7	15,4	22,1	23,8	28,0	28,0	30,3	34,2	32,7	33,8	24,6
18	11,6	15,3	16,5	21,3	19,6	28,7	40,0	38,5	45,5	47,5	52,3	51,5	52,9	48,2	40,5
19	23,4	29,6	32,7	39,3	35,7	48,4	56,7	59,7	70,5	63,8	69,9	69,2	72,1	55,2	57,7
20	33,1	38,0	40,3	49,0	43,6	58,3	66,9	66,3	75,9	71,7	75,9	81,3	80,6	58,0	65,5
21	51,4	57,3	54,7	66,0	64,1	76,0	82,7	77,7	85,2	83,9	86,2	89,3	86,2	-	76,6
22	56,7	64,2	61,7	74,2	71,7	80,9	88,9	86,2	89,4	87,7	91,0	91,7	88,1	-	81,1
23	69,9	69,4	69,6	81,8	80,1	86,5	93,3	90,3	95,0	89,9	92,2	92,5	89,8	-	84,8
24	74,5	77,2	77,5	87,5	87,4	90,1	96,3	93,0	96,5	93,9	94,3	93,6	89,8	-	87,6
25	79,8	82,7	87,2	92,2	92,6	92,5	97,9	94,1	97,6	95,0	95,2	94,4	89,8	-	89,5
30	92,7	96,4	98,5	97,7	97,0	97,7	99,1	97,4	99,2	97,1	96,4	96,1	-	-	92,4
35	98,5	99,0	99,3	99,0	98,7	98,8	99,1	98,3	99,6	98,6	96,4	-	-	-	93,0
40	98,5	99,4	99,6	99,0	98,7	99,4	99,5	98,3	99,6	98,6	-	-	-	-	93,1
40+	98,5	99,4	99,6	99,0	99,5	99,4	99,5	98,3	99,6	-	-	-	-	-	93,2
Kokku - Total (N)	121	325	251	320	139	189	191	198	200	203	180	183	213	160	2873
Vastamata - Missing (N)	6	14	9	9	5	5	2	2	3	7	3	2	2	0	69
Pole olnud vahekordi - No intercourse (N)	2	2	1	3	1	1	1	3	1	3	7	8	22	114	169
TABEL 40.1.A. Mediaanvanus esmasseksuaalvahekorral rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 40.1.A. Median age at first sexual intercourse in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	20	20	20	19	20	19	19	18	18	17	17	18	17	16	18
Ida-Virumaa	21	20	20	20	21	18	18	20	18	17	17	17	18	16	18
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	21	20	19	20	19	19	18	19	18	18	18	17	17	16	18
Järva, Lääne-Viru, Rapla	20	19	21	18	20	18	18	18	17	17	17	16	17	16	18
Lääne, Saare, Hiiu, Pärnumaa	20	20	20	20	20	18	18	18	17	18	16	17	17	17	18
Asulatüüp - Type of residence															
Linn - Urban	21	20	20	20	20	19	18	18	18	18	17	17	17	16	18
Maa - Rural	20	20	19	19	20	19	18	18	18	18	17	16	17	16	18
Rahvus - Ethnicity															
Eestlane - Estonian	20	20	20	19	20	18	18	18	18	18	18	17	17	16	18
Mitte-eestlane - Non-Estonian	21	20	20	20	21	19	19	18	18	17	17	18	17	16	18
Põlisus - Native-born population															
Põlisrahvastik - Native-born	20	20	20	19	20	19	18	18	18	18	18	17	17	16	18
Immigrantrahvastik - Not native-born	21	20	20	20	21	19	19	18	18	17	17	18	18	16	18
Kooselu - Cohabiting															
Kooselus - Cohabiting	20	20	20	19	20	19	18	18	18	18	17	17	17	16	18
Ei ole kooselus - Not cohabiting	20	20	19	20	21	19	19	18	17	19	17	18	17	16	18
Haridus - Education															
Põhi või madalam - Lower secondary or less	20	20	20	20	19	18	17	16	17	17	16	16	17	16	17
Kesk - Upper secondary	20	20	20	19	20	19	18	18	18	17	17	17	17	17	18
Kõrg - University	21	21	21	20	20	19	19	18	18	19	18	18	18	17	18
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	18	18	19	20	20	19	18	18	18	18	17	17	17	16	18
Mitteaktiivne - Non-active	20	20	20	19	20	18	18	17	18	17	17	17	17	16	18
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	21	20	21	19	20	18	18	17	18	17	17	16	17	17	18
Üle suhtelise vaesuse piiri - Above the risk of poverty	20	20	20	20	20	19	18	18	18	18	17	17	17	16	18
Tervise seisund - Health status															
Terve - No health disorders	22	24	22	19	20	19	18	18	18	17	17	17	17	16	17
Tervisehäired - Less severe health disorders	20	20	19	19	20	19	18	18	17	18	17	18	17	16	18
Tõsisemad tervisehäired - Severe health disorders	20	21	20	20	20	19	19	19	19	19	19	19	18	17	19
Toimetuleku piirangud - Managing restrictions	20	20	21	20	19	18	17	17	18	17	17	16	14	16	18
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	22	21	20	21	20	19	18	18	19	19	18	18	19	18	19
Tervist kahjustav - Health harming	20	20	18	20	20	19	18	18	17	17	18	18	17	16	18
Kontrollkese - Locus of control															
Seesmine - Internal	20	20	21	20	20	19	18	18	18	18	17	17	17	16	18
Väline - External	20	20	20	20	20	20	16	18	20	-	18	22	19	-	19
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	20	20	22	20	20	18	18	18	18	18	17	17	17	16	18
Väga halb või halb - Very bad or bad	20	20	20	20	18	18	18	17	17	17	18	13	15	15	18
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	22	25	20	23	-	-	17	21	-	19	18	18	16	18	18
Normkaal - Normal weight	20	20	20	20	20	18	18	18	18	18	17	18	17	16	18
Ülekaal - Overweight	20	20	20	20	20	19	18	18	18	18	17	17	17	17	18
Rasumine - Obesity	22	19	22	19	19	19	19	18	17	17	18	16	16	17	18
80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 40.B. Esmasseksuaalvahekorra ajastus (kumulatiivne %) sünnipõlvkonna järgi, naised
TABLE 40.B. Timing of first sexual intercourse (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
15	0,0	0,3	0,4	0,0	0,0	0,3	0,0	0,3	0,9	1,3	1,5	3,0	3,5	3,0	1,2
16	0,0	0,3	0,4	0,0	0,6	0,3	0,6	0,6	1,7	4,1	8,3	9,0	12,1	10,9	3,9
17	1,0	1,0	2,5	1,3	2,9	3,3	5,6	4,5	7,3	14,2	20,4	31,0	33,8	32,4	12,7
18	2,8	5,0	6,0	7,1	10,0	11,7	13,0	14,5	24,6	30,9	42,4	52,3	55,2	52,5	25,6
19	9,9	17,3	14,7	20,3	26,2	25,1	28,8	38,0	48,9	58,1	66,5	70,9	71,3	61,1	42,6
20	20,9	27,2	26,0	37,0	39,1	40,9	48,3	55,8	62,6	73,0	76,8	82,4	79,9	64,7	55,4
21	34,0	40,5	43,2	50,3	53,5	56,9	67,6	73,4	78,0	81,9	85,3	87,6	85,8	-	67,1
22	44,5	55,2	55,6	61,2	67,9	71,8	77,6	82,6	88,0	91,1	90,5	91,7	89,7	-	75,9
23	57,5	63,2	65,2	71,7	78,4	81,2	84,3	88,3	93,2	94,9	93,2	94,0	91,7	-	81,8
24	70,8	73,0	76,3	81,8	84,8	91,2	87,6	93,8	96,3	97,9	95,2	95,7	92,7	-	86,9
25	78,3	81,3	85,4	88,2	88,2	93,4	91,6	95,7	97,5	97,9	95,7	96,1	92,7	-	89,7
30	93,2	95,0	95,8	97,4	96,7	99,1	98,7	98,9	99,7	99,3	98,1	97,6	-	-	94,6
35	96,5	97,9	97,7	98,5	97,8	99,6	99,7	99,4	99,7	99,3	98,1	-	-	-	95,3
40	98,7	97,9	97,9	98,9	97,8	99,6	99,7	99,4	99,7	99,3	-	-	-	-	95,4
40+	98,7	98,6	98,8	98,9	97,8	100,0	100,0	99,4	99,7	-	-	-	-	-	95,5
Kokku - Total (N)	181	274	264	336	173	244	230	253	224	199	237	176	191	158	3140
Vastamata - Missing (N)	9	9	7	4	3	4	6	5	0	1	3	2	1	1	55
Pole olnud vahekordi - No intercourse (N)	2	4	3	4	4	0	0	2	1	1	6	4	15	82	128

TABEL 40.1.B. Mediaanvanus esmasseksuaalvahekorral rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 40.1.B. Median age at first sexual intercourse in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	21	21	21	20	21	21	20	20	19	18	18	17	17	16	19	
Ida-Virumaa	21	22	21	21	20	21	20	19	19	19	18	18	17	16	19	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	22	22	20	21	20	19	19	19	19	18	18	18	17	16	19	
Järva, Lääne-Viru, Rapla	23	20	21	20	20	20	19	18	18	19	17	18	16	17	19	
Lääne, Saare, Hiiumaa, Pärnumaa	22	20	21	20	19	19	19	19	18	17	18	17	16	17	18	
Asulatüüp - Type of residence																
Linn - Urban	22	21	21	21	20	20	20	19	19	18	18	17	17	17	19	
Maa - Rural	23	21	20	20	20	19	19	19	19	18	18	17	16	16	19	
Rahvus - Ethnicity																
Eestlane - Estonian	22	21	21	20	20	20	19	19	19	18	18	17	17	16	19	
Mitte-eestlane - Non-Estonian	22	22	21	22	20	21	20	20	19	18	18	17	18	17	19	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	22	21	21	20	20	20	19	19	18	18	18	17	17	16	19	
Immigrantrahvastik - Not native-born	23	22	21	22	20	20	20	20	19	18	18	17	18	17	20	
Kooselu - Cohabiting																
Kooselus - Cohabiting	22	21	21	20	20	20	20	19	18	18	18	17	17	16	19	
Ei ole kooselus - Not cohabiting	22	21	21	21	20	20	19	19	19	18	18	18	17	17	19	
Haridus - Education																
Põhi või madalam - Lower secondary or less	22	21	20	20	18	18	19	18	17	16	17	16	16	16	19	
Kesk - Upper secondary	21	20	21	20	20	19	19	19	18	18	17	18	17	17	19	
Kõrg - University	23	22	22	21	20	21	20	19	19	19	18	17	18	19	19	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	22	23	21	21	20	20	20	19	19	18	18	18	17	16	19	
Mitteaktiivne - Non-active	22	21	21	20	20	20	20	18	19	18	18	17	17	17	19	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	22	21	21	20	21	20	19	20	19	18	18	17	16	16	20	
Üle suhtelise vaesuse piiri - Above the risk of poverty	22	21	21	21	20	20	20	19	19	18	18	17	17	16	19	
Tervise seisund - Health status																
Terve - No health disorders	23	20	19	21	22	20	20	19	19	18	18	17	17	17	18	
Tervisehäired - Less severe health disorders	23	21	21	20	20	20	20	19	19	18	18	17	17	17	19	
Tõsisemad tervisehäired - Severe health disorders	22	21	22	20	20	20	19	19	18	18	17	17	19	16	19	
Toimetuleku piirangud - Managing restrictions	22	21	21	21	20	20	19	21	18	19	17	17	17	16	20	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	22	21	21	20	20	21	20	19	20	19	18	18	18	17	19	
Tervist kahjustav - Health harming	22	21	21	22	21	20	19	18	18	18	18	17	17	16	19	
Kontrollkese - Locus of control																
Seesmine - Internal	22	21	21	21	20	20	20	19	19	18	18	17	17	17	18	
Väline - External	22	21	22	22	21	20	20	19	18	20	17	21	17	18	21	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	22	21	21	20	21	20	20	20	19	18	18	17	17	17	18	
Väga halb või halb - Very bad or bad	22	21	21	20	22	21	19	20	18	18	17	16	16	16	20	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	25	22	20	20	22	-	20	20	20	19	18	17	17	16	18	
Normkaal - Normal weight	21	22	21	21	20	20	20	19	19	18	18	17	17	16	18	
Ülekaal - Overweight	22	21	21	21	21	20	20	19	18	18	18	18	18	17	20	
Rasumine - Obesity	22	21	21	20	19	20	19	19	18	18	18	18	15	17	19	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 41.A. Rasestumisvastaste vahendite kasutamine esmasseksuaalvahekorral (%) sünnipölvkonna järgi, mehed
TABLE 41.A. Use of contraception at first sexual intercourse (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Kondoom - Condom	6,3	5,8	4,2	6,1	8,4	10,7	13,6	16,7	14,2	29,0	33,9	43,4	74,1	79,8	28,8	
Pillid - Pills	0,0	0,6	0,0	0,0	0,9	1,2	1,4	0,0	0,9	0,6	1,9	4,8	5,0	3,3	1,8	
Emakasisene vahend - IUD	0,9	0,0	0,0	0,6	0,9	0,7	0,0	0,5	0,7	0,4	1,1	0,7	0,0	0,0	0,5	
Kalendermeetod - Rhythm	1,5	2,1	2,3	3,8	3,5	2,9	3,3	2,9	3,3	2,5	2,5	0,9	1,7	1,3	2,5	
Katkestatud suguühe - Interrupted intercourse	2,1	4,4	5,6	5,8	3,9	5,5	2,8	7,5	3,4	4,6	2,3	2,2	1,9	2,0	3,8	
Muu - Other	0,0	0,0	0,0	0,3	0,0	0,0	0,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,1	
Ei kasutanud vahendeid - Did not use	90,4	89,3	89,4	87,6	87,2	83,3	81,4	77,5	82,2	65,8	60,3	50,9	21,4	17,8	66,1	
Kokku - Total (N)	125	336	253	327	143	192	191	198	201	206	182	183	214	160	2911	
Vastamata - Missing (N)	2	3	7	2	1	2	2	2	2	4	1	2	1	0	31	
Pole vahekordi olnud - No intercourse (N)	2	2	1	3	1	1	1	3	1	3	7	8	22	114	169	
TABEL 41.1.A. Esmasseksuaalvahekorral rasestumisvastaseid vahendeid mittekasutanute protsent rahvastikurühmades sünnipölvkonna järgi, mehed																
TABLE 41.1.A. Percent of persons who did not use contraception at first sexual intercourse in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	77,4	87,0	93,3	85,4	83,7	77,4	80,0	79,5	79,9	60,3	52,2	46,8	20,2	12,8	62,4	
Ida-Virumaa	94,8	93,6	79,5	88,8	79,5	83,1	87,0	75,2	89,8	76,2	71,9	52,6	33,9	20,6	69,8	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	97,9	86,3	91,1	89,4	91,7	88,1	77,2	75,2	78,8	65,8	59,0	46,9	12,8	28,2	65,1	
Järva, Lääne-Viru, Rapla	80,9	100,0	87,5	86,2	82,7	85,5	79,4	75,8	87,2	69,6	81,5	65,6	19,9	23,9	71,6	
Lääne, Saare, Hiiumaa, Pärnumaa	100,0	94,7	86,8	90,6	96,1	91,2	86,4	79,3	85,6	70,4	68,0	77,1	33,4	7,2	72,4	
Asulatüüp - Type of residence																
Linn - Urban	85,6	88,6	87,6	85,4	85,3	81,6	79,5	75,6	82,5	65,2	59,2	49,8	22,5	16,5	64,4	
Maa - Rural	100,0	92,4	93,8	94,5	92,0	87,5	86,8	81,8	81,4	67,2	63,7	55,8	16,7	21,0	71,0	
Rahvus - Ethnicity																
Eestlane - Estonian	92,3	92,7	90,3	89,7	90,7	89,8	80,0	80,7	79,7	68,2	60,2	49,9	17,1	19,0	66,3	
Mitte-eestlane - Non-Estonian	82,0	82,3	87,1	84,0	79,3	74,6	83,2	72,0	87,5	60,4	60,6	52,8	30,0	14,7	65,8	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	92,4	92,7	90,8	89,9	89,1	88,2	80,1	78,3	80,4	69,3	60,9	51,2	18,3	17,9	65,9	
Immigrantrahvastik - Not native-born	80,9	82,3	85,6	83,3	81,9	75,7	83,3	75,7	86,4	56,7	59,1	50,5	30,0	17,3	66,6	
Kooselu - Cohabiting																
Kooselus - Cohabiting	92,9	91,4	88,8	87,1	87,5	82,9	81,6	75,2	80,8	65,1	64,1	55,2	24,7	27,6	72,9	
Ei ole kooselus - Not cohabiting	84,5	84,0	92,0	89,4	85,5	85,9	80,1	88,1	88,6	68,8	47,7	41,7	19,2	16,8	49,5	
Haridus - Education																
Põhi või madalam - Lower secondary or less	97,0	91,4	90,4	89,8	95,3	87,4	74,9	66,7	100,0	60,6	60,1	79,8	31,6	19,2	63,5	
Kesk - Upper secondary	100,0	91,5	88,3	89,0	88,5	82,8	85,4	85,1	81,8	67,2	62,9	49,7	19,5	15,8	66,7	
Kõrg - University	69,1	83,8	89,9	84,6	80,0	82,5	76,6	69,9	79,5	63,1	55,0	44,7	21,1	0,0	66,4	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	67,3	95,6	87,1	82,0	86,2	81,2	78,9	76,1	82,5	64,8	60,5	51,6	24,5	16,0	64,1	
Mitteaktiivne - Non-active	91,0	89,0	89,8	89,4	88,0	88,5	91,9	87,8	78,9	85,2	57,1	39,4	8,8	18,5	70,9	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	85,7	86,9	92,6	89,3	91,4	88,0	91,2	83,0	87,1	62,2	69,3	0,0	21,4	19,6	74,9	
Üle suhtelise vaesuse piiri - Above the risk of poverty	90,2	89,8	88,7	87,3	87,5	81,5	80,5	75,0	81,3	65,2	60,0	53,5	21,0	16,9	65,7	
Tervises seisund - Health status																
Terve - No health disorders	76,5	87,1	93,8	96,8	93,1	95,0	76,7	72,9	82,0	62,3	61,8	52,8	20,8	16,7	53,0	
Tervisehäired - Less severe health disorders	89,2	83,0	84,5	85,9	85,0	81,3	77,3	76,7	83,3	71,6	60,9	40,1	23,9	17,6	70,0	
Tõsisemad tervisehäired - Severe health disorders	83,6	94,5	88,5	88,7	88,0	83,3	91,5	85,9	76,7	72,3	49,6	54,1	22,2	59,0	79,3	
Toimetuleku piirangud - Managing restrictions	92,7	89,3	94,8	86,5	87,6	83,3	91,5	85,3	82,9	78,4	58,4	60,8	0,0	0,0	84,8	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	83,7	92,3	84,4	83,9	93,1	81,7	62,6	79,0	66,8	62,4	53,9	49,8	16,1	0,0	61,9	
Tervist kahjustav - Health harming	87,4	89,6	90,8	91,3	87,3	93,1	86,3	87,9	85,4	67,9	44,0	37,4	31,4	0,0	73,1	
Kontrollkese - Locus of control																
Seesmine - Internal	85,3	85,3	86,4	87,6	82,7	75,8	80,5	78,6	80,0	57,1	59,8	48,4	17,8	11,1	59,2	
Väline - External	96,6	87,7	86,7	76,9	100,0	86,8	100,0	47,2	100,0	0,0	90,3	100,0	0,0	0,0	88,8	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	79,1	90,1	93,2	87,7	82,4	80,6	81,0	72,2	83,0	61,3	54,9	50,0	20,8	15,5	54,0	
Väga halb või halb - Very bad or bad	93,2	85,8	94,0	84,1	96,1	78,9	84,8	100,0	85,7	72,3	62,8	0,0	14,8	0,0	83,8	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	100,0	100,0	50,8	0,0	0,0	0,0	100,0	100,0	0,0	100,0	100,0	66,7	0,0	37,7	53,5	
Normkaal - Normal weight	86,1	90,5	88,1	88,3	87,7	85,1	79,1	78,1	87,6	61,8	64,3	46,3	21,8	18,0	59,1	
Ülekaal - Overweight	93,3	87,7	91,2	86,9	91,6	79,6	84,9	78,3	82,9	65,7	57,6	52,5	20,0	15,7	70,6	
Rasumine - Obesity	86,2	91,4	90,1	89,6	79,7	87,2	77,6	73,3	71,7	74,0	57,2	64,0	38,6	0,0	75,4	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															

TABEL 41.B. Rasestumisvastaste vahendite kasutamine esmasseksuaalvahekorral (%) sünnipölvkonna järgi, naised
TABLE 41.B. Use of contraception at first sexual intercourse (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Kondoom - Condom	4,5	2,6	2,5	5,6	1,4	9,0	12,9	14,4	18,3	18,4	36,3	51,5	65,4	78,7	23,7
Pillid - Pills	0,0	0,0	0,7	0,8	0,5	1,2	1,5	3,0	1,6	4,1	5,0	8,4	13,7	11,8	3,9
Emakasisene vahend - IUD	0,0	0,0	0,0	0,2	0,4	2,3	1,5	2,2	1,5	1,6	0,9	0,7	0,0	0,5	0,9
Kalendermeetod - Rhythm	2,5	2,8	2,6	6,6	4,0	8,0	5,4	8,3	9,8	7,3	5,0	4,4	4,2	1,4	5,5
Katkestatud suguuhe - Interrupted intercourse	2,9	3,6	3,2	6,7	4,0	3,2	2,8	4,9	3,1	4,3	4,6	7,0	3,4	2,4	4,1
Muu - Other	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,3	0,0	0,0	0,0	0,0	0,0	0,1
Ei kasutanud vahendeid - Did not use	92,4	92,0	91,4	84,9	89,7	82,4	80,9	76,2	72,0	67,9	55,3	38,8	25,7	13,8	67,8
Kokku - Total (N)	187	278	269	335	174	244	230	254	224	198	239	177	191	158	3158
Vastamata - Missing (N)	3	5	2	5	2	4	6	4	0	2	1	1	1	1	37
Pole vahekordi olnud - No intercourse (N)	2	4	3	4	4	0	0	2	1	1	6	4	15	82	128

TABEL 41.1.B. Esmasseksuaalvahekorral rasestumisvastaseid vahendeid mittekasutanute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 41.1.B. Percent of persons who did not use contraception at first sexual intercourse in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	89,6	92,6	96,4	82,3	93,2	80,6	80,9	79,3	68,0	67,7	55,8	34,1	22,9	18,4	66,3
Ida-Virumaa	88,0	95,6	84,4	92,7	80,6	84,7	78,8	77,0	79,6	66,7	52,5	57,5	34,4	29,6	72,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	95,0	88,9	90,5	87,2	85,7	81,1	77,1	76,8	74,6	68,5	49,0	21,4	20,8	6,7	64,7
Järva, Lääne-Viru, Rapla	100,0	89,2	95,1	86,1	93,9	74,0	85,2	58,3	73,2	67,5	53,9	72,8	46,8	7,5	71,2
Lääne, Saare, Hiiumaa, Pärnumaa	95,2	95,3	83,1	79,1	94,8	92,7	84,9	77,7	71,1	68,5	68,7	31,4	29,5	6,8	71,3
Asulatüüp - Type of residence															
Linn - Urban	90,2	92,3	90,6	82,1	89,6	79,3	80,6	75,5	71,1	67,8	54,2	38,2	24,9	19,2	67,0
Maa - Rural	97,8	90,8	94,3	94,2	90,0	91,7	81,6	78,4	74,5	68,3	60,8	41,2	28,4	0,0	70,3
Rahvus - Ethnicity															
Eestlane - Estonian	95,0	92,2	92,9	87,5	90,5	80,4	80,9	73,3	72,2	65,6	55,3	36,7	24,7	9,9	67,2
Mitte-eestlane - Non-Estonian	87,6	91,4	88,4	80,9	87,6	85,1	80,8	80,3	71,3	74,3	55,5	42,9	27,4	22,6	68,9
Põlvkond - Native-born population															
Põlvkond - Native-born	94,4	91,9	92,9	86,5	90,3	80,4	80,3	73,9	72,3	66,2	55,7	36,3	23,5	11,8	66,9
Immigrant - Not native-born	88,1	92,1	87,9	82,0	87,7	85,6	81,8	79,6	71,1	72,4	54,5	45,5	30,5	19,3	69,9
Kooselu - Cohabiting															
Kooselu - Cohabiting	87,2	91,0	91,4	84,3	84,9	83,4	78,7	73,7	71,2	70,1	55,8	40,2	26,1	21,4	66,1
Ei ole kooselus - Not cohabiting	93,0	92,3	91,4	85,3	95,5	80,3	84,6	81,6	74,3	62,2	53,4	34,9	25,0	12,0	70,1
Haridus - Education															
Põhi või madalam - Lower secondary or less	94,6	94,6	92,8	87,4	94,2	92,9	90,2	87,1	100,0	90,5	46,3	64,1	36,4	10,2	73,7
Kesk - Upper secondary	89,2	91,3	92,1	87,5	89,8	85,0	79,6	76,2	77,7	73,6	64,6	43,4	27,5	18,2	69,8
Kõrg - University	90,4	87,2	88,3	78,1	86,9	75,9	80,0	75,5	65,8	60,2	46,2	31,1	20,8	0,0	62,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	100,0	100,0	89,9	84,1	89,9	78,9	79,5	75,4	71,8	67,4	57,0	36,4	25,6	30,9	64,5
Mitteaktiivne - Non-active	92,3	91,8	91,5	85,0	89,7	87,9	88,9	83,9	73,2	70,2	49,5	44,4	25,8	10,2	71,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	92,8	95,8	93,0	87,2	90,7	86,6	83,3	76,7	76,1	77,2	42,4	61,3	29,1	13,8	79,0
Üle suhtelise vaesuse piiri - Above the risk of poverty	93,0	88,4	90,2	83,0	90,0	80,1	80,8	76,4	68,6	66,4	56,0	34,3	27,0	15,8	64,9
Tervises seisund - Health status															
Terve - No health disorders	100,0	100,0	100,0	89,6	86,0	71,4	56,0	64,5	65,6	70,3	55,1	37,6	32,0	12,8	48,4
Tervisehäired - Less severe health disorders	70,6	88,9	95,6	81,4	84,7	79,7	79,9	76,5	73,3	68,3	50,1	32,0	13,3	17,6	66,3
Tõsisemad tervisehäired - Severe health disorders	100,0	92,3	91,7	91,5	93,6	84,6	88,0	87,6	80,1	70,6	73,0	62,3	14,3	0,0	84,2
Toimetuleku piirangud - Managing restrictions	93,2	92,0	88,9	81,5	95,7	87,7	88,4	76,2	81,5	31,6	84,2	50,0	26,9	23,8	84,9
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	87,5	94,4	84,4	84,1	88,5	74,8	76,3	72,8	59,9	67,3	55,7	31,1	19,7	0,0	64,4
Tervist kahjustav - Health harming	86,4	94,7	85,8	87,9	90,2	81,1	87,8	81,8	71,5	61,3	66,1	27,8	14,6	58,9	69,3
Kontrollkese - Locus of control															
Seesmine - Internal	89,4	92,8	89,7	82,0	90,4	83,4	77,6	73,0	61,9	71,1	52,3	34,6	19,6	7,6	58,9
Väline - External	92,8	89,7	96,6	89,7	85,6	91,8	88,3	84,0	58,5	48,8	87,3	26,4	26,1	0,0	83,8
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	81,8	89,8	97,4	88,9	88,0	84,1	72,6	71,5	68,3	66,7	53,3	35,0	25,4	12,9	53,2
Väga halb või halb - Very bad or bad	92,6	92,6	90,2	83,1	97,6	77,5	93,5	83,7	84,9	61,6	84,1	100,0	57,0	0,0	88,2
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	100,0	100,0	100,0	100,0	46,6	0,0	100,0	38,4	55,7	49,6	33,4	52,0	18,5	11,0	39,2
Normaal - Normal weight	92,1	90,6	89,6	82,4	89,5	81,6	75,3	76,4	70,2	67,7	54,8	37,1	25,5	11,0	58,6
Ülekaal - Overweight	92,1	92,5	89,5	87,4	89,7	81,9	84,0	69,7	72,4	70,7	62,8	35,7	21,5	31,5	76,7
Rasvumine - Obesity	91,0	92,2	94,5	83,5	91,9	82,8	84,9	86,9	81,9	71,4	63,3	34,2	60,9	38,0	83,4
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 42.B. Esimese rasestumise ajastus (kumulatiivne %) sünnipõlvkonna järgi, naised
TABLE 42.B. Timing of first pregnancy (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,3	0,0	0,0	0,8	0,6	0,0	0,0	0,1	
16	0,0	0,0	0,0	0,8	0,0	0,0	0,9	0,7	0,0	1,3	2,7	1,1	0,6	0,7	0,7	
17	1,1	0,0	0,4	1,9	0,4	0,8	4,1	2,7	3,3	3,1	5,7	5,0	2,8	1,2	2,5	
18	2,1	1,0	2,0	3,0	4,0	4,9	9,0	4,9	10,1	10,1	15,7	10,5	5,3	3,0	6,5	
19	4,9	3,6	4,7	8,2	10,5	9,4	13,6	11,6	19,1	25,1	24,3	16,2	9,7	6,1	12,5	
20	9,1	11,0	11,0	19,1	19,6	20,1	25,1	26,3	32,5	36,7	39,2	34,2	15,4	6,7	22,7	
21	12,9	18,8	19,5	28,8	29,6	32,9	38,2	40,3	45,0	51,8	49,4	41,7	22,9	-	32,4	
22	21,4	23,5	29,4	37,7	40,0	41,8	51,8	53,6	63,0	62,0	57,3	45,5	26,2	-	41,1	
23	31,7	33,7	37,1	48,1	47,8	53,5	61,4	64,8	68,1	71,8	62,0	49,8	31,5	-	48,5	
24	40,7	45,4	45,0	58,9	55,6	64,7	69,3	73,7	72,8	77,2	66,0	55,6	33,3	-	55,1	
25	51,2	53,4	57,2	64,5	63,5	72,8	73,3	77,4	79,8	83,3	70,4	62,2	34,7	-	60,8	
30	77,5	82,3	81,8	86,1	87,2	89,2	90,6	92,8	93,2	91,6	86,3	71,4	-	-	75,3	
35	83,9	87,7	87,1	91,8	90,9	93,3	96,1	94,9	95,5	93,4	89,2	-	-	-	78,3	
40	90,8	90,3	88,2	93,5	92,2	94,2	97,3	95,4	96,4	-	-	-	-	-	79,2	
40+	91,6	91,5	88,7	93,8	92,2	94,5	97,3	95,4	96,7	-	-	-	-	-	79,4	
Kokku - Total (N)	170	258	242	318	164	229	227	248	214	188	217	131	75	17	2698	
Vastamata - Missing (N)	7	4	6	3	2	5	2	1	2	2	2	0	0	0	36	
Pole olnud rase - Has not been pregnant (N)	15	25	26	23	14	14	7	11	9	11	27	51	132	224	589	

TABEL 42.1.B. Mediaanvanus esimesel rasestumisel rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 42.1.B. Median age at first pregnancy in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	23	24	23	23	23	23	23	22	21	20	20	20	20	18	22	
Ida-Virumaa	24	23	23	23	21	21	21	20	20	21	20	20	20	18	21	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	24	23	23	22	22	21	20	21	21	20	21	19	19	17	21	
Järva, Lääne-Viru, Rapla	26	23	24	22	23	22	20	20	20	20	19	19	20	18	21	
Lääne, Saare, Hiiumaa, Pärnumaa	25	25	24	22	21	21	21	21	20	19	20	23	20	16	21	
Asulatüüp - Type of residence																
Linn - Urban	24	23	23	23	22	22	21	21	21	20	20	20	20	18	21	
Maa - Rural	24	24	23	21	22	22	21	21	20	19	19	19	19	17	21	
Rahvus - Ethnicity																
Eestlane - Estonian	24	24	24	22	23	22	21	21	21	20	20	20	20	17	21	
Mitte-eestlane - Non-Estonian	24	23	23	23	21	23	21	21	20	20	20	19	20	18	21	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	24	24	24	22	23	22	21	21	21	20	20	20	20	17	21	
Immigrantrahvastik - Not native-born	24	23	23	23	21	23	21	21	21	20	20	19	20	18	21	
Kooselu - Cohabiting																
Kooselus - Cohabiting	27	23	24	22	22	22	21	21	21	20	20	20	20	18	21	
Ei ole kooselus - Not cohabiting	24	24	23	23	22	22	21	21	21	21	21	20	20	17	22	
Haridus - Education																
Põhi või madalam - Lower secondary or less	24	23	22	21	20	20	20	19	18	19	18	18	19	17	21	
Kesk - Upper secondary	24	24	23	22	23	22	21	21	20	20	19	20	20	18	21	
Kõrg - University	25	25	24	24	23	23	22	22	21	22	22	20	21	-	22	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	22	28	22	23	22	23	21	21	21	20	20	20	19	18	21	
Mitteaktiivne - Non-active	24	24	24	22	22	21	20	21	21	20	20	20	20	18	22	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	24	24	23	22	22	20	21	22	20	20	19	18	19	18	21	
Üle suhtelise vaesuse piiri - Above the risk of poverty	24	23	24	22	23	22	21	21	21	20	20	20	20	17	21	
Tervise seisund - Health status																
Terve - No health disorders	19	24	24	23	24	21	23	22	21	20	20	20	20	18	21	
Tervisehäired - Less severe health disorders	27	24	24	22	22	22	21	21	21	20	21	20	20	17	21	
Tõsisemad tervisehäired - Severe health disorders	24	23	23	22	22	22	21	20	21	20	19	19	19	18	22	
Toimetuleku piirangud - Managing restrictions	24	23	23	23	21	21	20	21	19	20	17	19	18	19	22	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	25	24	24	23	23	23	22	21	21	21	21	21	21	18	22	
Tervist kahjustav - Health harming	24	23	22	25	20	22	20	20	21	19	20	21	20	17	21	
Kontrollkese - Locus of control																
Seemine - Internal	25	24	24	22	23	22	21	21	21	20	20	20	20	18	21	
Väline - External	24	24	24	22	22	21	22	22	20	21	17	26	21	18	22	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	25	24	24	22	24	22	22	21	21	20	20	20	20	18	21	
Väga halb või halb - Very bad or bad	24	23	23	21	24	22	20	20	18	20	16	17	19	-	22	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	25	25	25	25	-	-	21	22	23	20	26	19	21	16	21	
Normaal - Normal weight	24	24	24	23	23	23	22	21	21	20	20	20	20	18	21	
Ülekaal - Overweight	24	24	23	23	22	22	21	20	21	20	19	19	19	17	22	
Rasvumine - Obesity	23	22	23	21	21	22	21	21	19	19	20	18	19	18	21	
Kokku - Total																
80+	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total		

TABEL 43.B. Esmasraseduse lõppemise viis (%) sünnipölvkonna järgi, naised
TABLE 43.B. Outcome of first pregnancy (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Elussünd - Live birth	89,9	86,7	88,5	85,8	88,5	82,4	84,5	87,6	84,3	86,9	81,3	78,0	77,0	42,5	84,6
Surnultsünd - Still-birth	3,0	1,3	1,9	1,0	0,5	1,3	0,7	0,9	0,7	0,7	2,2	1,0	0,0	0,0	1,1
Iseeneslik abort - Spontaneous abortion	2,1	5,4	3,7	5,4	3,8	7,4	7,4	3,3	6,1	5,3	3,2	3,2	5,0	7,6	4,9
Indutseeritud abort - Induced abortion	5,0	6,6	5,9	7,8	7,2	8,9	7,4	8,2	8,9	7,1	13,3	17,8	18,0	49,9	9,4
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	177	262	247	321	166	234	229	248	216	190	219	131	75	17	2732
Vastamata - Missing (N)	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2
Pole olnud rase - Has not been pregnant (N)	15	25	26	23	14	14	7	11	9	11	27	51	132	224	589

TABEL 43.1.B. Isikute protsent, kelle esmasrasedus ei lõppenud elussünniga rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 43.1.B. Percent of persons whose first pregnancy did not end with live birth in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	14,8	17,1	15,2	19,2	13,0	21,2	14,5	11,8	15,3	11,2	20,6	28,7	23,4	79,5	17,4
Ida-Virumaa	14,2	7,8	15,7	10,9	16,3	15,5	23,4	7,5	6,8	11,5	11,6	17,2	12,4	60,0	14,1
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	8,1	13,5	8,9	7,1	7,0	13,6	11,3	13,3	13,9	13,6	8,4	5,7	30,3	100,0	11,8
Järva, Lääne-Viru, Rapla	0,0	15,0	7,0	14,6	8,4	17,7	14,3	21,2	14,4	20,6	33,2	36,6	41,8	0,0	18,6
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	6,0	4,8	13,3	16,4	17,1	15,4	11,7	26,1	12,2	20,8	20,1	0,0	59,1	14,9
Asulatüüp - Type of residence															
Linn - Urban	13,3	14,1	13,9	16,1	15,3	19,4	15,2	12,5	19,4	13,5	19,0	22,5	22,1	66,6	16,9
Maa - Rural	2,2	10,4	2,3	7,9	2,2	12,0	16,3	12,1	4,4	11,8	17,2	20,5	27,5	28,9	10,7
Rahvus - Ethnicity															
Eestlane - Estonian	8,1	12,1	11,9	12,7	10,4	16,0	15,8	14,5	18,1	12,0	20,6	24,6	28,6	61,5	15,8
Mitte-eestlane - Non-Estonian	13,6	15,8	10,8	16,3	14,5	20,5	15,1	9,6	10,3	16,0	14,7	17,2	16,3	47,6	14,7
Põlisus - Native-born population															
Põlisrahvastik - Native-born	7,7	13,4	11,9	13,8	11,0	16,7	16,4	14,7	16,8	11,1	19,8	22,7	26,9	63,8	15,8
Immigrantrahvastik - Not native-born	15,1	13,1	10,5	14,8	13,1	19,4	14,0	8,8	12,7	18,1	16,0	20,3	16,7	37,7	14,7
Kooselu - Cohabiting															
Kooselus - Cohabiting	4,3	13,2	12,6	10,1	8,4	19,4	13,6	11,2	14,9	15,0	16,8	21,3	15,1	24,9	14,7
Ei ole kooselus - Not cohabiting	10,8	13,3	11,0	17,2	15,3	14,8	19,0	15,4	18,5	7,5	27,5	25,6	44,4	83,8	16,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	10,9	12,1	6,2	13,7	7,3	9,5	22,9	0,0	35,3	15,2	20,7	0,0	12,1	72,0	12,5
Kesk - Upper secondary	8,3	12,3	15,7	12,3	13,1	17,2	17,0	9,2	16,6	15,0	15,1	20,8	30,5	44,9	15,6
Kõrg - University	11,5	17,3	11,2	17,5	11,3	20,3	12,1	16,2	13,9	10,9	22,6	29,0	17,5	0,0	16,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	12,2	23,8	16,4	20,3	16,6	13,3	17,1	14,2	18,8	24,9	30,5	100,0	17,9
Mitteaktiivne - Non-active	10,2	13,5	11,5	12,3	9,2	12,7	9,0	3,5	2,8	8,7	18,2	17,2	16,8	46,1	12,4
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	10,1	11,7	13,5	15,0	7,8	12,1	15,4	9,4	16,0	19,8	11,7	10,8	24,5	0,0	13,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	11,8	16,0	8,8	14,5	13,2	18,6	16,8	13,6	17,6	12,7	20,3	24,8	23,9	57,9	16,9
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	30,6	0,0	23,5	8,5	15,1	8,3	8,4	13,3	17,0	19,7	18,4	32,5	14,8
Tervisehäired - Less severe health disorders	12,2	3,2	9,3	14,7	14,5	19,2	16,6	14,5	19,4	16,6	21,4	31,2	28,4	72,4	17,8
Tõsisemad tervisehäired - Severe health disorders	0,0	12,4	10,0	15,0	6,5	16,2	19,1	15,8	25,5	9,3	11,9	16,2	0,0	100,0	13,9
Toimetuleku piirangud - Managing restrictions	12,0	16,0	12,9	14,4	9,6	18,2	7,2	4,9	16,5	0,0	58,1	16,7	69,4	100,0	13,8
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	8,0	7,0	10,6	8,5	10,2	10,1	7,1	15,1	17,3	12,6	19,0	22,6	18,1	0,0	12,9
Tervist kahjustav - Health harming	27,2	21,3	12,3	17,4	29,4	32,9	17,5	10,8	8,7	0,0	30,0	20,1	49,1	58,9	19,6
Kontrollkese - Locus of control															
Seesmine - Internal	8,6	10,4	11,4	13,1	7,2	17,5	8,9	11,1	18,3	11,0	20,1	23,5	30,3	50,2	15,3
Väline - External	10,8	20,2	13,3	18,1	7,2	13,5	26,1	0,0	0,0	17,1	25,6	0,0	0,0	0,0	13,5
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	5,7	5,6	12,1	5,3	14,2	21,1	14,5	11,0	13,8	12,5	19,7	25,3	22,8	47,2	16,9
Väga halb või halb - Very bad or bad	11,1	16,0	15,7	18,1	18,9	19,6	11,9	7,5	43,2	0,0	0,0	0,0	100,0	0,0	15,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	19,3	74,5	0,0	0,0	0,0	0,0	0,0	0,0	50,8	30,4	28,1	12,4	59,9	25,2
Normaal - Normal weight	8,5	11,2	14,6	14,4	11,0	18,8	11,3	15,7	17,9	8,7	16,9	19,3	25,8	52,1	15,6
Ülekaal - Overweight	6,1	11,4	8,7	13,3	13,2	17,3	21,6	8,3	12,9	13,3	23,2	27,8	0,0	100,0	14,2
Rasvumine - Obesity	14,7	18,4	9,0	15,0	10,0	17,0	14,8	12,1	15,9	17,9	15,3	35,0	45,3	0,0	14,9
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 44.A. Laste arv (%) sünnipölvkonna järgi, mehed
TABLE 44.A. Number of children (%) by birth cohort, males

	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
0	15,6	8,1	9,4	9,6	6,8	10,2	8,0	10,9	8,8	21,4	29,0	57,6	85,1	99,7	34,1
1	15,4	26,2	26,5	22,8	21,9	23,0	28,0	21,0	26,2	26,0	29,2	30,4	13,9	0,3	21,7
2	50,1	46,9	43,0	44,0	46,4	46,2	42,5	39,7	41,3	30,6	32,0	10,0	1,0	0,0	29,1
3	12,9	12,5	12,7	17,6	15,9	13,9	15,9	16,9	17,9	15,3	7,3	2,0	0,0	0,0	10,4
4	4,5	3,9	4,2	3,2	5,3	4,5	4,9	6,7	3,1	4,6	2,1	0,0	0,0	0,0	3,0
5 või enam - 5 or more	1,5	2,4	4,2	2,8	3,7	2,2	0,7	4,8	2,7	2,1	0,4	0,0	0,0	0,0	1,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 44.1.A. Keskmise laste arv rahvastikurühmades sünnipölvkonna järgi, mehed
TABLE 44.1.A. Average number of children in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	1,7	1,7	1,9	1,8	1,8	1,8	2,0	2,1	1,9	1,3	1,2	0,4	0,2	0,0	1,2
Ida-Virumaa	1,7	1,7	1,7	1,8	2,2	1,6	1,6	1,7	1,7	1,5	1,2	0,7	0,2	0,0	1,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	2,0	2,1	2,1	2,0	2,0	2,1	1,7	2,2	1,9	1,8	1,3	0,6	0,1	0,0	1,4
Järva, Lääne-Viru, Rapla	2,2	1,8	1,7	2,3	2,4	2,1	2,1	1,8	1,7	2,2	1,5	1,2	0,2	0,0	1,6
Lääne, Saare, Hiiumaa, Pärnumaa	1,7	2,3	2,0	1,9	2,2	1,8	2,0	2,2	2,0	1,9	1,3	0,6	0,3	0,0	1,5
Asulatüüp - Type of residence															
Linn - Urban	1,7	1,7	1,9	1,8	2,0	1,8	1,8	2,0	1,8	1,5	1,2	0,5	0,1	0,0	1,2
Maa - Rural	2,1	2,5	2,0	2,3	2,2	2,2	2,0	2,3	2,2	1,8	1,5	0,9	0,2	0,0	1,6
Rahvus - Ethnicity															
Eestlane - Estonian	2,0	2,0	2,0	2,0	2,1	2,0	2,0	2,2	2,0	1,7	1,3	0,6	0,2	0,0	1,4
Mitte-eestlane - Non-Estonian	1,4	1,7	1,6	1,8	1,9	1,7	1,7	1,8	1,7	1,4	1,3	0,5	0,1	0,0	1,2
Põlisus - Native-born population															
Põlisrahvastik - Native-born	1,9	2,0	2,0	2,0	2,1	2,0	1,9	2,2	2,0	1,7	1,3	0,6	0,2	0,0	1,4
Immigrantrahvastik - Not native-born	1,5	1,7	1,6	1,7	1,9	1,8	1,7	1,8	1,6	1,4	1,2	0,6	0,1	0,0	1,3
Kooselu - Cohabiting															
Kooselus - Cohabiting	1,9	1,9	2,0	2,0	2,2	2,0	2,0	2,3	2,0	1,9	1,6	0,8	0,4	0,1	1,8
Ei ole kooselus - Not cohabiting	1,7	1,8	1,4	1,6	1,3	1,4	1,2	1,2	1,4	0,5	0,4	0,1	0,0	0,0	0,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	1,9	2,0	2,1	1,8	2,0	2,1	1,4	1,9	1,2	1,5	1,0	0,9	0,2	0,0	0,9
Kesk - Upper secondary	1,8	1,9	1,8	1,8	2,2	1,9	1,9	2,1	1,9	1,6	1,3	0,6	0,2	0,0	1,4
Kõrg - University	1,7	1,7	1,8	2,1	1,7	1,9	1,9	2,0	1,9	1,7	1,1	0,4	0,1	0,0	1,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	1,5	1,7	2,1	1,9	2,0	1,9	1,9	2,1	1,9	1,6	1,3	0,6	0,2	0,0	1,4
Mitteaktiivne - Non-active	1,8	1,9	1,9	1,9	2,0	1,9	1,6	1,7	1,5	1,4	0,9	0,6	0,0	0,0	1,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	1,5	1,8	1,8	1,7	1,8	1,9	1,7	2,2	2,1	2,0	1,7	0,5	0,0	0,0	1,5
Üle suhtelise vaesuse piiri - Above the risk of poverty	2,0	1,9	2,0	2,0	2,1	1,9	1,9	2,0	1,9	1,6	1,2	0,6	0,2	0,0	1,3
Tervise seisund - Health status															
Terve - No health disorders	2,3	1,6	1,9	1,9	2,1	1,6	1,9	1,9	1,8	1,7	1,3	0,6	0,2	0,0	0,9
Tervisehäired - Less severe health disorders	1,5	2,0	1,8	2,0	2,1	1,9	1,9	2,1	2,1	1,5	1,3	0,3	0,1	0,0	1,5
Tõsisemad tervisehäired - Severe health disorders	2,0	2,1	2,1	2,0	1,9	2,0	1,7	2,2	1,9	1,7	1,0	0,4	0,4	0,0	1,7
Toimetuleku piirangud - Managing restrictions	1,9	1,8	1,9	1,7	2,0	2,0	1,8	2,0	1,6	1,0	0,9	0,6	0,3	0,0	1,7
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	1,7	1,7	2,3	2,2	1,7	1,4	1,7	2,6	2,0	1,5	1,2	0,3	0,0	0,0	1,3
Tervist kahjustav - Health harming	2,4	1,9	1,8	1,8	2,1	2,1	1,6	2,4	1,9	1,8	1,4	0,3	0,1	0,0	1,6
Kontrollikese - Locus of control															
Seesmine - Internal	1,6	2,0	2,1	2,2	2,0	1,9	2,1	2,4	1,9	1,7	1,3	0,6	0,2	0,0	1,3
Väline - External	2,0	1,6	1,7	1,8	2,0	1,9	1,6	1,1	1,3	0,0	1,1	0,0	0,4	0,0	1,5
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	1,7	2,2	1,8	1,8	2,2	2,1	1,9	2,2	1,9	1,7	1,3	0,6	0,1	0,0	1,1
Väga halb või halb - Very bad or bad	1,7	1,7	1,7	1,7	2,0	2,2	1,8	1,2	1,8	0,7	0,8	0,0	0,6	0,0	1,7
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	1,8	0,6	1,6	2,0	0,0	0,0	2,0	1,3	0,0	1,0	4,0	0,5	0,0	0,0	0,5
Normaal - Normal weight	1,8	2,0	2,0	1,9	1,8	1,8	1,8	2,1	1,8	1,4	1,1	0,5	0,2	0,0	1,0
Ülekaal - Overweight	1,9	1,9	1,9	1,8	2,1	1,9	1,8	2,0	2,0	1,8	1,3	0,7	0,2	0,0	1,5
Rasvumine - Obesity	1,9	1,6	1,8	2,1	2,2	2,2	2,0	2,2	1,9	1,6	1,7	0,6	0,2	0,0	1,8
80 + 75-79 70-74 65-69 60-64 55-59 50-54 45-49 40-44 35-39 30-34 25-29 20-24 15-19 Kokku Vanus - Age Total															

TABEL 44.B. Laste arv (%) sünnipõlvkonna järgi, naised
TABLE 44.B. Number of children (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
0	10,0	10,1	14,1	8,3	11,0	7,5	5,5	7,2	4,7	7,1	14,1	32,9	68,7	97,2	23,0
1	37,3	28,7	28,1	31,2	21,3	22,3	22,3	26,5	25,4	30,8	36,9	39,9	25,8	2,8	26,5
2	30,5	41,9	40,8	42,7	52,1	47,1	46,5	49,4	43,9	40,5	38,8	22,0	5,2	0,0	35,3
3	15,8	14,7	12,1	14,7	12,7	16,0	18,2	11,3	17,4	17,6	7,4	4,1	0,3	0,0	11,2
4	3,4	3,3	2,7	2,1	0,5	4,6	4,6	3,5	6,1	2,5	1,7	1,1	0,0	0,0	2,5
5 või enam - 5 or more	3,0	1,3	2,2	1,0	2,4	2,5	2,9	2,1	2,5	1,5	1,1	0,0	0,0	0,0	1,5
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	259	225	201	246	182	207	241	3322
Vastamata - Missing (N)	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1

TABEL 44.1.B. Keskmise laste arv rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 44.1.B. Average number of children in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	1,6	1,6	1,5	1,6	1,6	1,9	2,1	1,6	1,8	1,7	1,4	0,8	0,3	0,0	1,3
Ida-Virumaa	1,9	1,7	1,5	1,6	1,8	1,8	1,6	1,8	1,8	1,5	1,5	1,1	0,6	0,0	1,4
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	1,8	2,0	1,9	2,1	1,9	2,2	2,2	2,1	2,4	2,0	1,7	1,2	0,3	0,0	1,6
Järva, Lääne-Viru, Rapla	2,1	1,7	2,0	2,0	2,1	1,7	2,2	2,4	2,1	2,1	1,5	1,4	0,3	0,2	1,7
Lääne, Saare, Hiiumaa, Pärnumaa	1,8	1,9	1,7	1,9	1,6	2,4	2,2	2,0	2,2	2,1	1,5	1,1	0,5	0,0	1,7
Asulatüüp - Type of residence															
Linn - Urban	1,7	1,7	1,6	1,6	1,6	1,8	1,9	1,7	2,0	1,7	1,4	0,9	0,4	0,0	1,4
Maa - Rural	1,9	2,0	2,1	2,1	2,2	2,4	2,4	2,4	2,3	2,2	2,0	1,5	0,3	0,0	1,8
Rahvus - Ethnicity															
Eestlane - Estonian	1,8	1,8	1,7	1,8	1,8	2,1	2,2	2,1	2,2	2,0	1,5	1,0	0,4	0,0	1,6
Mitte-eestlane - Non-Estonian	1,7	1,7	1,6	1,6	1,8	1,7	1,8	1,6	1,7	1,4	1,4	1,0	0,4	0,0	1,3
Põlisus - Native-born population															
Põlisrahvastik - Native-born	1,8	1,8	1,7	1,8	1,8	2,1	2,2	2,1	2,2	2,0	1,5	1,0	0,4	0,0	1,5
Immigrantrahvastik - Not native-born	1,7	1,8	1,7	1,6	1,9	1,8	1,8	1,6	1,7	1,4	1,5	1,1	0,4	0,0	1,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	1,8	1,8	1,8	1,9	2,0	2,2	2,1	2,0	2,2	2,0	1,6	1,3	0,5	0,2	1,7
Ei ole kooselus - Not cohabiting	1,7	1,8	1,6	1,6	1,5	1,7	1,9	1,7	1,7	1,4	1,0	0,4	0,2	0,0	1,2
Haridus - Education															
Põhi või madalam - Lower secondary or less	1,8	1,9	1,8	2,0	2,0	2,3	2,1	1,7	2,5	3,0	1,8	1,5	0,8	0,0	1,4
Kesk - Upper secondary	1,6	1,7	1,7	1,7	1,7	2,1	2,1	2,1	2,2	1,9	1,7	1,1	0,4	0,1	1,6
Kõrg - University	1,8	1,5	1,4	1,5	1,8	1,8	2,0	1,7	1,9	1,7	1,2	0,8	0,3	0,0	1,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	1,0	1,6	1,6	1,8	1,5	1,9	2,0	1,9	2,0	1,7	1,4	0,8	0,3	0,0	1,5
Mitteaktiivne - Non-active	1,7	1,8	1,7	1,7	1,9	2,0	2,4	2,2	2,7	2,4	1,9	1,5	0,5	0,0	1,5
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	1,6	1,7	1,6	1,6	2,0	2,1	2,5	2,3	2,5	2,3	1,9	1,9	0,4	0,0	1,7
Üle suhtelise vaesuse piiri - Above the risk of poverty	1,9	1,8	1,8	1,8	1,7	1,9	1,9	1,8	1,9	1,7	1,5	0,9	0,4	0,0	1,4
Tervises seisund - Health status															
Terve - No health disorders	0,9	1,7	1,2	1,4	1,8	2,3	2,0	1,9	1,9	1,9	1,5	1,0	0,5	0,0	1,1
Tervisehäired - Less severe health disorders	2,0	1,8	1,8	1,7	1,7	2,0	2,1	1,9	2,0	1,7	1,4	0,9	0,2	0,0	1,5
Tõsisemad tervisehäired - Severe health disorders	1,8	1,8	1,7	1,8	2,0	1,9	1,9	2,2	2,8	2,0	1,5	1,4	0,4	0,0	1,9
Toimetuleku piirangud - Managing restrictions	1,7	1,7	1,6	1,7	1,7	1,9	2,1	1,4	1,8	1,3	1,0	1,1	0,2	0,0	1,6
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	1,6	1,6	1,7	1,8	1,6	1,7	1,9	1,6	2,0	1,6	1,2	0,8	0,2	0,1	1,4
Tervist kahjustav - Health harming	1,5	1,5	1,9	1,6	1,9	1,8	2,1	1,7	1,8	2,6	1,2	1,0	0,3	0,3	1,5
Kontrollikese - Locus of control															
Seesmine - Internal	1,7	1,9	1,6	1,8	1,8	2,1	2,0	1,9	1,8	1,8	1,4	1,0	0,3	0,0	1,4
Väline - External	1,9	1,9	1,9	1,6	1,8	1,6	1,8	2,3	2,1	2,2	2,6	0,7	0,6	0,2	1,8
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	2,0	1,7	1,9	1,9	1,7	2,0	2,0	1,8	2,1	1,9	1,4	1,0	0,4	0,0	1,2
Väga halb või halb - Very bad or bad	1,8	1,7	1,7	1,8	1,7	1,9	2,2	1,7	1,8	1,5	2,0	1,5	0,4	0,0	1,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	2,2	1,8	0,5	1,7	0,0	0,0	2,5	2,0	1,3	1,8	0,9	1,3	0,3	0,0	0,8
Normaal - Normal weight	1,5	1,7	1,6	1,8	1,8	2,0	1,9	1,8	2,1	1,8	1,4	1,0	0,4	0,0	1,3
Ülekaal - Overweight	1,9	1,8	1,7	1,7	1,8	1,9	2,1	2,0	2,0	1,9	1,9	1,0	0,4	0,0	1,7
Rasvumine - Obesity	1,9	1,8	1,7	1,8	1,9	2,0	2,2	1,9	2,3	2,1	1,8	1,2	0,5	0,2	1,9
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 45.A. Esimese lapse sünni ajastus (kumulatiivne %) sünnipõlvkonna järgi, mehed
TABLE 45.A. Timing of the birth of first child (cumulative %) by birth cohort, males

Vanuseks - By age		Sünnipölvkond - Birth cohort															Kokku - Total
		1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15		0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,6	0,6	0,0	0,0	0,0	0,0	0,2	
16		0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,6	0,6	0,7	0,0	0,0	0,0	0,2	
17		0,0	0,0	0,0	0,3	0,0	0,0	0,4	0,6	0,6	1,2	0,7	0,0	0,3	0,0	0,4	
18		0,0	0,2	0,0	0,7	0,0	0,0	0,4	1,0	2,5	1,5	2,3	0,0	1,4	0,0	0,9	
19		0,0	0,9	0,0	1,0	0,0	0,4	2,0	1,8	5,3	4,2	4,2	0,0	2,6	0,3	1,9	
20		1,3	1,5	0,4	3,2	0,0	2,4	4,9	4,3	6,7	6,9	8,3	2,3	4,2	0,3	3,8	
21		2,2	3,1	1,0	5,7	1,5	6,8	7,0	12,1	9,9	8,4	13,6	5,0	5,8	-	6,6	
22		4,5	7,1	2,9	8,1	3,6	10,2	15,4	20,6	16,8	18,0	19,9	10,2	8,7	-	11,5	
23		10,8	11,4	6,3	13,3	9,1	17,5	28,0	34,9	27,5	27,2	24,2	14,7	11,1	-	18,0	
24		15,3	16,1	11,3	23,3	15,4	29,5	38,9	51,2	43,0	39,5	33,0	18,4	11,8	-	26,1	
25		19,0	20,6	20,1	33,7	33,0	42,9	53,2	59,7	56,2	45,1	41,7	25,1	14,9	-	34,4	
30		55,6	69,7	64,8	73,5	75,7	76,8	78,1	82,9	82,7	69,3	60,1	42,3	-	-	56,8	
35		79,3	83,5	83,1	84,6	91,4	86,8	87,4	87,9	87,6	77,0	71,0	-	-	-	63,7	
40		84,2	89,7	88,0	88,1	92,3	88,4	90,8	89,1	90,5	78,6	-	-	-	-	65,3	
40+		84,2	91,9	90,6	90,3	93,3	89,9	92,0	89,1	91,2	-	-	-	-	-	65,9	
Kokku - Total (N)		108	314	238	295	136	174	177	180	183	170	135	83	34	1	2228	
Vastamata - Missing (N)		1	0	0	3	0	0	0	1	1	0	0	0	0	0	6	
Pole lapsi - No children (N)		20	27	23	34	9	21	17	22	20	43	55	110	203	273	877	

TABEL 45.1.A. Mediaanvanus esimese lapse sündimisel rahvastikurühmades sünnipölvkonna järgi, mehed
TABLE 45.1.A. Median age at the birth of first child in background categories by birth cohort, males

Piirkond - Region																
Harjumaa	27	27	27	26	26	25	24	22	24	24	24	24	20	-	25	
Ida-Virumaa	28	26	25	25	25	23	24	23	23	23	24	22	-	24		
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	28	27	27	26	26	25	24	24	24	23	24	24	21	18	24	
Järva, Lääne-Viru, Rapla	26	26	27	27	25	24	23	23	24	24	23	26	21	-	24	
Lääne, Saare, Hiiu, Pärnumaa	28	26	27	25	25	27	24	23	24	24	24	23	21	-	24	
Asulatüüp - Type of residence																
Linn - Urban	27	27	27	26	25	24	24	23	24	24	24	24	21	-	24	
Maa - Rural	28	26	27	25	25	25	24	23	24	23	23	24	20	18	24	
Rahvus - Ethnicity																
Eestlane - Estonian	28	27	27	26	25	25	24	23	24	24	24	24	21	18	25	
Mitte-eestlane - Non-Estonian	27	26	26	25	25	24	24	23	23	23	23	24	22	-	24	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	28	27	27	26	25	25	24	23	24	24	24	24	21	18	25	
Immigrantrahvastik - Not native-born	27	26	26	25	25	24	24	23	23	23	24	24	21	-	24	
Kooselu - Cohabiting																
Kooselus - Cohabiting	28	27	27	26	25	25	24	23	24	24	24	24	21	18	24	
Ei ole kooselus - Not cohabiting	28	26	27	25	28	24	25	23	23	23	23	22	19	-	24	
Haridus - Education																
Põhi või madalam - Lower secondary or less	28	26	26	25	24	25	23	25	25	25	22	23	19	18	25	
Kesk - Upper secondary	28	27	27	25	25	24	24	23	23	23	24	24	21	-	24	
Kõrg - University	27	26	27	26	27	26	24	23	24	24	24	26	22	-	25	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	27	26	27	26	26	25	24	23	24	24	24	24	21	-	24	
Mitteaktiivne - Non-active	28	27	27	25	25	24	25	25	24	23	25	26	20	18	25	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	25	27	28	25	24	24	24	24	24	23	23	20	-	-	24	
Üle suhtelise vaesuse piiri - Above the risk of poverty	28	27	27	26	25	25	24	23	23	24	24	24	21	-	24	
Tervises seisund - Health status																
Terve - No health disorders	22	26	27	26	26	28	24	23	24	23	24	24	21	18	24	
Tervisehäired - Less severe health disorders	28	28	27	26	26	25	24	23	23	25	24	26	21	-	24	
Tõsisemad tervisehäired - Severe health disorders	27	27	27	25	25	24	24	25	26	24	24	25	19	-	25	
Toimetuleku piirangud - Managing restrictions	28	26	27	24	25	25	24	23	23	23	24	23	24	-	25	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	25	26	27	27	26	24	24	23	24	25	24	26	24	-	25	
Tervist kahjustav - Health harming	26	26	27	27	27	25	24	23	24	24	24	25	22	-	24	
Kontrollkese - Locus of control																
Seesmine - Internal	28	27	27	25	26	25	24	23	23	23	24	24	21	18	24	
Väline - External	29	26	26	24	25	23	24	25	24	-	21	-	23	-	25	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	30	26	27	26	28	25	24	23	24	24	24	24	21	18	24	
Väga halb või halb - Very bad or bad	28	26	27	25	24	24	24	22	24	22	23	-	20	-	25	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	31	28	25	23	-	-	27	22	-	24	25	19	-	-	25	
Normkaal - Normal weight	28	26	27	26	27	25	24	23	24	23	24	24	21	18	24	
Ülekaal - Overweight	28	27	27	25	25	25	24	23	24	23	24	24	21	-	24	
Rasvumine - Obesity	26	27	26	25	25	24	24	23	23	23	23	25	22	-	24	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku - Total	

TABLE 45.B. Timing of the birth of first child (cumulative %) by birth cohort, females

TABEL 45.1.B. Mediaanvanus esimese lapse sündimisel rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 45.1.B. Median age at the birth of first child in background categories by birth cohort, females

TABLE 45.1.B. Median age at the birth of first child in background categories by birth cohort, females

[illegible]

TABEL 46.A. Laste sünnijärgne seisund (%) sünnipölvkonna järgi, mehed
TABLE 46.A. Postnatal health status of children (%) by birth cohort, males

	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Õigeaegne ja terve - Full-term and healthy	96,6	95,5	95,8	94,3	95,5	97,2	93,6	93,0	94,4	95,8	93,3	89,6	95,1	100,0	94,6
Enneaegne ja terve - Premature and healthy	2,5	2,3	1,8	2,7	2,1	1,1	3,5	1,8	3,0	1,7	2,7	2,6	3,0	0,0	2,3
Enneaegne, vajas sünnijärgset ravi - Premature, needed postnatal treatment	0,0	0,7	1,4	1,3	0,5	0,2	0,6	3,2	0,4	1,4	1,4	5,0	0,0	0,0	1,3
Väärarendiga - With malformation	0,0	0,6	0,8	0,8	1,1	1,0	0,6	1,4	0,9	0,6	1,5	2,1	1,9	0,0	1,0
Muu haiglaravi nõudnud tervisehäire - Other health disorder that needed hospital treatment	0,9	0,9	0,2	0,9	0,8	0,5	1,7	0,6	1,3	0,5	1,1	0,7	0,0	0,0	0,8
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	235	631	499	620	294	371	348	409	380	350	238	112	36	1	4524
Vastamata - Missing (N)	0	8	0	0	0	1	0	3	0	0	0	0	0	0	12

TABEL 46.1.A. Vähemalt üht tervisehäirega sündinud last omanute protsent rahvastikurühmades sünnipölvkonna järgi, mehed
TABLE 46.1.A. Percent of persons who have had at least one child born with health disorder in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	0,0	5,6	1,4	10,1	0,0	3,7	8,3	5,7	6,4	0,0	8,8	0,0	0,0	-	4,8
Ida-Virumaa	0,0	1,7	2,7	4,8	10,5	3,4	6,2	10,3	7,8	5,7	7,2	14,3	0,0	-	6,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	6,4	1,8	1,4	4,5	12,3	3,2	1,9	16,2	4,9	0,0	9,3	10,1	11,5	0,0	6,3
Järva, Lääne-Viru, Rapla	0,0	5,1	9,8	3,2	7,7	5,9	7,7	13,8	6,3	10,6	0,0	27,0	0,0	-	8,8
Lääne, Saare, Hiiu, Pärnumaa	0,0	0,0	13,0	0,0	0,0	0,0	4,4	9,1	0,0	23,4	0,0	0,0	0,0	-	4,7
Asulatüüp - Type of residence															
Linn - Urban	0,0	3,8	4,8	5,9	3,6	3,0	6,8	7,4	5,0	4,7	6,0	8,4	2,8	-	5,3
Maa - Rural	6,1	1,5	3,5	6,2	9,7	4,7	2,7	17,3	6,0	4,0	9,7	11,2	0,0	0,0	7,2
Rahvus - Ethnicity															
Eestlane - Estonian	2,5	3,5	6,1	5,0	6,7	4,8	6,5	12,1	6,2	5,3	8,0	11,3	2,9	0,0	6,8
Mitte-eestlane - Non-Estonian	0,0	3,0	0,0	7,5	1,7	1,6	5,0	7,3	3,4	2,7	5,3	5,2	0,0	-	4,1
Põlisus - Native-born population															
Põlisrahvastik - Native-born	2,5	3,5	6,1	5,3	6,4	4,5	6,1	11,2	5,9	5,0	7,4	11,3	2,6	0,0	6,5
Immigrantrahvastik - Not native-born	0,0	3,0	0,0	7,1	1,9	1,7	5,5	8,3	3,7	3,1	6,0	5,2	0,0	-	4,5
Kooselu - Cohabiting															
Kooselus - Cohabiting	2,9	3,4	4,8	6,3	5,8	3,0	6,3	10,1	4,9	4,2	6,7	9,9	2,3	0,0	6,0
Ei ole kooselus - Not cohabiting	0,0	3,2	2,0	4,0	0,0	6,9	3,1	10,9	7,7	7,8	9,2	0,0	0,0	-	5,1
Haridus - Education															
Põhi või madalam - Lower secondary or less	1,9	2,4	3,1	6,5	18,5	5,6	7,3	7,9	11,2	0,0	10,4	0,0	0,0	0,0	5,7
Kesk - Upper secondary	4,2	5,7	5,9	2,4	2,6	4,1	5,2	13,2	4,6	4,1	6,3	7,9	3,1	-	5,6
Kõrg - University	0,0	2,2	4,0	9,6	4,1	1,9	6,5	7,2	5,9	6,1	7,6	16,9	0,0	-	6,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	11,6	7,0	4,5	2,2	6,6	10,4	5,8	3,6	6,6	9,5	2,2	-	6,2
Mitteaktiivne - Non-active	2,1	3,5	3,4	5,6	5,6	6,8	2,4	8,8	0,0	22,1	12,4	0,0	0,0	0,0	4,9
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	3,0	2,0	2,2	3,1	6,3	2,9	17,6	0,0	10,3	0,0	0,0	-	-	5,5
Üle suhtelise vaesuse piiri - Above the risk of poverty	2,5	3,7	4,0	6,8	4,4	2,9	6,3	7,8	6,1	3,8	7,4	8,4	2,1	-	5,6
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	0,0	6,2	0,0	0,0	8,3	2,8	4,1	6,1	10,3	3,1	0,0	5,2
Tervisehäired - Less severe health disorders	0,0	4,2	6,1	4,7	4,4	3,1	7,8	8,3	8,7	8,9	9,9	0,0	0,0	-	6,5
Tõsisemad tervisehäired - Severe health disorders	10,0	2,7	4,8	5,9	2,4	1,3	2,8	16,1	3,6	0,0	0,0	27,0	0,0	-	4,6
Toimetuleku piirangud - Managing restrictions	0,0	3,5	3,0	9,8	7,9	9,2	8,8	20,6	4,2	0,0	18,0	0,0	0,0	-	7,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	8,0	7,6	0,0	0,0	0,0	23,1	13,0	3,4	10,6	20,6	0,0	0,0	-	7,7
Tervist kahjustav - Health harming	0,0	3,3	0,0	8,7	5,1	8,2	0,0	17,2	8,6	0,0	11,6	0,0	0,0	-	7,2
Kontrollikese - Locus of control															
Seesmine - Internal	0,0	4,6	2,7	8,1	4,9	2,4	6,9	9,9	5,5	4,7	7,8	7,3	2,7	0,0	6,1
Väline - External	0,0	5,4	0,0	9,6	0,0	5,4	0,0	0,0	0,0	-	0,0	-	0,0	-	2,4
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	2,5	11,8	0,0	5,4	3,1	6,5	7,1	6,8	2,8	8,2	8,5	3,0	0,0	5,9
Väga halb või halb - Very bad or bad	0,0	2,1	0,0	2,9	4,9	4,5	8,3	8,6	5,5	0,0	0,0	-	0,0	-	3,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	-	-	0,0	0,0	-	0,0	0,0	100,0	-	-	15,0
Normkaal - Normal weight	4,9	0,8	7,9	6,6	3,5	4,5	5,8	8,0	1,9	5,4	7,8	4,6	0,0	0,0	5,0
Ülekaal - Overweight	0,0	7,4	1,1	4,7	7,0	1,9	5,4	11,8	7,6	4,5	9,1	10,9	7,3	-	6,6
Rasvumine - Obesity	0,0	0,0	4,2	7,9	4,0	4,3	6,9	10,7	6,3	2,7	0,0	10,9	0,0	-	5,5
Vanus - Age															
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 46.B. Laste sünnijärgne seisund (%) sünnipõlvkonna järgi, naised
TABLE 46.B. Postnatal health status of children (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Õigeaegne ja terve - Full-term and healthy	96,8	93,9	94,0	95,8	94,8	93,1	94,0	90,1	89,3	93,8	93,0	91,2	92,9	79,8	93,0
Enneaegne ja terve - Premature and healthy	1,1	3,5	3,3	2,6	3,5	3,0	3,5	5,4	5,9	3,3	4,2	4,1	6,1	0,0	3,8
Enneaegne, vajas sünnijärgset ravi - Premature, needed postnatal treatment	0,9	0,6	0,4	0,7	0,5	0,5	0,8	2,5	2,0	1,5	1,0	1,4	0,0	0,0	1,1
Väärarendiga - With malformation	0,9	1,2	1,1	0,9	0,5	1,3	0,4	1,3	1,6	1,0	1,6	1,2	0,0	20,2	1,1
Muu haiglaravi nõudnud tervisehäire - Other health disorder that needed hospital treatment	0,3	0,8	1,2	0,0	0,7	2,1	1,3	0,7	1,2	0,4	0,2	2,1	1,0	0,0	1,0
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	341	506	462	600	320	490	472	495	460	366	367	186	81	7	5153
Vastamata - Missing (N)	0	1	0	0	0	0	0	0	0	0	1	0	0	0	2

TABEL 46.1.B. Vähemalt üht tervisehäirega sündinud last omanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 46.1.B. Percent of persons who have had at least one child born with health disorder in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	5,0	7,1	6,9	4,8	2,7	10,1	3,1	5,9	8,6	5,9	3,2	11,6	0,0	0,0	5,9
Ida-Virumaa	3,6	0,0	0,0	1,5	3,5	6,7	2,0	8,7	13,6	3,8	2,9	0,0	0,0	0,0	3,8
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	5,8	2,4	7,8	1,4	1,7	8,4	5,2	7,8	10,2	5,0	1,6	7,9	5,5	-	5,5
Järva, Lääne-Viru, Rapla	0,0	7,3	0,0	6,6	10,4	2,1	6,9	8,5	3,4	7,0	13,2	0,0	0,0	37,6	6,0
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	5,1	6,5	0,0	0,0	6,1	12,3	6,2	10,5	7,3	2,9	11,2	0,0	0,0	6,0
Asulatüüp - Type of residence															
Linn - Urban	4,0	6,2	5,5	3,1	4,0	7,2	5,4	6,3	9,5	5,1	3,8	6,9	0,0	0,0	5,5
Maa - Rural	4,7	0,0	4,3	2,9	1,7	9,3	4,2	9,6	6,5	7,4	5,3	7,4	8,0	50,0	5,8
Rahvus - Ethnicity															
Eestlane - Estonian	2,7	5,7	4,0	1,8	3,7	8,3	5,4	8,0	7,3	7,3	3,9	6,6	0,0	31,1	5,6
Mitte-eestlane - Non-Estonian	6,9	2,7	7,4	4,8	2,2	6,7	4,6	5,8	11,8	1,5	4,6	7,8	2,6	0,0	5,5
Põlisus - Native-born population															
Põlisrahvastik - Native-born	2,6	5,5	4,3	1,7	4,3	8,5	5,7	7,7	6,9	7,4	3,7	6,1	2,0	31,1	5,5
Immigrantrahvastik - Not native-born	7,7	2,9	7,3	5,2	0,0	6,2	4,1	6,1	13,6	1,4	5,0	9,2	0,0	0,0	5,5
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	3,4	10,1	4,3	1,0	8,8	5,0	6,4	9,2	6,2	4,5	8,2	0,0	25,6	6,1
Ei ole kooselus - Not cohabiting	4,7	5,1	2,8	2,1	6,4	5,9	5,3	8,7	7,0	4,4	2,2	0,0	5,3	0,0	4,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	6,5	2,2	3,7	3,5	4,4	0,0	0,0	0,0	40,9	15,2	0,0	14,2	0,0	65,6	4,8
Kesk - Upper secondary	1,9	11,7	8,4	3,1	3,9	7,0	2,9	6,9	8,3	4,9	5,3	7,9	0,0	0,0	5,6
Kõrg - University	0,0	2,0	1,3	2,3	1,6	10,7	8,6	7,7	7,6	5,6	3,2	4,2	4,3	-	5,8
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	7,9	2,4	3,4	8,0	3,9	6,1	7,4	5,8	4,6	4,2	2,9	-	5,6
Mitteaktiivne - Non-active	4,2	4,8	5,1	3,1	3,3	7,2	11,5	16,2	20,6	5,5	2,6	11,3	0,0	20,2	5,5
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	3,5	4,4	4,6	1,7	8,2	9,7	4,5	4,8	12,9	8,7	6,1	3,9	0,0	0,0	5,7
Üle suhtelise vaesuse piiri - Above the risk of poverty	4,2	5,5	6,1	4,0	1,5	6,3	5,9	8,3	7,7	4,4	3,4	8,2	1,6	25,6	5,6
Tervise seisund - Health status															
Terve - No health disorders	0,0	14,4	0,0	0,0	7,3	0,0	3,4	7,5	6,3	4,6	3,9	6,6	1,6	29,2	5,0
Tervisehäired - Less severe health disorders	7,0	0,0	6,7	2,8	2,9	10,5	2,8	6,8	10,8	2,7	3,8	0,0	0,0	0,0	5,3
Tõsisemad tervisehäired - Severe health disorders	4,5	0,0	3,8	3,4	0,0	6,7	6,4	5,7	14,2	13,2	8,4	21,6	0,0	-	5,8
Toimetuleku piirangud - Managing restrictions	3,9	7,1	5,6	3,2	8,8	4,3	10,9	10,0	3,3	13,7	0,0	22,1	0,0	-	6,2
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	1,7	6,4	4,6	0,0	0,0	5,5	4,0	7,1	2,6	6,5	2,9	0,0	6,8	0,0	3,5
Tervist kahjustav - Health harming	0,0	14,1	12,4	8,9	0,0	13,3	3,5	2,4	6,8	0,0	0,0	10,5	0,0	0,0	5,5
Kontrollkese - Locus of control															
Seesmine - Internal	5,0	0,0	3,6	2,8	1,5	7,1	6,0	8,7	7,9	3,8	6,4	9,8	2,6	0,0	5,8
Väline - External	5,5	3,7	8,6	3,7	13,5	15,0	0,0	15,0	0,0	17,1	0,0	0,0	0,0	0,0	6,3
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	5,6	6,6	0,0	1,9	4,5	3,9	6,7	8,3	3,6	4,7	5,9	0,0	20,2	4,9
Väga halb või halb - Very bad or bad	5,2	5,3	6,5	2,9	2,8	19,3	9,3	4,3	4,9	17,4	0,0	0,0	0,0	-	6,7
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	33,2	0,0	0,0	0,0	-	-	0,0	0,0	0,0	0,0	7,5	0,0	0,0	100,0	5,0
Normikaal - Normal weight	2,8	3,7	6,0	5,6	3,8	4,3	5,2	7,9	8,9	7,7	4,2	5,5	1,8	0,0	5,7
Ülekaal - Overweight	4,0	5,6	6,2	2,1	2,2	7,9	6,2	5,7	5,9	4,5	5,5	18,4	0,0	-	5,5
Rasvumine - Obesity	3,2	5,0	3,6	2,0	4,1	10,1	3,8	7,7	15,2	0,0	0,0	8,1	0,0	0,0	5,5
Vanus - Age															
	80+	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 47.B. Rinnapiimaga toitmise (%) sünnipölvkonna järgi, naised
TABLE 47.B. Breastfeeding (%) by birth cohort, females

Kestus kuudes - Duration in months	Sünnipölvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
0	5,0	7,2	8,0	3,4	5,6	6,8	8,1	9,6	7,5	4,1	3,5	5,5	9,4	13,3	6,5	
1	5,4	3,4	3,6	6,4	4,7	8,7	10,3	15,7	10,4	12,2	9,8	7,7	9,2	0,0	8,8	
2	4,6	9,3	6,9	7,4	12,8	15,4	9,4	14,8	13,0	13,1	10,3	13,2	10,2	38,6	11,3	
3–5	17,5	17,5	20,4	26,1	29,7	26,1	31,8	28,6	27,3	26,9	26,0	25,1	27,7	33,9	26,2	
6–12	57,3	51,2	51,6	48,2	40,6	37,7	31,4	25,2	34,7	32,0	31,0	29,5	28,9	14,2	37,4	
13 või enam - 13 or more	10,2	11,4	9,5	8,5	6,6	5,3	9,0	6,1	7,1	11,7	19,4	19,0	14,6	0,0	9,8	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	319	499	456	600	318	486	470	493	455	365	367	182	77	6	5093	
Vastamata - Missing (N)	22	8	6	0	2	4	2	2	5	1	1	4	4	1	62	

TABEL 47.1.B. Kõiki oma lapsi vähem kui kolm kuud või üldse mitte rinnapiimaga toinute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 47.1.B. Percent of persons who have breastfed all their children less than three months or not at all in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	17,5	23,6	13,9	13,0	21,9	24,6	21,6	29,0	19,0	12,5	12,4	16,6	18,1	0,0	18,9
Ida-Virumaa	3,6	7,2	9,6	5,9	8,5	4,4	23,4	21,2	20,4	30,8	8,7	21,9	39,9	100,0	15,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	15,4	15,6	13,6	19,3	11,3	29,8	12,1	26,9	27,4	29,4	17,0	17,1	24,7	-	20,6
Järva, Lääne-Viru, Rapla	6,7	16,3	16,6	10,1	25,3	23,4	18,2	49,5	12,9	25,6	25,3	22,6	43,6	37,6	22,4
Lääne, Saare, Hiiumaa, Pärnumaa	18,2	13,5	11,6	12,7	14,8	19,7	29,2	22,7	8,2	29,0	25,6	11,2	0,0	0,0	18,3
Asulatüüp - Type of residence															
Linn - Urban	16,5	18,1	13,6	11,9	19,5	21,6	21,9	29,8	16,5	23,0	16,5	18,0	21,3	35,6	19,4
Maa - Rural	9,0	14,8	12,0	15,6	10,2	24,3	17,5	24,8	23,1	22,3	16,3	18,8	36,3	50,0	18,7
Rahvus - Ethnicity															
Eestlane - Estonian	15,3	20,1	17,1	16,6	18,5	27,3	20,9	30,5	15,6	21,6	15,3	15,4	20,8	31,1	20,0
Mitte-eestlane - Non-Estonian	12,5	11,6	6,2	7,2	11,5	13,4	20,7	25,9	23,6	26,3	18,7	23,1	26,7	60,6	17,9
Põlisus - Native-born population															
Põlisrahvastik - Native-born	14,5	20,4	16,2	15,7	17,7	26,3	21,0	29,4	18,1	21,4	15,6	17,6	25,5	31,1	20,1
Immigrantrahvastik - Not native-born	14,0	9,9	6,9	7,9	13,4	14,4	20,5	27,4	18,2	26,7	18,4	19,4	20,4	60,6	17,5
Kooselu - Cohabiting															
Kooselus - Cohabiting	31,8	18,8	12,9	8,5	21,6	20,3	23,3	26,8	18,9	21,2	15,4	18,1	23,0	25,6	19,8
Ei ole kooselus - Not cohabiting	12,1	16,9	13,5	15,9	10,2	25,3	16,0	32,8	15,4	27,6	21,9	18,6	25,6	100,0	18,4
Haridus - Education															
Põhi või madalam - Lower secondary or less	11,4	13,7	14,7	10,8	21,9	13,6	41,1	64,3	14,1	23,0	23,3	27,8	44,1	100,0	19,1
Kesk - Upper secondary	18,6	20,8	15,7	10,5	18,2	26,1	20,5	26,5	21,7	26,4	20,2	13,1	20,5	15,3	20,6
Kõrg - University	15,8	21,3	6,3	18,4	10,4	19,2	16,6	28,3	15,6	19,1	10,9	19,8	13,6	-	17,7
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	14,7	13,7	23,7	23,6	21,4	26,2	18,1	23,4	14,0	17,3	28,2	-	21,0
Mitteaktiivne - Non-active	14,4	17,6	13,2	12,6	13,7	19,6	17,4	51,7	18,5	20,9	24,2	19,5	20,3	41,4	17,1
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	15,3	22,7	14,7	15,8	9,6	23,9	15,3	33,2	12,5	23,6	25,6	10,8	56,3	100,0	19,4
Üle suhtelise vaesuse piiri - Above the risk of poverty	13,9	14,3	12,0	10,7	20,0	22,7	22,2	27,0	19,0	24,4	16,3	20,5	15,8	25,6	19,6
Tervise seisund - Health status															
Terve - No health disorders	53,3	38,0	11,2	11,3	22,8	16,9	10,9	15,0	17,2	19,5	16,3	16,8	16,4	44,5	17,4
Tervisehäired - Less severe health disorders	10,2	15,8	17,0	8,3	10,8	21,8	19,8	33,9	17,7	21,5	12,6	15,6	42,0	34,4	19,8
Tõsisemad tervisehäired - Severe health disorders	17,9	11,0	13,3	13,4	28,6	24,0	25,8	25,6	18,8	30,6	28,1	23,5	100,0	-	21,7
Toimetuleku piirangud - Managing restrictions	13,3	19,3	11,4	16,0	5,6	22,4	22,3	33,2	22,7	41,1	52,6	49,0	44,0	-	18,4
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	21,7	26,8	16,2	12,8	12,7	19,4	19,2	20,4	7,0	18,8	9,5	12,3	30,6	0,0	16,0
Tervist kahjustav - Health harming	13,6	32,6	3,1	23,2	21,6	23,1	20,2	31,8	20,4	23,0	31,4	13,9	38,2	0,0	23,4
Kontrollikese - Locus of control															
Seesmine - Internal	13,3	11,2	13,0	11,0	17,1	15,4	25,4	27,7	15,0	14,3	11,9	20,7	14,8	25,2	17,4
Väline - External	14,8	15,3	24,8	10,6	9,8	19,6	16,8	31,9	15,2	34,1	29,0	0,0	32,7	0,0	18,1
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	12,9	9,3	6,2	14,6	26,9	25,7	18,1	27,8	15,9	21,2	15,4	18,4	19,4	41,4	19,6
Väga halb või halb - Very bad or bad	17,7	15,1	14,0	10,0	17,9	27,7	23,3	37,7	28,6	34,7	34,2	52,9	0,0	-	19,2
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	53,9	29,8	0,0	0,0	-	-	100,0	0,0	29,9	20,8	12,6	5,6	19,1	100,0	21,3
Normaal - Normal weight	18,1	14,4	11,3	19,6	11,3	21,2	13,2	30,6	12,6	23,8	19,0	12,9	24,9	32,1	18,5
Ülekaal - Overweight	9,0	13,5	15,8	9,8	13,7	23,3	19,9	24,2	23,9	18,4	8,2	43,8	25,9	-	18,1
Rasvumine - Obesity	8,2	26,3	12,0	10,8	24,2	22,0	30,6	32,4	25,9	29,0	16,0	37,7	18,3	0,0	22,1
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 48.A. Iseenda viljatusprobleemi teadvustamine (%) sünnipõlvkonna järgi, mehed
TABLE 48.A. Consciousness of his own infertility problem (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
Ei ole olnud probleemiks - Has not been a problem	93,8	97,3	98,0	98,3	97,6	96,4	97,9	97,5	98,2	97,0	98,4	98,4	98,6	100,0	97,9
On olnud probleemiks - Has been a problem	6,2	2,7	2,0	1,7	2,4	3,6	2,1	2,5	1,8	3,0	1,6	1,6	1,4	0,0	2,1
Pöördunud arsti poole enda viljatusega seoses - Has seen a doctor because of his infertility problem	2,8	1,8	0,3	0,2	2,4	1,1	1,2	2,1	1,2	3,0	1,2	0,4	0,8	0,0	1,2
Kokku - Total (N)	125	336	256	329	143	193	191	198	201	206	180	183	213	156	2910
Vastamata - Missing (N)	2	3	4	0	1	1	2	2	2	4	3	2	2	4	32
Pole olnud vahekordi - No intercourse (N)	2	2	1	3	1	1	1	3	1	3	7	8	22	114	169

TABEL 48.1.A. Iseenda viljatusprobleemi teadvustanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 48.1.A. Percent of persons who have been conscious of their own infertility problem in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	0,0	2,6	1,3	3,4	4,7	4,6	0,0	3,4	1,2	3,1	1,5	1,4	0,0	0,0	2,0
Ida-Virumaa	10,5	3,9	0,0	1,7	5,1	3,1	7,3	5,9	6,1	2,7	0,0	0,0	2,4	0,0	3,1
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	5,0	1,8	3,1	0,7	0,0	1,5	1,7	0,0	0,0	3,3	1,9	1,8	1,3	0,0	1,3
Järva, Lääne-Viru, Rapla	10,4	4,5	3,4	0,0	0,0	4,9	0,0	0,0	7,2	0,0	0,0	0,0	7,7	0,0	2,3
Lääne, Saare, Hiiumaa, Pärnumaa	16,3	3,5	2,0	0,0	0,0	3,9	2,9	3,1	0,0	5,2	4,6	7,6	0,0	0,0	2,5
Asulatüüp - Type of residence															
Linn - Urban	6,2	2,6	1,7	2,2	2,0	5,1	2,2	2,6	1,8	4,3	2,1	1,9	0,9	0,0	2,3
Maa - Rural	6,3	3,3	2,7	0,0	3,3	0,0	1,7	2,2	2,0	0,0	0,0	0,0	3,2	0,0	1,4
Rahvus - Ethnicity															
Eestlane - Estonian	6,7	2,3	2,7	1,5	2,7	4,3	2,2	1,7	0,9	3,3	2,5	0,7	1,5	0,0	2,0
Mitte-eestlane - Non-Estonian	4,8	3,6	0,0	2,0	1,6	2,6	1,8	3,8	3,7	2,1	0,0	3,2	1,1	0,0	2,1
Põlisus - Native-born population															
Põlisrahvastik - Native-born	7,3	2,3	2,8	1,5	2,6	4,1	2,7	1,6	0,9	3,2	2,3	0,7	1,9	0,0	2,0
Immigrantrahvastik - Not native-born	2,5	3,6	0,0	2,1	1,9	2,9	1,0	4,3	4,1	2,2	0,0	3,3	0,0	0,0	2,1
Kooselu - Cohabiting															
Kooselus - Cohabiting	7,5	2,9	1,5	1,4	2,8	3,0	2,5	2,2	1,5	3,6	2,0	1,3	3,5	0,0	2,4
Ei ole kooselus - Not cohabiting	3,8	2,3	4,1	2,7	0,0	6,7	0,0	3,8	3,6	0,0	0,0	2,2	0,0	0,0	1,3
Haridus - Education															
Põhi või madalam - Lower secondary or less	8,7	2,0	4,8	0,0	0,0	2,6	0,0	0,0	0,0	0,0	6,6	0,0	5,0	0,0	1,8
Kesk - Upper secondary	8,3	2,2	1,0	1,9	0,0	2,4	0,8	2,1	1,7	4,3	0,7	0,8	0,6	0,0	1,5
Kõrg - University	0,0	4,5	0,0	2,4	8,4	5,4	5,0	3,3	2,4	0,0	2,3	3,2	1,5	0,0	3,1
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	5,2	0,0	2,4	4,1	2,1	2,5	2,4	2,0	2,5	1,7	1,7	1,7	0,0	2,1
Mitteaktiivne - Non-active	6,5	2,6	2,3	1,5	0,9	7,4	0,0	3,5	0,0	12,6	0,0	0,0	0,0	0,0	2,0
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	12,4	2,5	0,0	2,7	0,0	4,5	2,8	2,2	0,0	0,0	0,0	0,0	8,3	0,0	2,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	5,0	3,0	2,6	1,5	3,2	3,6	1,7	2,9	2,4	3,8	1,3	1,8	1,0	0,0	2,2
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,5	1,7	1,8	0,6	1,1	0,0	1,0
Tervisehäired - Less severe health disorders	6,1	0,0	1,2	1,9	2,4	3,4	2,2	3,5	1,0	4,4	1,7	0,0	2,5	0,0	2,2
Tõsisemad tervisehäired - Severe health disorders	7,3	0,9	1,6	2,2	3,9	2,3	5,2	3,2	4,7	9,1	0,0	24,2	0,0	0,0	3,9
Toimetuleku piirangud - Managing restrictions	6,2	5,1	3,5	1,3	1,8	7,7	0,0	4,8	0,0	0,0	0,0	0,0	0,0	0,0	2,9
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	8,0	10,3	0,0	0,0	13,2	4,4	8,2	0,0	0,0	0,0	0,0	4,0	0,0	0,0	2,6
Tervist kahjustav - Health harming	4,4	0,0	0,0	7,2	0,0	0,0	0,0	1,8	7,0	3,0	0,0	0,0	0,0	0,0	1,6
Kontrollikese - Locus of control															
Seesmine - Internal	8,9	3,1	2,3	3,2	3,0	1,7	1,7	3,6	0,8	1,7	1,7	1,7	1,1	0,0	1,8
Väline - External	5,3	4,0	0,0	2,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	2,0	0,0	2,0	0,0	3,6	2,3	1,4	2,8	2,3	1,8	1,9	1,7	0,0	1,8
Väga halb või halb - Very bad or bad	10,4	3,3	3,0	1,7	0,0	2,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,1
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	36,6	0,0	0,0	0,0	0,0	0,0	0,0	3,8
Normaal - Normal weight	5,9	2,4	2,1	1,8	0,0	1,8	0,0	0,0	1,3	1,5	1,1	2,2	0,9	0,0	1,1
Ülekaal - Overweight	6,5	2,5	1,9	0,8	5,7	7,1	1,9	4,6	2,3	2,4	1,6	1,3	1,6	0,0	2,8
Rasvumine - Obesity	8,2	5,0	2,5	3,6	0,0	0,0	5,7	0,0	1,7	7,9	2,8	0,0	11,0	0,0	2,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 48.B. Iseenda viljatusprobleemi teadvustamine (%) sünnipõlvkonna järgi, naised
TABLE 48.B. Consciousness of her own infertility problem (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort															Kokku
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Ei ole olnud probleemiks - <i>Has not been a problem</i>		91,9	93,3	91,4	92,5	93,2	92,6	93,8	90,1	90,8	95,8	89,0	95,5	96,9	100,0	93,3	
On olnud probleemiks - <i>Has been a problem</i>		8,1	6,7	8,6	7,5	6,8	7,4	6,2	9,9	9,2	4,2	11,0	4,5	3,1	0,0	6,7	
Pöördunud arsti poole enda viljatusega seoses - <i>Has seen a doctor because of her infertility problem</i>		6,4	5,2	6,0	6,9	5,3	5,2	5,5	9,0	5,8	4,2	9,3	3,8	2,2	0,0	5,4	
Kokku - Total (N)		189	278	268	336	174	245	230	254	224	199	239	177	191	154	3158	
Vastamata - Missing (N)		1	5	3	4	2	3	6	4	0	1	1	1	1	5	37	
Pole olnud vahekordi - <i>No intercourse</i> (N)		2	4	3	4	4	0	0	2	1	1	6	4	15	82	128	

TABEL 48.1.B. Iseenda viljatusprobleemi teadvustanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 48.1.B. Percent of persons who have been conscious of their own infertility problem in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	11,7	7,7	6,9	6,1	5,1	5,5	5,9	12,8	5,6	5,2	8,4	1,7	0,0	0,0	5,7
Ida-Virumaa	10,3	7,6	18,8	7,3	8,7	15,4	13,1	8,0	13,6	8,0	13,1	11,8	10,3	0,0	10,7
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	5,5	1,2	3,2	6,4	6,4	11,7	5,4	5,6	16,6	0,0	14,7	3,0	3,9	0,0	6,0
Järva, Lääne-Viru, Rapla	0,0	16,3	11,0	4,1	9,3	0,0	0,0	9,5	6,6	9,9	13,1	5,4	12,5	0,0	7,2
Lääne, Saare, Hiiumaa, Pärnumaa	4,8	5,5	9,6	15,5	7,3	3,3	5,1	11,7	6,7	3,6	9,3	11,8	0,0	0,0	6,9
Asulatüüp - Type of residence															
Linn - Urban	9,6	6,6	8,1	7,8	7,2	7,8	7,2	10,0	9,5	5,6	10,5	4,7	3,2	0,0	7,1
Maa - Rural	4,3	7,2	10,5	6,5	5,7	5,7	3,0	9,4	8,2	0,0	13,6	3,7	2,9	0,0	5,6
Rahvus - Ethnicity															
Eestlane - Estonian	7,7	7,9	7,5	7,9	6,7	7,2	3,4	7,6	11,5	3,8	11,8	4,6	2,3	0,0	6,5
Mitte-eestlane - Non-Estonian	8,8	4,0	10,9	6,9	7,0	7,6	10,2	13,1	4,0	5,3	9,5	4,2	4,4	0,0	7,2
Põlisus - Native-born population															
Põlisrahvastik - Native-born	7,3	7,6	7,7	7,8	7,0	7,8	4,2	8,2	10,8	3,8	10,7	4,3	2,6	0,0	6,5
Immigrantrahvastik - Not native-born	9,8	4,4	10,7	7,0	5,8	6,4	9,6	12,6	4,6	5,2	11,8	5,2	4,1	0,0	7,3
Kooselu - Cohabiting															
Kooselus - Cohabiting	4,4	8,9	10,9	6,2	4,2	7,0	6,0	9,5	9,5	4,3	10,6	2,8	4,0	0,0	6,7
Ei ole kooselus - Not cohabiting	8,5	6,1	7,5	8,5	9,8	7,9	6,4	10,7	8,3	3,8	12,5	8,9	1,5	0,0	6,8
Haridus - Education															
Põhi või madalam - Lower secondary or less	9,5	7,4	11,7	3,4	3,2	14,0	9,0	10,0	11,7	0,0	0,0	4,3	16,4	0,0	6,5
Kesk - Upper secondary	8,2	2,7	8,2	11,5	4,9	6,1	6,7	8,2	7,4	1,7	11,2	3,2	1,5	0,0	5,9
Kõrg - University	0,0	10,1	5,1	6,8	12,2	7,3	4,8	11,3	10,5	7,0	12,2	5,4	1,8	0,0	7,8
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	22,3	0,0	8,7	6,2	5,5	5,8	10,5	10,2	4,6	12,1	5,7	2,6	0,0	7,3
Mitteaktiivne - Non-active	8,1	6,4	9,0	7,3	7,1	10,6	8,1	3,0	0,0	2,2	7,3	1,6	3,8	0,0	6,0
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	8,5	8,2	10,1	8,1	10,2	9,8	9,2	3,5	6,3	4,6	5,8	0,0	4,3	0,0	7,3
Üle suhtelise vaesuse piiri - Above the risk of poverty	6,1	5,4	7,8	7,6	5,6	6,9	5,8	10,8	11,3	4,0	11,8	5,0	2,7	0,0	6,7
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	15,7	6,9	5,9	8,6	4,0	11,8	2,3	2,6	0,0	5,1
Tervisehäired - Less severe health disorders	0,0	7,5	8,4	7,9	10,2	4,5	4,6	13,0	14,6	2,2	11,7	8,5	3,6	0,0	7,7
Tõsisemad tervisehäired - Severe health disorders	6,9	8,6	3,1	11,5	3,8	6,0	8,5	10,5	0,0	5,7	3,8	0,0	0,0	0,0	6,3
Toimetuleku piirangud - Managing restrictions	9,5	6,1	12,1	4,3	6,3	13,1	6,7	2,1	3,2	14,9	0,0	29,7	7,0	0,0	8,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	7,1	6,7	4,2	4,0	11,1	6,1	4,6	12,5	12,2	2,8	13,9	3,9	0,0	0,0	6,8
Tervist kahjustav - Health harming	0,0	4,2	0,0	5,3	0,0	13,2	0,0	7,5	8,2	0,0	18,9	0,0	4,9	0,0	5,8
Kontrollkese - Locus of control															
Seesmine - Internal	8,0	8,7	5,5	7,6	6,4	4,6	3,6	10,2	5,4	4,6	10,7	4,3	1,7	0,0	5,6
Väline - External	5,7	3,5	9,0	8,9	0,0	14,2	9,9	0,0	15,6	0,0	17,3	26,4	11,7	0,0	7,5
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	14,9	11,2	1,8	9,5	4,5	3,0	7,9	10,3	4,2	11,2	4,8	2,5	0,0	5,7
Väga halb või halb - Very bad or bad	7,6	7,3	10,6	5,8	2,5	9,0	13,8	3,6	0,0	19,2	0,0	0,0	43,0	0,0	7,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	37,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	12,2	0,0	2,6	0,0	2,8
Normaal - Normal weight	8,1	3,8	10,1	5,1	14,4	3,3	5,3	12,8	9,1	4,8	11,7	4,9	3,8	0,0	6,7
Ülekaal - Overweight	6,4	8,8	8,6	10,0	5,3	7,1	6,6	6,4	9,2	4,3	10,3	7,5	0,0	0,0	7,1
Rasvumine - Obesity	13,3	7,4	6,7	7,1	2,5	10,2	7,1	9,1	11,9	2,8	6,1	0,0	0,0	0,0	7,2
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 50.B. Vahekordade arv viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 50.B. Number of intercourses during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
0	100,0	99,5	97,5	91,3	81,7	69,6	59,2	40,3	28,1	18,0	20,3	23,1	29,7	63,8	56,1
1-4	0,0	0,5	2,2	6,1	15,5	21,4	30,0	34,8	40,1	38,4	26,2	27,0	24,2	11,8	21,1
5-9	0,0	0,0	0,3	1,9	2,0	5,7	9,2	16,6	15,9	24,4	25,0	24,4	14,9	11,1	11,5
10-14	0,0	0,0	0,0	0,7	0,8	1,7	1,6	6,3	11,9	13,8	19,1	15,4	11,7	8,9	7,0
15-19	0,0	0,0	0,0	0,0	0,0	1,0	0,0	1,4	0,8	2,6	6,8	3,8	7,9	2,3	2,0
20 või enam - 20 or more	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,6	3,2	2,8	2,6	6,3	11,6	2,1	2,3
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	190	279	269	337	175	230	213	228	204	176	213	160	184	219	3077
Vastamata - Missing (N)	2	8	5	7	5	18	23	32	21	25	33	22	23	22	246

TABEL 50.1.B. 10 või enam korda viimasel neljal nädalal vahekorras olnute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 50.1.B. Percent of persons who have had 10 or more intercourses during the last four weeks in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	0,0	0,0	0,0	1,8	0,0	2,6	1,6	6,8	17,2	16,3	33,5	28,6	35,0	11,8	12,7
Ida-Virumaa	0,0	0,0	0,0	0,0	0,0	4,9	2,2	13,2	18,2	37,5	25,8	22,3	33,5	6,4	10,3
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	0,0	0,0	0,0	2,7	4,5	1,9	9,9	9,9	17,1	31,2	23,6	23,1	13,5	10,7
Järva, Lääne-Viru, Rapla	0,0	0,0	0,0	0,0	0,0	5,8	2,5	7,4	15,3	14,7	24,8	19,7	26,4	14,5	10,0
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	0,0	0,0	0,0	0,0	0,0	5,9	20,5	27,2	13,8	28,0	36,0	20,1	10,1
Asulatüüp - Type of residence															
Linn - Urban	0,0	0,0	0,0	0,9	0,5	3,8	2,1	8,7	13,8	18,8	28,2	23,3	32,2	14,9	11,5
Maa - Rural	0,0	0,0	0,0	0,0	1,5	1,8	0,0	7,1	22,8	20,2	30,6	37,3	27,7	9,6	10,6
Rahvus - Ethnicity															
Eestlane - Estonian	0,0	0,0	0,0	1,2	1,1	2,8	0,5	7,7	13,9	15,9	26,4	24,4	28,2	15,3	10,5
Mitte-eestlane - Non-Estonian	0,0	0,0	0,0	0,0	0,0	4,2	3,4	9,2	20,1	29,4	33,5	27,9	35,5	8,8	12,9
Põlisus - Native-born population															
Põlisrahvastik - Native-born	0,0	0,0	0,0	1,1	1,0	2,7	1,0	7,8	14,0	15,0	27,7	25,0	29,3	15,4	10,8
Immigrantrahvastik - Not native-born	0,0	0,0	0,0	0,0	0,0	4,6	2,6	9,1	20,7	31,5	31,0	27,3	34,7	6,9	12,5
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	0,0	0,0	1,8	1,6	4,0	1,6	12,1	19,0	22,2	35,9	30,5	48,9	48,0	18,1
Ei ole kooselus - Not cohabiting	0,0	0,0	0,0	0,0	0,0	2,3	1,6	0,9	5,8	12,3	4,3	14,3	8,7	9,4	4,0
Haridus - Education															
Põhi või madalam - Lower secondary or less	0,0	0,0	0,0	1,1	0,0	4,1	0,0	0,0	0,0	10,8	15,5	21,7	44,6	9,1	5,6
Kesk - Upper secondary	0,0	0,0	0,0	0,0	0,8	3,3	0,0	8,0	14,9	27,6	26,7	31,3	30,1	21,2	12,5
Kõrg - University	0,0	0,0	0,0	1,3	1,5	3,1	3,9	8,7	17,8	11,8	32,5	23,0	29,8	0,0	13,1
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	0,0	2,4	1,4	4,6	1,9	8,4	15,8	19,3	30,3	25,4	32,5	27,3	15,4
Mitteaktiivne - Non-active	0,0	0,0	0,0	0,4	0,6	1,2	0,0	7,4	16,6	18,7	23,0	26,1	29,6	10,8	6,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	0,0	0,0	0,0	0,0	3,8	0,0	4,0	16,2	28,5	18,2	18,5	23,2	5,1	5,6
Üle suhtelise vaesuse piiri - Above the risk of poverty	0,0	0,0	0,0	1,2	1,2	3,4	1,7	8,9	16,1	16,4	30,4	29,0	34,5	14,8	13,3
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	11,0	0,0	14,3	20,1	19,6	30,4	28,1	32,7	12,7	22,0
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	1,2	2,0	3,2	0,7	7,9	19,7	14,1	28,4	24,2	29,8	13,4	10,6
Tõsisemad tervisehäired - Severe health disorders	0,0	0,0	0,0	1,1	0,0	1,8	5,2	1,8	4,7	20,6	17,8	20,0	0,0	15,1	4,2
Toimetuleku piirangud - Managing restrictions	0,0	0,0	0,0	0,0	0,0	3,2	0,0	9,8	0,0	44,8	17,7	0,0	34,3	19,3	3,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	0,0	0,0	1,5	3,3	5,0	1,5	11,0	17,7	14,6	35,6	28,4	35,2	28,5	14,2
Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	0,0	2,6	3,8	32,7	20,6	9,3	37,4	16,4	0,0	11,1
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	0,0	0,0	0,0	2,4	4,7	3,5	9,5	16,6	18,7	32,4	27,7	31,0	14,6	15,4
Väline - External	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	45,3	50,0	64,0	64,1	61,0	0,0	7,2
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	0,0	0,0	2,6	0,0	3,3	1,8	12,2	17,1	17,3	31,7	27,6	31,8	11,7	17,7
Väga halb või halb - Very bad or bad	0,0	0,0	0,0	0,0	0,0	0,0	4,3	4,6	9,5	43,3	8,7	26,4	43,0	0,0	2,1
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	14,0	12,9	42,9	34,2	35,4	14,5	23,3
Normkaal - Normal weight	0,0	0,0	0,0	0,0	0,0	3,9	0,8	5,4	14,1	21,7	29,2	24,9	32,5	13,2	14,7
Ülekaal - Overweight	0,0	0,0	0,0	1,0	2,3	3,9	4,2	12,6	17,8	18,4	22,7	23,6	20,2	14,9	7,7
Rasvumine - Obesity	0,0	0,0	0,0	1,1	0,0	2,5	0,0	9,0	19,8	11,6	23,0	25,9	27,1	0,0	5,1
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 51.A. Seksuaalpartnerite arv viimasel 12 kuul (%) sünnipölvkonna järgi, mehed
TABLE 51.A. Number of sexual partners during the last 12 months (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
0	84,9	73,1	51,3	34,6	17,2	11,8	6,4	1,5	2,6	2,2	1,6	3,4	2,1	0,5	10,7	
1	14,0	25,6	46,4	63,7	79,6	82,0	83,1	86,9	82,3	81,8	84,2	76,0	70,2	61,9	74,7	
2	0,0	1,3	1,2	0,7	2,7	4,9	5,0	7,4	9,1	10,6	7,3	9,4	14,7	16,9	7,9	
3 või enam - 3 or more	1,1	0,0	1,1	1,0	0,5	1,3	5,5	4,2	6,0	5,4	6,9	11,2	13,0	20,7	6,7	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	101	259	230	293	131	181	181	192	193	198	175	176	208	149	2667	
Vastamata - Missing (N)	26	80	30	36	13	13	12	8	10	12	8	9	7	11	275	
Pole kunagi olnud vahekorras - No intercourse ever (N)	2	2	1	3	1	1	1	3	1	3	7	8	22	114	169	
TABEL 51.1.A. Enam kui üht seksuaalpartnerit viimasel 12 kuul omanute protsent rahvastikurühmades sünnipölvkonna järgi, mehed TABLE 51.1.A. Percent of persons who have had more than one sexual partner during the last 12 months in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	3,5	2,1	1,4	3,0	2,3	3,2	13,8	6,8	11,0	17,8	16,9	21,1	28,1	38,5	14,5	
Ida-Virumaa	0,0	0,0	0,0	3,9	16,2	6,6	13,0	14,8	21,6	22,4	11,9	39,5	22,3	45,2	18,5	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	0,0	4,2	0,0	0,0	11,6	6,6	14,7	13,2	15,1	6,5	7,7	31,0	45,8	13,7	
Järva, Lääne-Viru, Rapla	0,0	0,0	5,5	0,0	0,0	4,5	16,6	31,0	7,2	9,5	18,5	14,1	17,5	28,9	12,8	
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	3,9	0,0	0,0	3,9	5,5	3,1	4,1	29,7	10,7	18,8	30,5	33,3	24,6	13,6	
Asulatüüp - Type of residence																
Linn - Urban	1,6	1,1	1,6	2,2	4,3	5,9	10,4	10,0	13,2	17,4	15,7	23,0	30,2	35,6	15,0	
Maa - Rural	0,0	2,5	4,0	0,0	0,0	6,7	10,9	15,6	19,1	12,7	9,9	9,8	17,4	42,7	13,1	
Rahvus - Ethnicity																
Eestlane - Estonian	0,0	1,4	2,4	0,4	0,9	7,3	7,9	11,3	14,7	13,7	11,9	14,6	27,5	33,7	13,1	
Mitte-eestlane - Non-Estonian	4,9	1,3	1,9	3,7	8,2	4,6	13,8	12,2	15,7	21,2	18,3	30,8	28,1	48,0	17,3	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	0,0	1,4	2,4	1,0	0,8	6,8	6,1	10,6	15,1	13,6	11,7	14,3	29,5	35,4	13,4	
Immigrantrahvastik - Not native-born	5,0	1,3	1,9	2,8	9,0	5,0	17,4	13,6	14,9	22,2	19,5	32,0	22,8	46,2	17,1	
Kooselu - Cohabiting																
Kooselus - Cohabiting	1,7	1,3	0,6	0,0	1,3	4,5	8,3	6,0	10,4	8,9	6,2	9,8	9,9	0,0	6,3	
Ei ole kooselus - Not cohabiting	0,0	1,6	9,4	9,4	15,0	16,5	21,7	40,7	37,1	51,7	44,9	44,5	40,2	40,9	35,6	
Haridus - Education																
Põhi või madalam - Lower secondary or less	0,0	0,0	3,3	1,3	10,4	6,1	7,3	10,2	19,7	16,5	11,6	13,7	20,2	41,6	17,6	
Kesk - Upper secondary	0,0	0,0	1,3	0,9	3,0	5,9	8,6	8,4	17,4	19,9	18,7	24,2	29,3	29,3	15,7	
Kõrg - University	4,4	4,4	2,4	2,8	0,0	6,4	15,0	15,4	8,9	6,0	5,9	16,9	27,7	57,4	11,0	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	10,5	0,0	2,6	1,2	5,2	11,1	9,6	15,1	16,0	14,3	20,4	24,7	37,9	14,8	
Mitteaktiivne - Non-active	1,2	0,9	2,6	1,4	5,1	8,4	8,0	27,6	14,9	15,6	12,6	25,1	40,4	37,5	13,8	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	2,1	0,0	3,6	11,5	6,9	0,0	14,4	3,4	29,9	9,5	12,2	47,4	43,9	13,4	
Üle suhtelise vaesuse piiri - Above the risk of poverty	1,5	1,2	2,8	1,4	1,5	6,4	12,7	10,6	15,5	15,2	15,1	21,3	24,8	40,4	14,4	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	6,0	20,0	8,7	15,4	14,6	15,0	18,8	28,5	42,1	20,2	
Tervisehäired - Less severe health disorders	6,3	0,0	5,3	2,5	2,9	6,2	9,4	15,7	17,9	21,5	16,7	21,9	30,8	17,3	13,3	
Tõsisemad tervisehäired - Severe health disorders	0,0	0,0	1,7	0,9	2,3	4,7	4,1	2,9	9,2	15,7	7,8	48,2	12,7	100,0	7,4	
Toimetuleku piirangud - Managing restrictions	0,0	2,8	0,0	1,6	5,6	8,1	11,4	12,7	5,9	12,6	0,0	19,0	0,0	0,0	5,5	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	9,7	9,3	0,0	0,0	0,0	6,5	0,0	13,2	11,0	0,0	17,7	22,2	20,3	0,0	11,0	
Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	5,6	20,3	13,6	18,8	24,3	21,5	11,4	25,2	100,0	14,9	
Kontrollkese - Locus of control																
Seesmine - Internal	3,9	1,5	4,3	2,1	2,2	5,4	9,7	8,4	14,9	15,2	13,4	20,3	25,2	39,7	15,2	
Väline - External	0,0	0,0	0,0	0,0	0,0	5,3	25,3	22,3	0,0	0,0	23,5	0,0	0,0	0,0	7,5	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	3,8	5,2	1,5	5,7	5,2	13,7	12,6	14,6	14,6	13,4	21,4	29,2	38,7	19,1	
Väga halb või halb - Very bad or bad	0,0	1,3	1,8	0,0	0,0	6,4	5,6	21,7	18,8	45,5	0,0	0,0	34,5	100,0	6,5	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
Normkaal - Normal weight	0,0	1,9	1,6	1,1	1,8	12,5	13,5	11,0	21,6	16,3	17,8	21,3	29,9	40,9	19,4	
Ülekaal - Overweight	2,6	1,1	2,7	0,6	4,0	2,0	9,4	9,5	10,2	14,3	11,0	24,3	25,3	31,4	11,0	
Rasumine - Obesity	0,0	0,0	2,7	5,5	3,7	3,8	8,9	18,0	14,4	20,7	15,1	11,3	20,2	0,0	11,0	
Vanus - Age																
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 51.B. Seksuaalpartnerite arv viimasel 12 kuul (%) sünnipölvkonna järgi, naised
TABLE 51.B. Number of sexual partners during the last 12 months (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
0	97,3	95,7	89,3	79,4	55,5	43,3	26,3	16,6	5,5	3,7	3,0	1,2	1,8	1,4	30,5	
1	2,7	4,3	10,7	20,6	44,5	55,4	71,8	80,7	91,3	90,1	89,8	92,1	88,1	86,8	65,5	
2	0,0	0,0	0,0	0,0	0,0	1,3	1,9	2,4	2,8	4,8	6,1	4,3	6,3	9,7	3,1	
3 või enam - 3 or more	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,3	0,4	1,4	1,1	2,4	3,8	2,1	0,9	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	142	228	227	306	151	225	210	241	212	193	235	174	190	154	2888	
Vastamata - Missing (N)	48	55	44	34	25	23	26	17	12	7	5	4	2	5	307	
Pole kunagi olnud vahekorras - No intercourse ever (N)	2	4	3	4	4	0	0	2	1	1	6	4	15	82	128	

TABEL 51.1.B. Enam kui üht seksuaalpartnerit viimasel 12 kuul omanute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 51.1.B. Percent of persons who have had more than one sexual partner during the last 12 months in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	0,0	0,0	0,0	0,0	0,0	0,0	3,0	2,8	1,8	3,6	5,6	7,2	10,3	6,9	3,5
Ida-Virumaa	0,0	0,0	0,0	0,0	0,0	4,9	2,1	2,0	3,6	12,5	10,5	15,3	6,9	18,5	5,5
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	0,0	0,0	0,0	0,0	2,9	1,9	4,9	6,0	6,3	10,0	3,6	16,2	12,7	5,4
Järva, Lääne-Viru, Rapla	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	7,0	6,8	3,7	0,0	8,8	2,0
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	5,6	8,6	5,0	5,9	0,0	17,9	3,4
Asulatüüp - Type of residence															
Linn - Urban	0,0	0,0	0,0	0,0	0,0	1,2	2,5	2,0	2,4	5,6	8,2	6,8	9,1	12,0	3,9
Maa - Rural	0,0	0,0	0,0	0,0	0,0	1,5	0,0	5,1	5,6	7,7	2,3	6,5	13,6	11,3	4,3
Rahvus - Ethnicity															
Eestlane - Estonian	0,0	0,0	0,0	0,0	0,0	1,6	3,3	4,2	3,3	5,3	6,0	5,1	11,8	10,4	4,0
Mitte-eestlane - Non-Estonian	0,0	0,0	0,0	0,0	0,0	0,9	0,0	0,7	3,0	8,5	9,6	9,9	7,4	14,8	4,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	0,0	0,0	0,0	0,0	0,0	1,0	3,2	4,0	3,9	5,4	5,8	5,2	10,2	11,1	3,9
Immigrantrahvastik - Not native-born	0,0	0,0	0,0	0,0	0,0	1,8	0,0	0,7	1,2	8,3	10,4	10,6	9,7	13,8	4,1
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	0,0	0,0	0,0	0,0	0,5	1,5	1,7	1,8	2,3	4,1	2,7	4,9	14,3	2,3
Ei ole kooselus - Not cohabiting	0,0	0,0	0,0	0,0	0,0	2,5	2,7	5,0	8,4	16,7	19,4	18,0	19,2	11,3	6,3
Haridus - Education															
Põhi või madalam - Lower secondary or less	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	8,6	21,0	7,9	2,9
Kesk - Upper secondary	0,0	0,0	0,0	0,0	0,0	1,3	2,7	2,5	3,3	4,1	8,4	6,6	11,5	16,8	4,5
Kõrg - University	0,0	0,0	0,0	0,0	0,0	1,7	1,5	3,0	3,3	8,8	6,8	6,4	5,6	0,0	3,9
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	0,0	0,0	0,0	1,6	2,3	2,9	3,6	7,1	8,5	6,8	9,4	21,1	5,1
Mitteaktiivne - Non-active	0,0	0,0	0,0	0,0	0,0	0,9	0,0	0,0	0,0	2,1	2,6	6,4	11,0	9,9	2,6
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,6	7,4	4,6	2,4	10,2	12,0	12,9	2,7
Üle suhtelise vaesuse piiri - Above the risk of poverty	0,0	0,0	0,0	0,0	0,0	1,4	2,6	2,7	1,8	6,5	6,6	7,1	9,9	11,0	4,2
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	5,8	0,0	0,0	4,0	6,3	7,8	5,9	10,7	12,6	7,1
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	0,0	0,0	0,0	4,0	4,7	4,3	8,1	4,7	4,1	7,8	9,3	3,8
Tõsisemad tervisehäired - Severe health disorders	0,0	0,0	0,0	0,0	0,0	1,4	0,0	0,0	0,0	3,0	14,5	21,1	0,0	12,7	2,0
Toimetuleku piirangud - Managing restrictions	0,0	0,0	0,0	0,0	0,0	2,9	0,0	2,5	0,0	0,0	0,0	0,0	19,1	23,8	1,1
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	0,0	0,0	0,0	0,0	1,7	1,5	0,0	6,0	6,1	4,9	4,0	8,9	0,0	3,2
Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	9,9	4,5	11,2	0,0	0,0	2,3
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	0,0	0,0	0,0	0,0	1,8	0,0	1,2	2,3	7,0	6,8	7,3	8,1	7,6	4,1
Väline - External	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	8,0	0,0	16,9	0,0	0,0	64,7	2,1
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	0,0	0,0	0,0	0,0	1,2	1,8	3,3	3,6	8,3	8,2	4,6	11,5	9,9	6,1
Väga halb või halb - Very bad or bad	0,0	0,0	0,0	0,0	0,0	2,0	0,0	3,7	0,0	0,0	0,0	26,4	0,0	0,0	0,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	13,2	0,0	14,0	10,3	10,2	7,9
Normaal - Normal weight	0,0	0,0	0,0	0,0	0,0	2,5	2,4	3,8	1,5	4,8	8,8	4,6	10,5	11,7	5,2
Ülekaal - Overweight	0,0	0,0	0,0	0,0	0,0	1,0	0,0	2,8	6,5	9,1	5,7	12,9	7,7	9,1	3,0
Rasvumine - Obesity	0,0	0,0	0,0	0,0	0,0	0,8	3,7	0,0	4,8	3,5	3,3	6,1	8,7	38,0	1,8
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 52.B. Enam kui üht seksuaalpartnerit viimasel 12 kuul omanute kondoomi kasutamine (%) sünnipõlvkonna järgi, naised
TABLE 52.B. Use of condom by persons having more than one sexual partner during the last 12 months (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Alati - Always	-	-	-	-	-	51,1	0,0	11,0	59,8	43,4	48,0	19,8	46,3	41,9	39,0
Enamasti - Mostly	-	-	-	-	-	23,9	39,5	29,7	0,0	19,1	19,6	33,5	16,6	31,6	23,0
Vahetevahel - Sometimes	-	-	-	-	-	0,0	0,0	29,7	14,1	13,0	13,5	20,4	19,3	16,3	16,5
Mitte kunagi - Never	-	-	-	-	-	25,0	60,5	29,6	26,1	24,5	18,9	26,3	17,8	10,2	21,5
Kokku - Total (%)	-	-	-	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	-	-	-	-	-	4	3	8	7	13	19	12	19	19	104
Vastamata - Missing (N)	48	55	44	34	25	23	27	16	12	7	5	4	1	5	306
Pole olnud mitut partnerit - No more than one partner (N)	144	232	230	310	155	221	206	236	206	181	222	166	187	217	2913

TABEL 52.1.B. Mitme seksuaalpartneriga viimasel 12 kuul mitte alati kondoomi kasutanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 52.1.B. Percent of persons who had different sexual partners but not always used condom in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	-	-	-	-	-	-	100,0	100,0	0,0	0,0	50,0	100,0	57,1	27,1	60,2
Ida-Virumaa	-	-	-	-	-	50,0	100,0	100,0	0,0	100,0	25,0	77,1	50,0	40,0	59,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	-	-	-	-	-	47,9	0,0	73,1	66,8	63,2	58,8	50,0	59,2	63,6	61,2
Järva, Lääne-Viru, Rapla	-	-	-	-	-	-	-	-	-	100,0	40,9	100,0	-	100,0	80,3
Lääne, Saare, Hiiumaa, Pärnumaa	-	-	-	-	-	-	-	-	41,1	43,1	100,0	0,0	-	80,8	61,6
Asulatüüp - Type of residence															
Linn - Urban	-	-	-	-	-	67,1	100,0	78,3	46,9	66,5	49,1	75,6	58,8	50,4	61,3
Maa - Rural	-	-	-	-	-	0,0	-	100,0	31,8	35,6	100,0	100,0	54,3	79,2	62,8
Rahvus - Ethnicity															
Eestlane - Estonian	-	-	-	-	-	31,9	100,0	86,2	57,0	49,2	49,5	73,1	65,4	63,4	63,7
Mitte-eestlane - Non-Estonian	-	-	-	-	-	100,0	-	100,0	0,0	69,3	55,2	87,4	37,9	50,2	57,8
Põlisus - Native-born population															
Põlisrahvastik - Native-born	-	-	-	-	-	46,8	100,0	86,2	44,7	49,2	49,5	76,1	58,1	56,3	60,6
Immigrantrahvastik - Not native-born	-	-	-	-	-	51,1	-	100,0	0,0	69,3	55,2	85,6	56,2	62,0	63,8
Kooselu - Cohabiting															
Kooselus - Cohabiting	-	-	-	-	-	100,0	100,0	100,0	0,0	44,3	56,1	79,1	33,4	65,6	55,0
Ei ole kooselus - Not cohabiting	-	-	-	-	-	31,9	100,0	78,2	73,4	61,3	48,6	80,7	68,5	56,0	64,9
Haridus - Education															
Põhi või madalam - Lower secondary or less	-	-	-	-	-	-	-	-	-	-	-	100,0	66,0	76,9	76,2
Kesk - Upper secondary	-	-	-	-	-	51,1	100,0	100,0	31,8	41,8	58,9	80,7	38,1	47,5	53,9
Kõrg - University	-	-	-	-	-	46,8	100,0	78,0	46,9	63,2	42,5	75,0	100,0	-	67,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	-	-	-	-	-	31,9	100,0	87,7	40,2	53,6	52,2	72,3	65,0	49,8	60,7
Mitteaktiivne - Non-active	-	-	-	-	-	100,0	-	-	-	100,0	50,0	100,0	48,4	61,8	63,9
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	-	-	-	-	-	-	-	46,2	0,0	100,0	0,0	100,0	56,7	100,0	58,5
Üle suhtelise vaesuse piiri - Above the risk of poverty	-	-	-	-	-	64,2	100,0	100,0	100,0	46,5	49,9	77,4	54,6	43,7	61,8
Tervise seisund - Health status															
Terve - No health disorders	-	-	-	-	-	0,0	-	-	29,4	72,8	63,6	76,4	54,2	55,0	59,3
Tervisehäired - Less severe health disorders	-	-	-	-	-	-	100,0	86,2	50,1	30,1	21,8	56,7	46,7	48,9	55,1
Tõsisemad tervisehäired - Severe health disorders	-	-	-	-	-	0,0	-	-	-	100,0	39,2	100,0	-	100,0	78,3
Toimetuleku piirangud - Managing restrictions	-	-	-	-	-	100,0	-	100,0	-	-	-	-	100,0	100,0	100,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	-	-	-	-	-	100,0	0,0	-	0,0	25,6	0,0	55,5	53,7	-	31,4
Tervist kahjustav - Health harming	-	-	-	-	-	-	-	-	-	100,0	100,0	63,3	-	-	79,6
Kontrollkese - Locus of control															
Seesmine - Internal	-	-	-	-	-	50,0	-	48,2	0,0	45,2	32,0	77,2	66,6	49,3	52,1
Väline - External	-	-	-	-	-	-	-	-	0,0	-	100,0	-	-	100,0	80,8
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	-	-	-	-	-	0,0	100,0	100,0	43,5	50,4	54,0	74,9	56,9	50,9	57,6
Väga halb või halb - Very bad or bad	-	-	-	-	-	100,0	-	100,0	-	-	-	100,0	-	-	100,0
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	-	-	-	-	-	-	-	-	-	0,0	-	64,1	50,0	57,1	47,2
Normaal - Normal weight	-	-	-	-	-	0,0	100,0	100,0	41,1	30,0	52,1	84,9	62,8	49,0	58,6
Ülekaal - Overweight	-	-	-	-	-	100,0	-	63,6	30,8	100,0	35,1	100,0	50,0	100,0	74,4
Rasvumine - Obesity	-	-	-	-	-	100,0	100,0	-	58,0	100,0	100,0	0,0	0,0	100,0	69,5
80 + 75-79 70-74 65-69 60-64 55-59 50-54 45-49 40-44 35-39 30-34 25-29 20-24 15-19 Kokku Vanus - Age Total															

TABEL 53.A. Vahendite kasutamine rasestumise ja/või suguhaiguste vältimiseks viimasel neljal nädalal (%) sünnipölvkonna järgi, mehed
TABLE 53.A. Use of contraceptives to avoid pregnancy and/or sexually transmitted diseases (STD) during the last four weeks (%) by birth cohort, males

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Tänapäevased vahendid (kondoom, pillid, emakasisene vahend) - Modern contraceptives (condom, pills, IUD)	0,0	0,0	2,0	1,9	4,5	8,6	26,0	42,8	52,0	61,7	66,9	70,5	73,9	86,2	50,1
	Traditsionaalsed vahendid (katkestatud suguühe, kalendermeetod) - Traditional contraceptives (rhythm, interrupted intercourse)	0,0	0,0	0,0	2,3	1,0	3,6	2,7	5,3	6,1	6,3	5,1	3,8	4,6	0,0	4,2
	Ei kasutanud vahendeid - Did not use	100,0	100,0	98,0	95,8	94,5	87,8	71,3	51,9	41,9	32,0	28,0	25,7	21,5	13,8	45,7
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		5	31	54	115	70	113	144	165	173	181	152	153	163	83	1602
Vastamata - Missing (N)		1	5	4	3	1	5	2	3	2	4	4	2	2	4	42
Pole olnud vahekordi - No intercourse (N)		123	305	203	214	74	77	48	35	29	28	34	38	72	187	1467
TABEL 53.1.A. Rasestumise ja/või suguhaiguste vältimiseks viimasel neljal nädalal vahendeid mittekasutanute protsent rahvastikurühmades sünnipölvkonna järgi, mehed TABLE 53.1.A. Percent of persons who did not use contraceptives to avoid pregnancy and/or STD during the last four weeks in background categories by birth cohort, males																
Piirkond - Region																
	Harjumaa	100,0	100,0	94,8	97,3	95,4	88,6	66,9	44,0	43,6	30,4	33,0	25,3	12,1	7,6	42,4
	Ida-Virumaa	100,0	100,0	100,0	91,5	90,0	84,5	73,2	70,9	51,6	29,2	56,5	27,3	40,9	13,9	53,5
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	-	100,0	100,0	95,3	94,0	88,1	85,6	56,2	35,7	37,5	11,5	31,0	15,7	9,4	44,9
	Järva, Lääne-Viru, Rapla	100,0	100,0	100,0	93,5	100,0	86,5	58,6	35,5	36,5	24,4	16,2	8,8	34,9	27,1	41,7
	Lääne, Saare, Hiiumaa, Pärnumaa	-	100,0	100,0	100,0	94,0	77,9	61,9	59,4	36,0	29,5	0,0	16,9	32,2	29,5	46,6
Asulatüüp - Type of residence																
	Linn - Urban	100,0	100,0	97,2	95,6	94,6	88,5	69,0	49,6	43,8	31,3	31,4	24,1	22,2	11,0	45,0
	Maa - Rural	-	100,0	100,0	96,3	94,4	82,1	76,6	56,7	35,1	31,2	16,6	28,3	15,7	20,0	44,7
Rahvus - Ethnicity																
	Eestlane - Estonian	100,0	100,0	97,4	96,8	93,5	86,6	73,8	52,3	36,9	31,7	22,9	25,6	18,2	16,4	43,2
	Mitte-eestlane - Non-Estonian	100,0	100,0	100,0	94,4	96,8	86,2	66,9	50,4	49,6	30,1	34,8	23,3	26,1	6,4	48,1
Põlisus - Native-born population																
	Põlisrahvastik - Native-born	100,0	100,0	97,4	96,9	94,0	86,9	73,2	50,8	38,3	30,1	23,7	23,9	17,6	14,7	42,6
	Immigrantrahvastik - Not native-born	100,0	100,0	100,0	94,1	96,0	85,7	67,3	52,8	47,4	34,5	34,9	27,1	29,4	9,3	49,9
Kooselu - Cohabiting																
	Kooselus - Cohabiting	100,0	100,0	97,8	96,4	95,4	86,1	71,5	49,2	42,7	31,7	29,2	30,7	34,6	43,2	51,0
	Ei ole kooselus - Not cohabiting	-	100,0	100,0	90,2	74,7	100,0	60,6	79,5	30,3	28,2	18,5	4,8	6,8	8,5	20,0
Haridus - Education																
	Põhi või madalam - Lower secondary or less	100,0	100,0	100,0	100,0	100,0	91,5	91,9	54,1	37,2	0,0	19,0	15,9	46,3	12,3	42,8
	Kesk - Upper secondary	-	100,0	100,0	94,6	93,6	85,6	68,0	62,4	43,3	32,6	21,7	28,2	15,3	13,3	43,6
	Kõrg - University	100,0	100,0	92,8	95,7	95,0	86,2	68,3	39,8	37,5	31,9	40,8	22,0	23,6	100,0	48,1
Majanduslik aktiivsus - Economical activity																
	Aktiivne - Active	100,0	100,0	100,0	94,9	91,4	87,0	69,3	49,3	41,3	30,9	26,7	25,0	23,3	21,1	42,0
	Mitteaktiivne - Non-active	100,0	100,0	97,6	96,2	97,8	84,8	79,2	78,1	39,6	38,0	48,3	22,9	6,5	9,9	59,0
Sissetulek - Income																
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	-	100,0	100,0	93,9	91,9	95,2	87,1	51,5	30,1	31,2	17,4	23,3	34,2	13,5	53,7
	Üle suhtelise vaesuse piiri - Above the risk of poverty	100,0	100,0	97,6	95,9	94,7	85,9	68,1	50,2	40,8	31,1	26,9	24,8	20,9	13,2	44,2
Tervises seisund - Health status																
	Terve - No health disorders	100,0	-	100,0	100,0	86,9	100,0	57,4	50,2	41,8	29,6	29,2	22,8	23,4	10,7	31,9
	Tervisehäired - Less severe health disorders	100,0	100,0	96,0	96,0	97,3	79,5	73,0	50,4	39,0	25,8	25,6	25,4	11,9	16,9	51,4
	Tõsisemad tervisehäired - Severe health disorders	100,0	100,0	100,0	94,9	86,9	92,9	73,8	48,2	29,8	40,9	16,8	46,6	18,4	49,2	60,1
	Toimetuleku piirangud - Managing restrictions	-	100,0	100,0	94,0	100,0	100,0	76,9	71,3	60,9	71,8	37,4	39,8	63,1	-	77,9
Tervisekäitumine - Health behaviour																
	Tervist hoidev - Health protective	100,0	100,0	100,0	100,0	75,6	100,0	72,8	48,8	42,7	43,8	19,4	23,4	0,0	-	42,8
	Tervist kahjustav - Health harming	-	100,0	100,0	100,0	100,0	90,3	78,2	62,2	31,4	34,0	24,7	26,3	7,5	45,5	49,4
Kontrollkese - Locus of control																
	Seesmine - Internal	100,0	100,0	96,6	93,2	91,6	86,6	71,6	46,6	38,9	27,2	26,0	26,2	17,3	6,2	40,6
	Väline - External	-	100,0	-	100,0	100,0	88,0	63,0	59,4	0,0	-	48,0	-	100,0	-	63,6
Enesehinnanguline tervis - Self-estimated health																
	Väga hea või hea - Very good or good	100,0	100,0	90,5	100,0	89,5	83,2	66,2	47,5	37,1	28,2	23,6	25,1	18,4	12,4	34,1
	Väga halb või halb - Very bad or bad	-	100,0	100,0	100,0	100,0	86,6	68,2	79,3	65,3	0,0	32,8	0,0	100,0	-	74,2
Kehamassiindeks - Body Mass Index																
	Alakaal - Underweight	-	-	-	-	-	-	100,0	36,6	-	0,0	0,0	0,0	47,2	0,0	24,5
	Normkaal - Normal weight	100,0	100,0	95,1	96,9	95,3	79,0	70,6	62,3	34,6	27,8	22,0	22,2	14,9	14,8	36,8
	Ülekaal - Overweight	100,0	100,0	100,0	98,7	90,4	88,9	69,6	47,2	47,2	29,6	29,0	33,2	31,3	12,0	49,0
	Rasumine - Obesity	-	100,0	100,0	85,9	100,0	91,6	72,3	47,4	39,2	46,2	38,7	15,6	41,4	-	56,8
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
		Vanus - Age Total														

TABEL 53.B. Vahendite kasutamine rasestumise ja/või suguhaiguste vältimiseks viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 53.B. Use of contraceptives to avoid pregnancy and/or sexually transmitted diseases (STD) during the last four weeks (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Tänapäevased vahendid (kondoom, pillid, emakasisene vahend) - Modern contraceptives (condom, pills, IUD)	0,0	0,0	0,0	0,0	0,0	2,0	18,3	37,7	56,7	65,9	69,9	66,8	69,8	82,7	53,9
	Traditsionaalsed vahendid (katkestatud suguühe, kalendermeetod) - Traditional contraceptives (rhythm, interrupted intercourse)	0,0	0,0	0,0	0,0	0,0	0,0	0,0	8,3	9,5	6,7	7,3	9,1	4,7	2,2	5,8
	Ei kasutanud vahendeid - Did not use	100,0	100,0	100,0	100,0	100,0	98,0	81,7	54,0	33,8	27,4	22,8	24,1	25,5	15,1	40,3
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	1	3	9	30	33	85	100	166	165	168	200	144	151	102	1357
	Vastamata - Missing (N)	1	7	3	5	3	5	8	5	1	2	2	2	0	1	45
	Pole olnud vahekordi - No intercourse (N)	190	277	262	309	144	158	128	89	59	31	44	36	56	138	1921
TABEL 53.1.B. Rasestumise ja/või suguhaiguste vältimiseks viimasel neljal nädalal vahendeid mittekasutanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 53.1.B. Percent of persons who did not use contraceptives to avoid pregnancy and/or STD during the last four weeks in background categories by birth cohort, females																
Piirkond - Region																
	Harjumaa	-	-	-	-	-	96,1	81,5	55,8	25,9	32,7	29,8	17,5	21,8	14,5	37,7
	Ida-Virumaa	-	-	-	-	-	100,0	92,9	55,1	46,2	31,8	19,3	36,1	36,7	6,7	49,2
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	-	-	-	-	-	97,2	72,1	39,9	47,7	18,9	22,4	22,1	23,2	10,4	37,8
	Järva, Lääne-Viru, Rapla	-	-	-	-	-	100,0	82,1	47,0	22,1	34,2	9,8	19,3	17,0	31,2	35,6
	Lääne, Saare, Hiiumaa, Pärnumaa	-	-	-	-	-	100,0	83,7	69,8	29,8	18,7	16,5	44,0	44,1	17,3	42,8
	Asulatüüp - Type of residence	-	-	-	-	-										
	Linn - Urban	-	-	-	-	-	97,4	85,1	52,5	29,3	26,8	22,9	23,8	21,6	12,4	38,3
	Maa - Rural	-	-	-	-	-	100,0	73,3	51,0	40,7	27,6	19,1	21,2	36,8	23,6	42,8
	Rahvus - Ethnicity	-	-	-	-	-										
	Eestlane - Estonian	-	-	-	-	-	98,2	81,6	53,2	34,3	22,0	21,4	25,7	25,9	18,4	38,5
	Mitte-eestlane - Non-Estonian	-	-	-	-	-	97,7	82,0	50,7	27,3	39,8	24,0	17,8	23,7	7,0	41,0
	Põlisus - Native-born population	-	-	-	-	-										
	Põlisrahvastik - Native-born	-	-	-	-	-	98,2	79,2	52,7	34,6	22,2	20,6	25,5	24,3	19,0	38,0
	Immigrantrahvastik - Not native-born	-	-	-	-	-	97,7	86,3	51,3	25,4	38,7	25,9	16,6	26,7	2,9	42,6
	Kooselu - Cohabiting	-	-	-	-	-										
	Kooselus - Cohabiting	-	-	-	-	-	97,8	81,3	53,2	31,5	27,8	23,0	24,4	28,1	20,9	42,5
	Ei ole kooselus - Not cohabiting	-	-	-	-	-	100,0	86,1	43,5	39,8	23,4	17,3	17,1	15,8	12,9	25,9
	Haridus - Education	-	-	-	-	-										
	Põhi või madalam - Lower secondary or less	-	-	-	-	-	100,0	89,5	83,4	18,0	37,6	34,3	18,4	40,1	20,5	43,7
	Kesk - Upper secondary	-	-	-	-	-	98,0	82,9	50,3	34,6	24,0	20,5	23,6	24,5	9,0	37,9
	Kõrg - University	-	-	-	-	-	97,5	79,4	52,4	31,5	29,3	23,1	23,8	22,3	100,0	40,0
	Majanduslik aktiivsus - Economical activity	-	-	-	-	-										
	Aktiivne - Active	-	-	-	-	-	97,1	81,6	50,8	33,6	25,2	22,3	26,7	28,2	24,8	40,0
	Mitteaktiivne - Non-active	-	-	-	-	-	100,0	83,8	68,4	21,5	34,3	22,3	14,5	20,2	12,4	37,7
	Sissetulek - Income	-	-	-	-	-										
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	-	-	-	-	-	100,0	92,5	54,9	32,2	43,1	21,2	27,9	16,0	10,9	41,8
	Üle suhtelise vaesuse piiri - Above the risk of poverty	-	-	-	-	-	97,4	81,3	51,1	31,4	25,0	24,2	23,1	27,0	14,8	39,5
	Tervise seisund - Health status	-	-	-	-	-										
	Terve - No health disorders	-	-	-	-	-	92,5	75,3	46,0	41,2	25,6	19,5	23,9	24,3	20,4	28,6
	Tervisehäired - Less severe health disorders	-	-	-	-	-	97,9	75,8	51,6	24,8	23,8	23,5	17,9	24,1	8,7	41,9
	Tõsisemad tervisehäired - Severe health disorders	-	-	-	-	-	100,0	93,6	54,7	40,0	35,9	20,9	21,0	32,0	0,0	57,3
	Toimetuleku piirangud - Managing restrictions	-	-	-	-	-	100,0	90,7	68,7	12,9	37,9	100,0	69,0	34,0	0,0	63,8
	Tervisekäitumine - Health behaviour	-	-	-	-	-										
	Tervist hoidev - Health protective	-	-	-	-	-	91,3	72,4	47,3	32,1	29,1	26,1	23,0	12,6	18,3	37,2
	Tervist kahjustav - Health harming	-	-	-	-	-	100,0	82,9	72,2	31,1	22,3	30,6	6,2	41,5	0,0	44,5
	Kontrollkese - Locus of control	-	-	-	-	-										
	Seesmine - Internal	-	-	-	-	-	95,4	74,8	54,2	24,0	29,5	20,0	18,4	22,2	1,9	34,1
	Väline - External	-	-	-	-	-	100,0	100,0	68,1	40,3	51,2	42,8	26,4	27,9	0,0	57,1
	Enesehinnanguline tervis - Self-estimated health	-	-	-	-	-										
	Väga hea või hea - Very good or good	-	-	-	-	-	94,3	72,4	50,0	36,7	20,2	18,8	23,5	23,5	15,7	30,7
	Väga halb või halb - Very bad or bad	-	-	-	-	-	100,0	85,6	48,8	14,3	61,5	42,2	35,9	0,0	-	63,0
	Kehamassiindeks - Body Mass Index	-	-	-	-	-										
	Alakaal - Underweight	-	-	-	-	-	-	0,0	-	0,0	24,5	29,8	11,9	7,4	11,4	14,8
	Normkaal - Normal weight	-	-	-	-	-	100,0	84,8	45,3	25,8	24,4	21,0	24,1	28,8	10,6	32,2
	Ülekaal - Overweight	-	-	-	-	-	97,3	82,4	58,9	43,9	31,9	22,3	27,6	29,5	39,9	52,9
	Rasvumine - Obesity	-	-	-	-	-	96,9	76,0	56,6	41,7	31,8	25,7	20,8	0,0	51,3	59,2
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
		Vanus - Age														

TABEL 54.A. Rasestumisvastaste vahendite mittekasutamise põhjus viimasel neljal nädalal (%) sünnipölvkonna järgi, mehed

TABLE 54.A. Reasons for not using contraceptives during the last four weeks (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Partneri rasedus - <i>Partner's pregnancy</i>	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,0	0,5	3,6	2,7	4,1	3,7	0,0	1,7	
Soov last saada - <i>Desire to have a child</i>	0,0	0,0	0,0	0,6	0,0	0,6	1,5	2,1	5,4	7,3	10,4	12,8	9,1	3,0	5,8	
Teadmiste puudumine - <i>Lack of knowledge</i>	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,0	0,8	0,7	0,0	0,5	0,0	0,0	0,2	
Vahendite halb kättesaadavus - <i>Bad availability of contraceptives</i>	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,0	0,1	
Usulised veendumused - <i>Religious considerations</i>	0,0	0,0	0,0	0,0	1,1	0,0	0,0	1,6	2,4	0,0	0,8	0,0	0,0	0,0	0,6	
Enda/elukaaslase viljatus - <i>Own/partner's infertility</i>	58,5	38,5	51,1	31,6	31,1	33,8	16,6	11,3	7,5	5,0	1,6	0,0	0,7	1,6	10,1	
Abordi lihtne kättesaadavus - <i>Easy availability of abortion</i>	0,0	0,0	0,0	0,0	0,0	0,6	0,7	0,0	0,0	0,7	0,0	0,0	0,0	0,0	0,2	
Rasedusest hoidumine on naise otsustada - <i>To avoid pregnancy is the decision of woman</i>	0,0	0,0	0,0	3,9	3,3	11,3	8,9	12,5	11,3	5,7	4,6	2,4	3,1	0,9	6,5	
Partner ei rasestu kergesti - <i>Partner doesn't get pregnant easily</i>	25,5	24,2	7,0	18,1	10,0	13,6	19,3	17,1	7,3	4,4	4,4	1,5	2,0	3,8	8,4	
Muu - <i>Other</i>	16,0	37,3	39,8	40,2	48,9	26,4	23,3	6,9	5,5	3,8	3,1	3,1	2,2	4,4	11,1	
Kasutas vahendit - <i>Used contraceptives</i>	0,0	0,0	2,1	4,2	5,6	13,7	29,7	48,5	59,3	68,8	72,4	75,1	79,2	86,3	55,3	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	5	31	52	115	69	113	142	165	171	182	152	153	164	83	1597	
Vastamata - <i>Missing</i> (N)	1	5	6	3	2	5	4	3	4	3	4	2	1	4	47	
Pole olnud vahekordi - <i>No intercourse</i> (N)	123	305	203	214	74	77	48	35	29	28	34	38	72	187	1467	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 54.B. Rasestumisvastaste vahendite mittekasutamise põhjus viimasel neljal nädalal (%) sünnipölvkonna järgi, naised
TABLE 54.B. Reasons for not using contraceptives during the last four weeks (%) by birth cohort, females

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Rasedus - Pregnancy	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,0	2,3	2,3	8,4	3,7	4,1	2,6
	Soov last saada - Desire to have a child	0,0	0,0	0,0	0,0	1,9	1,4	0,0	1,1	2,4	2,0	11,8	7,2	13,3	4,1	5,3
	Teadmiste puudumine - Lack of knowledge	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Vahendite halb kättesaadavus - Bad availability of contraceptives	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,9	0,0	0,0	0,0	0,0	0,0	2,2	0,3
	Usulised veendumused - Religious considerations	0,0	0,0	0,0	0,0	3,9	0,0	0,0	0,9	0,8	0,0	0,7	1,2	0,0	0,0	0,5
	Enda/elukaaslase viljatus - Own/partner's infertility	0,0	31,7	22,0	11,4	10,3	20,5	8,6	8,1	7,6	3,3	2,4	0,4	0,0	0,0	4,9
	Menopaus - Menopause	100,0	68,3	78,0	82,1	66,8	60,0	56,1	23,2	4,3	0,4	0,7	0,0	0,0	0,0	13,9
	Abordi lihtne kättesaadavus - Easy availability of abortion	0,0	0,0	0,0	0,0	0,0	0,0	1,3	0,0	0,4	0,0	0,3	0,0	0,0	0,0	0,2
	Ei rasestu kergesti - Doesn't get pregnant easily	0,0	0,0	0,0	0,0	14,9	12,5	12,2	13,0	9,4	9,0	1,6	2,6	4,8	0,9	7,0
	Muu - Other	0,0	0,0	0,0	6,5	2,2	3,6	3,5	4,2	6,5	10,0	2,5	3,4	3,2	2,5	4,5
	Kasutas vahendit - Used contraceptives	0,0	0,0	0,0	0,0	0,0	2,0	18,3	48,6	67,6	73,0	77,7	76,8	75,0	86,2	60,8
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	1	3	9	30	33	84	100	164	165	168	200	144	151	101	1353
	Vastamata - Missing (N)	1	7	3	5	3	6	8	7	1	2	2	2	0	2	49
	Pole olnud vahekordi - No intercourse (N)	190	277	262	309	144	158	128	89	59	31	44	36	56	138	1921
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 55.B. Menstruaaltsüklike regulaarsus (%) sünnipõlvkonna järgi, naised
TABLE 55.B. Regularity of menstruations (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Regulaarne - Regular	0,0	0,0	0,0	0,0	0,0	1,5	16,3	59,3	85,0	90,6	91,9	82,6	91,1	92,5		48,5
Ebaregulaarne - Irregular	0,0	0,0	0,0	0,0	0,0	0,6	10,7	16,3	6,8	6,6	6,1	9,0	6,8	5,8		5,5
Hetkel rase - Pregnant	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	1,9	1,3	8,0	1,7	1,7		1,2
Menstruatsioonid lõppenud - Menstruations ended	100,0	100,0	100,0	100,0	100,0	97,9	73,0	24,4	7,5	0,9	0,7	0,4	0,4	0,0		44,8
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	190	283	273	341	178	246	233	257	225	200	243	180	205	240		3294
Vastamata - Missing (N)	2	4	1	3	2	2	3	3	0	1	3	2	2	1		29
Mediaanvanus esimesel menstruatsioonil - Median age at first menstruation	14	14	14	14	14	14	14	13	14	13	13	13	13	13		14
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 56.B. Menopausi ajastus (kumulatiivne %) sünnipõlvkonna järgi, naised
TABLE 56.B. Timing of menopause (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
45	14,5	16,1	18,2	13,6	13,0	13,2	6,0	8,0	7,2	0,9	0,7	0,4	0,4	0,0	7,0	
46	20,2	21,2	24,1	19,0	15,2	17,8	11,9	9,9	-	-	-	-	-	-	9,3	
47	23,9	23,1	28,8	23,7	18,8	22,4	16,6	15,2	-	-	-	-	-	-	11,5	
48	24,7	27,6	32,4	29,4	22,7	28,4	21,4	17,9	-	-	-	-	-	-	13,7	
49	31,8	33,4	36,6	35,3	33,9	33,3	27,9	20,7	-	-	-	-	-	-	16,6	
50	47,9	44,9	45,6	45,5	42,7	41,7	34,0	24,2	-	-	-	-	-	-	20,9	
51	58,3	56,8	58,7	59,3	52,8	58,8	46,5	-	-	-	-	-	-	-	26,5	
52	65,2	65,9	69,0	69,1	65,4	62,4	55,7	-	-	-	-	-	-	-	30,2	
53	74,3	74,0	75,2	73,1	72,9	71,4	64,7	-	-	-	-	-	-	-	33,4	
54	78,4	79,1	78,3	77,1	77,3	82,1	69,1	-	-	-	-	-	-	-	35,7	
55	85,7	86,2	84,0	85,1	85,5	85,4	72,3	-	-	-	-	-	-	-	38,2	
56	93,5	93,2	92,5	93,7	90,9	90,8	-	-	-	-	-	-	-	-	40,6	
57	96,3	94,8	95,4	97,0	94,0	95,0	-	-	-	-	-	-	-	-	41,6	
58	98,3	97,6	98,1	98,5	96,7	96,7	-	-	-	-	-	-	-	-	42,4	
59	98,3	98,8	98,8	99,6	97,1	96,9	-	-	-	-	-	-	-	-	42,6	
60	98,3	99,6	99,3	100,0	98,8	97,8	-	-	-	-	-	-	-	-	42,9	
Kokku - Total (N)	148	247	252	325	169	238	226	256	224	200	243	180	205	240	3153	
Vastamata - Missing (N)	44	40	22	19	11	10	10	4	1	1	3	2	2	1	170	
Pole menopausi - No menopause (N)	0	0	0	0	0	6	63	195	207	198	241	179	204	240	1533	

TABEL 56.1.B. Mediaanvanus menopausi saabumisel rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 56.1.B. Median age at beginning of menopause in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	49	50	50	50	51	50	50	46	39	-	-	-	-	-	-	50
Ida-Virumaa	51	50	47	48	51	49	49	46	43	-	-	-	-	-	-	49
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	49	50	50	50	50	50	49	46	36	-	-	-	-	-	-	50
Järva, Lääne-Viru, Rapla	52	50	50	50	49	50	50	46	42	-	-	-	-	-	-	50
Lääne, Saare, Hiiumaa, Pärnumaa	49	49	50	49	49	49	48	45	42	-	-	-	-	-	-	49
Asulatüüp - Type of residence																
Linn - Urban	50	50	50	50	50	50	50	46	41	-	-	-	-	-	-	50
Maa - Rural	49	50	50	50	51	50	49	45	39	-	-	-	-	-	-	50
Rahvus - Ethnicity																
Eestlane - Estonian	49	50	50	50	50	50	50	46	41	-	-	-	-	-	-	50
Mitte-eestlane - Non-Estonian	51	51	50	50	51	49	50	46	39	-	-	-	-	-	-	50
Põlisus - Native-born population																
Põlisrahvastik - Native-born	49	50	50	50	50	50	49	46	39	-	-	-	-	-	-	50
Immigrantrahvastik - Not native-born	50	51	50	50	51	49	50	46	42	-	-	-	-	-	-	50
Kooselu - Cohabiting																
Kooselus - Cohabiting	50	50	50	50	50	50	50	46	39	-	-	-	-	-	-	50
Ei ole kooselus - Not cohabiting	50	50	50	50	50	49	50	46	42	-	-	-	-	-	-	50
Haridus - Education																
Põhi või madalam - Lower secondary or less	49	50	48	50	50	50	50	42	31	-	-	-	-	-	-	50
Kesk - Upper secondary	50	50	50	50	50	50	48	46	41	-	-	-	-	-	-	50
Kõrg - University	52	50	51	50	50	50	50	46	39	-	-	-	-	-	-	50
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	-	54	49	49	50	50	50	46	42	-	-	-	-	-	-	49
Mitteaktiivne - Non-active	50	50	50	50	50	50	50	44	35	-	-	-	-	-	-	50
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	50	50	49	50	50	47	48	45	35	-	-	-	-	-	-	49
Üle suhtelise vaesuse piiri - Above the risk of poverty	49	50	50	50	50	50	50	46	41	-	-	-	-	-	-	50
Tervises seisund - Health status																
Terve - No health disorders	50	45	50	50	50	49	50	45	42	-	-	-	-	-	-	48
Tervisehäired - Less severe health disorders	49	50	50	50	50	51	50	46	42	-	-	-	-	-	-	50
Tõsisemad tervisehäired - Severe health disorders	51	49	50	50	50	50	50	46	39	-	-	-	-	-	-	50
Toimetuleku piirangud - Managing restrictions	50	50	50	49	51	48	48	46	38	-	-	-	-	-	-	50
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	49	50	50	50	50	52	50	45	41	-	-	-	-	-	-	50
Tervist kahjustav - Health harming	52	50	50	49	51	48	50	46	44	-	-	-	-	-	-	49
Kontrollkese - Locus of control																
Seesmine - Internal	49	50	50	50	51	50	50	47	36	-	-	-	-	-	-	50
Väline - External	50	50	50	50	49	50	49	45	39	-	-	-	-	-	-	49
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	49	47	50	50	50	50	50	47	41	-	-	-	-	-	-	50
Väga halb või halb - Very bad or bad	50	50	49	49	51	50	49	46	38	-	-	-	-	-	-	50
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	50	44	46	54	44	-	-	47	-	-	-	-	-	-	-	48
Normaal - Normal weight	50	49	50	50	50	50	50	46	38	-	-	-	-	-	-	50
Ülekaal - Overweight	50	50	50	50	50	50	49	46	41	-	-	-	-	-	-	50
Rasumine - Obesity	49	50	50	50	50	50	49	46	37	-	-	-	-	-	-	50
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total

TABEL 57.A. Tervist ohustava seksuaalkäitumise esinemine (%) sünnipölvkonna järgi, mehed

TABLE 57.A. Sexual behaviour that is harmful to health (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Esinenud suguhaigusi - Has had sexually transmitted diseases	0,6	0,2	2,0	1,9	3,4	4,0	7,2	9,0	6,1	8,5	11,4	8,6	3,8	1,0		5,8
Esinenud ahistamist - Has been sexually harassed	0,0	0,8	0,8	0,5	1,1	0,5	0,8	2,1	0,0	0,6	2,1	0,7	0,0	0,0		0,7
Esinenud tasulisi seksuaalvahekordi - Has had paid sexual intercourse	2,3	0,4	0,4	0,3	2,7	2,1	5,7	8,7	9,4	10,3	8,7	12,0	6,4	1,2		6,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274		3111
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 57.B. Tervist ohustava seksuaalkäitumise esinemine (%) sünnipölvkonna järgi, naised

TABLE 57.B. Sexual behaviour that is harmful to health (%) by birth cohort, females

		Sünnipölvkond - Birth cohort														Kokku Total
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	
Esinenud suguhaigusi - Has had sexually transmitted diseases		1,8	0,0	2,0	1,0	4,6	4,6	6,3	7,3	7,0	8,8	9,6	14,4	7,7	1,0	5,9
Esinenud ahistamist - Has been sexually harassed		1,0	1,8	2,4	3,3	2,8	7,1	6,8	9,0	9,8	7,5	10,7	12,2	5,5	3,6	6,4
Esinenud tasulisi seksuaalvahekordi - Has had paid sexual intercourse		0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,1	0,5	0,0	0,4	2,0	0,3	0,7	0,4
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
		Vanus - Age														

TABEL 58.A. Enesehinnang HI-viirusesse nakatumise võimaluse kohta (%) sünnipõlvkonna järgi, mehed
TABLE 58.A. Self-estimation of the possibility of being infected with HIV (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	See on välistatud - It is excluded	87,3	86,1	83,6	83,4	70,3	59,9	54,1	47,1	42,4	38,6	44,8	38,9	34,3	42,4	51,1
	Tõenäosus on väike - Probability is small	12,1	12,5	16,0	15,0	27,1	35,2	38,6	45,9	49,8	56,1	48,1	51,9	59,5	46,7	42,6
	Tõenäosus on keskmine - Probability is average	0,6	1,4	0,4	1,3	2,1	3,6	5,9	5,5	7,3	3,6	6,0	7,3	4,6	9,7	5,2
	Tõenäosus on suur - Probability is big	0,0	0,0	0,0	0,3	0,5	1,3	1,4	1,5	0,5	1,7	1,1	1,9	1,6	1,2	1,1
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		129	338	257	332	144	194	193	202	202	211	187	191	236	273	3089
Vastamata - Missing (N)		0	3	4	0	1	1	1	1	2	2	3	2	1	1	22
TABEL 58.1.A. HIVi nakatumist välistanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 58.1.A. Percent of persons who exclude the possibility of being infected with HIV in background categories by birth cohort, males																
Piirkond - Region																
	Harjumaa	87,7	85,3	78,0	83,4	66,9	48,4	49,0	39,9	40,7	32,4	41,0	35,9	26,4	36,5	45,5
	Ida-Virumaa	68,9	68,3	64,3	63,8	64,1	46,5	42,4	32,7	29,5	35,2	41,1	44,0	36,4	41,4	43,2
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	87,1	92,0	91,4	83,2	72,6	71,2	58,1	50,9	44,4	34,7	51,2	34,0	36,5	41,4	53,3
	Järva, Lääne-Viru, Rapla	93,8	90,6	86,1	92,0	72,9	68,6	78,4	50,2	36,8	46,3	41,0	56,4	48,2	44,1	59,3
	Lääne, Saare, Hiiumaa, Pärnumaa	95,0	91,7	92,6	97,7	77,6	76,9	57,3	71,6	58,7	69,7	55,6	47,9	46,6	59,0	67,3
Asulatüüp - Type of residence																
	Linn - Urban	86,0	85,5	82,5	81,4	70,1	59,0	54,0	42,2	40,6	36,2	44,2	38,5	35,1	43,0	50,1
	Maa - Rural	90,3	88,4	86,3	90,0	70,5	61,9	54,6	58,5	46,3	44,0	46,7	40,7	30,8	40,9	54,1
Rahvus - Ethnicity																
	Eestlane - Estonian	89,5	89,3	87,7	88,2	70,0	68,5	57,3	54,6	45,7	42,8	48,2	45,0	40,4	43,7	55,5
	Mitte-eestlane - Non-Estonian	80,8	79,3	71,3	75,4	70,9	48,1	49,9	34,5	35,5	29,4	38,7	28,4	23,5	39,4	42,9
Põlisus - Native-born population																
	Põlisrahvastik - Native-born	89,8	89,1	89,4	86,7	70,1	64,8	58,1	52,3	46,0	43,0	48,8	43,8	36,8	43,2	54,3
	Immigrantrahvastik - Not native-born	79,1	79,7	67,2	77,6	70,6	52,0	47,8	36,8	33,8	27,5	36,2	29,5	27,9	39,8	43,9
Kooselu - Cohabiting																
	Kooselus - Cohabiting	86,2	85,5	84,7	82,8	70,3	60,3	55,0	46,7	45,0	40,2	47,2	42,4	40,1	50,7	54,9
	Ei ole kooselus - Not cohabiting	89,2	87,4	79,0	85,9	70,2	57,6	49,8	48,7	30,9	32,0	37,6	32,3	31,0	42,0	43,7
Haridus - Education																
	Põhi või madalam - Lower secondary or less	83,8	86,5	89,4	88,0	65,9	72,6	59,1	75,9	40,5	56,4	45,1	25,5	36,6	43,6	57,0
	Kesk - Upper secondary	91,3	84,7	87,0	84,0	73,3	58,9	57,1	52,2	46,2	37,2	46,8	40,4	32,5	39,0	50,3
	Kõrg - University	90,3	87,0	71,4	79,9	66,3	56,4	47,1	36,1	34,8	39,3	40,6	40,7	37,7	57,4	48,6
Majanduslik aktiivsus - Economical activity																
	Aktiivne - Active	100,0	84,9	76,3	86,1	72,8	58,5	52,4	45,5	43,6	37,9	44,5	38,1	36,1	49,7	46,1
	Mitteaktiivne - Non-active	86,7	86,1	84,6	82,6	68,2	63,2	61,3	58,4	30,0	50,0	48,9	51,1	27,3	40,4	61,4
Sissetulek - Income																
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	93,1	79,8	85,1	90,0	64,9	57,9	61,9	60,6	30,9	37,4	42,2	69,3	14,9	37,7	55,1
	Üle suhtelise vaesuse piiri - Above the risk of poverty	87,7	88,1	83,7	80,9	71,3	58,0	51,0	45,4	42,7	38,0	44,1	38,2	36,9	44,3	50,7
Tervise seisund - Health status																
	Terve - No health disorders	76,5	78,2	93,8	78,5	73,9	37,0	37,7	50,3	41,3	36,3	41,1	37,4	32,6	42,7	40,3
	Tervisehäired - Less severe health disorders	85,1	89,4	85,2	87,7	70,2	60,0	58,2	46,9	44,6	43,7	47,3	43,6	35,5	38,5	55,1
	Tõsisemad tervisehäired - Severe health disorders	91,0	89,1	81,9	79,4	70,0	66,8	64,2	43,8	44,2	37,4	52,6	38,3	37,5	54,4	62,4
	Toimetuleku piirangud - Managing restrictions	87,2	83,4	82,0	82,3	69,5	63,6	44,9	42,2	38,3	51,9	61,2	44,3	64,8	58,3	66,4
Tervisekäitumine - Health behaviour																
	Tervist hoidev - Health protective	92,2	83,5	78,7	91,6	56,6	63,5	92,4	55,2	42,6	41,4	52,2	53,5	23,7	53,2	55,2
	Tervist kahjustav - Health harming	93,3	84,4	96,9	88,3	72,7	55,7	50,5	54,0	55,7	24,9	43,5	40,4	25,9	56,1	53,7
Kontrollkese - Locus of control																
	Seesmine - Internal	87,3	88,4	84,1	87,6	63,5	55,4	52,8	46,6	41,5	39,5	45,1	39,2	33,9	43,5	47,8
	Väline - External	86,7	86,7	84,0	84,9	46,4	58,6	43,1	67,2	65,5	100,0	58,9	0,0	0,0	100,0	65,7
Enesehinnanguline tervis - Self-estimated health																
	Väga hea või hea - Very good or good	94,4	92,1	73,7	82,3	67,1	58,1	52,3	46,7	46,7	41,3	42,2	39,2	33,3	42,6	44,3
	Väga halb või halb - Very bad or bad	87,5	83,5	86,1	82,9	67,4	69,4	58,9	56,9	44,7	64,6	49,4	38,8	65,5	100,0	71,0
Kehamassiindeks - Body Mass Index																
	Alakaal - Underweight	100,0	100,0	100,0	100,0	0,0	0,0	0,0	63,4	0,0	0,0	100,0	53,7	56,8	33,4	49,7
	Normkaal - Normal weight	90,5	85,5	79,6	85,1	64,0	62,0	48,7	53,2	32,9	37,4	46,8	36,2	32,3	41,8	47,5
	Ülekaal - Overweight	84,2	85,3	86,3	84,4	74,7	63,6	59,5	44,9	53,5	38,4	43,6	40,0	34,3	51,9	55,2
	Rasvumine - Obesity	81,9	88,7	85,1	77,6	71,0	49,6	53,5	39,3	35,7	42,6	41,9	43,2	50,1	0,0	52,1
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
		Vanus - Age														Total

TABEL 58.B. Enesehinnang HI-viirusesse nakatumise võimaluse kohta (%) sünnipõlvkonna järgi, naised
TABLE 58.B. Self-estimation of the possibility of being infected with HIV (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
See on välistatud - It is excluded		87,8	86,8	85,0	79,3	78,0	64,5	50,0	48,3	39,2	40,2	40,6	36,0	34,6	44,9	55,2
Tõenäosus on väike - Probability is small		11,6	13,2	14,6	19,7	21,6	33,9	45,4	45,7	52,6	53,6	50,8	56,2	58,9	48,6	40,2
Tõenäosus on keskmine - Probability is average		0,6	0,0	0,4	0,6	0,4	1,0	4,6	5,0	7,2	4,8	7,0	6,4	6,1	6,5	4,0
Tõenäosus on suur - Probability is big		0,0	0,0	0,0	0,4	0,0	0,6	0,0	1,0	1,0	1,4	1,6	1,4	0,4	0,0	0,6
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		191	283	272	340	178	246	230	256	224	200	245	181	207	239	3292
Vastamata - Missing (N)		1	4	2	4	2	2	6	4	1	1	1	1	0	2	31
TABEL 58.1.B. HIVi nakatumist välistanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised																
TABLE 58.1.B. Percent of persons who exclude the possibility of being infected with HIV in background categories by birth cohort, females																
Piirkond - Region																
Harjumaa		80,9	86,5	81,7	75,9	75,2	57,7	37,3	35,6	38,0	29,0	26,8	32,1	29,3	42,4	47,7
Ida-Virumaa		82,0	62,0	78,6	56,7	73,5	53,8	49,5	36,3	36,1	36,0	54,0	30,6	27,2	36,6	49,3
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru		97,3	93,5	89,4	88,6	80,3	73,8	58,0	63,0	42,0	44,7	46,1	36,7	44,2	50,7	62,1
Järva, Lääne-Viru, Rapla		89,2	91,7	84,1	98,0	69,8	64,3	53,3	59,9	46,0	60,6	45,9	30,1	38,5	53,8	59,6
Lääne, Saare, Hiiumaa, Pärnumaa		93,0	94,3	94,4	92,1	91,8	77,6	73,0	66,3	31,4	52,3	57,5	74,7	44,8	42,3	67,9
Asulatüüp - Type of residence																
Linn - Urban		87,5	85,9	84,5	76,4	77,5	62,6	49,5	47,5	40,9	40,9	41,9	36,4	38,2	49,8	55,5
Maa - Rural		88,6	90,0	86,8	89,3	79,3	70,8	51,5	50,8	33,7	37,9	34,5	34,0	21,9	32,5	54,4
Rahvus - Ethnicity																
Eestlane - Estonian		91,3	93,0	88,5	87,3	79,2	71,6	58,6	58,9	37,4	40,9	42,8	36,2	34,5	44,2	58,7
Mitte-eestlane - Non-Estonian		81,5	73,1	77,8	67,0	74,4	52,6	37,3	33,2	43,0	38,1	36,1	35,6	34,8	46,2	48,7
Põlisus - Native-born population																
Põlisrahvastik - Native-born		91,5	93,6	88,5	86,1	79,2	69,6	57,0	58,0	38,5	41,1	43,3	36,5	33,2	44,4	58,3
Immigrantrahvastik - Not native-born		80,2	69,9	76,7	67,3	73,2	54,8	38,2	32,9	41,0	37,6	34,3	34,6	37,1	46,1	48,5
Kooselu - Cohabiting																
Kooselus - Cohabiting		91,9	87,1	83,7	76,1	81,4	66,9	47,4	45,1	37,7	38,7	39,8	39,0	34,4	60,5	50,4
Ei ole kooselus - Not cohabiting		87,4	86,7	85,6	81,6	74,2	60,9	54,6	55,2	44,1	44,0	43,2	28,6	34,9	42,7	60,9
Haridus - Education																
Põhi või madalam - Lower secondary or less		86,8	85,9	86,4	82,4	81,4	80,2	75,2	37,4	58,6	40,6	59,6	40,0	36,7	42,8	67,5
Kesk - Upper secondary		91,2	86,2	85,2	80,9	79,4	65,0	48,3	48,5	38,8	45,5	44,0	33,4	36,3	48,2	55,4
Kõrg - University		82,2	89,4	82,4	73,7	73,6	59,9	45,7	48,6	38,4	34,8	33,9	36,9	31,8	59,3	48,3
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active		100,0	61,5	100,0	84,3	76,9	60,5	50,2	47,2	37,9	39,4	39,3	32,2	31,8	46,8	45,1
Mitteaktiivne - Non-active		87,8	87,2	84,3	78,4	78,5	71,5	49,1	59,4	50,8	43,4	44,9	44,8	38,4	44,6	66,8
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty		87,2	90,1	86,6	79,3	76,1	79,3	48,9	56,5	43,5	49,2	56,5	51,5	37,6	43,5	68,5
Üle suhtelise vaesuse piiri - Above the risk of poverty		86,4	83,8	83,1	78,1	79,2	62,5	50,8	48,4	37,0	40,6	39,0	35,8	34,4	41,4	51,9
Tervises seisund - Health status																
Terve - No health disorders		72,3	85,6	100,0	89,8	82,2	77,2	49,5	46,0	40,7	46,3	43,0	36,6	35,8	46,9	43,8
Tervisehäired - Less severe health disorders		95,1	88,9	87,8	82,7	77,2	64,2	51,8	45,4	40,6	26,6	36,7	37,1	31,1	45,3	52,4
Tõsisemad tervisehäired - Severe health disorders		90,4	85,1	90,5	77,0	79,3	52,7	50,9	61,7	27,1	38,2	34,6	28,5	25,7	27,9	62,2
Toimetuleku piirangud - Managing restrictions		87,0	87,2	79,8	77,5	76,6	75,2	44,3	44,7	44,3	70,3	43,3	35,9	41,9	28,8	72,3
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective		87,2	87,2	89,1	81,0	76,3	52,8	48,3	60,1	36,3	34,5	33,7	38,7	27,3	85,2	53,1
Tervist kahjustav - Health harming		100,0	93,1	92,6	80,6	67,5	65,0	46,5	67,1	49,9	39,4	32,8	20,7	67,8	69,9	56,9
Kontrollkese - Locus of control																
Seesmine - Internal		91,9	91,0	84,8	82,9	83,7	60,7	59,9	45,8	44,2	39,6	38,9	35,9	36,9	44,9	51,1
Väline - External		84,1	85,6	81,4	73,4	85,6	81,6	26,1	51,1	28,4	51,2	34,0	0,0	30,0	64,8	67,6
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good		85,1	80,9	94,7	85,2	81,6	65,8	53,6	49,2	41,2	37,2	39,4	38,7	32,2	45,1	45,8
Väga halb või halb - Very bad or bad		89,3	88,2	75,3	73,9	88,2	66,6	42,1	48,0	51,3	34,7	48,7	0,0	43,0	0,0	72,6
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight		85,8	100,0	62,7	56,5	46,6	0,0	100,0	38,4	71,9	46,1	27,3	39,1	41,2	41,1	45,3
Normkaal - Normal weight		89,5	85,5	82,3	83,4	79,1	64,2	43,9	45,7	36,3	41,0	41,2	37,1	31,9	46,1	48,7
Ülekaal - Overweight		90,8	86,6	89,5	74,8	81,1	59,9	52,8	46,6	37,4	36,1	48,0	29,4	37,1	41,7	61,1
Rasvumine - Obesity		77,9	87,6	82,0	82,0	74,7	68,4	54,7	56,8	43,5	41,5	33,2	34,4	46,0	38,7	65,7
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
		Vanus - Age														
		Total														

TABEL 59.A. Perearsti külastamine viimasel 12 kuul (%) sünnipõlvkonna järgi, mehed
TABLE 59.A. Visiting the family physician during the last 12 months (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
On külastanud - Has visited	78,0	81,7	73,3	67,0	70,6	61,6	57,2	59,2	59,8	48,2	57,2	49,1	58,7	67,8		60,6
Ei ole külastanud - Has not visited	22,0	18,3	26,7	33,0	29,4	38,4	42,8	40,8	40,2	51,8	42,8	50,9	41,3	32,2		39,4
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274		3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
TABEL 59.1.A. Perearsti viimasel 12 kuul külastanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 59.1.A. Percent of persons who have visited the family physician during the last 12 months in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	71,3	82,2	74,7	68,2	70,9	50,9	55,1	60,0	60,5	50,9	58,2	53,9	63,9	67,9		60,9
Ida-Virumaa	75,0	83,6	74,9	62,1	60,9	55,2	62,7	60,8	61,8	34,3	42,5	33,4	56,0	47,5		53,5
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	89,2	81,7	74,4	67,7	68,0	70,0	57,7	59,8	63,4	56,2	58,3	49,8	61,5	68,7		63,3
Järva, Lääne-Viru, Rapla	70,1	74,4	71,5	68,6	68,2	68,7	59,5	54,1	52,5	40,4	69,7	56,4	32,7	81,8		59,8
Lääne, Saare, Hiiumaa, Pärnumaa	76,4	81,7	69,1	65,9	83,2	78,1	53,6	57,8	53,8	44,6	62,7	33,0	54,4	73,2		62,3
Asulatüüp - Type of residence																
Linn - Urban	77,1	82,8	74,4	68,7	73,2	59,7	58,4	60,4	59,1	48,0	58,1	48,3	58,7	68,4		60,9
Maa - Rural	80,0	77,1	70,6	61,6	64,1	66,4	53,5	56,3	61,4	48,5	54,5	52,7	58,8	66,2		59,8
Rahvus - Ethnicity																
Eestlane - Estonian	80,6	82,5	73,7	64,0	70,7	65,7	56,6	56,5	61,4	52,0	60,7	44,4	60,5	73,3		61,9
Mitte-eestlane - Non-Estonian	70,1	79,9	72,0	72,0	70,4	56,1	57,9	63,6	56,5	39,8	50,9	57,4	55,5	54,8		58,2
Põlisus - Native-born population																
Põlisrahvastik - Native-born	80,4	82,0	74,0	64,3	71,4	65,5	55,1	56,9	61,0	51,8	60,2	48,1	60,4	72,1		62,0
Immigrantrahvastik - Not native-born	70,1	81,0	71,2	71,8	68,7	55,5	60,4	63,7	57,0	39,1	50,8	51,2	54,6	52,4		57,6
Kooselu - Cohabiting																
Kooselus - Cohabiting	79,6	83,9	73,6	68,1	71,0	64,2	58,0	61,2	61,6	48,7	57,7	46,3	54,7	71,4		60,6
Ei ole kooselus - Not cohabiting	75,1	76,3	71,6	62,7	68,8	48,5	53,1	50,5	51,9	46,1	55,7	54,6	60,9	67,6		60,6
Haridus - Education																
Põhi või madalam - Lower secondary or less	84,1	80,7	78,6	62,4	67,7	67,9	54,0	45,5	46,0	16,0	36,9	30,4	72,6	69,6		64,5
Kesk - Upper secondary	64,3	80,9	71,6	64,9	70,2	63,5	59,1	51,7	61,1	53,5	54,2	45,8	55,1	63,9		58,0
Kõrg - University	78,5	84,0	68,8	72,4	73,2	57,2	55,0	70,4	59,6	40,4	68,7	60,7	60,9	42,6		62,8
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	81,2	87,4	83,1	66,9	72,7	58,8	57,2	60,6	60,3	47,8	56,8	50,2	61,4	75,6		58,2
Mitteaktiivne - Non-active	77,8	81,4	71,9	67,1	68,9	68,6	57,2	48,6	54,9	54,1	61,7	32,5	48,8	65,7		65,6
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	64,2	76,2	77,0	67,4	61,0	57,2	55,2	53,5	58,8	54,0	60,2	42,9	47,6	63,3		59,5
Üle suhtelise vaesuse piiri - Above the risk of poverty	80,7	82,7	73,1	66,7	73,0	63,7	59,7	60,3	59,8	50,7	57,9	46,9	60,1	72,6		61,4
Tervise seisund - Health status																
Terve - No health disorders	100,0	66,1	45,0	36,5	38,2	48,6	35,9	50,9	55,4	44,8	50,9	48,8	56,2	63,3		52,7
Tervisehäired - Less severe health disorders	77,5	75,9	62,7	59,0	66,1	52,0	57,6	58,4	62,8	52,8	60,9	51,5	59,7	82,4		60,2
Tõsisemad tervisehäired - Severe health disorders	89,4	84,6	79,8	80,8	68,3	83,5	64,2	77,7	46,5	67,5	85,9	46,1	72,7	100,0		74,6
Toimetuleku piirangud - Managing restrictions	73,5	83,4	81,9	73,2	88,6	73,6	73,4	64,0	78,0	34,0	59,8	48,3	82,7	41,7		74,2
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	65,9	93,6	80,8	60,6	79,7	69,3	70,3	67,5	63,0	50,0	78,9	41,5	73,4	0,0		65,8
Tervist kahjustav - Health harming	88,4	78,9	63,2	64,4	64,8	51,4	58,2	66,1	58,5	32,6	45,0	69,3	56,3	43,9		58,0
Kontrollkese - Locus of control																
Seemine - Internal	78,9	76,6	67,2	70,1	63,1	61,1	55,0	63,2	58,8	43,6	58,5	45,9	55,1	66,6		57,9
Väline - External	80,5	81,4	74,0	74,9	79,9	71,2	55,2	48,2	48,7	44,1	52,0	0,0	100,0	100,0		67,2
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	77,8	68,2	54,9	40,8	37,2	46,4	50,4	52,7	55,5	43,6	53,5	47,4	55,5	64,7		53,1
Väga halb või halb - Very bad or bad	81,6	85,3	82,0	85,1	96,5	87,9	77,4	65,5	78,3	53,0	88,9	100,0	48,2	100,0		82,0
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	80,7	37,3	100,0	100,0	0,0	0,0	0,0	100,0	0,0	100,0	0,0	53,2	53,1	77,4		67,0
Normkaal - Normal weight	78,1	79,1	64,5	62,8	69,3	52,9	51,5	52,1	52,2	43,7	56,9	49,8	59,5	64,6		57,8
Ülekaal - Overweight	77,3	84,5	74,8	67,3	66,1	60,2	57,4	62,0	65,4	48,0	55,4	41,3	51,2	82,1		60,2
Rasvumine - Obesity	78,7	86,9	87,5	74,5	79,3	78,4	67,2	64,4	61,0	57,5	64,9	63,8	86,3	49,0		69,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
Vanus - Age																

TABEL 59.B. Perearsti külastamine viimasel 12 kuul (%) sünnipölvkonna järgi, naised
TABLE 59.B. Visiting the family physician during the last 12 months (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
On külastanud - Has visited	79,6	80,7	79,8	82,4	72,2	73,0	72,6	71,7	68,4	60,4	66,4	67,2	66,1	77,3	72,1
Ei ole külastanud - Has not visited	20,4	19,3	20,2	17,6	27,8	27,0	27,4	28,3	31,6	39,6	33,6	32,8	33,9	22,7	27,9
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 59.1.B. Perearsti viimasel 12 kuul külastanute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 59.1.B. Percent of persons who have visited the family physician during the last 12 months in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	79,3	77,8	82,1	79,0	60,4	69,2	68,6	70,8	66,9	51,3	63,6	68,7	63,8	79,5	69,4	
Ida-Virumaa	82,5	78,1	72,5	81,5	73,8	60,9	74,9	70,4	63,9	65,4	67,5	66,0	60,7	72,8	70,7	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	80,9	89,0	87,3	85,6	79,6	83,1	82,2	72,9	66,4	65,1	67,9	73,4	71,5	78,9	76,5	
Järva, Lääne-Viru, Rapla	78,0	77,0	78,0	82,0	77,7	78,3	75,1	73,8	60,9	69,1	65,6	62,1	70,5	80,9	72,2	
Lääne, Saare, Hiiumaa, Pärnumaa	73,7	78,5	70,1	88,8	75,5	73,3	66,4	72,2	87,0	67,8	72,6	49,0	66,6	71,0	73,3	
Asulatüüp - Type of residence																
Linn - Urban	76,8	81,6	79,4	82,9	72,3	69,6	75,2	73,3	64,3	65,9	66,2	64,8	66,7	75,8	71,9	
Maa - Rural	86,6	77,7	81,3	80,7	72,1	84,2	64,9	66,3	81,2	44,6	67,4	77,5	63,9	81,1	72,8	
Rahvus - Ethnicity																
Eestlane - Estonian	80,5	80,1	82,0	82,3	76,5	77,3	72,9	72,4	69,4	57,7	66,2	65,6	69,8	80,0	73,1	
Mitte-eestlane - Non-Estonian	77,9	81,9	75,5	82,4	59,0	65,8	72,3	70,7	66,3	67,9	66,9	70,4	60,7	71,9	70,4	
Põlvkond - Native-born population																
Põlvkond - Native-born	79,4	81,3	81,5	82,3	76,7	76,1	72,3	72,7	68,9	57,0	66,3	63,8	69,3	78,0	72,5	
Immigrant - Not native-born	80,0	79,3	75,9	82,6	54,9	67,1	73,2	70,2	67,2	69,6	66,7	76,6	60,1	75,6	71,2	
Kooselu - Cohabiting																
Kooselu - Cohabiting	75,6	83,5	81,7	83,9	75,0	75,9	73,7	69,9	70,4	56,6	67,2	69,3	63,3	74,5	70,5	
Ei ole kooselu - Not cohabiting	80,0	79,9	79,0	81,3	69,0	68,4	70,8	75,5	62,0	70,2	63,7	61,9	70,0	77,8	74,0	
Haridus - Education																
Põhi või madalam - Lower secondary or less	80,5	78,2	84,2	84,5	73,9	69,7	73,5	70,1	69,3	32,9	57,4	75,3	57,6	81,2	77,4	
Kesk - Upper secondary	78,4	85,9	80,4	82,9	70,8	73,7	76,9	70,1	66,6	58,7	71,7	60,5	69,2	72,3	71,7	
Kõrg - University	78,3	80,1	72,3	79,2	73,4	72,9	67,7	73,3	69,8	64,7	61,8	70,2	64,0	0,0	69,7	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	100,0	77,0	86,6	78,8	63,4	73,1	71,9	71,2	69,2	61,9	68,4	70,5	68,7	69,1	69,4	
Mitteaktiivne - Non-active	79,5	80,8	79,6	83,0	76,5	72,7	76,7	76,7	61,8	54,2	59,5	59,5	62,5	78,7	75,2	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	81,3	82,4	78,6	77,1	71,6	69,6	79,0	82,9	67,0	56,1	62,1	51,1	73,4	86,0	74,7	
Üle suhtelise vaesuse piiri - Above the risk of poverty	83,7	80,5	80,1	85,7	71,6	75,0	72,1	68,6	67,8	61,5	66,1	68,7	65,4	73,3	71,2	
Tervise seisund - Health status																
Terve - No health disorders	33,8	100,0	70,3	71,7	66,1	85,1	37,9	66,7	52,0	47,7	59,5	60,6	62,5	77,6	61,5	
Tervisehäired - Less severe health disorders	64,3	61,7	64,6	79,2	66,7	60,0	70,8	64,9	79,1	67,0	75,6	81,8	68,3	78,0	70,4	
Tõsisemad tervisehäired - Severe health disorders	80,5	81,7	80,2	81,3	75,4	80,2	82,3	92,0	71,0	85,2	85,7	66,8	85,7	85,9	80,8	
Toimetuleku piirangud - Managing restrictions	82,4	82,9	87,5	87,0	80,3	90,3	84,7	77,7	90,3	81,9	69,6	85,9	83,8	57,4	84,2	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	79,3	83,5	60,9	79,5	69,0	77,9	69,2	70,2	73,0	52,9	53,9	71,8	62,6	100,0	68,6	
Tervist kahjustav - Health harming	76,2	86,3	81,2	83,0	59,3	67,3	69,4	77,3	67,0	54,0	73,3	73,7	79,2	28,7	72,7	
Kontrollkese - Locus of control																
Seesmine - Internal	79,6	83,4	76,3	79,0	67,3	66,5	69,9	69,9	67,9	54,2	65,6	66,2	68,4	78,1	69,1	
Väline - External	81,2	78,8	83,9	82,7	72,6	61,7	56,1	69,9	71,2	51,2	65,5	100,0	58,1	82,4	74,6	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	53,4	62,5	70,7	65,1	60,9	57,8	57,9	63,5	60,6	52,1	63,6	66,9	60,1	74,2	63,0	
Väga halb või halb - Very bad or bad	87,7	87,6	88,6	88,5	89,4	96,7	92,0	89,8	87,0	100,0	85,8	47,1	100,0	100,0	89,4	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	81,0	100,0	62,7	41,9	53,4	50,6	0,0	0,0	57,9	56,6	43,1	52,6	53,0	69,5	56,7	
Normaal - Normal weight	79,1	79,6	79,8	74,8	69,5	62,6	61,8	69,7	65,6	59,5	68,9	65,6	66,3	77,0	68,8	
Ülekaal - Overweight	78,2	78,7	71,8	83,6	77,0	72,6	78,5	70,2	66,1	55,8	60,8	77,4	74,2	86,3	73,6	
Rasumine - Obesity	82,6	83,8	89,9	89,1	69,6	80,2	81,9	81,0	84,7	77,6	74,5	80,0	85,0	100,0	82,0	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
Vanus - Age																

TABEL 60.A. Viimase perearsti külastuse peamine põhjus (viimasel 12 kuul) (%) sünnipölvkonna järgi, mehed
TABLE 60.A. The main reason of the last visit to the family physician (during the last 12 months) (%) by birth cohort, males

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Haigus või terviseprobleem - Illness or health problem	30,4	33,6	34,6	34,6	35,0	45,6	41,8	50,1	49,1	46,6	57,5	48,8	52,5	52,9	46,3
	Retsepti uuendamine - Renewal of prescription	40,3	34,2	33,0	28,1	22,9	18,5	22,5	8,1	8,4	7,0	4,8	2,0	3,8	2,1	13,0
	Tervisekontroll - Routine check-up	17,3	17,0	21,3	23,0	24,9	24,5	17,0	19,5	19,9	15,4	19,4	13,9	13,5	12,1	18,0
	Tõendi või saatekirja saamine - Need for a certificate or referral	9,8	13,3	10,7	12,9	12,7	8,6	13,0	19,9	14,7	22,2	14,3	27,9	23,3	27,6	17,9
	Vigastus/mürgistus - Injury/intoxication	2,2	1,8	0,4	1,4	4,4	2,8	5,6	2,4	7,8	8,8	4,0	7,3	6,9	5,3	4,8
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		107	291	206	251	117	134	130	133	141	126	130	113	162	205	2246
Vastamata - Missing (N)		22	50	55	81	28	61	64	70	63	87	60	80	75	69	865
TABEL 60.1.A. Haiguse või terviseprobleemi tõttu viimasel 4 nädalal perearsti külastanute protsent rahvastikurühmades sünnipölvkonna järgi, mehed																
TABLE 60.1.A. Percent of persons who have visited the family physician during the last 4 weeks because of their illness or health problem in background categories by birth cohort, males																
Piirkond - Region																
	Harjumaa	36,5	31,4	43,0	44,4	25,3	47,8	35,4	48,2	49,2	49,9	66,1	43,5	56,4	55,2	47,8
	Ida-Virumaa	55,5	41,2	42,6	37,5	59,6	53,9	51,9	36,8	51,4	64,9	37,5	54,5	46,2	85,2	50,6
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	19,6	37,0	24,2	29,8	28,2	43,3	31,4	51,3	50,2	42,3	55,7	40,3	49,3	52,4	42,8
	Järva, Lääne-Viru, Rapla	15,8	26,5	26,3	30,5	41,5	40,7	64,5	65,3	36,3	31,3	58,8	86,2	78,1	51,9	49,4
	Lääne, Saare, Hiiumaa, Pärnumaa	34,4	27,4	34,3	14,3	51,9	44,3	48,4	56,6	52,0	41,4	45,5	70,6	40,9	34,2	42,5
Asulatüüp - Type of residence																
	Linn - Urban	31,9	31,8	36,2	40,5	32,6	49,3	41,8	48,7	50,4	48,0	59,0	48,6	50,8	56,4	47,1
	Maa - Rural	27,1	41,8	30,7	13,3	42,2	37,4	42,0	53,6	46,6	43,4	52,8	49,7	59,7	44,0	43,8
Rahvus - Ethnicity																
	Eestlane - Estonian	24,7	32,8	31,8	25,3	32,5	46,1	42,8	51,5	46,3	43,3	60,3	49,3	52,4	48,7	44,7
	Mitte-eestlane - Non-Estonian	50,0	35,6	42,9	48,4	40,7	44,7	40,7	48,0	55,5	56,2	51,6	48,1	52,5	66,2	49,3
Põlisus - Native-born population																
	Põlisrahvastik - Native-born	26,4	31,8	32,4	26,0	30,7	43,3	41,1	47,9	47,0	42,9	58,0	49,3	54,6	49,2	44,4
	Immigrantrahvastik - Not native-born	45,7	37,5	40,9	48,2	47,0	49,8	42,9	53,9	54,5	58,9	56,3	47,9	46,6	71,2	50,6
Kooselu - Cohabiting																
	Kooselus - Cohabiting	23,0	33,7	35,1	33,1	32,2	46,3	43,2	47,9	47,7	47,2	61,9	49,4	60,6	51,1	45,2
	Ei ole kooselus - Not cohabiting	44,0	33,5	32,2	41,2	50,8	40,2	35,0	61,7	57,2	43,9	44,6	47,8	48,3	53,0	48,4
Haridus - Education																
	Põhi või madalam - Lower secondary or less	40,5	41,0	38,2	32,2	40,6	41,1	63,0	42,3	57,8	47,9	49,1	73,0	70,3	55,3	50,5
	Kesk - Upper secondary	12,5	36,2	36,3	37,8	37,7	53,9	37,6	53,5	49,3	46,8	57,5	49,4	49,0	45,4	46,7
	Kõrg - University	23,6	20,0	27,0	32,6	27,0	36,7	42,7	48,0	47,6	45,9	58,7	44,1	50,3	100,0	42,6
Majanduslik aktiivsus - Economical activity																
	Aktiivne - Active	23,2	8,7	34,8	35,4	35,8	50,8	42,5	52,1	51,0	48,8	58,6	48,9	56,8	51,1	50,1
	Mitteaktiivne - Non-active	30,8	34,9	34,6	34,4	34,3	34,7	39,3	32,3	28,6	15,0	46,0	46,8	32,4	53,5	39,3
Sissetulek - Income																
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	46,8	37,5	33,6	36,8	43,2	54,5	59,5	43,9	41,3	29,6	28,8	50,6	10,8	57,1	43,1
	Üle suhtelise vaesuse piiri - Above the risk of poverty	27,1	31,5	34,1	34,8	34,1	41,8	42,0	52,0	49,8	48,7	58,6	47,6	58,3	46,5	46,2
Tervise seisund - Health status																
	Terve - No health disorders	0,0	9,3	47,7	34,1	20,6	43,5	19,6	47,7	48,1	40,6	57,4	52,1	50,7	53,2	49,5
	Tervisehäired - Less severe health disorders	18,2	32,0	23,2	36,2	31,8	38,4	47,1	55,3	52,2	57,4	62,6	48,2	59,4	49,3	47,0
	Tõsisemad tervisehäired - Severe health disorders	15,0	32,3	31,4	27,8	51,3	53,4	42,3	37,0	54,0	54,4	61,3	37,7	49,7	70,9	43,8
	Toimetuleku piirangud - Managing restrictions	42,1	36,1	44,9	40,2	29,8	51,9	37,5	54,6	41,1	55,0	28,2	16,0	35,7	0,0	39,5
Tervisekäitumine - Health behaviour																
	Tervist hoidev - Health protective	34,8	32,6	52,2	27,8	32,5	26,6	47,2	37,5	43,7	40,3	61,9	29,5	42,7	0,0	40,9
	Tervist kahjustav - Health harming	45,6	36,0	27,2	32,4	29,0	53,4	34,8	61,1	63,5	71,4	59,9	37,1	64,8	0,0	48,2
Kontrollkese - Locus of control																
	Seesmine - Internal	31,0	34,2	31,0	24,8	28,0	47,3	35,8	50,2	54,3	52,7	64,0	47,6	43,1	58,5	47,6
	Väline - External	30,9	42,0	54,6	66,6	30,5	50,6	45,1	0,0	43,9	100,0	20,8	0,0	36,9	45,9	43,0
Enesehinnanguline tervis - Self-estimated health																
	Väga hea või hea - Very good or good	30,8	7,6	36,9	18,4	26,8	49,7	49,3	48,6	45,7	41,5	56,7	48,8	49,2	53,3	48,5
	Väga halb või halb - Very bad or bad	37,7	40,8	38,2	49,4	54,1	58,5	38,2	44,9	25,8	39,1	44,4	100,0	72,3	100,0	46,0
Kehamassiindeks - Body Mass Index																
	Alakaal - Underweight	0,0	100,0	61,4	100,0	0,0	0,0	0,0	36,6	0,0	0,0	0,0	0,0	56,9	60,8	47,3
	Normkaal - Normal weight	26,3	38,3	48,5	32,4	33,7	44,8	45,2	53,0	42,5	52,0	64,0	53,0	50,3	53,6	49,0
	Ülekaal - Overweight	36,3	31,9	30,2	32,3	39,0	42,8	43,8	49,9	53,5	44,2	54,0	52,1	52,5	47,9	45,0
	Rasumine - Obesity	36,9	22,7	18,7	42,2	31,3	50,4	34,3	47,6	49,1	45,0	51,3	33,2	71,8	0,0	41,8
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
		Vanus - Age														
		Total														

TABEL 60.B. Viimase perearsti külastuse peamine põhjus (viimasel 12 kuul) (%) sünnipõlvkonna järgi, naised
TABLE 60.B. The main reason of the last visit to the family physician (during the last 12 months) (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Haiguse või terviseprobleemi - Illness or health problem	31,6	29,9	38,6	39,7	35,6	38,3	54,0	51,9	50,8	59,2	70,0	51,8	46,3	51,7		47,1
Retsepti uuendamine - Renewal of prescription	40,7	38,4	34,3	31,3	35,7	31,0	17,6	12,4	11,4	7,6	6,4	11,0	7,3	2,2		19,3
Tervisekontroll - Routine check-up	21,0	23,5	21,3	17,4	18,5	18,8	16,7	16,7	18,1	17,3	11,1	19,7	20,7	13,1		17,9
Tõendi või saatekirja saamine - Need for a certificate or referral	4,7	7,1	5,4	10,7	9,2	10,8	10,2	16,7	16,7	15,8	11,7	16,4	22,6	25,9		13,8
Vigastus/mürgistus - Injury/intoxication	2,0	1,1	0,5	0,9	1,0	1,2	1,5	2,2	2,9	0,0	0,8	1,1	3,1	7,1		1,9
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	153	231	217	286	133	181	175	188	153	125	163	122	138	185		2450
Vastamata - Missing (N)	39	56	57	58	47	67	61	72	72	76	83	60	69	56		873

TABEL 60.1.B. Haiguse või terviseprobleemi tõttu viimasel 4 nädalal perearsti külastanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 60.1.B. Percent of persons who have visited the family physician during the last 4 weeks because of their illness or health problem in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	27,3	34,5	40,3	41,2	37,0	47,6	60,0	55,1	54,7	67,5	70,0	64,5	50,9	54,4		51,7
Ida-Virumaa	24,7	44,9	62,1	42,6	42,0	40,7	61,2	56,6	48,6	58,8	70,5	37,9	45,1	62,6		50,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	44,5	21,2	31,9	46,9	33,2	33,8	51,1	46,8	48,5	53,4	77,6	48,5	49,8	49,0		45,3
Järva, Lääne-Viru, Rapla	40,7	22,3	27,9	32,2	31,8	15,8	38,9	58,5	55,5	61,3	79,8	43,8	16,3	43,7		41,9
Lääne, Saare, Hiiumaa, Pärnumaa	8,9	27,5	31,2	26,3	36,9	40,8	44,3	39,5	43,6	51,1	47,6	11,6	32,0	46,2		37,8
Asulatüüp - Type of residence																
Linn - Urban	29,7	33,0	37,6	38,3	32,3	40,4	56,0	54,3	52,6	55,1	70,0	56,4	48,4	57,1		48,4
Maa - Rural	35,9	18,9	42,3	44,8	43,7	32,4	46,6	43,4	46,4	77,0	69,9	35,5	38,7	39,1		43,0
Rahvus - Ethnicity																
Eestlane - Estonian	35,0	24,9	34,6	36,1	35,0	37,0	49,2	46,3	47,6	55,3	71,7	52,1	43,9	48,4		44,5
Mitte-eestlane - Non-Estonian	25,4	40,3	47,1	45,3	37,9	40,8	60,7	60,1	58,2	68,3	66,7	51,3	50,3	59,3		52,3
Põlisus - Native-born population																
Põlisrahvastik - Native-born	35,2	25,8	33,8	37,2	35,7	36,5	48,5	47,8	49,2	56,2	72,9	52,6	41,5	49,4		44,8
Immigrantrahvastik - Not native-born	24,3	40,0	50,4	44,1	35,0	42,0	62,9	58,6	55,3	65,9	63,6	50,0	56,7	57,9		52,3
Kooselu - Cohabiting																
Kooselus - Cohabiting	31,2	27,2	36,6	39,3	30,9	41,0	55,2	51,1	49,7	55,8	72,3	46,8	47,7	44,5		48,7
Ei ole kooselus - Not cohabiting	31,7	30,7	39,6	40,1	41,3	33,6	51,7	53,6	55,0	66,3	61,8	65,6	44,5	52,7		45,4
Haridus - Education																
Põhi või madalam - Lower secondary or less	31,5	36,4	46,8	45,5	42,4	43,6	70,8	38,0	57,3	100,0	29,6	55,2	61,6	48,9		45,6
Kesk - Upper secondary	35,9	25,1	37,5	35,1	30,8	35,3	49,3	51,6	52,4	53,8	75,7	62,2	44,2	57,2		47,2
Kõrg - University	18,3	22,1	27,0	39,2	38,6	40,7	55,5	53,0	49,2	62,2	68,1	45,1	46,2	0,0		48,0
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	24,1	26,0	43,5	43,6	53,6	53,7	49,5	58,8	72,1	56,9	50,3	52,9		53,3
Mitteaktiivne - Non-active	31,9	30,4	39,3	42,1	32,4	28,8	56,1	35,6	64,0	61,5	61,8	37,9	40,3	51,6		40,6
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	26,9	28,5	42,0	46,4	36,3	28,3	55,5	46,9	64,0	63,4	56,2	62,4	33,4	60,7		43,4
Üle suhtelise vaesuse piiri - Above the risk of poverty	35,3	32,5	35,7	37,0	35,3	43,4	53,1	54,1	45,9	58,2	69,9	52,0	47,9	45,5		47,8
Tervise seisund - Health status																
Terve - No health disorders	61,5	38,0	15,7	41,6	63,3	11,2	31,1	58,4	46,3	56,4	58,8	55,2	50,2	52,0		52,1
Tervisehäired - Less severe health disorders	27,3	16,3	36,3	39,7	34,2	44,3	53,6	55,9	51,3	50,4	84,5	51,0	38,9	56,4		49,9
Tõsisemad tervisehäired - Severe health disorders	22,5	22,6	31,4	32,0	31,3	46,0	60,2	40,8	59,1	78,5	77,4	44,8	67,3	46,3		43,7
Toimetuleku piirangud - Managing restrictions	33,3	34,4	43,9	46,0	37,5	28,1	52,3	49,1	50,8	66,4	85,7	23,7	36,5	0,0		40,4
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	23,5	30,8	38,5	41,4	21,3	40,8	58,8	39,2	55,1	56,6	67,3	49,1	42,7	45,5		45,1
Tervist kahjustav - Health harming	64,9	25,6	14,9	46,3	49,6	71,7	44,5	53,1	37,7	80,3	77,9	59,0	57,5	0,0		51,8
Kontrollkese - Locus of control																
Seesmine - Internal	23,9	19,9	31,8	40,3	34,9	30,2	56,4	52,9	43,0	63,4	72,5	49,4	48,6	47,4		48,3
Väline - External	40,3	47,4	43,1	37,5	32,5	63,2	44,4	66,1	79,1	33,3	87,7	73,6	70,0	72,2		49,7
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	11,3	30,5	24,3	26,5	46,1	23,9	46,5	45,6	52,4	61,9	68,2	51,8	44,8	47,8		49,5
Väga halb või halb - Very bad or bad	39,0	30,8	46,4	46,7	56,2	55,4	71,2	34,8	53,4	82,6	65,6	0,0	57,0	49,6		47,0
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	41,2	0,0	0,0	0,0	0,0	0,0	100,0	0,0	85,4	61,8	71,3	39,8	64,4	56,2		55,4
Normaal - Normal weight	24,3	34,5	41,8	39,2	46,1	33,7	54,2	51,3	54,1	57,9	69,6	54,7	42,4	52,8		50,3
Ülekaal - Overweight	29,9	27,9	39,0	41,4	39,2	39,2	58,5	53,2	48,5	63,3	79,2	53,4	57,1	39,8		46,0
Rasvumine - Obesity	43,0	30,2	37,6	39,6	22,1	40,0	48,1	51,5	38,4	57,2	60,3	41,3	39,8	48,7		40,8
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
Vanus - Age																

TABEL 61.A. Viimane haiglasviibimine (%) sünnipõlvkonna järgi, mehed
TABLE 61.A. Recency of the last hospitalisation (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Pole kunagi viibinud haiglas - Has never been at hospital	6,0	6,5	6,6	11,9	11,3	12,4	14,0	14,4	17,2	26,9	24,2	37,6	38,2	41,7	23,0	
Enam kui aasta tagasi - More than a year ago	71,1	73,8	74,9	69,6	71,5	77,9	75,1	78,6	73,3	67,0	69,8	59,3	55,1	54,6	67,9	
Viimasel 12 kuul - During the last 12 months	22,9	19,7	18,5	18,5	17,2	9,7	10,9	7,0	9,5	6,1	6,0	3,1	6,7	3,7	9,1	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	129	341	261	331	145	195	194	203	204	213	190	193	237	274	3110	
Vastamata - Missing (N)	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	
TABEL 61.1.A. Haiglas viimasel 12 kuul viibinute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 61.1.A. Percent of persons who have been at hospital during the last 12 months in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	18,4	17,8	19,6	16,4	11,7	11,0	15,6	5,1	6,0	3,0	2,7	2,7	6,1	3,9	7,6	
Ida-Virumaa	22,9	23,5	26,5	14,7	36,3	13,4	17,5	19,6	8,6	9,2	13,3	3,8	9,1	6,0	13,3	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	27,1	20,1	18,7	20,5	21,1	11,6	6,8	5,0	15,3	10,6	3,6	2,9	8,5	2,6	9,9	
Järva, Lääne-Viru, Rapla	11,1	20,0	12,3	26,0	6,9	0,0	0,0	7,8	0,0	3,7	0,0	0,0	0,0	6,2	4,9	
Lääne, Saare, Hiiumaa, Pärnumaa	30,1	21,3	15,8	18,7	17,6	9,2	6,0	3,0	15,1	5,2	19,7	9,7	5,4	2,7	10,4	
Asulatüüp - Type of residence																
Linn - Urban	21,0	19,0	18,2	16,9	16,2	9,3	12,9	7,7	10,0	5,6	7,4	3,1	6,3	3,6	9,1	
Maa - Rural	27,5	22,6	19,4	23,6	19,8	10,8	4,8	5,2	8,3	7,4	1,7	2,9	8,7	4,1	9,0	
Rahvus - Ethnicity																
Eestlane - Estonian	22,5	19,4	17,2	18,1	14,7	8,9	10,4	5,5	9,5	6,2	4,3	1,0	5,4	3,4	8,2	
Mitte-eestlane - Non-Estonian	24,2	20,3	22,3	19,2	22,8	10,7	11,4	9,3	9,3	6,0	8,8	6,7	9,1	4,5	10,7	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	21,9	19,4	18,4	18,7	16,0	8,4	9,2	5,8	10,0	6,6	5,7	1,0	6,2	4,2	8,5	
Immigrantrahvastik - Not native-born	26,3	20,4	19,0	18,2	20,3	11,8	13,4	9,2	8,1	5,0	6,6	7,1	8,1	2,2	10,3	
Kooselu - Cohabiting																
Kooselus - Cohabiting	20,0	18,8	18,9	16,9	17,0	10,5	9,8	5,6	8,5	5,3	5,2	3,7	8,3	0,0	9,5	
Ei ole kooselus - Not cohabiting	27,9	21,8	17,2	24,9	18,3	5,6	15,5	12,7	14,0	9,2	8,2	1,9	5,9	3,9	8,3	
Haridus - Education																
Põhi või madalam - Lower secondary or less	18,0	19,7	26,6	19,9	15,4	6,8	4,8	7,0	10,1	8,3	13,5	3,7	7,5	3,1	9,3	
Kesk - Upper secondary	21,0	16,0	14,8	16,6	14,4	9,4	7,0	7,9	8,9	6,3	6,6	4,8	6,3	5,5	8,3	
Kõrg - University	33,3	23,8	13,4	20,0	23,9	11,2	19,8	5,8	10,5	5,3	2,7	0,0	7,4	0,0	10,3	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	17,9	6,3	11,2	16,4	7,7	8,9	6,5	9,0	5,2	4,5	2,6	6,6	5,4	6,6	
Mitteaktiivne - Non-active	24,0	19,8	20,2	20,8	17,8	14,7	18,8	10,6	14,4	20,7	23,1	10,7	7,3	3,3	14,0	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	42,7	22,6	16,5	22,3	19,6	13,5	13,7	5,1	9,9	10,5	18,4	13,3	4,6	3,5	12,7	
Üle suhtelise vaesuse piiri - Above the risk of poverty	18,9	18,7	19,8	17,0	16,0	7,4	9,8	7,4	10,0	5,4	5,3	2,1	7,4	3,0	8,5	
Tervise seisund - Health status																
Terve - No health disorders	0,0	12,9	0,0	5,0	7,9	2,7	2,5	5,8	7,1	3,5	2,5	0,9	8,5	3,7	4,3	
Tervisehäired - Less severe health disorders	12,1	14,1	6,7	12,7	16,8	6,9	11,2	3,6	9,6	7,5	3,5	4,0	1,4	2,6	7,5	
Tõsisemad tervisehäired - Severe health disorders	15,8	13,4	22,5	21,8	13,5	16,0	9,2	5,6	0,0	10,2	21,9	20,6	11,5	11,5	14,2	
Toimetuleku piirangud - Managing restrictions	29,4	25,9	29,3	27,5	23,6	15,1	22,0	31,9	26,1	27,9	24,7	12,2	0,0	0,0	24,2	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	15,1	40,1	14,4	5,9	23,4	11,9	0,0	4,7	17,3	0,0	0,0	0,0	0,0	0,0	7,3	
Tervist kahjustav - Health harming	33,3	19,7	20,3	16,7	12,7	0,0	15,4	5,8	7,5	14,1	0,0	0,0	11,6	0,0	8,7	
Kontrollkese - Locus of control																
Seesmine - Internal	25,0	21,5	13,8	12,9	15,7	11,7	11,4	4,9	6,0	4,6	4,0	4,2	6,6	3,0	7,2	
Väline - External	27,1	21,8	26,8	41,2	14,8	20,4	0,0	27,7	9,4	44,1	17,1	0,0	0,0	0,0	19,6	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	14,2	2,0	7,1	9,2	2,6	2,5	7,4	4,3	6,9	3,6	2,5	2,0	6,6	3,4	4,3	
Väga halb või halb - Very bad or bad	31,9	29,2	36,3	47,2	42,1	22,2	16,4	22,5	34,5	52,9	23,8	0,0	29,9	0,0	31,0	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	24,6	0,0	0,0	0,0	0,0	0,0	0,0	100,0	0,0	0,0	11,7	0,0	5,4	
Normkaal - Normal weight	22,2	19,5	16,6	18,8	14,5	11,2	9,5	8,2	10,9	7,8	4,3	1,5	5,2	3,0	7,6	
Ülekaal - Overweight	23,3	19,3	18,7	18,0	22,0	9,5	10,9	5,3	7,6	4,7	5,5	5,4	12,1	9,2	10,1	
Rasvumine - Obesity	33,1	24,3	22,1	19,7	12,9	7,7	13,1	9,4	10,8	4,6	11,9	4,3	0,0	0,0	11,1	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															Total

TABEL 61.B. Viimane haiglasviibimine (%) sünnipõlvkonna järgi, naised
TABLE 61.B. Recency of the last hospitalisation (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Pole kunagi viibinud haiglas - <i>Has never been at hospital</i>	9,2	8,0	7,6	9,7	7,9	17,0	11,5	18,2	17,6	21,9	24,1	26,7	36,2	41,7	19,6	
Enam kui aasta tagasi - <i>More than a year ago</i>	74,0	75,5	71,7	75,1	82,4	70,6	79,9	73,5	75,0	70,3	69,8	63,0	55,2	49,6	69,7	
Viimasel 12 kuul - <i>During the last 12 months</i>	16,8	16,5	20,7	15,2	9,7	12,4	8,6	8,3	7,4	7,8	6,1	10,3	8,6	8,7	10,7	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABEL 61.1.B. Haiglas viimasel 12 kuul viibinute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 61.1.B. Percent of persons who have been at hospital during the last 12 months in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	15,0	20,7	26,1	13,1	9,9	12,4	10,2	3,9	1,7	10,4	5,0	13,2	7,9	9,0	10,5
Ida-Virumaa	26,2	17,2	23,4	20,1	8,1	9,3	13,5	13,9	23,0	7,7	10,0	10,2	21,2	7,4	14,8
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	17,3	11,1	19,3	17,2	11,0	12,9	6,0	4,3	11,8	8,1	2,0	7,0	5,3	7,0	9,4
Järva, Lääne-Viru, Rapla	7,6	9,7	11,3	5,2	6,1	10,4	4,3	20,2	5,4	0,0	3,9	5,4	7,8	17,6	8,0
Lääne, Saare, Hiiu, Pärnumaa	16,6	20,5	13,9	18,1	11,4	16,2	5,2	16,5	6,7	4,7	16,2	13,7	5,7	5,9	11,7
Asulatüüp - Type of residence															
Linn - Urban	19,4	17,4	21,2	13,8	10,3	12,0	11,4	8,2	6,1	6,6	5,7	10,1	11,0	8,1	10,9
Maa - Rural	10,3	13,3	18,8	19,9	8,2	13,7	0,0	8,8	11,4	11,1	8,2	11,5	0,0	10,2	10,0
Rahvus - Ethnicity															
Eestlane - Estonian	16,1	14,8	20,1	13,5	11,3	10,3	5,6	9,4	7,2	6,9	7,5	6,8	6,2	8,6	9,8
Mitte-eestlane - Non-Estonian	18,0	20,2	21,8	17,8	4,8	15,9	12,9	6,8	7,9	10,2	3,3	17,4	12,1	8,7	12,4
Põlisus - Native-born population															
Põlisrahvastik - Native-born	16,2	15,9	19,5	14,3	10,7	11,1	7,0	9,4	7,2	6,9	7,0	7,2	6,2	8,5	9,9
Immigrantrahvastik - Not native-born	18,1	18,0	23,4	16,7	5,8	14,8	11,3	6,6	8,0	10,1	4,2	19,2	13,1	9,0	12,3
Kooselu - Cohabiting															
Kooselus - Cohabiting	15,8	24,6	18,0	14,2	4,9	12,6	5,9	9,5	7,4	8,6	6,6	9,8	9,2	17,1	9,6
Ei ole kooselus - Not cohabiting	16,9	14,2	21,9	15,8	15,2	12,0	13,4	5,7	7,4	5,6	4,4	11,7	7,8	7,5	11,9
Haridus - Education															
Põhi või madalam - Lower secondary or less	15,4	16,2	22,8	17,9	22,1	15,3	4,4	9,5	20,1	30,4	8,3	8,3	12,7	8,8	14,5
Kesk - Upper secondary	17,6	18,2	23,3	14,5	6,4	13,7	11,4	13,1	6,1	8,0	6,9	12,5	9,6	8,6	11,4
Kõrg - University	21,7	15,2	12,6	12,8	7,0	9,9	6,5	3,9	7,7	5,4	5,0	9,3	6,3	0,0	7,7
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	23,0	27,7	10,7	9,6	7,9	7,4	6,9	7,2	4,1	6,5	7,5	7,4	7,1	7,1
Mitteaktiivne - Non-active	16,9	16,4	20,4	16,0	9,7	20,2	15,2	22,5	9,4	23,1	4,9	17,1	10,3	8,9	14,7
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	16,6	14,3	19,1	15,7	11,0	19,2	7,9	15,5	8,0	8,5	2,5	8,9	2,4	7,3	12,6
Üle suhtelise vaesuse piiri - Above the risk of poverty	17,2	19,7	23,0	14,7	9,5	9,0	8,8	6,8	7,5	6,9	7,1	10,3	9,0	7,1	9,9
Tervise seisund - Health status															
Terve - No health disorders	20,8	14,5	0,0	10,2	10,1	0,0	0,0	2,9	1,6	5,9	5,0	10,4	10,6	8,3	7,0
Tervisehäired - Less severe health disorders	0,0	6,3	10,5	10,0	8,3	6,8	4,9	4,8	7,2	6,7	6,2	8,9	5,8	6,8	6,8
Tõsisemad tervisehäired - Severe health disorders	18,0	11,2	17,9	12,5	7,7	12,1	4,7	14,6	7,9	18,1	18,1	12,1	0,0	27,6	12,1
Toimetuleku piirangud - Managing restrictions	18,3	20,7	28,2	22,2	15,6	28,7	30,2	21,3	30,7	5,3	0,0	15,6	5,3	8,4	21,9
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	10,5	22,9	17,9	13,9	3,0	15,4	3,9	8,2	6,3	5,2	8,5	21,6	5,7	46,6	10,8
Tervist kahjustav - Health harming	13,6	22,7	24,1	7,3	0,0	4,8	8,9	2,4	14,7	0,0	7,5	0,0	25,5	0,0	9,6
Kontrollkese - Locus of control															
Seesmine - Internal	14,0	10,4	26,4	11,2	6,2	9,5	4,3	5,4	5,6	5,5	3,5	13,6	7,3	6,9	7,8
Väline - External	22,1	17,9	24,5	17,8	9,8	15,0	19,9	4,7	7,4	34,1	0,0	0,0	20,4	0,0	16,7
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	12,1	5,0	7,7	6,1	0,0	2,1	0,6	2,7	4,4	3,0	6,0	9,1	7,3	5,4	5,1
Väga halb või halb - Very bad or bad	23,3	23,0	24,6	27,5	19,3	30,8	21,4	22,3	35,0	27,7	0,0	0,0	0,0	50,4	24,3
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	12,7	0,0	37,3	0,0	0,0	0,0	0,0	0,0	15,2	21,8	0,0	18,0	1,8	11,7	9,2
Normkaal - Normal weight	22,7	20,0	21,1	11,9	7,3	9,0	5,0	7,0	6,7	6,3	6,6	10,7	9,4	7,2	9,1
Ülekaal - Overweight	15,8	14,4	20,9	18,1	12,9	11,3	4,4	8,0	7,9	5,6	10,4	5,6	7,1	18,3	11,6
Rasumine - Obesity	4,5	16,9	19,9	15,4	7,1	15,6	18,8	11,7	7,0	13,4	0,0	10,5	15,0	0,0	13,3
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 62.A. Viimane eriarsti külastus (%) sünnipölvkonna järgi, mehed
TABLE 62.A. Recency of the last visit to a specialist (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
On külastanud viimasel 12 kuul - Has visited during the last 12 months	52,6	56,4	53,5	48,4	47,9	35,4	35,8	37,3	37,8	28,7	36,9	32,9	28,5	30,1	36,9	
Ei ole külastanud viimasel 12 kuul - Hasn't visited during the last 12 months	47,4	43,6	46,5	51,6	52,1	64,6	64,2	62,7	62,2	71,3	63,1	67,1	71,5	69,9	63,1	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 62.1.A. Eriarsti viimasel 12 kuul mittekülastanute protsent rahvastikurühmades sünnipölvkonna järgi, mehed																
TABLE 62.1.A. Percent of persons who have not visited a specialist during the last 12 monts in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	49,3	44,2	38,4	48,8	53,8	57,7	61,0	61,4	64,2	73,1	63,8	56,0	71,2	68,0	61,1	
Ida-Virumaa	45,9	36,0	43,0	56,8	48,8	69,9	57,1	53,2	67,1	80,1	60,1	87,7	65,0	67,0	63,9	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	49,3	48,3	47,8	49,3	54,9	66,0	63,8	62,9	58,7	53,6	67,7	77,1	71,5	69,9	63,0	
Järva, Lääne-Viru, Rapla	53,3	44,0	54,2	52,0	60,8	74,9	73,3	72,9	68,7	88,5	55,3	69,2	93,0	77,2	71,0	
Lääne, Saare, Hiiu, Pärnumaa	38,0	37,0	56,8	59,5	39,0	66,0	75,1	67,7	54,2	78,2	59,1	67,4	65,2	73,3	63,2	
Asulatüüp - Type of residence																
Linn - Urban	46,1	42,1	42,6	51,0	50,0	67,0	60,9	62,4	59,6	71,2	63,1	66,5	69,0	65,4	61,7	
Maa - Rural	50,4	49,8	55,7	53,6	57,5	58,6	73,9	63,4	67,8	71,4	63,0	70,2	82,0	81,2	67,3	
Rahvus - Ethnicity																
Eestlane - Estonian	42,2	45,3	45,9	51,2	51,2	64,7	65,4	66,3	59,4	66,9	59,6	66,0	72,0	72,6	62,6	
Mitte-eestlane - Non-Estonian	62,5	40,0	48,3	52,3	54,0	64,4	62,7	56,7	67,9	80,8	69,2	69,1	70,6	63,7	64,1	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	43,0	46,0	47,1	50,5	50,8	64,1	67,1	68,4	60,9	68,5	60,3	65,6	71,8	72,2	63,3	
Immigrantrahvastik - Not native-born	61,7	38,7	45,0	53,6	55,4	65,3	59,8	51,5	65,2	78,4	68,8	70,2	70,8	61,9	62,7	
Kooselu - Cohabiting																
Kooselus - Cohabiting	41,5	44,3	44,6	51,1	49,1	61,7	64,6	61,8	62,3	72,6	61,3	66,3	66,1	89,3	60,8	
Ei ole kooselus - Not cohabiting	57,4	41,8	54,6	53,8	68,2	79,4	62,4	66,3	61,7	66,2	68,1	68,8	74,6	68,9	67,7	
Haridus - Education																
Põhi või madalam - Lower secondary or less	44,0	51,4	43,3	55,4	59,3	67,1	74,8	57,0	70,9	79,3	75,5	78,0	68,4	72,8	66,1	
Kesk - Upper secondary	59,4	47,0	53,2	52,4	53,8	66,7	69,1	67,8	62,6	69,7	65,1	67,1	77,2	61,6	65,6	
Kõrg - University	43,1	27,8	41,2	48,5	44,4	61,2	51,9	57,6	59,7	73,8	55,6	63,6	59,0	100,0	56,6	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	62,1	34,7	36,9	45,9	51,1	69,2	66,5	62,6	64,4	72,9	63,9	67,7	69,8	54,4	65,3	
Mitteaktiivne - Non-active	46,6	44,0	47,9	53,4	52,9	53,4	54,9	63,0	39,4	45,0	53,6	58,7	77,8	74,2	58,6	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	42,8	43,4	40,2	61,5	63,4	65,6	60,1	66,0	51,8	57,7	58,5	50,8	85,1	75,5	62,1	
Üle suhtelise vaesuse piiri - Above the risk of poverty	47,6	43,7	46,6	49,7	47,8	64,3	64,6	63,1	62,7	71,2	62,7	67,1	69,2	69,8	62,5	
Tervise seisund - Health status																
Terve - No health disorders	42,0	47,8	74,6	76,2	63,8	75,5	79,5	77,3	72,5	79,3	73,3	71,0	74,3	73,8	74,2	
Tervisehäired - Less severe health disorders	44,9	48,4	63,1	52,2	55,3	71,8	65,5	66,3	59,0	63,9	57,3	56,9	70,2	61,5	62,6	
Tõsisemad tervisehäired - Severe health disorders	45,0	54,9	31,4	42,5	59,3	56,9	66,1	34,7	56,0	38,6	26,6	62,0	49,7	32,9	47,5	
Toimetuleku piirangud - Managing restrictions	49,1	35,2	38,9	53,4	38,1	45,2	37,0	34,9	33,7	60,5	42,2	54,0	70,4	41,7	42,6	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	61,9	12,5	42,9	46,0	63,7	77,6	65,6	64,6	50,0	69,6	68,9	57,4	64,0	100,0	60,2	
Tervist kahjustav - Health harming	46,7	43,8	54,9	62,1	49,6	61,8	72,8	65,2	74,6	58,5	73,9	48,5	71,8	43,9	63,3	
Kontrollikese - Locus of control																
Seesmine - Internal	43,3	41,9	58,3	61,1	50,7	68,2	68,0	63,0	65,9	78,5	62,2	68,8	68,7	65,2	65,6	
Väline - External	52,4	49,4	30,1	39,8	44,2	42,2	62,9	62,1	63,2	0,0	63,7	100,0	100,0	54,1	50,4	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	26,6	50,4	67,3	60,7	70,8	74,2	71,1	71,1	75,0	77,8	70,2	68,6	73,5	71,6	71,7	
Väga halb või halb - Very bad or bad	49,9	36,4	31,9	40,1	29,5	40,3	38,6	46,2	12,8	20,7	13,9	38,8	51,8	100,0	35,8	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	68,6	100,0	0,0	0,0	0,0	0,0	100,0	0,0	0,0	0,0	0,0	73,7	53,5	72,6	58,7	
Normkaal - Normal weight	56,6	41,2	45,8	56,7	58,3	73,1	66,1	69,4	63,8	70,1	72,7	68,2	70,7	73,1	67,3	
Ülekaal - Overweight	40,4	45,2	49,3	51,9	53,7	61,9	66,2	59,7	63,5	72,2	64,1	70,2	72,7	52,5	61,9	
Rasvumine - Obesity	30,0	42,6	44,4	42,7	42,0	55,8	56,6	63,3	56,8	72,6	35,5	52,9	88,2	51,0	54,1	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															Total

TABEL 62.B. Viimane eriarsti külastus (%) sünnipölvkonna järgi, naised
TABLE 62.B. Recency of the last visit to a specialist (%) by birth cohort, females

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
On külastanud viimasel 12 kuul - Has visited during the last 12 months		37,9	48,0	59,6	58,2	53,0	56,8	55,0	57,0	50,8	55,7	60,6	61,0	57,7	47,1	54,9
Ei ole külastanud viimasel 12 kuul - Hasn't visited during the last 12 months		62,1	52,0	40,4	41,8	47,0	43,2	45,0	43,0	49,2	44,3	39,4	39,0	42,3	52,9	45,1
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 62.1.B. Eriarsti viimasel 12 kuul mittekülastanute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 62.1.B. Percent of persons who have not visited a specialist during the last 12 months in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	56,4	46,3	33,8	39,2	43,8	40,7	46,1	48,2	47,0	48,7	42,3	39,1	39,6	54,4	44,3
Ida-Virumaa	62,5	47,7	46,1	35,7	53,9	65,0	42,3	45,4	45,9	65,4	42,5	40,7	51,4	45,6	48,1
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	70,3	54,4	42,6	50,5	43,8	46,4	40,4	40,3	51,0	42,0	43,5	37,2	38,6	54,9	45,9
Järva, Lääne-Viru, Rapla	65,8	66,3	48,0	54,0	58,2	28,7	48,2	40,0	60,2	34,1	28,9	44,8	55,8	57,7	48,2
Lääne, Saare, Hiiu, Pärnumaa	56,2	55,2	41,5	36,5	43,4	34,1	49,0	28,7	40,4	26,6	31,3	31,7	47,5	48,9	40,3
Asulatüüp - Type of residence															
Linn - Urban	57,8	47,7	39,4	39,6	42,9	43,5	44,4	42,4	50,9	45,2	40,3	38,1	43,4	50,7	44,2
Maa - Rural	72,9	66,7	44,0	49,3	56,8	42,1	46,8	44,9	44,0	41,7	35,0	43,0	38,7	58,6	48,2
Rahvus - Ethnicity															
Eestlane - Estonian	59,7	59,7	37,0	42,5	45,4	39,4	44,0	42,9	48,8	41,9	37,6	39,8	36,2	49,6	43,9
Mitte-eestlane - Non-Estonian	66,5	35,5	47,2	40,8	51,8	49,5	46,4	43,2	49,9	50,7	43,0	37,5	51,3	59,8	47,5
Põlisus - Native-born population															
Põlisrahvastik - Native-born	60,0	58,7	39,4	41,9	44,6	39,4	45,2	42,8	48,3	41,7	38,7	40,1	39,1	50,3	44,3
Immigrantrahvastik - Not native-born	66,6	35,9	42,7	41,5	56,1	50,2	44,6	43,3	51,7	51,3	40,9	36,0	48,3	59,8	47,0
Kooselu - Cohabiting															
Kooselus - Cohabiting	54,6	57,3	38,5	38,7	46,4	41,6	44,4	40,4	47,7	48,4	36,6	35,1	46,9	47,9	43,0
Ei ole kooselus - Not cohabiting	63,0	50,5	41,3	43,9	47,6	45,5	45,9	48,6	53,9	33,7	49,1	48,6	35,9	53,6	47,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	67,7	59,1	53,5	37,5	60,3	57,7	57,9	59,2	41,9	42,1	45,9	54,0	69,5	51,0	54,0
Kesk - Upper secondary	55,3	52,0	32,1	45,3	45,0	43,5	46,3	44,1	54,3	47,0	43,6	37,5	38,3	56,1	45,1
Kõrg - University	54,4	36,4	37,2	42,0	41,3	39,0	40,3	41,1	45,5	41,9	33,7	37,2	41,4	59,3	40,3
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	100,0	61,5	37,9	42,7	48,5	42,6	47,2	44,3	48,2	48,0	41,7	38,2	46,1	52,9	45,1
Mitteaktiivne - Non-active	61,9	51,8	40,5	41,6	46,2	44,2	32,8	30,2	57,8	28,6	31,7	41,1	37,1	52,9	45,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	66,1	51,2	44,5	43,9	44,6	48,1	35,0	26,0	51,2	43,4	60,6	58,2	48,2	55,8	47,7
Üle suhtelise vaesuse piiri - Above the risk of poverty	51,8	50,9	36,9	40,4	47,1	40,4	47,6	45,8	51,0	45,8	35,6	36,8	43,6	56,4	44,6
Tervise seisund - Health status															
Terve - No health disorders	72,3	71,1	67,9	83,0	75,8	59,4	68,8	55,2	57,6	54,4	40,5	44,5	49,0	59,0	52,1
Tervisehäired - Less severe health disorders	77,2	59,3	48,6	47,2	52,5	45,8	54,1	50,3	44,9	32,4	42,9	35,3	26,2	44,2	45,3
Tõsisemad tervisehäired - Severe health disorders	69,0	58,6	37,7	43,4	40,7	44,3	31,3	26,6	51,8	44,1	15,9	14,7	26,5	30,4	39,8
Toimetuleku piirangud - Managing restrictions	58,9	47,1	36,9	31,9	36,9	31,6	24,4	19,4	28,1	15,0	36,4	29,7	53,0	52,1	38,6
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	51,6	45,1	41,4	34,9	43,2	31,9	43,4	30,6	33,9	52,7	30,2	22,3	42,2	27,6	37,7
Tervist kahjustav - Health harming	72,8	57,4	44,8	66,4	63,2	64,5	64,7	56,2	55,7	46,0	48,7	38,0	15,4	30,1	51,4
Kontrollikese - Locus of control															
Seesmine - Internal	78,6	45,0	43,4	44,7	56,1	48,1	48,4	45,2	47,6	47,5	36,1	40,2	36,5	57,7	45,8
Väline - External	60,6	55,7	33,9	30,5	45,6	48,6	44,5	50,0	21,8	17,1	65,6	0,0	58,1	41,9	46,2
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	62,3	61,0	52,6	53,0	70,1	51,5	56,6	53,3	58,3	54,4	39,0	44,9	41,9	55,1	50,5
Väga halb või halb - Very bad or bad	59,8	45,6	36,4	27,7	30,5	15,9	30,3	14,7	13,5	0,0	23,0	52,9	57,0	0,0	34,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	71,6	80,7	37,3	36,5	46,6	0,0	49,4	100,0	35,8	53,9	41,8	46,5	39,1	58,3	48,3
Normkaal - Normal weight	54,1	46,0	41,6	43,7	59,8	50,1	53,2	40,3	48,5	43,9	38,8	36,2	44,1	53,3	45,7
Ülekaal - Overweight	69,3	52,7	42,3	44,8	37,4	36,1	41,1	45,5	52,2	50,1	35,2	42,1	53,6	37,5	45,0
Rasvumine - Obesity	61,3	55,8	37,9	36,7	47,1	44,2	37,6	42,9	50,3	28,4	48,5	40,4	0,0	78,5	42,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 63.A. Viimase eriarsti külastuse põhjus (viimasel 12 kuul) (%) sünnipölvkonna järgi, mehed
TABLE 63.A. Reason for the last visit to a specialist (during the last 12 months) (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Haigus või terviseprobleem - Disease or health disorder	56,4	56,7	53,7	57,6	52,5	45,6	46,4	47,2	60,9	62,7	63,9	52,3	45,4	67,8	55,0	
Kontroll või nõustamine - Check-up or getting advice	31,9	31,1	31,7	30,0	35,2	44,6	40,1	45,4	27,8	33,9	21,9	42,0	47,7	23,7	34,9	
Tõendi, retsepti saamine - Need of document	6,6	3,9	4,5	6,5	8,5	4,6	7,1	1,7	5,1	3,4	3,2	0,0	2,0	1,6	3,9	
Pearearsti soovitus ja saatekiri - By family doctor's recommendation	5,1	8,3	10,1	5,9	3,8	5,2	6,4	5,7	6,2	0,0	11,0	5,7	4,9	6,9	6,2	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	67	195	140	161	70	68	70	76	77	63	72	60	69	84	1272	
TABEL 63.1.A. Kontrolli või nõustamise eesmärgil viimati eriarsti külastanute protsent rahvastikurühmades sünnipölvkonna järgi, mehed																
TABLE 63.1.A. Percent of persons whose last visit to a specialist was for a check-up or for getting advice in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	38,0	38,5	32,7	40,8	30,4	44,0	49,9	56,4	39,2	32,2	29,5	51,2	43,6	16,2	39,6	
Ida-Virumaa	0,0	13,4	42,8	10,0	10,0	40,0	29,7	44,0	17,4	53,6	0,0	23,2	32,0	40,9	26,6	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	47,5	27,7	38,3	24,2	42,3	49,2	37,3	23,2	22,4	31,7	11,0	22,1	50,2	29,4	31,7	
Järva, Lääne-Viru, Rapla	0,0	38,0	10,1	25,4	37,2	54,0	28,7	64,3	34,1	0,0	10,2	18,1	100,0	19,3	29,7	
Lääne, Saare, Hiiu, Pärnumaa	30,0	32,5	24,9	30,4	49,5	31,4	39,8	46,4	15,3	54,5	54,4	46,8	75,9	20,0	38,3	
Asulatüüp - Type of residence																
Linn - Urban	37,4	30,9	31,2	31,4	36,2	42,6	39,0	50,0	30,7	36,8	20,9	41,6	46,4	25,9	35,7	
Maa - Rural	18,0	32,1	33,3	25,2	32,4	48,4	45,0	34,1	20,1	27,5	25,0	44,1	57,4	13,6	32,3	
Rahvus - Ethnicity																
Eestlane - Estonian	36,9	31,6	30,6	27,9	43,1	44,5	40,5	44,4	26,5	31,3	26,1	43,0	49,8	21,9	35,0	
Mitte-eestlane - Non-Estonian	9,3	30,3	34,9	33,5	16,7	44,7	39,7	46,7	31,2	43,8	12,2	40,2	44,4	26,8	34,7	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	36,4	32,9	29,4	29,1	44,8	44,9	41,6	46,3	26,4	31,4	25,1	42,7	50,6	21,2	35,4	
Immigrantrahvastik - Not native-born	9,9	27,9	37,7	31,7	7,4	44,2	38,3	44,2	31,6	42,9	13,5	40,5	41,0	30,2	33,9	
Kooselu - Cohabiting																
Kooselus - Cohabiting	34,7	36,6	31,2	29,5	37,6	45,0	40,3	43,6	28,5	36,7	22,6	32,2	32,3	47,6	34,7	
Ei ole kooselus - Not cohabiting	25,5	18,5	34,3	32,0	14,3	40,5	39,4	54,4	24,6	25,2	19,8	62,3	59,3	23,2	35,4	
Haridus - Education																
Põhi või madalam - Lower secondary or less	33,8	29,9	26,7	22,8	30,5	34,4	27,3	68,3	39,4	59,9	33,9	61,0	66,9	13,9	29,8	
Kesk - Upper secondary	38,6	29,3	28,1	24,4	34,6	39,1	45,2	40,1	26,4	25,9	20,1	33,7	54,4	41,6	33,8	
Kõrg - University	24,5	33,8	41,9	39,9	38,3	53,3	36,7	46,3	29,0	53,3	23,1	50,7	31,8	0,0	39,4	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	23,0	52,2	37,1	47,8	49,3	45,7	43,3	29,6	33,2	21,1	40,7	45,6	33,2	38,0	
Mitteaktiivne - Non-active	33,1	31,6	28,3	27,5	24,6	37,1	23,1	61,0	16,8	39,5	29,3	58,1	58,3	19,1	29,7	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	38,6	12,8	16,6	23,8	9,3	34,7	22,2	66,9	17,6	48,2	19,9	54,1	100,0	6,0	29,3	
Üle suhtelise vaesuse piiri - Above the risk of poverty	31,8	36,4	36,0	28,9	37,3	50,3	41,0	43,4	27,1	32,5	23,5	42,8	42,9	34,6	36,3	
Tervise seisund - Health status																
Terve - No health disorders	59,6	75,2	38,4	58,1	78,3	88,9	54,3	52,3	45,9	38,0	26,8	52,9	54,8	24,9	43,0	
Tervisehäired - Less severe health disorders	43,4	21,9	37,4	37,3	37,1	57,4	49,8	46,0	24,3	19,3	26,2	28,1	31,2	17,6	36,1	
Tõsisemad tervisehäired - Severe health disorders	48,8	34,7	28,1	24,6	39,7	36,4	7,2	38,0	18,8	34,0	0,0	0,0	57,1	37,2	28,2	
Toimetuleku piirangud - Managing restrictions	21,0	31,0	31,2	22,1	23,1	21,2	34,0	46,7	7,5	54,1	31,9	26,6	0,0	0,0	26,9	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	60,1	29,1	50,8	35,6	0,0	34,4	41,5	62,1	59,4	34,0	0,0	76,1	54,0	0,0	46,0	
Tervist kahjustav - Health harming	9,1	14,2	41,5	40,9	33,9	0,0	37,6	41,9	9,7	28,0	33,1	37,6	50,4	26,8	30,7	
Kontrollkese - Locus of control																
Seesmine - Internal	34,6	34,2	38,3	36,8	38,3	61,5	46,5	35,2	29,3	32,9	20,7	39,5	51,8	20,8	36,0	
Väline - External	20,1	23,4	30,2	14,0	0,0	27,3	33,0	63,4	74,5	55,9	48,5	0,0	0,0	0,0	29,4	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	42,9	45,3	37,3	39,8	100,0	72,0	60,7	49,7	30,2	42,4	18,6	44,8	45,3	25,5	40,5	
Väga halb või halb - Very bad or bad	14,8	24,3	24,8	29,3	10,7	17,2	31,3	58,9	8,2	51,7	12,9	0,0	27,7	0,0	23,2	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	24,6	0,0	0,0	0,0	0,0	63,4	0,0	0,0	0,0	0,0	51,7	33,3	33,6	
Normkaal - Normal weight	36,0	30,7	24,1	28,5	27,7	44,2	61,7	54,2	20,5	23,2	13,4	42,2	50,9	20,0	34,3	
Ülekaal - Overweight	31,1	28,5	34,5	30,6	29,5	50,2	30,7	41,4	29,8	44,6	14,5	56,5	41,2	28,7	34,8	
Rasumine - Obesity	31,2	37,4	42,9	30,2	49,1	36,1	27,0	35,9	34,4	29,6	45,1	22,2	0,0	100,0	36,0	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age														Total	

TABEL 63.B. Viimase eriarsti külastuse põhjus (viimasel 12 kuul) (%) sünnipölvkonna järgi, naised
TABLE 63.B. Reason for the last visit to a specialist (during the last 12 months) (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Haigus või terviseprobleem - Disease or health disorder	58,0	59,1	56,2	53,7	46,6	47,9	50,7	50,6	39,2	40,5	41,0	32,9	35,5	46,2	45,8
Kontroll või nõustamine - Check-up or getting advice	26,1	36,2	35,9	32,1	33,6	39,4	42,8	41,6	52,1	53,4	52,0	64,0	53,1	46,3	45,1
Tõendi, retsepti saamine - Need of document	9,8	2,2	2,1	9,1	6,4	7,2	2,4	4,3	2,8	2,9	2,4	1,3	4,8	2,8	4,1
Pearsti soovitus ja saatekiri - By family doctor's recommendation	6,1	2,5	5,8	5,1	13,4	5,5	4,1	3,5	5,9	3,2	4,6	1,8	6,6	4,7	5,0
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	73	139	163	202	96	137	133	152	114	112	149	109	119	116	1814

TABEL 63.1.B. Kontrolli või nõustamise eesmärgil viimati eriarsti külastanute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 63.1.B. Percent of persons whose last visit to a specialist was for a check-up or for getting advice in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	31,0	43,9	40,0	33,6	38,2	44,5	35,3	42,9	53,1	57,2	48,1	66,4	49,2	49,6	46,4
Ida-Virumaa	15,5	32,9	32,5	26,7	24,8	11,7	39,0	44,1	42,5	44,4	43,3	71,4	62,3	36,4	39,1
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	23,4	37,9	30,0	28,7	27,5	36,3	47,8	40,4	46,0	45,9	65,1	58,5	61,5	35,9	43,9
Järva, Lääne-Viru, Rapla	0,0	39,4	43,0	31,2	33,2	47,2	50,2	30,9	60,9	55,8	37,1	54,3	28,4	61,3	44,7
Lääne, Saare, Hiiumaa, Pärnumaa	40,8	10,1	30,5	39,3	43,3	39,2	56,4	46,2	56,0	61,3	66,4	71,6	52,7	53,6	49,2
Asulatüüp - Type of residence															
Linn - Urban	26,7	37,5	36,7	35,5	31,6	39,2	39,7	42,0	50,8	56,7	51,2	64,0	50,9	47,2	45,0
Maa - Rural	23,8	29,4	32,8	18,3	39,8	40,0	52,8	40,2	55,6	44,4	55,5	64,1	60,4	43,6	45,2
Rahvus - Ethnicity															
Eestlane - Estonian	25,9	30,5	35,7	32,0	39,2	42,1	43,5	35,6	46,6	54,3	54,5	63,4	49,0	44,1	44,5
Mitte-eestlane - Non-Estonian	26,6	43,9	36,4	32,3	14,1	34,1	41,8	50,2	64,3	50,4	46,7	65,1	60,9	51,9	46,3
Põlisus - Native-born population															
Põlisrahvastik - Native-born	26,9	32,7	36,4	32,6	36,7	41,0	43,7	37,5	48,8	54,3	53,5	66,6	51,5	45,7	45,3
Immigrantrahvastik - Not native-born	24,1	41,6	34,8	31,3	18,5	35,8	41,4	48,1	61,4	50,4	48,5	57,4	56,8	48,2	44,6
Kooselu - Cohabiting															
Kooselus - Cohabiting	46,4	35,7	46,0	38,0	41,4	36,7	51,4	39,9	53,2	55,1	54,3	66,7	60,1	63,0	50,5
Ei ole kooselus - Not cohabiting	23,3	36,3	31,0	27,6	24,5	43,8	27,4	45,9	47,7	49,9	42,1	55,7	45,0	43,5	38,1
Haridus - Education															
Põhi või madalam - Lower secondary or less	30,8	25,3	31,3	23,2	41,5	31,0	38,7	22,2	0,0	10,0	42,8	93,6	77,9	41,4	35,7
Kesk - Upper secondary	20,6	51,4	35,3	32,9	29,8	34,8	33,1	42,2	56,7	53,9	48,3	57,3	44,9	54,6	43,0
Kõrg - University	25,9	38,2	42,3	42,2	35,8	46,3	53,3	41,9	52,1	56,9	56,6	64,4	61,7	100,0	51,3
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	59,8	34,1	43,3	36,2	45,1	43,6	42,6	52,4	50,0	53,6	57,0	50,9	70,4	48,9
Mitteaktiivne - Non-active	26,1	35,9	36,0	30,1	32,3	29,2	39,4	33,9	48,7	63,5	47,6	81,2	55,7	42,2	40,7
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	31,8	35,2	34,8	22,0	35,9	21,5	33,9	44,5	34,1	38,2	35,1	70,0	41,0	32,2	34,0
Üle suhtelise vaesuse piiri - Above the risk of poverty	21,9	36,4	38,3	38,6	33,2	41,5	44,9	42,7	60,4	55,2	54,6	61,5	56,5	49,1	48,2
Tervise seisund - Health status															
Terve - No health disorders	0,0	100,0	100,0	59,8	70,2	12,6	65,2	47,4	64,3	51,3	63,2	63,3	61,0	45,4	57,7
Tervisehäired - Less severe health disorders	46,5	40,9	41,2	27,8	36,2	54,0	44,3	43,0	47,2	64,7	30,0	67,6	40,5	47,0	45,9
Tõsisemad tervisehäired - Severe health disorders	40,9	42,0	45,6	46,3	30,3	27,4	36,5	31,1	37,0	27,3	47,8	50,5	76,0	43,3	38,4
Toimetuleku piirangud - Managing restrictions	23,2	32,1	27,0	23,8	30,1	29,2	43,0	47,0	51,0	55,7	53,0	100,0	43,3	56,0	34,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	32,1	41,7	41,5	44,3	32,0	40,8	46,1	59,1	53,2	63,7	61,8	64,4	53,8	73,7	51,6
Tervist kahjustav - Health harming	0,0	26,4	9,0	0,0	26,6	12,9	60,5	13,5	31,3	38,1	48,2	37,5	10,6	100,0	30,0
Kontrollikese - Locus of control															
Seesmine - Internal	56,1	49,2	40,1	31,5	26,1	58,9	46,3	40,0	57,2	50,7	55,5	66,5	57,0	54,0	51,2
Väline - External	22,3	12,5	36,2	23,6	48,8	15,9	81,9	27,8	36,8	79,4	0,0	52,9	76,9	39,4	34,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	32,9	51,5	26,3	57,3	47,7	61,9	67,7	48,5	51,9	60,1	59,6	67,0	57,6	52,2	57,6
Väga halb või halb - Very bad or bad	21,3	33,2	25,5	25,1	13,5	30,1	32,4	27,8	47,0	17,4	28,3	100,0	100,0	0,0	27,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	50,0	0,0	100,0	34,3	100,0	0,0	0,0	0,0	22,9	46,9	80,6	50,2	68,3	46,3	56,5
Normkaal - Normal weight	25,6	36,0	37,4	30,9	14,9	37,7	44,1	44,0	51,1	58,6	51,5	65,4	53,4	46,5	48,5
Ülekaal - Overweight	34,0	34,5	36,6	32,4	32,5	46,2	37,6	45,5	60,2	50,6	47,1	64,9	45,1	40,9	42,2
Rasvumine - Obesity	15,4	40,4	32,6	32,5	45,1	34,2	47,8	31,0	53,5	37,8	44,1	62,0	24,0	100,0	38,4
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 65.B. Viimase mammogrammi tegemise põhjus (viimasel kolmel aastal) (%) sünnipölvkonna järgi, naised
 TABLE 65.B. Reason for the last mammogram (during the last three years) (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Soov kontrollida - Wish to check	11,7	38,3	36,4	39,6	31,3	13,2	22,4	29,2	67,2	62,6	61,8	46,2	76,3	53,9		32,6
Kaebus - Complaint	79,5	42,2	47,5	46,3	19,6	12,4	14,3	17,9	27,5	37,4	38,2	53,8	23,7	46,1		23,1
Osalemine skriiningprogrammis - Participation in a screening program	8,8	19,5	16,1	14,1	49,1	74,4	63,3	52,9	5,3	0,0	0,0	0,0	0,0	0,0		44,3
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	10	26	28	54	38	140	150	86	52	26	15	9	11	13		658
Vastamata - Missing (N)	1	1	1	3	1	1	1	1	0	0	0	0	0	0		10
Pole tehtud viimasel 3 aastal - Has not been done during the last 3 years (N)	181	260	245	287	141	107	85	173	173	175	231	173	196	228		2655
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 67.B. Viimase PAP-testi tegemise põhjus (viimasel kolmel aastal) (%) sünnipölvkondade järgi, naised
TABLE 67.B. Reason for the last PAP-test (during the last three years) (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Soov kontrollida - Wish to check	45,0	50,0	53,9	49,1	76,0	65,7	52,7	37,1	53,9	56,5	60,9	59,9	63,6	89,4		55,7
Kaebus - Complaint	55,0	35,3	38,4	44,4	21,7	31,0	29,2	38,2	29,3	25,4	24,8	40,1	36,4	10,6		31,9
Osalemine skriiningprogrammis - Participation in a screening program	0,0	14,7	7,7	6,5	2,3	3,3	18,1	24,7	16,8	18,1	14,3	0,0	0,0	0,0		12,4
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	14	22	30	56	31	52	70	111	91	81	82	50	50	14		754
Vastamata - Missing (N)	2	2	2	1	0	1	1	1	0	1	0	2	1	0		14
Pole tehtud viimasel 3 aastal - Has not been done during the last 3 years (N)	176	263	242	287	149	195	165	148	134	119	164	130	156	227		2555
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
							Vanus - Age									

TABEL 68.B. Viimane hambaarsti külastus (%) sünnipölvkonna järgi, naised
TABLE 68.B. Recency of the last visit to the dentist (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														Kokku
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	
	Pole kunagi külastanud - <i>Has never visited</i>	2,8	1,8	1,0	1,1	2,1	0,0	0,9	0,0	1,2	0,6	1,8	0,8	2,5	0,9	1,2
	Enam kui 3 aastat tagasi - <i>More than 3 years ago</i>	55,4	50,9	37,8	29,0	26,1	21,4	17,9	12,4	9,5	9,9	10,7	11,5	13,5	6,1	19,5
	1–3 aastat tagasi - <i>1–3 years ago</i>	15,7	16,5	22,2	23,1	24,4	29,4	21,7	24,7	23,8	22,4	23,3	24,8	29,5	19,8	23,4
	Viimasel 12 kuul - <i>During the last 12 months</i>	26,1	30,8	39,0	46,8	47,4	49,2	59,5	62,9	65,5	67,1	64,2	62,9	54,5	73,2	55,9
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	167	277	267	333	178	243	233	257	220	199	243	181	207	240	3245
	Vastamata - Missing (N)	25	10	7	11	2	5	3	3	5	2	3	1	0	1	78

TABEL 68.1.B. Hambaarsti viimasel kolmel aastal mittekülastanute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 68.1.B. Percent of persons who have not visited the dentist during the last three years in background categories by birth cohort, females

Tabel 1. Eluolukorra näitajad 2019. aastal																
Piirkond - Region	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
Asustus - Population																
Harjumaa	53,0	42,5	26,7	27,6	26,5	18,0	18,6	11,6	9,9	12,9	10,4	8,3	14,8	8,0	17,9	
Ida-Virumaa	66,7	52,3	59,7	27,4	29,5	39,1	23,5	20,8	20,4	11,5	20,1	34,0	36,3	9,9	30,5	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	56,8	58,0	40,1	37,7	25,0	19,5	18,8	10,8	16,6	13,0	8,2	13,0	9,2	3,2	20,3	
Järva, Lääne-Viru, Rapla	61,9	69,3	44,8	23,7	30,6	25,6	21,8	14,8	6,6	0,0	17,9	5,4	19,2	9,6	21,2	
Lääne, Saare, Hiiumaa, Pärnumaa	69,4	56,9	40,0	34,1	35,6	13,4	11,4	5,9	2,4	3,7	14,2	11,8	13,2	6,4	19,1	
Asulatüüp - Type of residence																
Linn - Urban	56,3	50,7	36,4	28,6	25,4	20,0	19,7	13,1	11,1	7,0	11,4	11,8	14,6	8,2	19,7	
Maa - Rural	64,5	60,1	47,6	35,4	35,4	26,2	16,2	10,2	9,5	20,2	17,7	14,7	21,1	3,9	23,6	
Rahvus - Ethnicity																
Eestlane - Estonian	56,1	54,0	36,6	30,2	26,8	18,7	12,5	8,8	6,8	12,1	9,9	10,1	14,0	5,4	18,6	
Mitte-eestlane - Non-Estonian	61,9	49,9	43,1	30,1	32,5	25,9	27,6	17,5	19,2	6,0	17,6	16,8	19,0	10,2	24,4	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	55,6	53,5	37,4	30,2	26,0	20,0	15,4	8,8	7,7	12,1	10,7	10,3	15,3	6,2	19,1	
Immigrantrahvastik - Not native-born	63,3	50,9	42,1	30,1	36,7	24,0	24,4	18,0	18,9	5,9	16,4	18,0	17,5	8,9	24,0	
Kooselu - Cohabiting																
Kooselus - Cohabiting	41,6	36,7	34,5	25,8	27,2	17,6	18,2	13,3	9,2	10,0	12,0	13,4	17,0	14,3	16,6	
Ei ole kooselus - Not cohabiting	60,3	57,1	40,7	33,2	29,3	27,3	20,0	10,7	15,9	11,5	14,2	9,6	14,7	5,9	25,5	
Haridus - Education																
Põhi või madalam - Lower secondary or less	65,6	65,4	40,9	42,7	47,4	38,3	37,1	54,8	10,5	32,3	28,3	19,3	32,1	5,6	35,3	
Kesk - Upper secondary	48,4	47,2	41,0	25,1	27,0	22,8	24,4	16,0	22,0	12,0	11,4	17,8	17,7	7,4	21,5	
Kõrg - University	54,9	31,5	31,6	22,6	17,4	15,3	8,4	6,7	1,8	6,8	11,4	7,4	10,3	100,0	11,7	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	62,3	31,0	24,7	23,8	13,2	16,1	9,5	9,9	10,6	11,9	12,3	18,9	16,9	13,5	
Mitteaktiivne - Non-active	58,6	52,5	39,1	31,2	30,4	36,0	34,8	41,3	17,8	9,8	14,4	12,5	12,1	5,3	28,9	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	62,2	59,2	42,2	42,0	27,7	29,6	23,8	17,6	14,1	11,3	20,6	33,1	36,6	4,0	33,5	
Üle suhtelise vaesuse piiri - Above the risk of poverty	57,0	47,9	36,1	22,4	28,7	19,2	18,3	10,6	9,3	10,5	9,8	9,3	13,9	7,5	17,1	
Tervise seisund - Health status																
Terve - No health disorders	61,5	41,9	29,7	10,4	36,9	8,5	31,6	4,5	7,6	12,5	11,1	10,0	15,6	6,6	11,6	
Tervisehäired - Less severe health disorders	84,9	46,0	35,8	25,3	21,1	16,4	15,2	14,4	8,1	2,2	12,0	14,8	13,3	3,9	15,6	
Tõsisemad tervisehäired - Severe health disorders	25,5	46,0	34,9	30,0	36,4	32,1	20,5	14,2	26,0	17,9	7,5	16,3	14,3	6,9	27,2	
Toimetuleku piirangud - Managing restrictions	61,0	57,4	42,8	36,6	27,6	23,3	19,0	13,9	12,1	21,3	58,1	29,7	32,3	40,5	38,5	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	52,6	42,8	33,6	15,9	24,7	10,7	19,5	5,1	6,1	8,2	5,9	3,1	10,3	0,0	14,7	
Tervist kahjustav - Health harming	62,4	60,9	42,6	25,7	9,8	17,4	28,9	16,1	16,3	17,7	20,0	24,7	13,4	0,0	24,0	
Kontrollkese - Locus of control																
Seesmine - Internal	48,1	45,3	30,7	19,7	21,1	15,0	11,3	9,6	7,0	9,1	8,4	6,0	10,6	4,1	11,9	
Väline - External	63,0	61,6	38,5	44,2	47,4	42,2	51,9	35,7	14,3	17,1	41,3	26,4	20,4	17,6	45,2	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	41,1	48,8	31,7	14,3	24,9	11,1	10,2	9,3	5,9	9,5	9,9	11,8	14,8	5,7	11,2	
Väga halb või halb - Very bad or bad	66,0	53,0	42,0	32,4	27,4	22,6	45,2	22,2	38,9	17,4	53,6	52,9	0,0	0,0	41,0	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	87,3	29,7	37,3	0,0	46,6	0,0	0,0	0,0	0,0	24,7	5,3	27,9	13,1	7,5	15,4	
Normkaal - Normal weight	53,0	46,9	34,4	31,7	21,6	26,8	20,2	14,3	6,0	7,5	11,9	9,6	15,4	7,9	16,1	
Ülekaal - Overweight	59,5	53,0	40,6	30,4	20,7	11,4	13,4	9,3	23,1	13,4	20,6	14,8	13,1	0,0	23,6	
Rasumine - Obesity	58,0	60,5	40,4	30,0	39,4	25,8	23,3	13,4	11,7	12,3	8,3	7,8	46,2	0,0	28,9	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
								Vanus - Age							Total	

TABEL 69.A. Alternatiivse abi kasutamine terviseprobleemide puhul (%) sünnipõlvkonna järgi, mehed
TABLE 69.A. Use of alternative aid in case of health problems (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														Kokku Total
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	
	Pole kunagi kasutanud - Has never used	89,5	87,5	86,7	88,7	81,5	86,7	83,7	82,5	85,8	85,1	81,1	86,3	85,5	93,2	85,8
	Enam kui aasta tagasi (sotsiaaltöötaja, kirikuõpetaja, ekstrasenss, loodusravitseja, psühholoog) - More than a year ago (social worker, pastor, ESP, naturopathic practitioner, psychologist)	3,3	7,5	5,5	4,8	8,5	7,5	8,6	9,5	8,5	6,7	8,4	5,2	9,0	3,0	7,1
	Viimasel 12 kuul - During the last 12 months	7,2	5,0	7,8	6,6	10,0	5,8	7,7	8,0	5,7	8,2	10,5	8,5	5,5	3,8	7,1
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111
	Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 69.1.A. Mittetraditsioonilist arstiabi kasutanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 69.1.A. Percent of persons who have used non-traditional medical aid in background categories by birth cohort, males

Piirkond - Region																
Harjumaa	13,0	6,9	14,6	9,1	13,5	16,7	11,5	13,0	12,0	7,6	18,9	18,5	17,7	7,4	13,5	
Ida-Virumaa	10,5	9,4	20,1	9,5	26,8	0,0	21,3	19,6	15,4	24,7	10,6	9,5	13,3	0,0	13,6	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	5,8	20,2	15,2	12,8	26,4	10,9	22,5	19,9	18,8	18,0	19,2	10,8	11,8	6,1	15,4	
Järva, Lääne-Viru, Rapla	6,2	4,8	4,6	14,1	9,7	22,8	7,4	19,9	17,8	17,9	42,6	0,0	5,0	12,6	14,7	
Lääne, Saare, Hiiumaa, Pärnumaa	16,8	21,8	10,4	14,7	16,8	8,9	16,7	22,2	7,9	19,2	12,3	15,3	19,5	8,9	14,4	
Asulatüüp - Type of residence																
Linn - Urban	11,1	10,6	12,5	10,4	18,4	13,9	16,5	19,2	11,9	14,8	18,0	14,8	14,4	7,2	14,1	
Maa - Rural	9,2	20,4	15,1	14,3	18,7	11,8	15,9	13,5	19,2	15,3	21,5	9,0	15,1	5,9	14,5	
Rahvus - Ethnicity																
Eestlane - Estonian	12,6	14,2	12,6	13,6	21,4	15,2	18,2	19,9	13,6	16,3	22,4	13,0	16,6	9,2	15,7	
Mitte-eestlane - Non-Estonian	4,4	9,0	15,3	7,6	12,0	10,7	13,9	13,7	15,4	11,8	12,6	15,0	10,9	1,2	11,4	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	12,2	14,2	12,8	13,3	20,4	13,1	16,3	19,6	15,3	16,3	23,3	15,3	17,1	8,3	15,8	
Immigrantrahvastik - Not native-born	4,8	9,0	14,9	7,9	13,5	13,5	16,3	13,5	11,4	11,4	9,6	10,6	8,0	1,6	10,8	
Kooselu - Cohabiting																
Kooselus - Cohabiting	9,6	13,7	13,2	10,4	18,6	13,7	16,9	16,4	13,8	15,4	20,2	16,2	17,2	0,0	15,5	
Ei ole kooselus - Not cohabiting	12,1	9,6	13,6	14,9	18,0	10,9	13,8	22,6	16,1	12,9	15,3	8,9	13,0	7,2	11,7	
Haridus - Education																
Põhi või madalam - Lower secondary or less	9,0	14,7	13,1	9,9	17,3	7,1	3,8	25,9	0,0	0,0	15,0	15,1	28,1	7,5	11,1	
Kesk - Upper secondary	11,8	13,2	15,3	13,0	19,6	10,6	16,6	15,3	17,4	14,3	16,8	13,1	12,9	5,4	14,4	
Kõrg - University	12,2	8,4	10,9	10,3	16,9	18,6	20,2	18,8	10,0	19,1	24,1	14,2	11,9	0,0	16,1	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	17,4	7,1	11,4	15,3	10,1	15,7	18,5	12,0	13,5	16,6	13,2	13,6	0,0	13,7	
Mitteaktiivne - Non-active	11,0	12,3	14,2	11,3	21,1	21,0	18,8	10,9	36,1	38,6	45,3	21,4	17,7	8,7	15,2	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	14,2	13,6	13,3	15,5	31,2	19,1	15,7	12,9	25,5	29,8	36,8	39,9	19,5	11,0	19,9	
Üle suhtelise vaesuse piiri - Above the risk of poverty	9,0	12,6	13,0	10,5	15,3	11,7	15,9	18,9	11,8	13,4	17,0	11,9	14,6	5,4	13,3	
Tervise seisund - Health status																
Terve - No health disorders	0,0	12,9	19,5	11,3	11,2	13,3	18,6	9,0	8,4	13,9	11,8	9,1	12,0	6,7	10,5	
Tervisehäired - Less severe health disorders	15,5	4,9	8,3	7,3	11,1	9,3	11,0	20,3	10,6	11,5	19,5	19,5	12,3	7,2	12,4	
Tõsisemad tervisehäired - Severe health disorders	0,0	12,6	11,2	11,8	30,4	9,3	19,2	19,7	29,7	25,8	40,3	28,7	32,5	0,0	19,9	
Toimetuleku piirangud - Managing restrictions	12,9	15,7	19,2	16,9	20,6	29,8	32,6	28,0	40,9	19,7	53,3	41,4	65,4	41,7	25,9	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	20,5	13,1	23,2	7,9	10,2	32,5	8,2	18,2	3,1	5,5	22,3	10,2	14,0	0,0	14,1	
Tervist kahjustav - Health harming	13,0	13,0	2,4	1,7	11,1	9,1	8,0	22,5	18,3	27,3	19,9	21,3	43,4	25,9	17,6	
Kontrollkese - Locus of control																
Seesmine - Internal	5,9	9,2	8,8	9,6	19,5	11,2	13,7	16,7	11,7	12,2	18,9	12,4	10,3	5,2	12,4	
Väline - External	8,6	5,9	15,9	8,3	30,4	24,6	32,6	29,3	17,5	44,1	34,8	0,0	63,1	0,0	22,5	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	23,0	5,5	13,5	13,3	10,2	14,3	11,7	10,7	8,4	9,7	15,4	10,7	9,4	6,2	10,2	
Väga halb või halb - Very bad or bad	8,2	18,6	24,4	17,4	36,0	17,7	22,0	22,7	41,6	20,7	54,3	61,2	60,5	0,0	25,0	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	41,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	80,1	35,2	6,6	23,0	
Normkaal - Normal weight	9,2	10,2	10,6	10,9	17,0	12,0	15,7	14,0	14,1	10,7	18,4	14,2	14,0	6,3	12,4	
Ülekaal - Overweight	6,9	16,7	16,8	11,3	21,3	13,6	19,1	19,6	8,1	17,6	17,5	7,1	8,0	10,2	14,5	
Rasvumine - Obesity	16,3	9,3	11,9	11,5	15,8	14,8	12,4	20,3	26,8	16,9	24,9	18,4	40,1	0,0	18,3	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															

TABEL 70.A. Ravimite tarvitamine viimasel neljal nädalal (retsepti- ja käsimüügiravimid) (%) sünnipõlvkonna järgi, mehed
TABLE 70.A. Use of medication during the last four weeks (prescribed and over-the-counter) (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort															
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	On tarvitanud - Has used	88,7	85,2	78,1	80,7	82,8	68,6	67,8	64,2	63,3	57,2	62,6	51,0	50,1	52,3	63,5	
	Ei ole tarvitanud - Has not used	11,3	14,8	21,9	19,3	17,2	31,4	32,2	35,8	36,7	42,8	37,4	49,0	49,9	47,7	36,5	
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)		129	340	261	332	145	195	194	203	204	213	190	193	237	274	3110	
Vastamata - Missing (N)		0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
TABEL 70.1.A. Ravimeid viimasel neljal nädalal tarvitanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																	
TABLE 70.1.A. Percent of persons who have used medication during the last four weeks in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	87,0	87,3	81,9	81,0	82,7	68,3	63,0	60,5	62,1	58,6	57,3	44,8	43,9	43,0	59,7	
	Ida-Virumaa	89,5	82,1	71,0	82,8	70,7	61,2	74,6	63,6	64,6	57,0	60,1	53,2	51,8	59,5	63,3	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	95,9	84,2	76,7	84,2	84,5	72,5	64,1	67,2	66,0	66,0	68,6	61,6	60,8	53,7	67,7	
	Järva, Lääne-Viru, Rapla	90,6	80,0	81,2	74,1	82,7	65,2	49,6	54,1	48,9	37,5	61,1	40,3	47,7	66,9	58,1	
	Lääne, Saare, Hiiumaa, Pärnumaa	77,3	87,1	74,9	76,4	88,4	72,9	89,2	76,6	70,0	50,7	77,1	69,5	42,1	60,0	70,9	
Asulatüüp - Type of residence																	
	Linn - Urban	89,1	85,4	79,6	81,1	81,4	67,5	67,9	62,5	63,8	58,3	63,6	50,8	50,4	55,1	63,6	
	Maa - Rural	87,9	84,2	74,6	79,4	86,5	71,2	67,6	67,9	62,2	54,7	59,5	51,9	49,0	45,2	63,0	
Rahvus - Ethnicity																	
	Eestlane - Estonian	92,0	86,1	81,4	79,9	88,7	73,4	71,4	63,8	65,8	57,4	64,5	54,1	54,0	55,5	66,0	
	Mitte-eestlane - Non-Estonian	79,2	83,3	68,6	82,2	69,7	62,1	63,2	64,7	58,1	56,7	59,2	45,7	43,5	44,6	58,8	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	91,4	86,6	81,5	79,8	88,5	72,2	68,7	65,4	65,7	57,8	65,0	54,0	53,1	53,4	65,4	
	Immigrantrahvastik - Not native-born	80,0	82,2	68,7	82,3	67,9	62,9	66,4	61,8	57,4	55,5	57,6	45,2	42,9	48,4	59,3	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	88,4	87,4	79,1	82,8	84,2	69,1	68,8	66,2	65,3	58,1	59,8	53,5	47,3	64,8	66,9	
	Ei ole kooselus - Not cohabiting	89,4	79,8	74,0	72,5	75,0	65,6	63,1	55,1	54,3	53,6	70,4	46,2	51,7	51,6	56,8	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	95,0	85,0	77,6	77,4	76,7	83,2	63,7	54,4	45,6	38,7	58,8	52,0	49,4	50,2	61,4	
	Kesk - Upper secondary	74,6	88,6	79,2	79,9	88,7	64,2	67,5	64,2	65,9	58,1	58,8	51,3	50,6	57,9	63,2	
	Kõrg - University	89,4	81,5	77,1	83,8	74,2	68,3	69,8	65,8	61,0	58,1	71,3	50,1	49,4	42,6	65,5	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	81,2	80,1	76,5	78,9	82,5	66,1	67,3	65,4	63,0	57,5	63,7	51,4	48,9	51,5	60,9	
	Mitteaktiivne - Non-active	89,1	85,4	78,3	81,3	83,0	74,6	70,1	55,0	66,3	51,8	50,4	45,2	54,5	52,5	68,7	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	82,5	79,5	79,9	75,1	86,2	64,7	65,9	67,6	69,2	75,3	67,0	52,2	44,0	46,8	66,4	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	90,2	86,6	78,5	82,3	81,8	70,8	69,4	64,2	63,0	57,2	61,3	49,7	53,2	52,6	64,0	
Tervise seisund - Health status																	
	Terve - No health disorders	100,0	40,0	44,6	48,4	45,6	63,6	50,9	61,7	53,2	50,4	55,9	51,9	49,0	47,9	51,7	
	Tervisehäired - Less severe health disorders	69,2	71,8	69,2	72,7	75,4	58,7	68,7	60,4	65,1	75,9	65,3	40,3	44,0	67,4	63,4	
	Tõsisemad tervisehäired - Severe health disorders	97,2	88,8	80,7	91,5	94,8	92,5	76,8	84,7	69,7	63,8	88,0	57,4	74,7	70,9	82,8	
	Toimetuleku piirangud - Managing restrictions	91,4	91,3	89,0	90,3	94,3	74,9	74,1	62,6	95,8	60,0	78,1	68,3	82,7	58,3	83,9	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	94,7	87,5	76,9	78,2	63,3	69,1	71,4	78,2	65,0	57,9	62,8	41,9	44,1	100,0	62,7	
	Tervist kahjustav - Health harming	100,0	91,0	73,8	77,5	84,2	84,9	57,2	78,3	59,4	54,7	62,7	50,4	50,7	56,1	67,4	
Kontrollkese - Locus of control																	
	Seemine - Internal	77,3	79,5	69,0	77,0	81,0	67,2	63,9	64,6	65,5	57,8	61,6	50,4	45,6	51,2	60,0	
	Väline - External	100,0	92,3	83,9	85,8	93,9	75,3	80,7	62,1	48,7	100,0	47,2	100,0	0,0	100,0	76,0	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	77,3	63,0	48,8	53,0	67,1	52,5	49,4	55,2	53,7	54,2	55,6	46,8	44,1	48,6	50,7	
	Väga halb või halb - Very bad or bad	96,5	94,0	93,5	93,4	100,0	93,1	83,8	73,4	100,0	79,3	86,1	100,0	100,0	100,0	92,1	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	85,9	37,3	100,0	100,0	0,0	0,0	100,0	100,0	0,0	0,0	100,0	79,5	76,0	33,4	61,1	
	Normkaal - Normal weight	87,1	80,7	65,3	71,0	70,8	66,5	59,7	56,3	56,1	60,8	59,6	51,8	49,1	52,1	57,9	
	Ülekaal - Overweight	89,9	90,5	84,5	83,2	85,4	70,3	65,4	62,7	57,4	54,4	60,7	43,6	49,7	56,7	64,3	
	Rasvumine - Obesity	92,1	87,6	90,2	92,8	93,5	68,7	85,2	80,8	87,2	58,4	75,2	60,2	50,6	100,0	78,5	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 70.B. Ravimite tarvitamine viimasel neljal nädalal (retsepti- ja käsimüügiravimid) (%) sünnipölvkonna järgi, naised
TABLE 70.B. Use of medication during the last four weeks (prescribed and over-the-counter) (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
On tarvitanud - Has used	89,6	91,7	93,6	91,4	83,8	84,0	84,1	81,2	77,4	79,9	79,7	80,3	73,4	73,0	82,3
Ei ole tarvitanud - Has not used	10,4	8,3	6,4	8,6	16,2	16,0	15,9	18,8	22,6	20,1	20,3	19,7	26,6	27,0	17,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 70.1.B. Ravimeid viimasel neljal nädalal tarvitanute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 70.1.B. Percent of persons who have used medication during the last four weeks in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	93,0	94,1	95,3	89,6	72,8	78,1	81,4	76,6	79,0	79,1	81,0	82,3	76,9	67,2	80,9
Ida-Virumaa	85,4	94,3	91,1	94,4	93,4	79,4	85,5	79,6	77,0	73,1	67,5	68,3	57,5	72,8	80,0
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	88,3	97,8	93,2	94,9	89,7	93,2	92,7	77,8	76,9	87,2	75,1	84,1	69,9	75,1	84,5
Järva, Lääne-Viru, Rapla	78,1	79,0	93,8	88,6	89,4	77,1	85,2	92,3	75,5	78,3	82,0	80,2	85,5	78,3	82,8
Lääne, Saare, Hiiumaa, Pärnumaa	94,9	81,9	92,4	89,7	81,2	94,2	77,3	100,0	76,8	70,5	92,2	76,0	78,4	80,6	84,4
Asulatuüp - Type of residence															
Linn - Urban	87,8	93,0	92,8	91,1	80,4	83,0	86,4	78,6	80,0	80,3	79,8	80,0	74,8	72,9	82,3
Maa - Rural	94,3	87,3	96,8	92,5	92,1	87,2	77,0	89,8	69,2	78,7	79,2	81,9	68,7	73,5	82,4
Rahvus - Ethnicity															
Eestlane - Estonian	90,0	92,3	94,8	90,4	87,0	89,0	84,9	85,6	77,1	80,5	82,9	83,2	77,5	75,5	84,3
Mitte-eestlane - Non-Estonian	88,9	90,5	91,4	93,1	74,2	75,6	82,9	75,0	78,0	78,2	73,3	74,7	67,6	68,0	78,5
Põlvkond - Native-born population															
Põlvkond - Native-born	90,5	92,6	94,4	90,8	86,7	88,2	86,3	84,9	77,7	80,9	81,5	81,5	77,9	74,5	84,1
Immigrant - Not native-born	87,7	89,7	91,9	92,6	72,9	76,0	80,5	75,4	76,5	77,3	75,5	77,1	65,0	69,3	78,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	86,1	94,1	92,4	90,4	81,0	84,1	85,0	82,4	77,5	78,4	79,6	79,6	73,2	73,4	81,2
Ei ole kooselus - Not cohabiting	90,0	91,1	94,2	92,2	87,0	83,8	82,6	78,8	77,1	83,7	79,9	82,2	73,8	73,0	83,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	88,3	90,2	94,0	95,7	90,1	75,1	94,3	70,7	100,0	59,8	92,6	75,3	56,3	73,9	84,0
Kesk - Upper secondary	90,4	92,9	96,5	92,0	80,3	87,7	83,6	82,7	77,6	84,6	79,0	81,1	78,6	72,2	83,3
Kõrg - University	94,3	93,6	87,6	85,7	85,5	81,6	82,1	80,5	75,9	77,1	78,6	80,8	70,5	40,7	80,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	100,0	100,0	79,1	91,0	81,8	81,6	83,2	80,6	77,1	82,3	80,1	85,0	71,2	69,2	80,3
Mitteaktiivne - Non-active	89,6	91,6	94,3	91,5	84,8	88,2	89,1	87,6	80,1	69,8	78,2	69,5	76,5	73,7	84,5
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	91,9	91,3	94,3	91,3	83,1	83,4	91,0	87,2	64,9	86,4	83,0	86,2	76,9	79,1	86,1
Üle suhtelise vaesuse piiri - Above the risk of poverty	86,4	92,1	92,6	91,6	84,7	85,7	83,3	81,1	80,1	78,2	80,0	80,8	71,4	69,6	81,3
Tervise seisund - Health status															
Terve - No health disorders	13,0	100,0	79,0	61,8	73,4	84,7	62,2	78,4	60,9	73,8	79,7	77,6	65,9	65,1	71,1
Tervisehäired - Less severe health disorders	78,3	80,9	87,4	89,8	76,7	74,3	79,1	75,3	84,7	85,0	77,6	87,7	85,3	83,8	81,1
Tõsisemad tervisehäired - Severe health disorders	84,8	89,9	91,6	91,1	90,4	91,3	95,6	91,2	91,0	89,3	86,8	72,8	87,8	100,0	90,5
Toimetuleku piirangud - Managing restrictions	94,0	94,1	98,5	96,0	91,5	96,9	94,8	94,5	96,5	85,0	83,1	100,0	89,4	82,1	94,7
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	88,9	96,3	87,4	87,2	82,9	86,2	81,8	86,0	77,2	77,4	79,9	77,3	77,1	53,4	81,9
Tervist kahjustav - Health harming	89,8	94,6	93,5	100,0	86,7	91,8	87,1	73,9	70,0	51,8	82,9	86,3	85,1	71,3	83,3
Kontrollkese - Locus of control															
Seesmine - Internal	78,6	92,4	82,9	87,6	79,6	76,9	75,4	82,1	73,2	72,9	75,0	74,4	74,1	70,6	76,5
Väline - External	92,0	93,6	97,7	95,0	79,3	87,8	95,1	81,7	71,2	82,9	93,1	73,6	50,3	77,1	88,5
Enesehinnangu tervis - Self-estimated health															
Väga hea või hea - Very good or good	59,9	87,2	84,0	68,7	67,3	71,5	69,7	75,0	67,8	76,1	78,6	78,4	71,6	72,0	73,7
Väga halb või halb - Very bad or bad	96,8	96,2	98,8	98,7	97,8	95,1	100,0	100,0	100,0	90,5	61,1	73,6	100,0	100,0	97,0
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	100,0	100,0	100,0	100,0	53,4	0,0	50,6	38,4	78,5	81,0	63,5	95,0	80,7	73,9	79,0
Normaal - Normal weight	90,4	86,4	93,8	85,8	81,1	78,6	77,1	83,6	73,7	84,4	82,2	77,3	70,4	74,9	79,2
Ülekaal - Overweight	87,4	96,2	89,1	89,9	91,1	77,0	86,0	79,1	77,1	68,4	77,8	75,9	81,7	61,8	83,0
Rasvumine - Obesity	91,5	90,5	98,7	97,3	79,4	93,2	92,6	81,0	90,4	81,4	76,8	100,0	76,0	47,1	89,6
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 71.A. Kõrgenenud vererõhu ravimite tarvitamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, mehed
TABLE 71.A. Use of medication for high blood pressure during the last four weeks (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	On tarvitanud - Has used	47,4	40,9	33,5	35,0	40,1	25,2	17,6	11,3	11,1	4,3	8,1	2,1	1,9	1,3	14,1
	Ei ole tarvitanud - Has not used	52,6	59,1	66,5	65,0	59,9	74,8	82,4	88,7	88,9	95,7	91,9	97,9	98,1	98,7	85,9
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		129	340	261	332	145	195	194	203	204	213	190	193	237	274	3110
Vastamata - Missing (N)		0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
TABEL 71.1.A. Kõrgenenud vererõhu ravimeid viimasel neljal nädalal tarvitanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 71.1.A. Percent of persons who have used medication for high blood pressure during the last four weeks in background categories by birth cohort, males																
Piirkond - Region																
	Harjumaa	47,9	41,3	33,5	38,5	42,0	31,8	14,0	11,4	12,5	5,6	10,6	1,0	1,4	1,3	14,5
	Ida-Virumaa	41,6	50,9	34,0	40,5	29,3	22,4	11,8	5,6	3,9	0,0	2,7	0,0	0,0	0,0	10,3
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	55,2	37,4	32,2	34,6	43,5	28,2	13,8	16,1	12,0	5,7	10,9	2,7	3,3	1,9	15,3
	Järva, Lääne-Viru, Rapla	47,1	43,5	44,7	23,6	38,4	8,6	22,7	9,7	17,1	5,5	0,0	5,6	0,0	3,0	13,9
	Lääne, Saare, Hiiumaa, Pärnumaa	36,1	34,5	26,9	28,6	37,3	19,5	35,8	8,9	7,9	0,0	4,4	9,7	4,2	0,0	15,0
Asulatüüp - Type of residence																
	Linn - Urban	49,4	42,4	37,9	36,3	37,8	24,4	16,8	10,7	10,9	4,7	7,6	0,6	2,3	1,4	13,9
	Maa - Rural	42,9	34,8	23,0	30,5	46,1	27,3	20,0	12,9	11,5	3,4	9,5	8,8	0,0	1,0	14,8
Rahvus - Ethnicity																
	Eestlane - Estonian	51,6	37,4	32,7	33,8	42,2	25,5	18,7	12,5	10,8	6,3	9,8	2,5	2,0	1,8	14,8
	Mitte-eestlane - Non-Estonian	35,3	48,0	35,9	36,9	35,4	24,9	16,1	9,3	11,7	0,0	4,9	1,5	1,5	0,0	13,0
Põlvkond - Native-born population																
	Põlvkond - Native-born	50,9	36,5	32,4	34,5	44,2	24,4	18,7	12,7	11,5	6,0	9,3	2,4	1,8	1,6	14,5
	Immigrant - Not native-born	35,9	50,0	36,4	35,8	29,3	26,5	15,8	8,5	10,2	0,0	5,5	1,6	1,9	0,0	13,4
Kooselu - Cohabiting																
	Kooselus - Cohabiting	47,3	39,9	30,3	36,6	42,8	27,4	18,5	12,0	12,8	4,1	7,6	2,5	3,5	5,6	17,5
	Ei ole kooselus - Not cohabiting	47,7	43,1	47,1	28,5	25,4	14,1	13,2	8,4	3,5	5,2	9,3	1,3	1,0	1,0	7,6
Haridus - Education																
	Põhi või madalam - Lower secondary or less	54,0	43,8	37,5	38,5	36,8	27,4	9,1	7,0	8,0	0,0	11,3	0,0	2,1	0,7	14,5
	Kesk - Upper secondary	25,2	35,7	30,2	30,4	38,1	26,4	19,1	8,3	9,4	4,4	3,7	2,7	2,0	2,7	11,9
	Kõrg - University	54,6	42,0	33,0	38,1	46,0	23,1	17,9	15,6	15,1	4,8	16,0	1,9	1,4	0,0	17,9
Majanduslik aktiivsus - Economical activity																
	Aktiivne - Active	51,6	15,1	31,0	40,5	40,3	21,7	17,9	11,7	10,6	4,6	7,8	2,3	2,4	1,1	10,7
	Mitteaktiivne - Non-active	47,2	42,1	33,8	33,3	39,9	33,7	16,0	8,4	16,2	0,0	11,4	0,0	0,0	1,3	21,3
Sissetulek - Income																
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	46,8	42,7	42,0	25,9	40,7	24,0	16,3	0,0	15,5	3,9	4,6	0,0	0,0	1,6	16,2
	Üle suhtelise vaesuse piiri - Above the risk of poverty	46,4	40,4	32,6	36,7	40,2	26,7	19,4	13,4	11,8	5,1	8,3	1,8	2,4	1,7	14,8
Tervise seisund - Health status																
	Terve - No health disorders	76,5	21,0	21,5	16,7	22,3	17,3	18,9	7,4	7,5	3,2	5,6	1,3	1,6	0,4	4,3
	Tervisehäired - Less severe health disorders	38,3	41,3	22,9	32,2	39,5	18,4	13,3	9,2	12,4	6,7	8,5	0,0	1,0	5,4	14,5
	Tõsisemad tervisehäired - Severe health disorders	54,4	39,4	42,9	41,0	41,4	35,9	24,1	32,2	13,4	9,3	17,8	10,5	8,3	0,0	29,0
	Toimetuleku piirangud - Managing restrictions	46,7	42,5	37,7	37,8	45,5	38,4	26,0	4,6	20,3	0,0	15,5	12,1	0,0	0,0	31,5
Tervisekäitumine - Health behaviour																
	Tervist hoidev - Health protective	58,8	39,2	21,8	32,2	40,1	22,5	0,0	27,4	5,7	9,0	0,0	0,0	3,6	0,0	13,4
	Tervist kahjustav - Health harming	45,9	39,0	39,0	37,9	31,4	32,5	24,4	19,3	3,3	3,9	8,6	9,8	3,3	0,0	18,3
Kontrollkese - Locus of control																
	Seesmine - Internal	36,5	35,3	25,9	38,4	45,6	21,2	10,4	15,1	9,1	4,8	6,2	2,5	2,5	2,3	11,3
	Väline - External	54,4	48,9	48,6	39,4	35,4	25,8	29,5	0,0	29,5	0,0	16,8	0,0	0,0	0,0	30,6
Enesehinnanguline tervis - Self-estimated health																
	Väga hea või hea - Very good or good	55,2	24,2	9,7	19,3	15,7	11,4	12,7	4,0	4,8	3,7	5,3	0,8	1,9	0,6	4,4
	Väga halb või halb - Very bad or bad	61,8	51,4	51,9	44,1	43,8	44,1	25,6	18,6	23,0	0,0	0,0	0,0	0,0	0,0	37,4
Kehamassiindeks - Body Mass Index																
	Alakaal - Underweight	21,8	0,0	38,6	0,0	0,0	0,0	100,0	0,0	0,0	0,0	100,0	0,0	0,0	0,0	7,4
	Normkaal - Normal weight	43,8	33,9	19,7	21,5	16,3	13,1	5,7	1,2	4,3	2,8	5,7	0,9	2,1	1,3	6,5
	Ülekaal - Overweight	48,4	45,7	41,4	36,3	39,3	20,2	14,2	4,5	11,7	5,3	7,2	0,0	1,8	2,0	15,0
	Rasvumine - Obesity	68,1	55,0	45,2	57,4	70,7	54,0	41,8	44,7	21,0	4,9	14,6	13,3	0,0	0,0	35,8
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
		Vanus - Age														Total

TABEL 71.B. Kõrgenenud vererõhu ravimite tarvitamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 71.B. Use of medication for high blood pressure during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
On tarvitanud - Has used	52,9	51,6	59,1	56,0	38,1	38,4	28,6	21,0	9,2	4,3	1,3	1,9	1,6	0,3	23,2
Ei ole tarvitanud - Has not used	47,1	48,4	40,9	44,0	61,9	61,6	71,4	79,0	90,8	95,7	98,7	98,1	98,4	99,7	76,8
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 71.1.B. Kõrgenenud vererõhu ravimeid viimasel neljal nädalal tarvitanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 71.1.B. Percent of persons who have used medication for high blood pressure during the last four weeks in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	63,3	51,0	62,3	48,3	29,7	37,8	26,5	25,7	8,3	6,9	1,4	0,0	0,0	0,0	21,8	
Ida-Virumaa	50,8	51,5	57,6	60,0	50,9	38,2	29,8	25,9	6,6	0,0	2,5	3,4	9,1	0,0	27,8	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	39,7	61,2	62,3	58,7	49,5	38,1	29,7	18,6	15,0	4,1	1,9	0,0	0,0	1,2	24,2	
Järva, Lääne-Viru, Rapla	71,4	36,1	60,4	69,3	36,2	33,2	40,3	14,7	7,1	0,0	0,0	7,9	7,8	0,0	23,1	
Lääne, Saare, Hiiumaa, Pärnumaa	41,0	48,7	44,2	61,4	21,6	44,7	22,7	7,6	6,6	3,6	0,0	5,7	0,0	0,0	21,0	
Asulatüüp - Type of residence																
Linn - Urban	53,9	51,6	59,9	58,0	39,0	36,6	30,8	20,6	6,5	5,8	1,5	2,3	2,0	0,4	23,4	
Maa - Rural	50,4	51,7	55,8	49,1	35,9	44,1	21,8	22,5	17,5	0,0	0,0	0,0	0,0	0,0	22,6	
Rahvus - Ethnicity																
Eestlane - Estonian	51,9	49,6	55,1	51,9	38,3	37,6	25,6	19,5	10,2	3,0	1,5	2,2	0,8	0,4	21,9	
Mitte-eestlane - Non-Estonian	54,7	56,0	66,8	62,2	37,3	39,6	32,8	23,2	6,9	7,8	0,8	1,2	2,6	0,0	25,6	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	51,4	50,2	55,0	52,9	39,3	38,1	25,8	21,1	10,4	3,1	1,4	2,0	1,3	0,4	22,2	
Immigrantrahvastik - Not native-born	56,1	55,0	68,4	61,3	33,5	38,9	33,2	20,9	5,9	7,7	0,9	1,5	2,1	0,0	25,5	
Kooselu - Cohabiting																
Kooselus - Cohabiting	49,7	53,2	62,9	52,2	38,2	39,5	29,7	21,8	9,9	4,1	1,3	1,2	1,8	0,0	19,5	
Ei ole kooselus - Not cohabiting	53,2	51,2	57,3	58,6	37,9	36,6	26,6	19,4	7,0	4,8	1,3	3,4	1,2	0,3	27,5	
Haridus - Education																
Põhi või madalam - Lower secondary or less	42,8	47,4	57,3	63,3	48,3	41,4	27,8	52,5	11,2	0,0	0,0	0,0	4,0	0,5	30,9	
Kesk - Upper secondary	66,3	53,5	61,4	56,8	37,6	39,4	32,9	22,5	9,1	6,3	2,5	2,3	0,7	0,0	23,7	
Kõrg - University	63,9	58,6	57,2	46,3	32,1	36,2	24,0	17,9	9,2	2,8	0,0	1,9	2,2	0,0	18,3	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	77,0	68,9	43,7	36,4	31,5	27,9	19,7	9,4	5,0	1,6	2,7	0,9	0,0	14,4	
Mitteaktiivne - Non-active	53,2	51,2	58,6	58,2	38,9	50,4	32,6	34,7	7,6	1,4	0,0	0,0	2,5	0,3	33,2	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	54,2	49,5	57,0	57,5	41,1	34,0	36,3	21,5	8,5	5,7	5,4	4,9	2,4	0,0	33,9	
Üle suhtelise vaesuse piiri - Above the risk of poverty	52,5	53,1	59,8	55,3	37,5	41,0	27,8	19,1	9,3	4,4	0,7	1,2	0,6	0,0	20,4	
Tervise seisund - Health status																
Terve - No health disorders	13,0	24,3	46,9	44,5	10,1	52,6	18,4	8,6	6,9	0,5	0,0	0,9	0,0	0,0	3,4	
Tervisehäired - Less severe health disorders	53,6	35,8	47,5	56,5	33,9	22,7	20,1	19,2	10,5	6,8	2,4	1,9	4,3	0,9	18,8	
Tõsisemad tervisehäired - Severe health disorders	49,5	51,3	62,4	52,0	40,8	48,2	27,3	29,8	14,9	7,6	7,8	9,0	14,3	0,0	36,7	
Toimetuleku piirangud - Managing restrictions	54,6	55,8	63,3	60,1	50,6	58,2	60,5	34,5	5,9	19,1	0,0	0,0	0,0	0,0	49,9	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	64,7	53,3	48,2	53,2	41,5	38,2	22,1	24,8	5,8	3,7	1,0	1,5	2,0	0,0	22,4	
Tervist kahjustav - Health harming	53,9	47,1	61,6	66,3	65,1	31,1	25,3	18,4	0,0	0,0	4,5	0,0	0,0	0,0	20,9	
Kontrollkese - Locus of control																
Seesmine - Internal	50,4	51,2	47,8	47,7	32,2	39,2	23,3	18,2	6,3	3,9	0,0	0,9	0,8	0,0	14,6	
Väline - External	55,6	54,8	58,9	62,1	48,6	57,4	40,4	24,0	25,2	0,0	0,0	0,0	0,0	0,0	44,3	
Enesehinnangu tervis - Self-estimated health																
Väga hea või hea - Very good or good	29,6	26,9	41,8	24,7	17,3	20,6	13,8	13,7	5,1	0,5	0,7	1,3	0,5	0,0	5,8	
Väga halb või halb - Very bad or bad	57,5	62,6	64,6	73,9	59,0	67,3	52,2	51,8	0,0	34,7	0,0	0,0	0,0	0,0	57,7	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	12,7	49,0	62,7	43,5	0,0	0,0	0,0	0,0	6,2	0,0	0,0	0,0	0,0	0,0	3,5	
Normaal - Normal weight	45,4	39,5	43,4	37,0	24,3	17,6	12,3	14,4	3,6	5,2	1,0	1,3	1,7	0,4	10,4	
Ülekaal - Overweight	54,6	54,1	52,8	57,7	35,5	32,5	21,6	15,8	15,5	1,4	3,4	0,0	0,0	0,0	29,2	
Rasvumine - Obesity	72,5	61,8	77,2	70,0	54,6	57,1	60,3	43,2	20,0	8,5	0,0	14,2	0,0	0,0	51,4	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 72.A. Südame- ja veresoonkonna ravimite tarvitamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, mehed
TABLE 72.A. Use of medication for heart and circulatory system during the last four weeks (%) by birth cohort, males

[illegible]

TABEL 72.1.A. Südame- ja veresoonekonna ravimeid viimasel neljal nädalal tarvitanute protsent rahvastikurühmades sündipölvkonna järgi, mehed
TABLE 72.1.A. Percent of persons who have used medication for heart and circulatory system during the last four weeks in background categories by birth cohort, males

Piirkond - Region																
Harjumaa	39,0	26,6	30,8	23,4	20,5	9,9	14,0	5,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,8
Ida-Virumaa	38,5	30,5	35,5	25,9	19,5	19,4	4,7	2,8	2,9	0,0	2,7	0,0	2,1	0,0	7,5	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	48,6	39,3	36,3	24,9	13,8	11,1	9,7	6,6	5,7	2,5	0,0	0,0	0,0	0,0	8,4	
Järva, Lääne-Viru, Rapla	47,1	18,2	19,3	21,2	6,9	13,2	0,0	5,2	0,0	0,0	0,0	5,6	0,0	0,0	6,2	
Lääne, Saare, Hiiu, Pärnumaa	31,3	31,3	13,0	31,9	25,2	3,7	16,0	7,0	0,0	0,0	6,7	0,0	0,0	0,0	8,8	
Asulatüüp - Type of residence																
Linn - Urban	41,8	31,2	30,1	24,3	14,9	9,8	11,2	6,4	1,4	0,9	1,4	0,0	0,4	0,0	7,4	
Maa - Rural	40,4	29,1	23,5	26,8	26,2	14,3	8,0	3,1	2,7	0,0	0,0	2,5	0,0	0,0	7,7	
Rahvus - Ethnicity																
Eestlane - Estonian	46,1	29,4	27,7	24,8	16,3	11,5	14,6	5,4	2,2	0,5	1,0	0,7	0,0	0,0	7,8	
Mitte-eestlane - Non-Estonian	27,3	33,7	29,4	25,1	21,9	10,6	4,9	5,4	1,1	1,0	1,1	0,0	0,9	0,0	6,9	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	45,6	29,6	27,2	24,1	17,6	10,8	12,4	5,1	2,1	0,5	1,0	0,7	0,0	0,0	7,4	
Immigrantrahvastik - Not native-born	27,3	33,3	30,7	26,4	19,2	11,7	7,3	6,0	1,2	1,1	1,2	0,0	1,1	0,0	7,8	
Kooselu - Cohabiting																
Kooselus - Cohabiting	49,6	31,7	27,3	25,1	18,4	12,6	9,6	6,2	1,2	0,8	0,5	0,0	0,0	0,0	9,0	
Ei ole kooselus - Not cohabiting	27,1	28,6	31,4	24,3	16,3	3,2	14,3	2,1	4,6	0,0	2,6	1,3	0,5	0,0	4,5	
Haridus - Education																
Põhi või madalam - Lower secondary or less	40,0	29,7	28,4	20,7	14,1	16,8	8,3	0,0	8,5	0,0	8,3	0,0	0,0	0,0	9,1	
Kesk - Upper secondary	39,4	28,9	30,7	27,9	21,9	10,8	10,5	2,8	1,2	0,5	0,6	0,8	0,5	0,0	6,4	
Kõrg - University	45,5	34,6	24,1	24,0	12,5	9,4	10,9	9,4	2,1	1,1	0,0	0,0	0,0	0,0	8,3	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	51,4	22,7	26,5	15,0	8,5	8,2	10,3	6,2	0,5	0,7	0,4	0,5	0,0	0,0	3,5	
Mitteaktiivne - Non-active	40,8	31,2	28,3	28,0	25,9	18,3	10,8	0,0	15,3	0,0	8,3	0,0	1,5	0,0	15,7	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	31,6	30,7	29,8	22,2	27,6	7,3	5,0	0,0	10,2	0,0	8,3	0,0	3,6	0,0	10,1	
Üle suhtelise vaesuse piiri - Above the risk of poverty	41,4	29,4	28,6	25,1	16,1	12,2	12,3	7,4	0,6	0,4	0,5	0,5	0,0	0,0	7,5	
Tervise seisund - Health status																
Terve - No health disorders	0,0	13,2	0,0	16,6	0,0	7,3	2,6	3,8	1,1	0,0	0,0	0,6	0,5	0,0	0,9	
Tervisehäired - Less severe health disorders	31,3	9,8	16,8	12,1	5,6	6,1	11,0	4,3	0,0	1,8	1,7	0,0	0,0	0,0	5,3	
Tõsisemad tervisehäired - Severe health disorders	33,8	30,5	25,2	37,0	22,3	15,2	16,0	10,9	5,1	2,9	0,0	0,0	0,0	0,0	16,1	
Toimetuleku piirangud - Managing restrictions	48,5	40,9	45,3	34,0	36,5	23,9	10,4	8,9	9,6	0,0	11,3	0,0	0,0	0,0	26,8	
Distressimäär - Level of distress																
Olulise distressita - Without distress	43,2	30,9	26,1	24,5	17,0	11,1	10,3	5,6	1,3	0,7	0,4	0,5	0,3	0,0	7,1	
Olulise distressiga - With distress	27,6	30,0	46,8	30,9	33,2	13,2	11,0	0,0	10,4	0,0	10,7	0,0	0,0	0,0	13,7	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	51,0	23,5	27,9	13,3	0,0	10,4	0,0	5,6	0,0	0,0	0,0	0,0	0,0	0,0	5,4	
Tervist kahjustav - Health harming	55,9	42,4	31,4	25,7	18,6	5,9	14,7	6,9	0,0	0,0	0,0	4,1	0,0	0,0	9,3	
Kontrollkese - Locus of control																
Seesmine - Internal	35,7	25,2	20,3	17,7	14,4	14,4	7,4	5,4	1,4	0,6	0,0	0,0	0,5	0,0	4,7	
Väline - External	41,5	42,4	49,2	37,9	35,7	19,0	0,0	13,9	0,0	0,0	10,8	0,0	0,0	0,0	23,1	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	15,4	13,3	5,6	2,0	0,0	0,0	7,6	4,6	0,9	0,5	0,0	0,0	0,4	0,0	1,2	
Väga halb või halb - Very bad or bad	50,7	46,3	54,7	45,3	38,8	24,3	22,9	7,1	19,3	0,0	10,4	0,0	0,0	0,0	32,6	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	21,8	37,3	0,0	0,0	0,0	0,0	0,0	63,4	0,0	0,0	0,0	0,0	0,0	0,0	5,8	
Normkaal - Normal weight	40,6	28,7	21,5	21,9	18,9	7,1	5,6	3,0	2,1	0,8	1,0	0,9	0,5	0,0	5,2	
Ülekaal - Overweight	38,7	31,1	31,1	23,4	17,3	9,8	6,8	5,7	0,0	0,0	0,0	0,0	0,0	0,0	7,6	
Rasumine - Obesity	62,4	38,5	37,4	34,6	18,1	20,0	25,3	5,9	5,1	2,1	4,5	0,0	0,0	0,0	14,4	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
							Vanus - Age								Tota	

TABEL 72.B. Südame- ja veresoonkonna ravimite tarvitamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 72.B. Use of medication for heart and circulatory system during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
On tarvitanud - Has used	42,7	38,8	34,6	26,6	23,3	17,6	12,0	4,8	1,2	2,4	1,1	0,3	1,1	0,3	12,4
Ei ole tarvitanud - Has not used	57,3	61,2	65,4	73,4	76,7	82,4	88,0	95,2	98,8	97,6	98,9	99,7	98,9	99,7	87,6
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 72.1.B. Südame- ja veresoonkonna ravimeid viimasel neljal nädalal tarvitanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 72.1.B. Percent of persons who have used medication for heart and circulatory system during the last four weeks in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	43,7	38,3	34,7	23,8	20,7	17,4	13,2	1,3	0,0	1,7	1,4	0,0	0,0	0,0	11,0	
Ida-Virumaa	41,8	54,2	32,3	24,2	22,9	17,5	11,7	9,3	6,6	3,8	5,0	0,0	3,0	2,5	15,4	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	48,6	37,4	37,1	36,0	30,2	27,7	11,2	5,3	2,7	1,3	0,0	1,2	2,9	0,0	14,8	
Järva, Lääne-Viru, Rapla	47,6	38,7	41,3	18,0	19,5	8,6	9,5	3,7	0,0	0,0	0,0	0,0	0,0	0,0	10,3	
Lääne, Saare, Hiiumaa, Pärnumaa	16,6	27,2	26,1	28,9	18,3	8,1	12,0	11,9	0,0	8,3	0,0	0,0	0,0	0,0	10,6	
Asulatüüp - Type of residence																
Linn - Urban	40,0	39,5	34,7	25,3	26,6	17,2	12,6	4,1	1,6	2,5	1,3	0,4	0,9	0,4	12,3	
Maa - Rural	49,3	36,5	34,4	30,9	15,5	19,2	10,0	7,1	0,0	2,1	0,0	0,0	1,7	0,0	12,5	
Rahvus - Ethnicity																
Eestlane - Estonian	40,5	35,7	33,4	24,7	22,7	15,3	9,9	4,6	0,4	2,8	0,8	0,4	1,3	0,0	11,5	
Mitte-eestlane - Non-Estonian	46,7	45,6	37,1	29,5	25,3	21,5	14,9	5,1	3,0	1,4	1,7	0,0	0,9	0,9	14,0	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	41,1	36,3	33,0	25,8	22,8	15,9	9,8	4,4	0,4	2,8	0,8	0,4	1,2	0,0	11,5	
Immigrantrahvastik - Not native-born	46,1	45,0	38,4	28,1	25,2	20,8	15,5	5,5	3,5	1,4	1,8	0,0	1,0	1,1	14,2	
Kooselu - Cohabiting																
Kooselus - Cohabiting	35,6	48,7	33,8	24,7	29,0	18,7	13,4	4,6	0,8	1,8	1,4	0,4	0,6	0,0	9,6	
Ei ole kooselus - Not cohabiting	43,5	36,0	35,0	27,9	16,9	16,0	9,5	5,2	2,6	3,9	0,0	0,0	1,8	0,3	15,6	
Haridus - Education																
Põhi või madalam - Lower secondary or less	39,0	37,3	34,9	32,3	23,7	20,9	16,4	34,0	0,0	0,0	0,0	2,9	4,0	0,5	20,1	
Kesk - Upper secondary	46,0	40,7	38,7	24,0	26,8	20,2	14,1	4,1	1,4	2,8	2,2	0,0	0,7	0,0	12,5	
Kõrg - University	52,1	39,8	26,4	23,5	17,4	13,5	8,6	3,7	1,2	2,2	0,0	0,0	1,0	0,0	8,0	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	100,0	37,8	24,4	26,4	15,6	13,9	10,0	3,5	0,7	2,5	1,1	0,4	1,3	0,0	5,1	
Mitteaktiivne - Non-active	42,4	38,8	35,0	26,6	27,1	24,1	22,9	17,4	6,2	2,0	1,2	0,0	0,8	0,4	20,6	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	39,6	39,0	31,0	21,3	20,2	23,1	20,4	5,7	1,5	0,0	2,1	3,4	2,4	0,0	18,8	
Üle suhtelise vaesuse piiri - Above the risk of poverty	48,5	38,4	38,2	30,0	24,4	15,5	10,0	5,1	0,9	3,1	1,1	0,0	1,0	0,5	10,8	
Tervise seisund - Health status																
Terve - No health disorders	0,0	14,4	0,0	14,7	0,0	5,6	3,1	0,0	0,0	0,0	0,9	0,0	0,6	0,5	0,7	
Tervisehäired - Less severe health disorders	10,1	23,6	17,1	18,5	20,2	13,2	3,4	2,8	1,7	1,3	0,0	0,0	1,4	0,0	6,6	
Tõsisemad tervisehäired - Severe health disorders	40,1	34,9	31,8	16,1	30,4	20,4	13,0	8,8	2,3	9,6	7,8	3,2	14,3	0,0	18,6	
Toimetuleku piirangud - Managing restrictions	48,0	44,3	46,3	43,7	25,5	27,8	40,2	13,9	2,9	13,7	0,0	0,0	0,0	0,0	35,2	
Distressimäär - Level of distress																
Olulise distressita - Without distress	36,9	35,6	33,9	24,3	22,3	17,3	10,4	5,1	1,3	1,8	1,2	0,0	0,8	0,3	10,8	
Olulise distressiga - With distress	60,7	49,8	38,0	40,0	31,3	19,6	30,9	2,3	0,0	17,1	0,0	5,7	4,2	0,0	24,9	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	42,1	40,1	15,2	16,9	16,0	12,5	4,0	8,3	2,5	0,0	1,0	0,0	0,0	0,0	9,0	
Tervist kahjustav - Health harming	40,8	42,5	44,0	24,2	36,8	17,6	7,2	3,4	0,0	0,0	4,5	2,9	0,0	0,0	11,6	
Kontrollkese - Locus of control																
Seesmine - Internal	37,5	31,5	23,1	25,4	25,7	16,4	6,8	4,5	0,7	0,8	0,5	0,0	0,6	0,5	6,9	
Väline - External	48,5	45,8	36,1	31,1	7,2	26,4	21,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	27,4	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	12,4	13,3	15,4	9,5	10,3	7,0	2,6	1,6	0,0	0,6	1,5	0,0	0,5	0,0	1,9	
Väga halb või halb - Very bad or bad	51,8	52,2	50,1	47,5	50,4	31,9	38,3	15,2	4,2	17,4	0,0	0,0	0,0	0,0	42,3	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	47,6	28,7	37,3	43,5	53,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	4,2	
Normaal - Normal weight	39,3	32,0	21,8	17,9	15,7	12,8	5,3	3,6	1,1	2,5	0,0	0,4	1,6	0,4	6,0	
Ülekaal - Overweight	42,3	41,8	35,2	24,8	28,9	16,8	11,0	2,2	1,3	3,8	5,2	0,0	0,0	0,0	17,3	
Rasvumine - Obesity	53,7	43,9	42,2	35,2	23,1	21,5	22,8	11,2	2,0	0,0	2,8	0,0	0,0	0,0	23,5	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
Vanus - Age																

TABEL 73.A. Diabeediravimite tarvitamine viimasel neljal nädalal (%) sünnipölvkonna järgi, mehed
 TABLE 73.A. Use of medication for diabetes during the last four weeks (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
On tarvitanud - Has used	10,2	7,2	7,1	4,6	8,5	5,4	7,3	4,0	1,0	0,6	1,7	0,0	0,0	0,0	0,0	3,0
Ei ole tarvitanud - Has not used	89,8	92,8	92,9	95,4	91,5	94,6	92,7	96,0	99,0	99,4	98,3	100,0	100,0	100,0	100,0	97,0
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 73.B. Diabeediravimite tarvitamine viimasel neljal nädalal (%) sünnipölvkonna järgi, naised
 TABLE 73.B. Use of medication for diabetes during the last four weeks (%) by birth cohort, females

Sünnipölvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
On tarvitanud - Has used	8,4	9,6	10,6	7,6	6,4	5,7	4,6	1,9	0,5	0,7	0,5	0,4	0,0	0,0	3,6
Ei ole tarvitanud - Has not used	91,6	90,4	89,4	92,4	93,6	94,3	95,4	98,1	99,5	99,3	99,5	99,6	100,0	100,0	96,4
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
	Vanus - Age														Total

TABEL 74.A. Astma- ja teiste hingamisteede haiguste ravimite tarvitamine viimasel neljal nädalal (%) sünnipölvkonna järgi, mehed
 TABLE 74.A. Use of medication for asthma and other diseases of respiratory system during the last four weeks (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
On tarvitanud - Has used	8,5	4,1	5,2	4,6	2,1	4,4	1,4	2,7	3,0	1,4	0,0	3,3	3,7	1,6		2,7
Ei ole tarvitanud - Has not used	91,5	95,9	94,8	95,4	97,9	95,6	98,6	97,3	97,0	98,6	100,0	96,7	96,3	98,4		97,3
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274		3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 74.B. Astma- ja teiste hingamisteede haiguste ravimite tarvitamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
 TABLE 74.B. Use of medication for asthma and other diseases of respiratory system during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
On tarvitanud - Has used	3,8	6,6	4,9	5,7	1,3	2,9	4,4	3,2	2,7	3,0	3,6	1,9	3,0	3,1		3,5
Ei ole tarvitanud - Has not used	96,2	93,4	95,1	94,3	98,7	97,1	95,6	96,8	97,3	97,0	96,4	98,1	97,0	96,9		96,5
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241		3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 75.A. Käsimüügi valuvaigistite tarvitamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, mehed
TABLE 75.A. Use of over-the-counter analgetics during the last four weeks (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
On tarvitanud - Has used	25,6	23,0	22,3	21,7	25,3	23,2	19,5	27,7	23,9	28,3	32,0	26,0	23,5	18,6	24,4
Ei ole tarvitanud - Has not used	74,4	77,0	77,7	78,3	74,7	76,8	80,5	72,3	76,1	71,7	68,0	74,0	76,5	81,4	75,6
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	340	261	332	145	195	194	203	204	213	190	193	237	274	3110
Vastamata - Missing (N)	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
TABEL 75.1.A. Käsimüügi valuvaigistite viimasel neljal nädalal tarvitavate protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 75.1.A. Percent of persons who have used over-the-counter analgetics during the last four weeks in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	17,0	13,7	24,6	14,6	23,3	16,7	12,0	16,8	25,0	24,0	25,0	19,5	22,6	16,6	19,9
Ida-Virumaa	56,3	35,2	30,1	30,2	19,5	19,4	23,1	29,0	22,1	25,7	27,4	35,2	30,8	12,5	26,3
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	26,9	30,5	22,9	27,8	28,1	17,8	16,7	38,4	20,3	27,5	39,8	35,3	21,9	23,6	26,8
Järva, Lääne-Viru, Rapla	24,5	15,2	10,9	18,4	37,3	41,0	15,5	30,2	17,7	37,5	48,0	27,0	19,0	18,6	27,1
Lääne, Saare, Hiiumaa, Pärnumaa	21,3	26,9	20,6	24,9	22,1	40,6	40,6	35,3	33,8	41,2	39,8	17,7	24,1	18,4	30,0
Asulatuüp - Type of residence															
Linn - Urban	25,3	23,4	23,3	18,7	25,8	20,6	14,8	26,7	20,9	28,3	32,6	25,8	23,7	19,1	23,5
Maa - Rural	26,5	21,0	19,9	31,5	24,1	29,6	33,6	30,1	30,5	28,4	30,3	26,8	22,9	17,5	27,0
Rahvus - Ethnicity															
Eestlane - Estonian	24,4	22,3	21,0	21,1	29,5	29,2	19,3	27,6	28,3	29,5	31,9	30,3	26,8	22,8	26,6
Mitte-eestlane - Non-Estonian	29,4	24,4	26,1	22,7	16,1	15,2	19,8	27,9	14,8	25,7	32,1	18,4	18,0	8,7	20,4
Põlvkond - Native-born population															
Põlvkond - Native-born	24,5	21,7	21,2	21,9	28,1	27,5	19,6	29,0	27,7	31,0	33,5	29,1	25,4	21,2	26,3
Immigrant - Not native-born	29,5	25,6	25,3	21,5	18,1	16,4	19,4	25,2	15,0	21,3	28,9	20,0	19,0	9,4	20,2
Kooselu - Cohabiting															
Kooselus - Cohabiting	25,9	22,3	21,3	22,3	25,2	23,1	18,9	29,5	26,0	29,8	31,6	33,1	19,4	41,7	26,1
Ei ole kooselus - Not cohabiting	25,1	24,5	26,6	19,4	25,9	23,9	22,4	20,0	14,3	22,5	33,3	12,3	25,9	17,4	21,1
Haridus - Education															
Põhi või madalam - Lower secondary or less	34,0	25,5	16,2	22,2	31,3	39,1	40,1	32,7	9,6	26,3	25,0	41,4	21,5	16,5	23,5
Kesk - Upper secondary	21,1	20,9	24,6	23,0	28,1	20,3	17,2	27,3	29,0	29,4	32,8	25,3	24,4	23,3	25,8
Kõrg - University	14,5	21,3	27,0	19,9	16,2	21,0	16,4	27,4	15,9	25,7	32,3	21,9	22,4	42,6	22,6
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	24,3	15,2	26,1	22,4	20,4	29,7	24,6	27,9	32,1	27,1	25,1	28,2	26,2
Mitteaktiivne - Non-active	26,9	24,1	22,0	23,8	24,7	25,3	16,1	13,4	17,0	35,2	31,5	8,4	17,8	16,1	20,7
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	19,9	25,4	31,6	22,2	26,3	29,8	23,4	28,2	21,3	38,4	48,3	22,6	14,4	15,2	25,6
Üle suhtelise vaesuse piiri - Above the risk of poverty	27,2	21,5	20,3	22,8	25,4	20,8	20,6	27,3	25,1	25,6	29,7	25,5	25,3	18,7	24,3
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	9,0	15,7	12,8	11,0	20,3	16,9	24,4	26,9	26,7	18,8	16,3	20,7
Tervisehäired - Less severe health disorders	7,7	18,6	15,5	17,3	17,1	20,2	20,1	31,1	28,2	37,2	29,6	26,2	29,0	25,5	24,5
Tõsisemad tervisehäired - Severe health disorders	17,9	23,0	24,5	16,3	39,4	36,6	28,6	32,8	21,8	36,6	52,8	26,3	43,1	40,6	31,5
Toimetuleku piirangud - Managing restrictions	34,6	26,1	30,1	36,8	27,3	23,0	16,5	26,4	40,4	27,9	59,6	16,0	46,8	0,0	29,7
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	30,3	22,9	19,2	21,4	25,9	26,3	29,0	28,9	43,1	36,4	24,6	10,9	17,7	53,2	25,3
Tervist kahjustav - Health harming	28,2	26,0	25,0	11,4	22,1	28,6	13,9	32,8	23,3	23,9	40,4	27,0	40,1	56,1	27,4
Kontrollkese - Locus of control															
Seesmine - Internal	22,7	20,8	19,7	17,3	20,5	19,8	17,4	25,9	24,2	26,0	31,3	25,1	20,9	18,3	22,9
Väline - External	48,3	21,3	24,7	15,8	19,9	31,4	12,8	13,9	0,0	44,1	19,1	100,0	0,0	0,0	20,9
Enesehinnangu tervis - Self-estimated health															
Väga hea või hea - Very good or good	7,6	7,3	6,5	8,1	14,1	12,8	16,0	18,7	23,3	22,0	24,1	24,0	19,3	13,8	19,1
Väga halb või halb - Very bad or bad	43,9	31,5	29,2	32,3	27,8	37,6	35,5	32,1	43,2	53,0	47,1	0,0	57,3	100,0	35,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	50,8	37,3	37,3	100,0	0,0	0,0	0,0	63,4	0,0	0,0	100,0	19,9	41,5	5,8	25,7
Normaal - Normal weight	23,9	19,5	25,5	17,8	25,0	24,1	19,9	18,2	24,2	26,7	29,2	29,8	21,6	15,7	22,4
Ülekaal - Overweight	17,8	27,3	20,3	21,3	29,9	26,2	19,4	31,0	22,3	33,1	31,4	19,7	25,3	37,8	26,4
Rasvumine - Obesity	51,5	21,9	19,0	29,4	18,4	16,5	19,8	35,2	26,9	18,3	39,6	27,5	31,8	49,0	25,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 75.B. Käsimüügi valuvaigistite tarvitamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 75.B. Use of over-the-counter analgetics during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
On tarvitanud - Has used	28,2	34,5	37,6	30,4	34,1	33,8	35,2	40,3	39,7	44,3	40,9	44,8	33,9	31,6	36,7
Ei ole tarvitanud - Has not used	71,8	65,5	62,4	69,6	65,9	66,2	64,8	59,7	60,3	55,7	59,1	55,2	66,1	68,4	63,3
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 75.1.B. Käsimüügi valuvaigistite viimasel neljal nädalal tarvitavate protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 75.1.B. Percent of persons who have used over-the-counter analgetics during the last four weeks in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	22,0	26,9	33,4	27,0	26,6	28,9	30,8	39,2	40,4	41,0	41,0	46,4	33,8	29,6	34,3
Ida-Virumaa	36,2	46,6	42,0	45,4	44,6	43,3	38,0	32,4	32,8	30,8	36,2	39,9	33,3	34,6	38,4
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	33,0	42,6	36,0	33,2	40,8	34,0	50,0	37,5	45,2	51,7	43,5	48,6	33,6	32,8	40,4
Järva, Lääne-Viru, Rapla	6,7	26,1	47,1	10,7	34,6	36,1	28,6	38,7	39,1	52,5	33,8	48,1	26,1	39,9	35,8
Lääne, Saare, Hiiumaa, Pärnumaa	44,3	34,3	38,1	29,2	26,0	35,7	28,7	64,4	35,0	40,5	47,8	25,3	43,5	26,9	36,3
Asulatuüp - Type of residence															
Linn - Urban	28,5	33,6	38,1	29,8	30,8	35,0	36,2	38,6	39,4	42,8	37,7	44,8	36,3	30,9	36,4
Maa - Rural	27,6	37,6	35,7	32,5	42,3	30,1	32,1	45,8	40,8	48,5	55,8	45,0	25,3	33,2	37,9
Rahvus - Ethnicity															
Eestlane - Estonian	30,1	35,7	36,8	26,1	34,8	34,1	38,0	45,5	42,3	48,8	42,8	49,7	39,5	34,0	39,1
Mitte-eestlane - Non-Estonian	25,0	31,9	39,3	37,0	32,0	33,5	31,2	33,0	34,2	32,1	37,3	35,1	25,6	26,6	32,5
Põlisus - Native-born population															
Põlisrahvastik - Native-born	28,0	35,6	36,3	26,4	34,9	34,3	37,2	44,5	42,2	49,0	42,5	47,1	36,9	33,2	38,3
Immigrantrahvastik - Not native-born	28,8	31,9	40,6	37,4	31,0	33,0	31,9	33,7	33,1	31,7	37,4	38,6	28,2	27,4	33,3
Kooselu - Cohabiting															
Kooselus - Cohabiting	30,4	39,6	29,4	28,5	35,2	33,0	35,3	43,6	43,9	46,3	40,6	43,7	37,1	35,6	39,1
Ei ole kooselus - Not cohabiting	28,0	33,0	41,4	31,8	32,9	35,1	35,1	33,4	26,4	39,1	42,1	47,6	29,3	31,0	34,0
Haridus - Education															
Põhi või madalam - Lower secondary or less	30,5	39,3	39,4	29,4	41,1	32,2	41,3	39,3	21,7	36,0	66,9	33,3	31,0	34,9	35,9
Kesk - Upper secondary	25,6	34,8	37,9	37,1	31,2	37,8	37,8	45,4	43,8	46,3	40,5	48,0	39,5	25,6	38,9
Kõrg - University	24,5	23,5	34,5	22,5	34,4	29,4	30,8	35,7	37,5	43,1	37,6	44,8	27,0	40,7	34,7
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	34,6	29,7	41,1	29,3	34,4	40,4	39,7	47,6	43,3	49,5	38,8	28,9	39,9
Mitteaktiivne - Non-active	28,4	35,1	37,7	30,5	30,7	41,7	39,9	39,1	39,8	30,5	32,7	33,7	27,1	32,0	33,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	24,4	37,0	41,5	37,7	35,7	48,5	37,8	40,7	32,8	54,0	48,3	54,7	37,9	40,2	39,5
Üle suhtelise vaesuse piiri - Above the risk of poverty	32,9	31,8	32,9	26,3	33,7	29,9	35,0	41,2	42,1	43,8	42,3	44,9	33,9	27,7	36,4
Tervise seisund - Health status															
Terve - No health disorders	0,0	14,7	23,4	0,0	14,2	22,2	17,4	23,3	26,7	46,7	37,4	40,7	29,7	23,0	31,9
Tervisehäired - Less severe health disorders	24,4	15,2	29,1	27,6	33,7	26,2	30,6	37,7	42,1	35,5	45,6	49,8	34,7	42,5	35,4
Tõsisemad tervisehäired - Severe health disorders	27,1	31,2	43,1	28,3	36,3	32,9	48,8	57,4	61,2	47,2	46,9	61,9	62,2	42,3	42,1
Toimetuleku piirangud - Managing restrictions	29,7	40,3	39,2	37,6	37,2	55,4	39,5	51,6	53,7	66,4	51,8	34,5	58,6	69,4	42,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	14,9	26,4	30,3	21,2	35,8	30,3	37,2	49,8	38,3	44,0	39,7	46,1	35,7	26,4	35,9
Tervist kahjustav - Health harming	35,9	42,1	50,3	42,7	19,2	29,1	49,1	27,5	22,3	39,4	36,1	54,5	57,9	41,2	39,9
Kontrollkese - Locus of control															
Seesmine - Internal	12,6	29,0	28,5	21,0	38,9	26,8	26,6	36,5	38,5	39,6	30,4	37,2	33,5	29,7	32,6
Väline - External	35,7	37,5	54,2	27,7	44,5	38,6	31,5	18,8	32,6	31,7	77,3	0,0	30,0	17,6	36,5
Enesehinnangu tervis - Self-estimated health															
Väga hea või hea - Very good or good	12,1	18,7	21,9	7,0	30,6	25,4	19,6	29,5	31,3	41,6	38,3	42,4	30,5	29,5	32,2
Väga halb või halb - Very bad or bad	32,5	43,8	46,3	37,3	43,1	46,3	40,4	64,7	45,9	34,7	35,3	73,6	43,0	49,6	42,7
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	47,4	0,0	0,0	56,5	53,4	0,0	0,0	0,0	36,6	33,9	45,3	50,6	29,8	35,7	36,2
Normkaal - Normal weight	20,3	25,7	36,8	28,1	35,4	31,9	37,2	35,2	32,0	42,1	43,0	43,4	32,4	30,9	35,3
Ülekaal - Overweight	30,0	37,3	37,3	28,9	38,6	30,8	29,8	42,6	48,3	42,4	34,3	38,3	44,6	28,3	36,4
Rasvumine - Obesity	39,4	43,4	40,3	33,0	28,1	37,6	39,3	49,0	54,8	65,4	34,1	75,0	48,9	47,1	41,4
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 76.A. Unerohitud, rahustite (retseptiravimid) tarvitamine viimasel neljal nädalal (%) sünnipölvkonna järgi, mehed

TABLE 76.A. Use of prescribed sedatives during the last four weeks (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
On tarvitanud - Has used	4,1	6,0	3,9	3,0	4,3	3,8	1,7	1,3	2,3	1,7	2,4	0,0	0,3	0,2		1,9
Ei ole tarvitanud - Has not used	95,9	94,0	96,1	97,0	95,7	96,2	98,3	98,7	97,7	98,3	97,6	100,0	99,7	99,8		98,1
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274		3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 76.B. Unerohtude, rahustite (retseptiravimid) tarvitamine viimasel neljal nädalal (%) sünnipölvkonna järgi, naised

TABLE 76.B. Use of prescribed sedatives during the last four weeks (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
On tarvitanud - Has used	11,7	11,1	10,9	10,1	6,4	5,8	4,0	4,9	2,5	1,4	1,7	0,0	1,0	0,6		4,6
Ei ole tarvitanud - Has not used	88,3	88,9	89,1	89,9	93,6	94,2	96,0	95,1	97,5	98,6	98,3	100,0	99,0	99,4		95,4
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241		3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 77.A. Antibiootikumide (retseptiravimid) tarvitamine viimasel neljal nädalal (%) sünnipölvkonna järgi, mehed

TABLE 77.A. Use of prescribed antibiotics during the last four weeks (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
On tarvitanud - Has used	1,1	1,8	3,1	2,6	2,9	0,9	2,9	3,1	4,4	2,5	5,3	3,2	1,9	5,8		3,3
Ei ole tarvitanud - Has not used	98,9	98,2	96,9	97,4	97,1	99,1	97,1	96,9	95,6	97,5	94,7	96,8	98,1	94,2		96,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274		3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 77.B. Antibiootikumide (retseptiravimid) tarvitamine viimasel neljal nädalal (%) sünnipölvkonna järgi, naised

TABLE 77.B. Use of prescribed antibiotics during the last four weeks (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
On tarvitanud - Has used	0,8	3,2	4,8	4,9	5,5	4,1	5,3	3,8	7,8	8,4	4,6	5,0	8,2	4,9		5,3
Ei ole tarvitanud - Has not used	99,2	96,8	95,2	95,1	94,5	95,9	94,7	96,2	92,2	91,6	95,4	95,0	91,8	95,1		94,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241		3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 78.A. Vitamiinide, mineraalainete preparaatide või looduslike ravimite tarvitamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, mehed
TABLE 78.A. Use of vitamins, minerals or natural medicaments during the last four weeks (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort															
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	On tarvitanud - Has used	31,2	29,9	29,1	24,9	30,0	26,5	21,4	27,7	21,4	24,2	33,1	22,8	26,4	31,7	26,7	
	Ei ole tarvitanud - Has not used	68,8	70,1	70,9	75,1	70,0	73,5	78,6	72,3	78,6	75,8	66,9	77,2	73,6	68,3	73,3	
Kokku - Total (N)		129	340	261	332	145	195	194	203	204	213	190	193	237	274	3110	
Vastamata - Missing (N)		0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
TABEL 78.1.A. Vitamiine, mineraalainete preparaate või looduslikke ravimeid viimasel neljal nädalal tarvitanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																	
TABLE 78.1.A. Percent of persons who have used vitamins, minerals or natural medicaments during the last four weeks in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	36,2	30,1	30,5	24,0	34,4	25,0	21,5	26,9	20,5	22,5	31,1	23,6	23,7	27,9	25,8	
	Ida-Virumaa	64,5	27,4	41,9	20,7	14,9	34,2	17,5	23,4	32,9	29,9	26,6	29,5	30,8	28,5	27,8	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	21,3	38,7	25,2	35,4	32,0	26,8	20,4	23,4	17,3	24,7	34,6	22,1	28,5	32,8	27,1	
	Järva, Lääne-Viru, Rapla	37,3	4,5	33,0	7,0	8,0	21,0	17,5	27,6	7,0	10,7	25,4	7,8	10,7	41,8	18,2	
	Lääne, Saare, Hiiu, Pärnumaa	15,1	22,6	21,5	25,8	39,0	30,0	30,0	42,3	31,0	36,5	54,5	25,0	37,7	36,1	34,2	
Asulatüüp - Type of residence																	
	Linn - Urban	35,6	28,1	32,6	24,7	31,1	26,2	24,8	27,3	25,5	25,8	34,4	22,7	26,9	34,4	28,0	
	Maa - Rural	20,8	36,5	21,0	25,6	27,3	27,3	11,6	28,6	12,9	20,5	29,3	23,5	24,1	24,9	23,1	
Rahvus - Ethnicity																	
	Eestlane - Estonian	31,0	32,0	31,7	27,7	34,3	31,1	24,1	26,6	18,8	23,4	34,8	22,4	27,3	35,5	28,1	
	Mitte-eestlane - Non-Estonian	31,6	25,1	21,6	20,3	20,5	20,2	18,0	29,6	26,9	26,0	30,2	23,5	24,8	22,5	24,1	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	30,9	32,7	31,9	28,4	32,7	30,2	24,3	27,1	18,6	23,7	36,1	22,4	26,8	33,8	28,0	
	Immigrantrahvastik - Not native-born	31,9	23,7	21,6	18,6	23,0	20,6	16,9	28,9	28,3	25,4	26,7	23,6	25,3	24,2	23,8	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	30,5	28,7	30,8	25,7	33,4	25,4	24,2	33,3	22,3	27,2	30,7	22,4	21,4	50,8	27,2	
	Ei ole kooselus - Not cohabiting	32,3	32,2	22,3	21,7	11,7	32,4	8,6	3,7	17,7	12,4	39,9	23,6	29,2	30,6	25,7	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	26,8	27,8	20,7	21,0	18,2	29,2	3,9	15,1	0,0	0,0	32,4	13,9	25,9	30,7	24,1	
	Kesk - Upper secondary	15,0	29,3	29,9	26,7	34,8	21,5	25,7	22,5	20,1	23,9	31,4	23,4	26,6	35,1	26,1	
	Kõrg - University	52,8	33,3	39,0	25,2	27,0	31,4	20,0	36,1	28,1	29,1	36,7	24,8	26,2	0,0	29,6	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	32,5	20,3	34,9	28,4	33,7	26,9	22,9	28,7	22,8	25,3	33,6	23,5	25,5	21,8	26,4	
	Mitteaktiivne - Non-active	31,1	30,2	28,4	23,8	27,0	25,4	15,4	20,4	8,1	5,7	27,3	12,9	29,9	34,4	27,4	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	24,9	30,0	33,0	21,5	22,5	23,8	12,0	22,8	15,5	21,7	35,2	21,2	22,4	31,7	23,8	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	31,6	29,6	27,9	26,4	32,9	27,4	23,9	30,1	22,3	26,2	32,6	24,6	27,7	31,3	27,8	
Tervise seisund - Health status																	
	Terve - No health disorders	0,0	32,3	14,9	26,2	23,8	40,3	23,3	28,6	20,6	20,6	30,1	22,6	25,1	30,2	25,7	
	Tervisehäired - Less severe health disorders	28,8	26,9	27,6	21,3	22,9	23,9	24,8	28,4	21,7	41,9	37,0	23,1	25,0	39,4	27,2	
	Tõsisemad tervisehäired - Severe health disorders	34,4	27,8	28,7	30,5	39,1	29,4	9,5	33,2	31,3	24,9	36,7	39,1	41,9	30,9	30,1	
	Toimetuleku piirangud - Managing restrictions	32,1	31,9	32,8	24,4	33,8	24,0	19,6	12,2	16,8	0,0	42,1	9,2	35,8	0,0	25,5	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	28,1	38,9	35,4	23,6	13,0	39,1	11,3	24,8	25,0	25,1	58,2	19,4	30,5	46,8	29,3	
	Tervist kahjustav - Health harming	29,1	17,9	37,9	23,3	17,8	20,7	15,9	24,8	22,4	15,5	30,5	21,5	27,7	25,9	22,8	
Kontrollkese - Locus of control																	
	Seesmine - Internal	36,2	26,0	24,4	25,7	33,2	31,4	23,4	34,1	21,3	30,3	32,2	26,3	26,4	32,5	28,6	
	Väline - External	20,2	30,3	28,2	26,5	22,0	21,5	12,8	13,9	9,9	0,0	6,9	0,0	0,0	54,1	19,0	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	23,0	31,9	21,6	23,4	23,8	23,6	25,4	31,7	23,4	26,0	31,0	20,3	22,5	30,3	25,9	
	Väga halb või halb - Very bad or bad	32,2	35,8	37,4	26,4	30,8	23,8	25,8	16,4	12,3	0,0	47,1	61,2	26,6	0,0	28,2	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	59,0	0,0	0,0	0,0	0,0	0,0	0,0	63,4	0,0	0,0	0,0	33,3	49,8	9,1	25,8	
	Normkaal - Normal weight	30,7	29,3	26,9	24,4	25,8	36,0	15,6	24,1	20,1	22,4	31,6	21,4	26,1	32,9	26,5	
	Ülekaal - Overweight	29,6	32,3	33,6	26,1	37,6	25,3	25,7	31,9	23,2	26,5	34,1	28,0	25,0	32,9	28,9	
	Rasvumine - Obesity	27,6	24,5	25,2	23,4	23,3	13,5	23,0	23,3	20,0	21,6	35,1	14,7	23,6	49,0	22,4	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 78.B. Vitamiinide, mineraalainete preparaatide või looduslike ravimite tarvitamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 78.B. Use of vitamins, minerals or natural medicaments during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
On tarvitanud - Has used	35,4	43,7	39,4	43,7	34,3	39,3	48,2	45,1	42,2	50,2	54,3	47,4	47,1	48,5	44,8
Ei ole tarvitanud - Has not used	64,6	56,3	60,6	56,3	65,7	60,7	51,8	54,9	57,8	49,8	45,7	52,6	52,9	51,5	55,2
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TABEL 78.1.B. Vitamiine, mineraalainete preparaate või looduslike ravimeid viimasel neljal nädalal tarvitanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 78.1.B. Percent of persons who have used vitamins, minerals or natural medicaments during the last four weeks in background categories by birth cohort, females															
Piirkond - Region															
Harjumaa	28,6	46,1	37,4	40,0	33,9	31,8	50,9	40,5	50,7	57,2	57,4	46,1	55,2	49,6	46,1
Ida-Virumaa	39,2	43,8	32,4	57,1	34,7	34,0	44,0	36,1	26,3	50,0	43,7	41,1	42,4	50,5	41,7
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	41,7	44,8	45,3	49,2	39,1	48,2	58,6	43,4	37,8	46,9	47,9	56,8	37,6	40,4	45,3
Järva, Lääne-Viru, Rapla	27,5	45,5	34,5	21,2	38,2	33,1	37,6	63,7	36,6	57,6	52,4	37,3	42,9	27,2	40,2
Lääne, Saare, Hiiumaa, Pärnumaa	44,0	33,3	47,5	42,9	19,7	54,6	38,9	63,6	45,1	28,8	67,1	52,5	38,3	69,9	47,5
Asulatüüp - Type of residence															
Linn - Urban	37,4	42,5	40,0	46,0	33,5	40,6	48,8	45,3	43,9	53,3	53,7	44,4	51,0	47,5	45,6
Maa - Rural	30,4	47,7	37,1	35,9	36,1	34,8	46,2	44,4	36,7	41,0	56,9	60,0	33,5	50,8	42,3
Rahvus - Ethnicity															
Eestlane - Estonian	38,7	46,5	39,9	42,6	33,3	44,6	48,9	51,2	43,3	48,9	55,7	51,7	45,4	46,0	45,9
Mitte-eestlane - Non-Estonian	29,5	37,7	38,4	45,5	37,2	30,5	47,1	36,6	39,7	53,6	51,4	38,9	49,7	53,4	42,8
Põlisus - Native-born population															
Põlisrahvastik - Native-born	37,0	45,6	40,3	42,4	33,6	44,0	49,5	50,2	44,4	49,1	53,3	51,4	47,4	45,8	45,8
Immigrantrahvastik - Not native-born	32,0	39,1	37,3	45,9	36,8	30,4	46,0	37,2	36,0	53,0	56,5	36,6	46,6	55,3	42,7
Kooselu - Cohabiting															
Kooselus - Cohabiting	59,4	40,8	33,6	46,5	31,6	37,1	50,7	47,0	42,2	45,0	56,0	45,2	47,9	49,9	45,2
Ei ole kooselus - Not cohabiting	32,7	44,5	42,1	41,8	37,4	42,6	43,7	41,1	42,1	63,3	48,2	52,7	46,0	48,2	44,4
Haridus - Education															
Põhi või madalam - Lower secondary or less	31,5	42,1	37,4	34,8	22,3	36,0	50,1	31,4	28,5	23,0	47,0	29,2	36,7	45,9	38,4
Kesk - Upper secondary	41,4	46,7	37,4	50,2	32,3	39,4	42,3	44,5	39,2	45,0	53,0	40,3	50,3	53,0	44,2
Kõrg - University	37,1	43,5	46,0	45,3	45,4	40,0	54,2	46,5	45,3	57,8	56,7	55,6	45,3	40,7	49,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	60,8	12,6	42,4	35,4	38,1	49,5	45,2	40,9	50,0	56,6	54,6	42,0	49,0	46,5
Mitteaktiivne - Non-active	35,6	43,4	40,5	44,0	33,7	41,4	40,8	44,6	54,0	51,0	46,2	30,6	54,2	48,3	43,0
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	35,4	42,5	39,5	46,2	37,2	36,1	43,4	35,3	22,1	49,3	51,2	45,1	45,0	51,9	40,7
Üle suhtelise vaesuse piiri - Above the risk of poverty	40,7	46,6	39,8	42,6	33,3	41,6	49,9	47,5	45,8	50,2	55,2	48,6	45,2	43,6	45,8
Tervise seisund - Health status															
Terve - No health disorders	0,0	57,3	55,5	0,0	24,3	22,5	43,9	51,7	35,6	49,0	57,7	48,7	43,8	43,4	45,9
Tervisehäired - Less severe health disorders	28,2	37,5	44,6	42,2	31,0	39,3	44,5	39,3	45,6	53,8	45,8	45,4	51,0	56,9	44,1
Tõsisemad tervisehäired - Severe health disorders	56,8	38,0	34,8	46,4	36,2	39,6	63,0	46,9	44,5	45,9	53,5	43,5	73,5	55,6	45,4
Toimetuleku piirangud - Managing restrictions	33,1	46,6	38,8	46,8	41,0	43,4	39,7	55,8	52,1	50,4	73,2	50,0	52,5	51,1	43,8
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	37,0	49,5	51,7	41,1	30,9	45,1	58,3	38,7	55,2	54,4	61,4	49,7	54,7	38,5	49,4
Tervist kahjustav - Health harming	36,5	41,7	36,3	44,2	35,3	39,6	45,6	44,7	37,9	49,8	52,4	49,0	45,4	49,0	43,9
Kontrollkese - Locus of control															
Seesmine - Internal	36,4	37,1	38,4	42,5	33,1	37,7	45,9	50,0	40,3	49,3	51,0	45,4	48,7	46,3	45,1
Väline - External	30,6	38,5	45,4	40,0	27,4	8,4	43,3	36,7	29,0	65,9	85,1	0,0	40,7	35,2	36,6
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	24,7	31,2	30,7	32,1	23,1	38,2	49,0	40,0	36,8	48,4	54,6	48,8	45,5	48,0	44,9
Väga halb või halb - Very bad or bad	31,6	43,8	31,6	50,2	40,7	44,3	46,7	51,5	56,2	52,1	21,8	0,0	43,0	100,0	41,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	28,4	19,3	100,0	63,5	53,4	0,0	0,0	0,0	70,1	33,7	49,1	59,5	46,5	54,5	50,1
Normkaal - Normal weight	36,4	37,7	45,5	43,7	40,7	38,1	52,2	47,1	40,1	59,3	64,6	46,9	50,9	51,0	49,2
Ülekaal - Overweight	38,4	50,4	39,8	43,1	38,5	46,2	41,9	41,3	37,0	40,0	28,8	49,6	29,5	28,8	40,9
Rasvumine - Obesity	31,0	42,5	31,7	43,7	24,2	34,5	50,7	48,5	50,2	32,4	28,2	34,5	25,1	0,0	38,1
Vanus - Age															
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
															Total

TABEL 79.A. Ravikindlustuse omamine (%) sünnipölvkonna järgi, mehed

TABLE 79.A. Health insurance (%) by birth cohort, males

		Sünnipölvkond - Birth cohort														Kokku	
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Ei oma ravikindlustust - Does not have health insurance	0,0	0,3	0,0	0,3	1,4	6,6	4,7	9,1	8,6	6,0	2,4	5,7	6,6	4,2	4,9	
	Omab ravikindlustust - Has health insurance	100,0	99,7	100,0	99,7	98,6	93,4	95,3	90,9	91,4	94,0	97,6	94,3	93,4	95,8	95,1	
Kokku - Total (N)		129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111	
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 79.1.A. Ravikindlustust omavate isikute protsent rahvastikurühmades sünnipölvkonna järgi, mehed TABLE 79.1.A. Percent of persons who have health insurance in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	100,0	99,1	100,0	99,1	97,7	93,1	92,0	94,9	90,7	95,4	98,8	94,9	93,2	96,1	95,3	
	Ida-Virumaa	100,0	100,0	100,0	100,0	95,1	97,0	97,6	94,4	97,1	89,4	94,7	94,3	93,7	96,5	95,5	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	100,0	100,0	100,0	100,0	100,0	90,0	95,6	85,4	88,7	93,5	100,0	91,7	95,5	94,7	94,3	
	Järva, Lääne-Viru, Rapla	100,0	100,0	100,0	100,0	100,0	96,8	94,7	93,5	88,1	100,0	100,0	100,0	89,9	93,5	96,2	
	Lääne, Saare, Hiiumaa, Pärnumaa	100,0	100,0	100,0	100,0	100,0	94,4	100,0	84,7	95,8	89,6	88,9	92,4	90,5	98,1	94,8	
Asulatüüp - Type of residence																	
	Linn - Urban	100,0	99,6	100,0	99,6	98,0	94,2	96,1	94,9	91,5	95,6	98,2	94,4	92,3	95,8	95,6	
	Maa - Rural	100,0	100,0	100,0	100,0	100,0	91,6	92,8	81,6	91,4	90,4	95,6	93,7	98,1	95,9	93,6	
Rahvus - Ethnicity																	
	Eestlane - Estonian	100,0	100,0	100,0	100,0	98,7	94,0	94,7	87,1	90,9	95,4	97,6	95,9	93,6	96,0	95,2	
	Mitte-eestlane - Non-Estonian	100,0	98,9	100,0	99,1	98,4	92,6	96,0	97,3	92,5	90,9	97,5	91,5	93,1	95,5	95,0	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	100,0	100,0	100,0	100,0	98,7	94,4	94,5	87,8	91,3	95,6	97,8	95,3	93,3	95,9	95,1	
	Immigrantrahvastik - Not native-born	100,0	98,9	100,0	99,0	98,2	91,9	96,5	97,0	91,8	90,0	97,2	92,5	93,8	95,6	95,0	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	100,0	99,5	100,0	99,6	98,9	92,9	97,4	93,7	93,7	95,7	98,0	94,3	98,2	85,3	96,2	
	Ei ole kooselus - Not cohabiting	100,0	100,0	100,0	100,0	96,8	96,2	85,3	79,1	81,0	87,6	96,4	94,3	90,7	96,4	93,0	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	100,0	100,0	100,0	100,0	96,8	89,4	87,7	72,2	65,5	83,0	95,1	92,7	87,8	95,5	93,5	
	Kesk - Upper secondary	100,0	100,0	100,0	100,0	98,4	94,2	94,1	86,7	93,2	93,9	97,4	91,2	93,2	96,5	94,3	
	Kõrg - University	100,0	98,7	100,0	99,0	100,0	93,9	100,0	99,1	92,3	96,3	98,7	100,0	96,5	100,0	97,7	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	100,0	100,0	100,0	100,0	100,0	98,4	97,9	96,6	94,3	96,4	98,4	96,3	96,8	90,1	96,8	
	Mitteaktiivne - Non-active	100,0	99,6	100,0	99,5	97,4	81,3	84,2	49,7	62,7	55,0	88,1	63,9	80,9	97,4	91,7	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	100,0	100,0	100,0	100,0	97,6	84,6	78,5	67,8	79,3	85,9	93,2	86,7	61,2	95,2	86,3	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	100,0	99,5	100,0	99,5	98,8	97,4	99,1	96,7	93,0	96,1	98,7	94,0	97,2	96,5	97,1	
Tervise seisund - Health status																	
	Terve - No health disorders	100,0	100,0	100,0	100,0	100,0	89,4	100,0	85,7	91,2	96,7	98,4	95,1	94,0	95,6	94,9	
	Tervisehäired - Less severe health disorders	100,0	100,0	100,0	100,0	98,7	92,5	94,7	92,2	92,2	89,9	97,7	90,1	92,3	95,7	94,4	
	Tõsisemad tervisehäired - Severe health disorders	100,0	100,0	100,0	98,7	100,0	100,0	97,6	92,0	91,7	86,2	90,6	91,7	90,3	100,0	96,0	
	Toimetuleku piirangud - Managing restrictions	100,0	99,3	100,0	100,0	96,9	90,8	88,7	100,0	89,6	90,2	100,0	100,0	100,0	100,0	96,6	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	100,0	100,0	100,0	100,0	100,0	93,9	100,0	100,0	100,0	100,0	100,0	96,3	94,4	100,0	98,2	
	Tervist kahjustav - Health harming	100,0	100,0	100,0	100,0	100,0	100,0	96,1	88,8	93,0	88,8	100,0	100,0	100,0	100,0	96,3	
Kontrollkese - Locus of control																	
	Seesmine - Internal	100,0	100,0	100,0	100,0	100,0	95,7	95,6	96,4	95,6	94,2	96,8	97,0	96,1	95,7	96,5	
	Väline - External	100,0	100,0	100,0	100,0	100,0	94,8	88,9	86,1	83,2	100,0	93,6	100,0	36,9	100,0	94,1	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	100,0	100,0	100,0	100,0	92,6	92,0	95,3	94,6	92,3	97,3	99,1	94,9	93,3	96,6	95,4	
	Väga halb või halb - Very bad or bad	100,0	100,0	100,0	100,0	100,0	97,7	91,7	93,2	82,5	79,3	86,6	100,0	83,5	100,0	95,7	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	100,0	100,0	100,0	100,0	0,0	0,0	100,0	100,0	0,0	100,0	100,0	100,0	100,0	100,0	100,0	
	Normkaal - Normal weight	100,0	100,0	100,0	99,0	97,2	89,3	93,0	78,8	90,2	91,4	98,7	91,0	92,3	96,0	93,2	
	Ülekaal - Overweight	100,0	100,0	100,0	100,0	98,8	94,3	94,7	95,5	92,1	95,9	95,7	97,1	94,4	93,4	95,9	
	Rasumine - Obesity	100,0	97,3	100,0	100,0	100,0	98,4	100,0	100,0	92,1	94,2	100,0	100,0	100,0	100,0	98,3	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 79.B. Ravikindlustuse omamine (%) sünnipõlvkonna järgi, naised
TABLE 79.B. Health insurance (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Ei oma ravikindlustust - Does not have health insurance	0,6	0,3	0,3	0,0	0,4	2,7	3,3	1,3	4,0	2,8	4,2	3,5	1,7	0,3		1,9
Omab ravikindlustust - Has health insurance	99,4	99,7	99,7	100,0	99,6	97,3	96,7	98,7	96,0	97,2	95,8	96,5	98,3	99,7		98,1
Kokku - Total (N)	191	287	274	344	180	248	236	260	225	201	246	182	207	241		3322
Vastamata - Missing (N)	1	0	0	0	0	0	0	0	0	0	0	0	0	0		1

TABEL 79.1.B. Ravikindlustust omavate isikute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 79.1.B. Percent of persons who have health insurance in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	98,5	100,0	100,0	100,0	100,0	97,5	93,1	97,4	93,9	98,3	95,9	98,4	98,7	100,0		97,8
Ida-Virumaa	100,0	98,1	100,0	100,0	96,7	91,7	100,0	98,1	96,7	88,5	95,0	89,8	97,0	100,0		96,8
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	100,0	100,0	98,9	100,0	100,0	98,6	98,5	100,0	98,1	96,7	96,4	98,3	97,2	98,7		98,6
Järva, Lääne-Viru, Rapla	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	94,0	100,0	91,4	94,6	100,0	100,0		98,0
Lääne, Saare, Hiiumaa, Pärnumaa	100,0	100,0	100,0	100,0	100,0	97,6	97,7	100,0	100,0	100,0	100,0	94,1	100,0	100,0		99,3
Asulatüüp - Type of residence																
Linn - Urban	99,2	99,7	99,7	100,0	99,4	96,9	96,4	98,3	96,9	97,6	95,4	95,7	97,8	99,6		97,9
Maa - Rural	100,0	100,0	100,0	100,0	100,0	98,6	97,6	100,0	93,4	96,2	97,8	100,0	100,0	100,0		98,7
Rahvus - Ethnicity																
Eestlane - Estonian	100,0	100,0	100,0	100,0	100,0	99,5	98,9	99,5	97,8	97,7	97,9	99,4	98,8	99,5		99,1
Mitte-eestlane - Non-Estonian	98,3	99,2	99,2	100,0	98,4	93,6	93,5	97,5	92,1	95,9	91,7	90,8	97,6	100,0		96,1
Põlisus - Native-born population																
Põlisrahvastik - Native-born	100,0	100,0	100,0	100,0	100,0	99,5	98,1	99,6	98,0	97,7	98,0	98,9	98,3	99,6		99,0
Immigrantrahvastik - Not native-born	98,2	99,1	99,1	100,0	98,0	93,1	94,4	97,3	90,8	95,9	91,0	90,0	98,2	100,0		96,0
Kooselu - Cohabiting																
Kooselus - Cohabiting	100,0	100,0	99,2	100,0	99,2	96,1	97,1	98,5	95,3	97,2	95,8	96,1	97,7	97,5		97,2
Ei ole kooselus - Not cohabiting	99,3	99,7	100,0	100,0	100,0	99,1	95,9	99,2	98,3	97,4	95,7	97,5	99,1	100,0		99,0
Haridus - Education																
Põhi või madalam - Lower secondary or less	98,9	100,0	100,0	100,0	98,0	100,0	94,3	100,0	89,9	100,0	91,4	84,7	88,7	99,5		98,1
Kesk - Upper secondary	100,0	100,0	99,4	100,0	100,0	98,2	97,5	97,7	93,9	94,9	95,8	96,6	99,3	100,0		97,8
Kõrg - University	100,0	98,9	100,0	100,0	100,0	95,4	96,4	99,5	98,1	99,2	96,5	98,7	99,1	100,0		98,3
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	100,0	100,0	100,0	100,0	100,0	98,5	99,2	99,4	96,9	100,0	97,3	98,8	100,0	97,8		98,8
Mitteaktiivne - Non-active	99,4	99,7	99,7	100,0	99,4	95,0	82,7	91,2	88,0	85,6	90,7	91,2	95,9	100,0		97,2
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	98,9	100,0	99,4	100,0	100,0	95,3	94,4	100,0	97,9	95,5	94,6	90,8	95,2	100,0		98,0
Üle suhtelise vaesuse piiri - Above the risk of poverty	100,0	99,5	100,0	100,0	99,4	99,1	99,1	98,6	94,9	98,2	97,3	96,7	99,2	99,5		98,5
Tervise seisund - Health status																
Terve - No health disorders	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,2	96,7	95,6	98,0	98,4	100,0		98,0
Tervisehäired - Less severe health disorders	100,0	100,0	100,0	100,0	100,0	96,8	95,5	97,9	94,4	97,6	96,6	94,3	98,7	100,0		97,6
Tõsisemad tervisehäired - Severe health disorders	100,0	100,0	99,1	100,0	98,7	98,3	97,7	100,0	97,0	100,0	92,2	95,7	100,0	92,8		98,5
Toimetuleku piirangud - Managing restrictions	99,2	99,6	100,0	100,0	100,0	96,4	96,6	97,9	100,0	92,5	100,0	84,4	94,7	100,0		98,7
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	100,0	98,6	100,0	100,0	100,0	100,0	98,7	100,0	95,9	100,0	98,0	96,9	100,0	100,0		98,9
Tervist kahjustav - Health harming	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,5	96,1	100,0	100,0		99,1
Kontrollkese - Locus of control																
Seesmine - Internal	100,0	100,0	100,0	100,0	100,0	97,4	98,5	99,5	96,9	99,3	95,3	97,8	99,4	99,4		98,6
Väline - External	98,5	100,0	97,9	100,0	100,0	93,8	100,0	90,9	100,0	82,9	100,0	100,0	67,8	100,0		96,8
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	100,0	100,0	100,0	100,0	100,0	97,1	96,7	100,0	95,6	98,7	95,2	97,5	98,2	99,6		97,9
Väga halb või halb - Very bad or bad	99,0	99,5	99,3	100,0	100,0	98,1	92,1	100,0	91,3	100,0	100,0	73,6	100,0	100,0		98,3
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	81,0	100,0	100,0	100,0	100,0	0,0	49,4	100,0	100,0	100,0	100,0	91,0	100,0	100,0		97,8
Normkaal - Normal weight	100,0	100,0	100,0	100,0	100,0	98,8	95,6	98,8	94,0	95,3	93,8	97,2	97,6	99,6		97,3
Ülekaal - Overweight	100,0	100,0	99,4	100,0	98,9	95,8	98,2	99,2	100,0	100,0	100,0	94,3	100,0	100,0		98,9
Rasumine - Obesity	100,0	99,0	100,0	100,0	100,0	97,4	97,5	97,6	96,2	100,0	100,0	100,0	100,0	100,0		98,8

	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 80.A. Suitsetamine elu jooksul (%) sünnipõlvkonna järgi, mehed
TABLE 80.A. Smoking during the lifetime (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														Kokku Total
		1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Ei ole kunagi suitsetanud - Has never smoked		32,3	36,2	36,5	31,4	33,4	27,0	22,4	30,8	30,8	28,3	28,3	37,2	42,6	59,9	34,9
On kunagi suitsetanud - Has ever smoked		67,7	63,8	63,5	68,6	66,6	73,0	77,6	69,2	69,2	71,7	71,7	62,8	57,4	40,1	65,1
On kunagi regulaarselt suitsetanud - Has ever smoked regularly		65,4	59,6	60,0	68,2	64,9	69,7	73,8	68,2	68,0	68,4	66,8	60,0	54,5	35,7	62,2
Kokku - Total (N)		129	340	261	332	145	195	194	203	204	213	190	193	237	274	3110
Vastamata - Missing (N)		0	1	0	0	0	0	0	0	0	0	0	0	0	0	
TABEL 80.1.A. Regulaarselt suitsetanute protsent rahvastikurühmades sünnipõlvkondade järgi, mehed TABLE 80.1.A. Percent of persons who have smoked regularly in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa		74,8	54,6	60,4	72,7	61,5	77,4	75,9	62,1	67,8	70,0	58,5	57,7	62,4	37,2	62,4
Ida-Virumaa		49,0	62,5	52,0	66,3	65,6	64,2	61,9	76,6	72,1	52,2	76,1	70,4	48,2	30,0	61,1
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru		67,5	58,9	58,3	60,7	62,8	64,1	82,8	69,9	69,6	70,9	65,5	61,9	42,8	41,8	61,4
Järva, Lääne-Viru, Rapla		48,4	83,3	65,1	77,4	76,1	77,9	74,8	92,2	62,9	85,9	88,5	45,6	58,3	30,5	69,8
Lääne, Saare, Hiiumaa, Pärnumaa		63,3	61,0	63,2	64,3	70,6	51,0	66,1	56,0	65,1	58,6	75,7	67,4	64,6	27,2	58,7
Asulatüüp - Type of residence																
Linn - Urban		64,3	59,8	58,4	70,3	68,8	70,6	74,0	70,0	67,2	66,7	62,9	62,5	54,5	35,6	62,2
Maa - Rural		68,1	58,5	64,0	61,6	55,0	67,8	73,2	63,8	69,8	72,3	78,3	48,8	54,1	36,1	62,0
Rahvus - Ethnicity																
Eestlane - Estonian		66,7	58,8	59,9	64,9	65,9	67,7	73,8	70,4	67,9	72,2	65,0	54,9	52,8	36,1	61,3
Mitte-eestlane - Non-Estonian		61,7	61,2	60,4	73,9	62,7	72,4	73,9	64,4	68,2	60,1	69,9	68,8	57,3	35,0	63,8
Põlisus - Native-born population																
Põlisrahvastik - Native-born		66,0	59,4	60,1	65,6	65,5	66,2	72,0	67,2	67,6	70,3	64,3	56,3	52,8	36,6	60,6
Immigrantrahvastik - Not native-born		63,4	59,9	60,0	72,8	63,3	75,3	76,7	70,0	69,0	63,7	72,1	67,1	58,4	32,8	65,7
Kooselu - Cohabiting																
Kooselus - Cohabiting		66,7	61,5	59,8	68,2	62,9	69,6	74,3	67,5	67,5	69,4	67,0	62,4	65,0	77,9	67,1
Ei ole kooselus - Not cohabiting		63,2	55,0	61,1	68,4	75,8	70,2	71,6	70,8	70,5	64,5	66,2	55,3	48,5	33,4	52,5
Haridus - Education																
Põhi või madalam - Lower secondary or less		67,7	66,0	77,6	78,5	71,2	74,8	68,0	71,2	73,5	91,7	68,2	67,3	97,1	35,0	59,4
Kesk - Upper secondary		57,9	60,7	46,2	67,3	71,8	70,7	79,0	70,7	72,4	73,2	74,9	60,8	54,8	35,7	66,3
Kõrg - University		67,7	48,5	56,8	63,1	47,3	66,7	66,7	64,6	57,8	52,1	50,1	56,1	33,6	100,0	56,6
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active		86,3	59,5	50,1	60,9	69,8	67,7	72,5	66,8	67,3	67,3	66,1	59,1	60,5	64,2	65,5
Mitteaktiivne - Non-active		64,4	59,6	61,4	70,5	60,9	74,5	79,1	77,7	75,4	87,4	74,5	72,8	32,3	28,0	55,5
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty		66,1	52,2	54,1	65,0	74,9	80,1	83,7	81,2	67,4	81,4	82,7	55,7	51,3	31,6	66,2
Üle suhtelise vaesuse piiri - Above the risk of poverty		65,0	61,6	60,9	70,8	62,4	67,6	69,4	66,8	66,9	68,5	65,1	59,4	56,3	38,7	62,4
Tervise seisund - Health status																
Terve - No health disorders		0,0	6,1	25,9	61,4	46,6	58,6	69,6	58,5	67,1	65,0	70,0	59,5	53,6	36,5	56,7
Tervisehäired - Less severe health disorders		51,7	59,6	59,2	66,0	57,4	70,1	72,8	73,5	71,7	71,0	57,0	66,7	54,4	30,5	64,5
Tõsisemad tervisehäired - Severe health disorders		64,7	53,2	58,0	70,1	67,7	63,2	67,3	64,9	77,0	84,7	60,6	42,9	65,5	56,0	65,1
Toimetuleku piirangud - Managing restrictions		72,4	65,9	66,9	71,5	78,2	81,6	91,6	75,8	51,9	70,1	83,9	60,4	46,8	0,0	71,9
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective		38,8	29,6	33,3	31,6	49,3	46,0	22,5	28,9	47,0	14,3	21,0	16,3	0,0	0,0	25,6
Tervist kahjustav - Health harming		89,5	80,2	79,3	84,8	85,9	92,4	92,8	83,7	86,4	90,4	81,7	84,8	76,3	82,0	85,7
Kontrollkese - Locus of control																
Seesmine - Internal		67,0	47,6	45,4	62,3	50,0	66,0	66,7	65,0	67,0	66,0	64,8	53,6	50,3	33,9	57,1
Väline - External		65,1	57,6	61,3	89,9	93,9	82,0	87,2	57,0	100,0	100,0	72,0	100,0	100,0	0,0	77,5
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good		56,1	50,1	38,8	58,2	62,3	56,3	70,9	63,6	68,5	61,9	65,7	58,0	53,3	33,1	56,0
Väga halb või halb - Very bad or bad		71,7	69,3	70,0	71,7	82,9	70,0	71,9	77,2	67,5	82,4	44,1	61,2	86,7	0,0	71,1
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight		65,0	37,3	100,0	100,0	0,0	0,0	100,0	100,0	0,0	0,0	100,0	53,2	38,2	18,3	42,3
Normkaal - Normal weight		66,6	60,0	63,6	70,3	69,9	82,3	77,4	73,9	75,9	71,9	64,3	50,5	57,2	35,4	60,5
Ülekaal - Overweight		66,1	57,8	58,7	63,8	67,5	59,5	71,5	67,6	62,6	64,1	65,8	69,2	47,9	43,7	63,1
Rasvumine - Obesity		58,6	64,3	52,8	74,3	54,7	68,4	72,0	60,3	66,0	74,7	75,6	80,0	57,3	49,0	67,4
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age																

TABEL 80.B. Suitsetamine elu jooksul (%) sünnipõlvkonna järgi, naised
TABLE 80.B. Smoking during the lifetime (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Ei ole kunagi suitsetanud - <i>Has never smoked</i>	93,5	89,6	87,4	87,0	79,9	72,8	63,4	55,7	56,6	62,2	63,2	60,3	68,2	80,1	71,1
	On kunagi suitsetanud - <i>Has ever smoked</i>	6,5	10,4	12,6	13,0	20,1	27,2	36,6	44,3	43,4	37,8	36,8	39,7	31,8	19,9	28,9
	On kunagi regulaarselt suitsetanud - <i>Has ever smoked regularly</i>	6,0	9,1	12,1	11,6	16,7	25,7	32,9	39,9	40,6	34,3	29,6	36,6	28,8	15,5	25,8
	Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
	Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 80.1.B. Regulaarselt suitsetanute protsent rahvastikurühmades sünnipõlvkondade järgi, naised
TABLE 80.1.B. Percent of persons who have smoked regularly in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	10,5	14,1	12,0	17,1	19,0	27,4	31,0	43,5	40,4	23,8	33,5	39,5	29,0	16,1	27,1	
Ida-Virumaa	0,0	3,8	5,9	5,5	12,9	17,5	28,0	45,4	29,5	38,5	27,4	31,7	39,3	19,8	22,8	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	1,4	1,2	13,9	9,6	10,8	25,2	25,8	30,6	24,9	44,5	21,2	34,6	25,4	12,2	21,7	
Järva, Lääne-Viru, Rapla	7,7	18,7	12,0	12,6	19,9	34,2	43,0	53,0	65,9	33,5	46,5	38,4	35,0	18,3	35,2	
Lääne, Saare, Hiiumaa, Pärnumaa	9,6	7,6	16,0	5,3	25,3	23,2	46,1	29,1	42,1	40,7	15,6	31,4	17,4	14,4	24,3	
Asulatüüp - Type of residence																
Linn - Urban	7,8	10,7	12,9	12,1	19,1	26,3	33,2	41,1	41,8	33,3	32,6	33,9	28,4	16,2	26,5	
Maa - Rural	1,5	3,5	8,8	9,8	10,9	23,7	31,8	35,9	37,0	37,0	15,5	48,2	30,3	13,8	23,3	
Rahvus - Ethnicity																
Eestlane - Estonian	7,5	12,4	14,5	13,0	19,0	29,4	36,3	39,3	42,3	37,2	27,9	36,6	29,6	14,3	27,0	
Mitte-eestlane - Non-Estonian	3,3	2,1	7,3	9,5	10,0	19,6	27,9	40,9	36,9	26,3	32,9	36,8	27,7	18,0	23,6	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	8,0	11,9	14,1	13,3	19,0	28,1	36,5	40,0	39,8	37,4	28,8	36,0	31,6	14,1	26,9	
Immigrantrahvastik - Not native-born	1,8	2,2	7,2	8,7	8,1	21,2	26,9	39,8	42,9	26,1	31,4	38,4	23,7	19,2	23,3	
Kooselu - Cohabiting																
Kooselus - Cohabiting	0,0	1,8	6,1	8,8	17,7	22,6	32,0	35,3	40,0	34,3	30,7	36,4	28,6	32,0	28,7	
Ei ole kooselus - Not cohabiting	6,7	11,1	14,8	13,6	15,7	30,4	34,3	49,7	42,6	34,2	25,7	37,2	29,1	13,1	22,4	
Haridus - Education																
Põhi või madalam - Lower secondary or less	2,6	7,1	10,0	6,9	14,4	37,0	36,6	69,7	50,2	84,2	63,7	69,5	66,0	9,5	18,9	
Kesk - Upper secondary	10,4	13,1	12,9	12,8	21,9	23,8	37,4	39,2	50,8	41,2	42,2	46,3	31,2	25,4	31,5	
Kõrg - University	10,2	8,6	13,5	15,4	9,7	25,1	26,9	38,9	31,8	22,8	10,5	24,1	17,2	40,7	22,8	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	10,7	14,9	20,0	26,6	31,3	39,7	42,0	32,7	30,0	33,5	29,2	33,1	32,6	
Mitteaktiivne - Non-active	6,0	9,2	12,1	11,0	15,2	24,1	41,8	42,4	28,5	41,1	28,1	43,9	28,3	12,6	18,0	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	5,1	12,8	14,1	14,8	12,2	28,8	31,2	41,1	36,0	40,1	43,8	46,4	43,5	15,7	23,8	
Üle suhtelise vaesuse piiri - Above the risk of poverty	6,8	6,1	9,3	9,6	17,9	22,7	35,5	39,3	40,6	32,2	26,7	37,5	25,9	16,8	26,3	
Tervise seisund - Health status																
Terve - No health disorders	27,7	0,0	21,0	10,4	27,8	17,1	33,7	34,9	36,1	29,6	26,2	32,6	30,6	12,3	27,3	
Tervisehäired - Less severe health disorders	7,0	14,1	12,6	7,4	14,7	24,4	35,8	42,0	45,4	32,6	29,5	35,2	23,7	22,4	28,4	
Tõsisemad tervisehäired - Severe health disorders	3,1	7,2	6,7	14,6	16,0	22,8	31,1	45,6	36,9	50,4	51,6	57,8	44,5	17,5	25,5	
Toimetuleku piirangud - Managing restrictions	5,9	9,4	14,5	12,5	18,9	34,4	26,5	31,2	45,6	48,6	47,2	70,3	28,3	8,4	19,1	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	0,0	4,2	7,1	4,0	1,6	9,2	9,0	25,8	24,2	10,9	6,3	10,3	6,0	0,0	9,4	
Tervist kahjustav - Health harming	27,2	43,8	32,7	31,0	17,6	58,4	69,2	61,2	75,7	90,1	66,0	74,2	71,8	100,0	61,9	
Kontrollkese - Locus of control																
Seesmine - Internal	3,6	8,9	5,8	7,6	17,3	22,7	27,8	35,4	42,9	29,7	27,9	30,6	29,5	10,9	25,3	
Väline - External	3,0	2,0	20,1	8,9	26,5	24,4	4,9	39,4	14,3	34,1	25,5	47,1	32,2	22,9	14,9	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	12,4	17,6	11,5	9,8	18,9	28,1	32,3	35,1	38,8	28,4	23,6	32,6	24,0	13,6	26,0	
Väga halb või halb - Very bad or bad	6,8	7,6	12,7	12,5	18,1	25,6	31,8	34,2	60,5	40,9	22,3	52,9	43,0	49,6	18,2	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	25,5	36,5	0,0	0,0	50,6	100,0	28,7	35,2	37,7	38,3	18,4	27,0	28,3	
Normkaal - Normal weight	8,2	9,9	11,6	12,6	15,6	37,3	32,0	37,7	40,7	37,0	27,6	30,1	29,0	14,5	27,1	
Ülekaal - Overweight	2,7	7,8	10,4	12,4	13,5	20,9	29,9	37,3	41,8	29,1	35,2	56,6	30,2	6,6	23,2	
Rasvumine - Obesity	9,0	10,7	14,1	8,7	22,1	21,7	37,1	46,1	41,7	31,1	28,6	63,5	59,9	21,5	25,9	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
Vanus - Age																

TABEL 81.A. Regulaarse suitsetamise alustamise ajastus (kumulatiivne %) sünnipõlvkonna järgi, mehed
TABLE 81.A. Timing of beginning of regular smoking (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
15	4,6	10,5	8,1	8,3	9,0	7,4	7,6	5,0	3,9	7,9	4,5	8,0	10,4	12,8	7,8	
16	7,3	15,4	9,4	13,5	10,4	12,2	16,8	12,1	12,1	13,2	8,8	16,3	16,0	20,8	13,9	
17	11,8	20,2	13,8	19,4	14,1	20,5	26,2	20,0	22,9	19,5	18,9	23,9	21,3	26,0	21,1	
18	13,9	25,4	18,9	24,2	17,5	24,5	32,3	28,8	30,6	28,4	30,6	30,0	32,5	33,1	28,4	
19	23,5	31,3	28,8	32,1	26,9	36,4	46,0	41,4	42,8	42,1	42,0	37,7	41,0	34,6	38,2	
20	26,7	33,1	33,1	38,4	31,4	44,0	50,4	45,6	46,9	49,7	46,4	44,1	46,2	35,5	43,0	
21	40,5	45,9	41,2	49,1	43,0	54,4	58,2	54,5	54,6	58,3	52,3	50,9	50,1	-	50,2	
22	42,5	47,7	44,7	52,0	46,4	55,6	61,2	58,4	57,9	59,7	54,3	52,2	52,6	-	52,4	
23	49,1	50,2	48,7	52,9	49,0	58,1	65,4	59,5	60,2	61,5	56,7	56,2	53,0	-	54,5	
24	52,7	52,0	49,8	55,5	52,1	59,0	67,5	60,4	62,4	62,0	58,4	57,3	54,0	-	55,9	
25	53,3	52,8	50,7	57,3	53,2	60,3	68,3	62,0	62,8	64,4	61,3	58,8	54,5	-	57,1	
30	60,4	55,5	55,4	62,5	60,8	66,7	73,8	65,6	66,0	68,4	65,2	60,0	-	-	60,5	
35	61,0	57,6	58,3	65,9	63,5	66,7	73,8	67,7	66,7	68,4	66,8	-	-	-	61,4	
40	61,0	58,3	59,2	66,6	63,5	68,0	73,8	68,0	67,5	68,4	-	-	-	-	61,7	
40+	65,1	59,5	59,9	68,1	64,7	69,7	73,8	68,0	68,0	-	-	-	-	-	62,1	
Kokku - Total (N)	128	339	260	331	144	195	194	202	204	213	190	193	237	273	3103	
Vastamata - Missing (N)	1	2	1	1	1	0	1	0	0	0	0	0	0	1	8	
Ei ole regulaarselt suitsetanud - Has not smoked regularly (N)	46	137	107	103	49	62	51	63	64	70	62	75	110	175	1174	
TABEL 81.1.A. Regulaarse suitsetamise alustamise mediaanvanus rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 81.1.A. Median age at beginning of regular smoking in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	20	18	19	19	18	18	18	18	17	18	17	18	16	16	18	
Ida-Virumaa	20	17	17	19	18	18	17	18	18	19	18	18	17	15	18	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	20	20	19	20	20	19	19	18	18	18	18	18	17	15	18	
Järva, Lääne-Viru, Rapla	20	19	20	20	20	17	18	18	18	18	18	16	17	15	18	
Lääne, Saare, Hiiu, Pärnumaa	20	17	18	18	20	20	17	17	18	18	18	15	17	15	18	
Asulatüüp - Type of residence																
Linn - Urban	20	18	19	19	19	19	18	18	18	18	17	18	17	15	18	
Maa - Rural	22	18	19	19	20	18	18	18	17	18	18	16	17	14	18	
Rahvus - Ethnicity																
Eestlane - Estonian	20	20	20	19	20	18	18	18	18	18	18	17	17	15	18	
Mitte-eestlane - Non-Estonian	18	17	17	18	19	18	18	18	17	17	17	18	17	16	18	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	20	19	19	19	20	18	18	18	18	18	18	17	17	15	18	
Immigrantrahvastik - Not native-born	18	17	17	18	20	18	18	18	17	18	17	18	18	15	18	
Kooselu - Cohabiting																
Kooselus - Cohabiting	20	18	19	19	19	19	18	18	18	18	17	17	17	15	18	
Ei ole kooselus - Not cohabiting	19	19	18	19	21	18	18	17	20	18	19	18	17	15	17	
Haridus - Education																
Põhi või madalam - Lower secondary or less	20	18	18	18	18	16	18	18	18	18	18	15	17	15	16	
Kesk - Upper secondary	20	20	18	19	20	19	18	18	17	18	18	18	17	16	18	
Kõrg - University	20	18	20	19	21	19	18	18	19	18	18	18	17	17	18	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	19	18	19	18	19	19	18	18	18	18	18	18	17	16	18	
Mitteaktiivne - Non-active	20	18	19	19	20	18	18	17	18	16	18	17	17	15	18	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	19	20	18	18	21	18	18	17	17	18	18	22	17	14	18	
Üle suhtelise vaesuse piiri - Above the risk of poverty	20	18	19	19	19	19	18	18	18	18	17	17	17	15	18	
Tervise seisund - Health status																
Terve - No health disorders	-	14	18	18	18	20	16	18	18	18	17	17	17	15	17	
Tervisehäired - Less severe health disorders	20	18	19	19	20	18	18	18	18	18	18	18	17	15	18	
Tõsisemad tervisehäired - Severe health disorders	20	19	20	19	21	20	18	18	18	18	20	17	17	15	18	
Toimetuleku piirangud - Managing restrictions	20	18	18	19	19	17	18	16	17	16	18	17	14	-	18	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	25	19	19	20	20	18	18	17	20	17	19	15	-	-	19	
Tervist kahjustav - Health harming	21	19	19	18	20	18	18	17	18	18	17	18	17	17	18	
Kontrollkese - Locus of control																
Seesmine - Internal	20	18	18	19	18	19	18	18	18	18	17	17	17	16	18	
Väline - External	20	20	18	18	20	17	17	16	16	15	18	16	23	-	18	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	22	20	20	19	18	19	18	18	18	18	17	18	17	15	18	
Väga halb või halb - Very bad or bad	20	18	18	18	18	18	18	16	16	15	16	15	16	-	18	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	18	18	19	15	-	-	16	18	-	-	10	17	17	12	16	
Normkaal - Normal weight	20	18	19	18	20	18	18	18	18	18	17	17	17	15	18	
Ülekaal - Overweight	20	18	19	19	20	18	18	18	18	18	18	18	17	15	18	
Rasumine - Obesity	18	18	18	17	18	18	18	18	18	17	18	16	15	15	18	
80+	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total		

TABEL 81.B. Regulaarse suitsetamise alustamise ajastus (kumulatiivne %) sünnipõlvkonna järgi, naised
TABLE 81.B. Timing of beginning of regular smoking (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
15	0,0	0,3	0,4	0,4	0,0	1,1	0,0	0,6	0,9	0,9	2,1	2,2	4,6	4,8	1,5
16	0,0	0,3	0,4	0,4	0,6	1,1	0,0	3,2	1,6	2,6	3,2	4,0	8,0	7,9	2,6
17	0,0	0,3	0,4	0,4	0,6	2,1	2,5	6,5	4,1	5,9	7,8	7,2	12,6	10,6	4,9
18	0,6	0,3	0,8	0,4	0,6	2,1	4,0	9,2	5,9	9,0	11,8	11,6	16,0	13,4	6,8
19	1,8	1,4	0,8	1,1	0,6	3,7	9,7	12,3	14,6	13,2	16,9	14,3	22,3	15,2	10,1
20	1,8	1,8	1,6	2,0	1,4	3,7	12,9	17,5	18,8	15,6	21,5	20,1	26,9	15,5	12,6
21	1,8	2,2	2,6	2,4	4,0	5,8	16,9	22,5	24,9	21,8	23,8	26,2	27,3	-	15,4
22	1,8	2,2	2,6	2,6	4,0	7,3	17,8	23,8	27,7	23,5	25,4	28,8	28,0	-	16,5
23	2,4	2,6	3,0	2,9	5,6	9,6	20,7	24,1	29,0	24,6	27,2	30,9	28,8	-	17,6
24	3,5	3,4	3,4	3,3	5,6	11,9	22,2	25,9	30,4	26,3	27,7	33,3	28,8	-	18,7
25	3,5	3,4	3,7	3,6	7,1	12,5	23,0	27,5	31,6	26,9	27,7	33,8	28,8	-	19,2
30	4,7	5,0	4,7	5,9	10,8	16,6	27,8	31,7	36,5	31,1	29,0	36,6	-	-	21,9
35	5,1	7,8	5,9	8,1	14,4	20,9	29,0	33,6	37,9	33,5	29,6	-	-	-	23,4
40	5,1	8,0	8,7	10,4	15,2	22,1	30,0	36,6	40,2	34,3	-	-	-	-	24,5
40+	5,6	9,1	12,1	11,6	16,7	25,3	32,9	39,9	40,6	-	-	-	-	-	25,7
Kokku - Total (N)	191	287	274	344	180	247	236	260	225	201	246	182	207	241	3321
Vastamata - Missing (N)	1	0	0	0	0	1	0	0	0	0	0	0	0	0	2
Ei ole regulaarselt suitsetanud - Has not smoked regularly (N)	181	262	241	306	150	185	159	157	135	128	174	116	147	204	2545
TABEL 81.1.B. Regulaarse suitsetamise alustamise mediaanvanus rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 81.1.B. Median age at beginning of regular smoking in background categories by birth cohort, females															
Piirkond - Region															
Harjumaa	22	25	35	25	22	22	20	19	20	19	18	20	17	16	19
Ida-Virumaa	-	23	30	30	33	25	20	26	22	19	20	19	16	17	20
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	-	30	30	30	30	26	25	19	18	20	19	20	17	16	20
Järva, Lääne-Viru, Rapla	28	22	37	35	28	30	20	23	20	19	18	17	18	12	20
Lääne, Saare, Hiiu, Pärnumaa	50	30	23	35	25	25	25	20	20	20	19	15	17	14	20
Asulatüüp - Type of residence															
Linn - Urban	23	26	35	30	25	23	20	20	20	20	18	19	17	16	20
Maa - Rural	-	26	23	28	24	29	19	19	20	18	17	19	17	14	19
Rahvus - Ethnicity															
Eestlane - Estonian	23	26	35	30	25	24	20	20	20	20	18	19	17	15	20
Mitte-eestlane - Non-Estonian	20	40	32	25	25	25	21	20	22	19	19	19	17	16	19
Põlisus - Native-born population															
Põlisrahvastik - Native-born	23	26	35	30	25	24	20	20	20	20	18	19	17	15	20
Immigrantrahvastik - Not native-born	17	40	35	25	30	25	21	20	22	19	18	20	17	16	20
Kooselu - Cohabiting															
Kooselus - Cohabiting	-	32	23	28	30	23	21	20	20	20	18	19	18	15	19
Ei ole kooselus - Not cohabiting	23	26	35	28	25	29	20	20	20	20	18	20	16	16	20
Haridus - Education															
Põhi või madalam - Lower secondary or less	18	25	25	30	24	23	20	24	16	19	17	17	17	14	18
Kesk - Upper secondary	22	25	35	30	25	26	20	19	20	20	18	19	17	16	19
Kõrg - University	25	30	32	25	25	23	22	21	20	20	19	20	18	17	21
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	-	-	35	28	25	23	20	20	20	20	18	19	18	15	20
Mitteaktiivne - Non-active	23	26	32	30	25	25	21	19	19	18	19	18	17	16	20
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	23	25	35	28	25	29	19	20	18	21	17	15	15	15	19
Üle suhtelise vaesuse piiri - Above the risk of poverty	23	26	24	30	25	23	20	20	20	20	18	19	18	15	20
Tervise seisund - Health status															
Terve - No health disorders	22	-	60	28	35	20	22	23	21	20	18	19	18	15	19
Tervisehäired - Less severe health disorders	25	32	35	25	25	24	22	20	19	20	18	20	16	16	20
Tõsisemad tervisehäired - Severe health disorders	-	23	26	28	28	27	19	20	19	18	18	19	15	13	20
Toimetuleku piirangud - Managing restrictions	23	26	30	30	25	25	21	20	18	19	16	18	17	15	21
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	-	32	35	25	20	30	18	21	19	19	19	20	18	-	20
Tervist kahjustav - Health harming	24	25	54	21	25	22	22	19	21	23	17	18	18	16	20
Kontrollkese - Locus of control															
Seesmine - Internal	-	32	30	30	30	25	22	20	20	20	18	20	17	15	20
Väline - External	21	20	35	30	25	22	18	24	22	16	19	23	17	16	22
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	22	22	55	35	25	26	22	20	21	20	18	19	17	16	19
Väga halb või halb - Very bad or bad	23	25	22	25	25	27	21	23	18	19	16	18	18	16	22
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	-	-	20	30	-	-	20	19	26	17	18	19	15	16	18
Normkaal - Normal weight	22	28	35	25	24	25	22	19	19	20	19	19	18	15	19
Ülekaal - Overweight	30	30	35	28	28	22	22	22	20	19	18	20	17	17	21
Rasumine - Obesity	23	20	25	30	25	25	19	20	20	20	16	19	15	16	20
80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 82.A. Regulaarse suitsetamise kogukestus (%) sünnipõlvkonna järgi, mehed
TABLE 82.A. Duration of regular smoking (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
1–9 aastat - 1–9 years	15,0	5,1	4,9	9,0	8,3	8,2	9,0	5,9	8,0	10,2	17,5	28,1	46,0	35,4	17,6
10–19 aastat - 10–19 years	14,5	8,9	9,1	6,6	10,0	7,9	8,3	9,9	12,6	28,0	42,4	31,9	8,5	0,3	15,1
20 või enam aastat - 20 or more years	35,9	45,0	46,0	52,6	46,3	53,6	56,3	52,4	47,2	30,2	6,9	0,0	0,0	0,0	29,4
Pole regulaarselt suitsetanud - Has not smoked regularly	34,6	41,0	40,0	31,8	35,4	30,3	26,4	31,8	32,2	31,6	33,2	40,0	45,5	64,3	37,9
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	336	261	331	144	195	192	203	203	213	190	193	237	274	3101
Vastamata - Missing (N)	0	5	0	1	1	0	2	0	1	0	0	0	0	0	10

TABEL 82.1.A. 10 või enam aastat regulaarselt suitsetanud protsent rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 82.1.A. Percent of persons who have smoked regularly 10 or more years in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	52,8	51,1	54,4	63,6	52,2	67,5	61,4	57,1	58,2	63,9	46,4	26,6	9,3	0,0	43,3
Ida-Virumaa	49,0	53,1	52,0	61,2	65,6	58,2	57,1	73,8	68,2	45,0	45,2	40,0	6,3	0,0	44,7
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	48,2	52,3	54,1	52,2	48,2	56,1	72,2	63,0	59,3	55,4	49,7	31,2	7,6	1,0	42,5
Järva, Lääne-Viru, Rapla	37,3	83,3	57,2	62,5	73,3	65,8	66,1	78,0	53,0	76,4	59,0	32,3	0,0	0,0	51,9
Lääne, Saare, Hiiumaa, Pärnumaa	58,3	50,8	58,4	54,9	66,6	51,0	66,1	53,0	62,1	40,4	59,9	59,8	19,1	0,0	46,6
Asulatüüp - Type of residence															
Linn - Urban	49,8	53,4	54,0	61,5	58,9	61,2	65,3	63,8	59,0	58,8	48,4	31,8	7,7	0,0	44,0
Maa - Rural	52,2	56,1	57,7	51,7	49,7	62,1	62,4	58,8	61,6	56,8	51,7	32,1	11,7	1,0	45,8
Rahvus - Ethnicity															
Eestlane - Estonian	52,1	52,6	53,9	54,9	54,7	59,7	62,6	63,4	58,2	59,4	47,5	28,1	9,0	0,4	42,9
Mitte-eestlane - Non-Estonian	45,6	56,8	58,7	66,2	59,8	64,0	67,2	60,4	63,3	55,5	52,5	38,5	7,7	0,0	47,3
Põlisus - Native-born population															
Põlisrahvastik - Native-born	50,8	53,2	54,0	55,9	54,9	57,0	61,6	61,3	58,3	59,3	47,0	28,7	9,2	0,4	42,1
Immigrantrahvastik - Not native-born	49,5	55,5	58,3	64,9	60,0	68,7	69,3	64,3	63,5	55,5	54,2	37,9	6,6	0,0	49,6
Kooselu - Cohabiting															
Kooselus - Cohabiting	52,4	56,9	54,8	59,4	54,1	62,6	65,4	61,6	60,2	59,3	47,1	32,0	15,1	5,6	53,1
Ei ole kooselus - Not cohabiting	47,3	46,9	56,5	58,4	68,3	55,9	60,8	65,3	58,3	53,7	55,5	31,7	4,7	0,0	27,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	56,3	60,5	75,6	72,5	71,2	72,3	68,0	62,3	56,1	75,9	61,5	55,6	21,2	0,4	37,7
Kesk - Upper secondary	35,7	55,3	38,8	56,9	61,3	63,7	69,4	64,1	64,7	64,4	56,2	31,8	7,0	0,0	48,2
Kõrg - University	52,5	42,6	51,7	53,7	38,0	55,0	54,9	60,1	50,4	39,3	32,1	24,1	6,1	0,0	42,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	86,3	44,3	44,3	51,0	57,0	59,7	62,7	60,2	59,2	56,8	48,5	32,2	10,3	0,0	46,2
Mitteaktiivne - Non-active	48,7	54,4	56,6	61,7	55,7	65,8	72,1	77,7	66,7	81,6	57,6	27,4	1,7	0,4	40,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	48,8	45,0	50,8	57,1	71,4	70,6	72,4	78,3	54,1	78,4	47,8	0,0	5,1	0,0	50,1
Üle suhtelise vaesuse piiri - Above the risk of poverty	49,6	56,4	56,0	60,8	52,2	59,1	62,1	60,4	59,2	56,9	50,5	31,3	9,7	0,0	44,7
Tervise seisund - Health status															
Terve - No health disorders	0,0	6,1	20,0	39,6	18,4	44,3	56,9	53,1	56,0	54,6	52,1	33,2	7,4	0,4	31,9
Tervisehäired - Less severe health disorders	25,3	48,1	55,8	56,6	51,2	62,3	63,1	68,9	66,5	60,6	41,4	34,0	6,8	0,0	50,6
Tõsisemad tervisehäired - Severe health disorders	60,5	50,0	51,3	59,9	63,9	52,7	62,4	55,5	77,0	74,4	51,3	23,8	19,0	0,0	54,0
Toimetuleku piirangud - Managing restrictions	56,8	61,3	62,1	67,3	69,1	77,8	83,2	67,0	39,7	63,2	49,0	14,7	29,6	0,0	61,8
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	23,3	26,2	33,3	31,6	25,9	32,1	0,0	19,5	35,7	7,2	21,0	6,3	0,0	0,0	17,6
Tervist kahjustav - Health harming	73,5	77,4	79,3	67,1	81,0	92,4	82,8	77,9	74,5	79,7	59,9	38,4	15,2	0,0	68,6
Kontrollkese - Locus of control															
Seesmine - Internal	59,2	42,0	41,0	52,1	40,0	59,4	55,9	59,0	59,8	53,9	48,8	28,7	7,0	0,5	38,5
Väline - External	49,8	56,8	61,3	84,4	85,2	68,4	87,2	57,0	78,6	100,0	61,1	100,0	0,0	0,0	68,6
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	29,5	39,8	35,3	38,7	51,0	44,6	54,1	55,8	57,3	48,5	46,7	27,8	6,5	0,3	31,6
Väga halb või halb - Very bad or bad	57,8	64,3	65,3	68,6	68,7	68,0	71,9	70,1	59,1	82,4	21,5	61,2	22,0	0,0	63,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	45,8	37,3	100,0	100,0	0,0	0,0	100,0	100,0	0,0	0,0	100,0	53,2	0,0	0,0	25,6
Normaal - Normal weight	49,1	53,2	58,3	63,1	63,3	75,5	66,7	66,6	68,9	62,8	54,3	27,8	10,0	0,4	39,8
Ülekaal - Overweight	55,0	52,7	52,0	51,1	61,6	48,6	60,5	60,9	51,5	52,6	44,2	30,0	5,6	0,0	46,2
Rasvumine - Obesity	40,6	60,6	52,8	70,3	38,9	62,8	68,4	58,3	61,6	65,6	49,8	51,4	6,7	0,0	56,4
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 82.B. Regulaarse suitsetamise kogukestus (%) sünnipölvkonna järgi, naised
TABLE 82.B. Duration of regular smoking (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
1–9 aastat - 1–9 years	2,5	1,3	2,9	1,7	3,9	7,7	4,7	11,3	10,5	8,4	11,6	25,4	26,7	15,2	10,4
10–19 aastat - 10–19 years	0,6	1,5	2,9	1,2	2,9	3,2	11,4	6,8	14,3	17,9	16,4	11,2	2,1	0,3	7,1
20 või enam aastat - 20 or more years	2,9	6,3	6,3	8,7	9,9	14,8	16,8	21,8	15,8	8,0	1,6	0,0	0,0	0,0	8,3
Pole regulaarselt suitsetanud - Has not smoked regularly	94,0	90,9	87,9	88,4	83,3	74,3	67,1	60,1	59,4	65,7	70,4	63,4	71,2	84,5	74,2
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 82.1.B. 10 või enam aastat regulaarselt suitsetanud protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 82.1.B. Percent of persons who have smoked regularly 10 or more years in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	7,5	13,0	9,7	14,5	14,1	17,5	29,5	30,5	31,0	16,9	19,0	7,8	2,6	0,0	15,4
Ida-Virumaa	0,0	3,8	5,9	5,5	12,9	15,5	24,4	30,6	23,0	38,5	22,4	20,4	0,0	2,5	15,1
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	1,2	7,3	9,0	8,5	16,3	16,1	23,5	19,6	31,1	11,6	6,4	3,3	0,0	11,8
Järva, Lääne-Viru, Rapla	7,7	13,4	8,4	12,6	10,6	20,5	37,8	39,1	45,7	28,9	28,1	19,3	0,0	0,0	22,2
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	5,3	16,0	1,8	21,9	23,2	38,6	22,0	29,9	30,0	11,4	17,8	0,0	0,0	16,9
Asulatüüp - Type of residence															
Linn - Urban	4,9	9,5	9,3	10,0	13,6	19,1	30,4	28,6	29,0	25,0	19,9	13,2	2,0	0,4	16,1
Maa - Rural	0,0	1,8	8,8	9,8	10,9	14,4	21,5	28,9	33,6	28,4	9,0	2,8	2,7	0,0	13,3
Rahvus - Ethnicity															
Eestlane - Estonian	4,5	10,5	10,2	11,4	14,8	20,0	30,4	26,3	32,2	27,6	15,4	9,0	3,6	0,0	16,0
Mitte-eestlane - Non-Estonian	1,6	2,1	7,3	7,7	6,8	14,8	25,1	32,0	25,5	21,4	23,1	15,6	0,0	0,9	14,3
Põlisus - Native-born population															
Põlisrahvastik - Native-born	5,2	10,1	10,1	11,8	14,1	19,1	30,8	26,9	30,3	27,7	15,6	9,4	3,3	0,0	15,7
Immigrantrahvastik - Not native-born	0,0	2,2	7,2	6,8	8,1	16,0	23,8	31,3	29,7	21,1	23,3	16,1	0,0	1,1	14,7
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	1,8	4,7	6,2	13,5	15,7	26,3	25,0	29,6	24,4	16,9	13,0	1,5	0,0	16,9
Ei ole kooselus - Not cohabiting	3,9	9,5	11,3	12,6	12,0	21,7	31,5	36,4	31,8	29,8	22,0	6,7	3,1	0,3	13,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	1,0	4,9	7,6	5,9	13,0	21,1	33,4	69,7	20,6	65,5	42,0	17,9	13,8	0,5	9,8
Kesk - Upper secondary	8,6	12,3	9,2	11,3	16,4	17,9	31,2	30,2	35,7	32,8	25,2	19,5	1,7	0,0	19,1
Kõrg - University	0,0	8,6	11,6	12,9	6,9	17,4	23,6	24,8	26,2	15,5	6,5	4,4	0,0	0,0	14,1
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	10,7	11,1	12,8	17,9	26,4	28,4	32,2	24,4	17,5	9,1	2,6	0,0	20,0
Mitteaktiivne - Non-active	3,5	7,9	9,2	9,7	12,8	18,4	38,1	31,6	11,5	32,3	19,6	16,0	1,5	0,4	10,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	2,2	11,4	10,3	14,5	7,6	22,2	26,1	32,1	30,5	28,5	23,7	17,5	8,4	0,0	15,9
Üle suhtelise vaesuse piiri - Above the risk of poverty	4,3	5,3	7,1	7,6	14,2	16,6	30,2	28,3	29,1	25,1	15,6	10,9	1,2	0,0	15,4
Tervise seisund - Health status															
Terve - No health disorders	27,7	0,0	0,0	10,4	27,8	17,1	30,6	21,9	24,9	21,1	16,8	11,4	1,0	0,0	12,4
Tervisehäired - Less severe health disorders	0,0	10,7	9,7	5,4	9,7	17,0	29,6	33,4	35,3	25,4	13,8	2,8	5,4	1,0	17,7
Tõsisemad tervisehäired - Severe health disorders	0,0	6,3	4,1	12,0	13,5	15,8	27,9	28,1	32,6	40,4	34,5	31,9	0,0	0,0	18,3
Toimetuleku piirangud - Managing restrictions	3,9	8,2	12,2	11,8	13,9	23,4	23,3	20,8	27,9	38,0	47,2	14,1	0,0	0,0	13,6
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	4,2	7,1	1,5	0,0	6,3	9,0	10,2	9,9	5,1	5,3	0,0	0,0	0,0	4,4
Tervist kahjustav - Health harming	13,6	41,5	18,8	31,0	0,0	41,0	60,9	48,2	64,8	68,3	47,4	15,2	3,3	0,0	38,8
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	7,4	4,6	6,9	10,5	15,0	25,4	27,9	31,8	24,0	19,6	7,3	2,5	0,5	14,7
Väline - External	3,0	2,0	20,1	5,6	26,5	8,0	4,9	25,5	14,3	34,1	10,3	0,0	0,0	0,0	9,4
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	7,1	9,9	7,8	8,0	12,4	20,8	26,0	22,2	26,3	20,7	15,2	7,9	2,8	0,4	12,9
Väga halb või halb - Very bad or bad	4,1	6,2	10,4	12,0	16,5	17,2	28,0	20,8	38,3	40,9	22,3	26,4	0,0	0,0	13,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	25,5	36,5	0,0	0,0	50,6	100,0	6,2	22,8	21,5	8,8	4,4	0,0	10,4
Normaal - Normal weight	5,7	8,7	10,0	10,5	10,9	24,0	26,0	28,5	31,4	28,1	16,8	11,0	2,1	0,4	15,1
Ülekaal - Overweight	0,0	6,5	5,9	10,2	11,4	13,7	29,9	22,4	33,2	22,9	16,8	10,2	0,0	0,0	14,9
Rasvumine - Obesity	6,0	9,2	12,2	8,0	16,7	17,5	28,9	35,3	27,2	22,5	25,7	20,1	0,0	0,0	18,4
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 83.A. Suitsetatud sigarettide arv päevas regulaarse suitsetamise perioodil (%) sünnipölvkonna järgi, mehed
TABLE 83.A. Number of cigarettes smoked per day during the regular smoking period (%) by birth cohort, males

	Sünnipölvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
1–9 sigaretti - 1–9 cigarettes	13,7	9,8	8,4	9,7	7,9	8,3	9,8	7,3	6,2	10,0	11,8	11,4	11,9	10,6	9,7
10–19 sigaretti - 10–19 cigarettes	25,7	22,0	25,7	26,9	28,9	21,7	27,9	30,0	27,2	22,4	27,1	31,3	23,1	16,1	25,3
20 või enam sigaretti - 20 or more cigarettes	25,4	27,5	25,8	31,2	27,6	39,5	35,5	30,5	34,4	35,3	27,5	16,8	18,4	9,0	26,7
Pole regulaarselt suitsetanud - Has not smoked regularly	35,2	40,7	40,1	32,2	35,6	30,5	26,8	32,2	32,2	32,3	33,6	40,5	46,6	64,3	38,3
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	127	338	260	328	143	194	190	201	203	208	188	191	232	274	3077
Vastamata - Missing (N)	2	3	1	4	2	1	4	2	1	5	2	2	5	0	34

TABEL 83.1.A. 20 või enam sigaretti päevas suitsetanute protsent rahvastikurühmades sünnipölvkonna järgi, mehed
TABLE 83.1.A. Percent of persons who have smoked 20 or more cigarettes per day in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	24,7	27,7	24,4	25,1	18,0	38,1	31,2	26,4	30,2	34,2	20,1	11,8	22,2	7,8	23,3
Ida-Virumaa	28,1	21,1	19,0	36,2	26,5	37,4	34,1	43,2	32,9	28,1	28,4	8,6	10,5	7,5	25,1
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	19,1	25,8	28,3	31,4	35,1	38,5	42,5	28,5	39,5	43,7	34,0	29,0	18,3	15,6	30,6
Järva, Lääne-Viru, Rapla	15,1	39,5	26,1	44,9	32,3	47,5	50,3	42,6	40,4	40,0	30,4	11,1	11,4	0,0	31,6
Lääne, Saare, Hiiumaa, Pärnumaa	43,1	31,8	28,8	33,0	38,3	39,1	26,0	25,1	34,2	23,3	41,5	36,5	21,9	4,6	27,6
Asulatüüp - Type of residence															
Linn - Urban	24,2	26,9	22,7	29,0	27,3	39,9	37,5	33,0	29,8	33,6	25,0	14,6	18,0	6,9	25,3
Maa - Rural	28,2	29,8	33,2	38,6	28,5	38,7	30,0	25,0	44,4	39,4	35,0	26,9	19,8	14,3	30,7
Rahvus - Ethnicity															
Eestlane - Estonian	27,7	25,9	27,9	32,7	29,4	39,1	34,1	28,5	38,0	34,2	29,1	16,8	19,4	9,8	27,0
Mitte-eestlane - Non-Estonian	18,8	30,9	19,7	28,8	23,6	40,1	37,5	33,9	27,0	37,7	24,6	16,8	16,6	7,2	26,3
Põlisus - Native-born population															
Põlisrahvastik - Native-born	27,0	26,8	28,2	34,5	28,8	38,7	32,7	27,0	36,9	33,4	28,8	18,1	20,6	9,8	26,7
Immigrantrahvastik - Not native-born	20,4	28,9	19,1	25,6	24,5	41,0	40,0	37,4	28,4	40,1	24,7	14,5	13,0	6,3	26,8
Kooselu - Cohabiting															
Kooselus - Cohabiting	27,6	27,1	25,9	30,6	26,1	40,0	37,2	29,5	33,8	33,9	26,4	19,7	21,9	21,5	30,0
Ei ole kooselus - Not cohabiting	21,6	28,4	25,4	34,1	36,4	37,1	28,0	34,9	37,3	40,9	30,6	11,2	16,4	8,3	20,4
Haridus - Education															
Põhi või madalam - Lower secondary or less	27,6	30,1	31,5	38,4	36,9	36,1	31,9	31,3	53,8	29,6	35,2	26,4	29,2	9,8	23,9
Kesk - Upper secondary	30,7	27,8	19,6	31,3	30,1	44,8	39,4	32,4	40,0	40,3	31,0	15,8	21,0	4,2	30,0
Kõrg - University	16,7	23,0	27,2	27,0	17,8	34,8	29,8	28,2	19,3	24,0	18,4	15,3	7,0	100,0	22,7
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	34,9	19,5	23,1	23,9	32,1	40,8	35,5	32,1	33,4	34,8	26,4	16,1	19,7	13,5	28,4
Mitteaktiivne - Non-active	24,9	27,9	26,2	33,6	24,0	36,5	35,9	19,2	44,5	44,4	39,6	27,4	13,6	7,8	23,4
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	21,7	24,6	23,9	33,3	37,7	28,2	26,3	40,1	34,7	41,3	37,5	0,0	20,2	13,3	28,3
Üle suhtelise vaesuse piiri - Above the risk of poverty	26,8	28,7	27,3	31,7	25,3	42,8	36,5	31,4	35,1	36,8	26,3	16,8	18,7	7,6	27,4
Tervises seisund - Health status															
Terve - No health disorders	0,0	6,1	20,0	12,8	7,6	40,6	24,0	11,7	30,8	33,9	27,9	15,4	18,8	9,2	20,4
Tervisehäired - Less severe health disorders	10,8	25,3	26,2	30,7	29,3	41,0	32,6	40,0	36,3	37,1	21,8	22,3	18,6	8,9	30,5
Tõsisemad tervisehäired - Severe health disorders	35,0	20,4	22,3	37,5	26,6	39,6	37,1	40,3	45,6	38,0	32,7	15,9	5,4	8,1	31,1
Toimetuleku piirangud - Managing restrictions	27,9	33,4	29,0	30,7	32,7	34,3	60,1	27,4	34,6	42,1	37,7	18,8	46,8	0,0	34,1
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	23,2	16,5	12,0	12,3	23,2	20,4	8,2	6,5	22,4	0,0	5,2	0,0	0,0	0,0	9,1
Tervist kahjustav - Health harming	24,1	40,5	48,7	41,6	37,3	59,9	46,2	30,1	46,9	51,5	43,0	23,9	28,5	25,9	40,6
Kontrollkese - Locus of control															
Seesmine - Internal	32,9	20,3	14,5	30,4	22,7	36,6	31,9	27,6	28,1	31,1	24,9	14,8	16,8	7,9	22,8
Väline - External	21,4	26,2	29,5	40,4	21,6	31,3	37,7	27,7	73,9	44,1	54,7	100,0	0,0	0,0	36,1
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	27,5	15,4	17,9	22,3	25,3	33,7	41,0	21,5	31,5	27,8	20,7	15,1	17,1	6,4	20,2
Väga halb või halb - Very bad or bad	28,9	34,8	24,8	28,0	27,4	36,8	42,6	38,6	43,8	56,1	23,3	61,2	38,5	0,0	34,1
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	45,8	37,3	24,6	0,0	0,0	0,0	100,0	63,4	0,0	0,0	100,0	0,0	14,6	0,0	16,0
Normaal - Normal weight	25,5	25,5	22,8	31,7	29,6	47,5	37,8	33,8	44,1	37,6	26,9	16,1	19,3	8,9	25,5
Ülekaal - Overweight	25,6	30,0	28,0	29,2	27,6	32,8	27,8	28,1	27,5	31,7	23,4	17,7	18,0	13,3	26,2
Rasvumine - Obesity	15,8	26,5	27,2	36,0	25,4	39,0	45,6	29,9	32,3	42,1	39,3	21,0	8,2	0,0	33,0
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 83.B. Suitsetatud sigarettide arv päevas regulaarse suitsetamise perioodil (%) sünnipölvkonna järgi, naised
TABLE 83.B. Number of cigarettes smoked per day during the regular smoking period (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
1–9 sigaretti - 1–9 cigarettes	3,7	4,6	5,2	5,1	5,2	13,9	13,5	17,8	14,0	14,7	10,8	13,0	10,5	7,7	10,5
10–19 sigaretti - 10–19 cigarettes	1,7	3,0	4,5	3,1	8,6	8,6	12,1	15,8	20,1	12,7	15,3	20,6	14,3	6,2	11,2
20 või enam sigaretti - 20 or more cigarettes	0,6	1,5	2,4	3,1	2,4	2,8	6,9	5,9	6,3	6,6	3,3	2,6	3,6	1,6	3,8
Pole regulaarselt suitsetanud - Has not smoked regularly	94,0	90,9	87,9	88,7	83,8	74,7	67,5	60,5	59,6	66,0	70,6	63,8	71,6	84,5	74,5
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	343	179	247	235	258	224	200	245	181	206	241	3312
Vastamata - Missing (N)	0	0	0	1	1	1	1	2	1	1	1	1	1	0	11

TABEL 83.1.B. 20 või enam sigaretti päevas suitsetanute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 83.1.B. Percent of persons who have smoked 20 or more cigarettes per day in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	1,5	3,3	1,2	4,4	0,0	1,5	7,4	5,3	4,9	3,5	3,6	3,4	4,0	0,0	3,4
Ida-Virumaa	0,0	1,9	2,0	2,7	3,3	6,2	3,6	3,7	6,6	7,7	5,1	3,4	0,0	2,5	3,5
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	0,0	1,1	2,9	3,6	1,2	3,4	7,3	4,2	11,8	4,2	1,2	6,0	3,1	4,0
Järva, Lääne-Viru, Rapla	0,0	0,0	4,9	0,0	0,0	0,0	14,6	14,4	16,9	5,4	0,0	0,0	0,0	5,8	5,3
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	6,5	1,8	7,1	8,2	8,9	0,0	0,0	3,7	2,7	5,7	0,0	0,0	3,3
Asulatüüp - Type of residence															
Linn - Urban	0,8	1,9	2,0	3,5	2,7	3,1	5,8	6,2	6,6	4,6	2,6	2,3	2,5	0,9	3,4
Maa - Rural	0,0	0,0	3,9	1,6	1,6	2,0	10,3	4,8	5,6	12,2	6,8	3,8	7,3	3,6	4,9
Rahvus - Ethnicity															
Eestlane - Estonian	0,9	1,7	2,6	2,8	2,3	2,3	7,2	6,6	5,7	5,9	2,8	3,2	4,9	2,0	3,8
Mitte-eestlane - Non-Estonian	0,0	0,8	2,1	3,6	2,8	3,8	6,4	4,9	7,6	8,5	4,4	1,2	1,6	0,9	3,7
Põlisus - Native-born population															
Põlisrahvastik - Native-born	0,9	1,7	2,4	3,0	2,5	2,2	7,5	6,3	6,2	5,9	2,7	3,5	4,5	1,8	3,8
Immigrantrahvastik - Not native-born	0,0	0,9	2,4	3,2	1,9	4,2	5,9	5,2	6,7	8,4	4,8	0,0	1,8	1,1	3,6
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	0,0	1,3	1,8	2,8	3,5	5,4	3,3	5,2	6,0	3,5	3,0	2,7	9,4	3,8
Ei ole kooselus - Not cohabiting	0,7	1,8	2,9	4,0	2,0	1,9	9,5	11,3	9,9	8,1	2,7	1,5	4,7	0,5	3,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	0,0	0,5	5,1	3,1	5,8	4,4	18,9	9,1	40,1	20,4	17,9	6,9	11,3	0,7	4,5
Kesk - Upper secondary	1,7	2,9	1,6	2,7	2,5	4,1	6,1	5,8	5,5	8,3	3,7	5,2	3,9	3,3	4,4
Kõrg - University	0,0	1,7	0,0	3,6	0,0	0,8	4,9	5,8	5,1	3,6	0,8	0,0	1,3	0,0	2,6
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	0,0	3,6	1,4	1,4	4,7	5,5	5,4	5,8	3,1	2,1	5,5	0,0	4,1
Mitteaktiivne - Non-active	0,6	1,5	2,5	3,0	2,9	5,3	18,9	9,6	14,3	10,0	4,2	3,8	0,9	1,9	3,4
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	1,5	2,8	5,2	1,6	6,9	12,9	11,5	9,5	7,4	4,5	12,9	3,5	0,0	5,1
Üle suhtelise vaesuse piiri - Above the risk of poverty	0,0	1,6	2,2	1,9	2,8	1,0	5,6	4,5	5,7	6,5	3,1	1,8	3,1	2,5	3,3
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	10,4	0,0	0,0	0,0	8,9	4,5	7,0	1,5	1,2	3,8	1,2	3,1
Tervisehäired - Less severe health disorders	0,0	0,0	1,1	1,5	1,8	3,8	8,6	4,8	9,0	5,4	2,2	0,0	2,8	1,8	4,0
Tõsisemad tervisehäired - Severe health disorders	0,0	2,6	1,5	2,9	1,5	0,0	6,8	5,5	4,6	10,4	16,8	19,9	0,0	0,0	4,4
Toimetuleku piirangud - Managing restrictions	0,8	1,3	3,7	3,9	5,7	4,9	5,9	6,2	5,7	0,0	21,2	0,0	5,5	8,4	3,7
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	2,1	0,0	0,0	0,0	0,0	2,6	0,0	1,1	1,5	0,0	0,0	0,0	0,0	0,6
Tervist kahjustav - Health harming	0,0	6,8	7,1	4,7	0,0	0,0	6,1	23,4	18,7	28,3	0,0	2,9	19,5	0,0	9,7
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	0,0	1,4	0,6	1,2	2,6	7,8	4,6	8,8	5,4	4,2	1,4	5,3	1,6	3,9
Väline - External	1,5	0,0	3,4	5,6	0,0	0,0	0,0	0,0	0,0	17,1	0,0	0,0	0,0	0,0	1,7
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	0,0	0,0	1,6	3,2	4,1	8,5	6,1	4,8	5,2	0,9	1,0	2,7	1,6	3,1
Väga halb või halb - Very bad or bad	0,0	0,8	4,0	5,6	8,9	2,6	9,2	7,1	21,0	0,0	13,6	26,4	43,0	0,0	4,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	14,6	0,0	0,0	50,6	61,6	0,0	0,0	0,0	0,0	0,0	0,0	1,9
Normaal - Normal weight	0,0	3,7	0,0	4,2	3,0	3,4	6,2	5,7	1,6	5,7	3,5	2,1	3,3	2,1	3,3
Ülekaal - Overweight	0,0	0,6	2,4	3,5	2,4	3,5	6,6	2,6	12,2	13,2	2,0	4,8	0,0	0,0	4,2
Rasvumine - Obesity	3,0	0,0	4,3	1,2	2,1	2,0	7,2	8,7	15,7	0,0	6,2	6,2	27,1	0,0	4,8
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 84.A. Suitsetamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, mehed
TABLE 84.A. Smoking during the last four weeks (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Iga päev (peaaegu iga päev) - Almost every day	5,9	14,0	16,1	26,6	28,3	39,8	45,9	44,5	48,4	43,1	47,3	45,6	40,8	31,1	38,6	
3–4 korda nädalas - 3–4 times per week	1,7	0,6	0,0	1,6	0,0	0,0	2,7	1,6	2,2	0,6	0,4	1,2	1,6	1,8	1,2	
1–2 korda nädalas - 1–2 times per week	0,0	0,0	0,0	0,6	0,9	1,1	0,4	0,0	0,6	0,0	2,5	0,7	0,9	0,3	0,7	
1–3 korda kuus - 1–3 times per month	0,0	0,3	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,0	0,0	0,6	0,5	0,0	0,2	
Pole suitsetanud - Has not smoked	92,4	85,1	83,9	71,2	70,8	59,1	51,0	53,4	48,8	56,3	49,8	51,9	56,2	66,8	59,3	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	129	340	261	332	145	195	194	203	204	213	190	193	237	274	3110	
Vastamata - Missing (N)	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
TABEL 84.1.A. Igapäevasuitsetajate protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 84.1.A. Percent of daily smokers in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	2,0	11,3	13,7	28,7	20,3	47,8	46,0	40,7	42,4	46,0	40,3	46,1	50,1	33,5	39,0	
Ida-Virumaa	20,8	26,6	20,5	31,9	39,1	27,0	42,9	61,6	58,6	37,7	51,3	50,4	41,9	25,0	42,0	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	10,0	11,3	17,8	18,0	32,5	37,1	52,1	44,5	53,7	44,5	45,9	46,5	26,7	35,1	37,7	
Järva, Lääne-Viru, Rapla	0,0	15,0	22,2	15,3	41,7	37,2	46,3	43,8	50,8	55,1	67,6	32,3	32,7	26,1	39,0	
Lääne, Saare, Hiiu, Pärnumaa	0,0	15,3	11,0	42,3	25,6	35,5	37,7	38,9	44,0	21,9	59,9	45,8	50,8	24,3	35,0	
Asulatüüp - Type of residence																
Linn - Urban	7,2	12,9	15,2	25,6	29,6	37,7	46,7	46,5	45,3	43,9	45,9	47,7	44,2	30,2	38,8	
Maa - Rural	3,1	18,2	18,2	29,8	24,8	44,9	43,4	39,8	54,8	41,5	51,3	36,4	26,2	33,6	37,9	
Rahvus - Ethnicity																
Eestlane - Estonian	4,1	13,6	12,8	24,2	25,5	37,9	41,6	42,6	46,4	41,6	44,6	37,1	35,9	30,3	35,2	
Mitte-eestlane - Non-Estonian	11,4	14,7	25,6	30,7	34,3	42,5	51,3	47,6	52,4	46,6	52,0	60,5	49,3	33,2	44,8	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	4,0	14,1	12,6	24,1	24,3	36,9	42,7	41,6	46,1	41,3	44,4	37,8	35,7	31,3	35,3	
Immigrantrahvastik - Not native-born	12,3	13,7	25,7	31,1	38,5	44,6	50,9	50,0	53,7	47,7	53,3	60,6	53,4	30,3	45,9	
Kooselu - Cohabiting																
Kooselus - Cohabiting	7,5	12,2	14,4	24,0	26,3	38,5	46,8	42,5	45,8	42,4	43,9	44,3	45,4	59,7	38,4	
Ei ole kooselus - Not cohabiting	3,3	18,1	23,4	36,9	38,6	47,1	41,6	52,9	60,0	46,2	56,7	48,1	38,2	29,5	39,1	
Haridus - Education																
Põhi või madalam - Lower secondary or less	6,7	16,5	25,2	30,5	40,1	52,5	54,8	56,1	56,1	52,9	61,5	52,0	68,9	30,3	37,7	
Kesk - Upper secondary	5,1	16,2	8,9	30,5	30,2	44,5	47,8	51,1	52,7	48,4	54,1	45,2	44,4	31,1	43,7	
Kõrg - University	5,2	7,6	14,5	19,6	17,6	29,8	39,4	34,6	37,9	28,1	29,9	44,2	18,8	100,0	29,8	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	12,0	18,5	21,4	28,8	35,1	44,6	40,5	46,8	41,4	45,9	44,2	45,1	56,4	42,5	
Mitteaktiivne - Non-active	6,2	14,1	15,7	28,2	27,8	51,4	51,2	73,3	64,1	71,4	62,6	66,4	25,0	24,2	30,5	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	3,0	17,9	8,3	37,6	41,2	49,2	53,5	61,5	49,6	68,0	52,7	55,7	41,6	25,8	43,1	
Üle suhtelise vaesuse piiri - Above the risk of poverty	6,2	11,7	17,6	25,0	25,2	35,9	46,2	39,6	45,6	42,4	47,1	42,8	42,3	33,0	37,7	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	28,2	18,4	25,3	25,2	44,0	44,1	40,6	49,1	45,6	39,7	31,4	39,7	
Tervisehäired - Less severe health disorders	6,7	7,7	15,7	24,0	24,2	39,6	48,0	47,8	51,0	40,2	37,1	47,6	40,2	26,9	38,6	
Tõsisemad tervisehäired - Severe health disorders	2,8	17,7	18,5	23,3	31,0	37,1	44,7	21,9	63,2	59,4	55,8	33,8	52,2	56,0	36,1	
Toimetuleku piirangud - Managing restrictions	7,0	15,4	16,6	33,1	34,4	51,1	64,2	61,8	45,8	54,6	55,7	51,2	46,8	0,0	37,2	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	0,0	0,0	6,9	0,0	0,0	5,5	0,0	0,0	25,3	0,0	21,0	6,3	0,0	0,0	6,4	
Tervist kahjustav - Health harming	20,6	23,9	11,0	40,7	48,2	72,1	58,4	54,9	72,2	69,0	52,8	67,6	44,6	82,0	56,0	
Kontrollkese - Locus of control																
Seesmine - Internal	6,6	10,1	13,4	22,9	16,0	35,0	39,0	38,7	46,2	35,8	45,8	44,3	36,7	28,9	35,9	
Väline - External	7,1	18,8	16,0	30,8	49,7	40,3	76,2	57,0	100,0	100,0	61,1	100,0	100,0	0,0	47,8	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	10,9	13,2	15,2	24,4	24,0	39,3	41,1	49,1	33,9	42,9	43,1	38,7	29,0	36,9	
Väga halb või halb - Very bad or bad	2,9	18,2	14,3	28,9	37,4	49,8	44,0	61,6	44,5	82,4	31,9	61,2	86,7	0,0	35,7	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	75,4	0,0	0,0	0,0	100,0	100,0	0,0	0,0	100,0	53,2	38,2	18,3	37,1	
Normkaal - Normal weight	7,6	22,6	21,4	42,6	42,5	55,9	60,5	56,2	63,0	54,6	52,1	41,7	45,3	30,9	44,7	
Ülekaal - Overweight	4,9	6,8	13,1	19,6	28,8	32,8	38,5	42,2	38,9	34,3	44,8	50,4	27,3	38,8	34,4	
Rasumine - Obesity	5,8	6,8	7,4	13,0	9,9	27,0	35,1	28,7	43,3	44,3	40,3	50,5	43,4	0,0	30,9	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															Total

TABEL 84.B. Suitsetamine viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 84.B. Smoking during the last four weeks (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														Kokku Total
		1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Iga päev (peaaegu iga päev) - Almost every day		1,2	3,6	3,6	5,6	6,9	13,2	18,3	23,0	23,8	20,8	17,6	23,5	20,1	10,7	14,8
3–4 korda nädalas - 3–4 times per week		0,0	0,0	0,4	0,0	0,0	0,0	1,6	0,8	2,3	0,8	1,4	0,6	0,0	0,4	0,7
1–2 korda nädalas - 1–2 times per week		0,0	0,0	0,0	0,4	0,8	0,0	0,5	0,9	0,0	1,1	0,3	0,0	2,0	0,8	0,5
1–3 korda kuus - 1–3 times per month		0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	1,8	0,0	0,6	0,2
Pole suitsetanud - Has not smoked		98,8	96,4	96,0	94,0	92,3	86,8	79,6	75,3	73,9	76,8	80,7	74,1	77,9	87,5	83,8
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TABEL 84.1.B. Igapäevasuitsetajate protsent rahvastikurühmades sünnipõlvkonna järgi, naised																
TABLE 84.1.B. Percent of daily smokers in background categories by birth cohort, females																
Piirkond - Region																
Harjumaa		3,0	6,5	1,9	7,0	6,7	13,0	19,6	20,9	25,6	11,7	20,3	20,0	22,0	13,5	15,1
Ida-Virumaa		0,0	3,8	0,0	5,5	8,1	15,5	19,0	37,0	19,7	34,6	17,5	20,4	27,2	14,8	16,7
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru		0,0	1,2	4,9	6,6	4,5	9,6	9,1	17,3	15,4	23,8	12,1	25,8	14,3	8,6	11,9
Järva, Lääne-Viru, Rapla		0,0	3,3	4,9	6,1	10,6	15,2	17,8	29,4	32,0	24,2	26,5	29,3	25,1	12,5	19,1
Lääne, Saare, Hiiumaa, Pärnumaa		0,0	0,0	8,7	0,0	8,2	15,9	27,0	19,4	25,3	30,0	9,3	31,4	11,4	3,0	14,0
Asulatüüp - Type of residence																
Linn - Urban		1,6	4,6	3,0	5,2	6,0	14,1	20,8	24,4	23,0	21,0	20,1	22,0	20,3	13,1	15,5
Maa - Rural		0,0	0,0	5,6	7,0	9,4	10,1	10,6	18,3	26,4	20,5	5,8	30,0	19,3	4,7	12,7
Rahvus - Ethnicity																
Eestlane - Estonian		0,9	4,3	5,4	5,2	8,0	13,5	15,1	20,3	25,2	21,2	14,1	22,4	17,9	9,3	14,0
Mitte-eestlane - Non-Estonian		1,6	2,1	0,0	6,2	3,8	12,5	22,8	26,7	20,8	20,0	24,6	25,8	23,3	13,6	16,4
Põlisus - Native-born population																
Põlisrahvastik - Native-born		1,7	4,1	5,1	5,0	7,6	12,9	16,4	20,3	23,7	21,2	13,9	21,1	19,2	9,1	13,9
Immigrantrahvastik - Not native-born		0,0	2,2	0,0	6,8	4,5	13,6	21,4	27,1	24,2	19,8	25,9	30,3	21,7	15,0	16,9
Kooselu - Cohabiting																
Kooselus - Cohabiting		0,0	1,8	4,7	2,1	5,6	10,3	14,9	17,2	24,4	19,1	15,3	23,0	20,1	16,3	15,5
Ei ole kooselus - Not cohabiting		1,3	4,1	3,0	8,1	8,5	17,6	24,4	35,1	22,0	25,2	25,7	24,7	20,0	9,9	14,0
Haridus - Education																
Põhi või madalam - Lower secondary or less		1,0	3,4	4,6	2,4	8,6	22,9	20,3	35,7	20,6	59,4	40,5	52,7	48,7	7,2	11,9
Kesk - Upper secondary		1,7	2,5	3,4	6,6	7,5	12,6	19,9	23,3	29,7	26,8	26,9	32,6	25,7	16,2	18,8
Kõrg - University		0,0	5,1	2,4	8,1	4,9	11,3	16,0	21,9	19,3	11,4	3,9	12,0	6,0	40,7	11,7
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active		0,0	0,0	0,0	8,8	9,1	12,7	16,4	22,6	24,8	19,9	16,7	24,6	19,9	25,3	19,3
Mitteaktiivne - Non-active		1,2	3,6	3,7	5,1	5,9	14,0	29,1	26,8	14,6	24,8	20,6	21,0	20,3	8,3	9,8
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty		0,0	5,3	4,9	8,5	3,2	19,4	15,4	19,5	19,7	28,5	28,5	29,0	30,7	4,1	12,9
Üle suhtelise vaesuse piiri - Above the risk of poverty		2,9	2,3	2,6	4,1	7,5	11,3	19,2	23,7	23,9	20,1	15,0	23,3	17,8	12,9	15,4
Tervise seisund - Health status																
Terve - No health disorders		0,0	0,0	0,0	0,0	17,8	9,6	21,7	21,9	21,9	17,9	16,4	25,2	20,2	6,0	17,5
Tervisehäired - Less severe health disorders		0,0	10,7	3,3	4,2	7,9	13,8	22,6	22,9	28,0	21,9	16,4	14,1	18,3	19,2	17,0
Tõsisemad tervisehäired - Severe health disorders		0,0	6,3	2,5	8,9	4,3	8,3	12,0	29,2	25,7	26,7	32,1	30,0	44,5	17,5	13,6
Toimetuleku piirangud - Managing restrictions		1,6	1,3	4,5	4,5	5,8	18,5	13,1	15,9	12,9	28,8	21,2	50,0	17,4	8,4	8,0
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective		0,0	0,0	1,5	0,0	0,0	4,8	0,0	6,0	4,5	2,1	1,5	0,0	0,0	0,0	1,5
Tervist kahjustav - Health harming		13,6	18,0	11,5	23,7	0,0	17,2	47,7	41,3	50,0	69,1	42,4	47,9	53,0	41,2	38,5
Kontrollkese - Locus of control																
Seesmine - Internal		0,0	5,6	1,2	4,2	6,2	9,3	19,8	20,7	20,4	16,7	18,1	19,8	18,7	6,1	14,5
Väline - External		0,0	0,0	5,2	5,6	13,1	0,0	0,0	30,2	14,3	34,1	25,5	0,0	20,4	0,0	6,9
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good		0,0	5,0	5,0	5,4	12,4	17,5	21,2	16,3	23,6	16,4	13,1	21,3	17,3	9,6	15,9
Väga halb või halb - Very bad or bad		2,1	0,8	4,6	4,0	2,3	9,8	23,7	20,8	17,5	40,9	13,6	26,4	0,0	49,6	7,8
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight		0,0	0,0	25,5	36,5	0,0	0,0	50,6	100,0	6,2	22,8	21,5	29,3	10,7	23,4	19,9
Normkaal - Normal weight		2,8	5,0	2,1	7,9	9,3	24,2	17,4	21,5	25,4	22,3	15,7	22,1	22,2	9,4	17,0
Ülekaal - Overweight		0,0	3,9	3,4	6,0	6,7	10,3	17,3	21,7	25,0	16,2	18,9	20,4	17,9	6,6	12,2
Rasvumine - Obesity		0,0	1,5	4,1	1,9	5,7	7,9	20,0	24,9	21,2	22,5	25,7	42,6	23,8	0,0	12,0
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
		Vanus - Age														

TABEL 85.A. Igapäevasuitsetajate päevas suitsetatud sigarettide arv viimasel neljal nädalal (%) sünnipölvkonna järgi, mehed
TABLE 85.A. Number of cigarettes smoked per day by daily smokers during the last four weeks (%) by birth cohort, males

	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
1–9 sigaretti - 1–9 cigarettes	50,1	21,0	21,8	14,3	5,5	5,6	6,7	6,3	5,9	10,1	4,9	12,2	24,3	22,9	11,3
10–19 sigaretti - 10–19 cigarettes	40,6	40,1	59,7	44,3	50,8	38,0	35,8	48,4	43,5	25,7	44,9	52,5	41,9	47,6	43,0
20 või enam sigaretti - 20 or more cigarettes	9,3	38,9	18,5	41,4	43,7	56,4	57,5	45,4	50,6	64,2	50,2	35,3	33,8	29,5	45,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	9	50	42	88	44	76	91	93	102	91	89	89	96	85	1045
Vastamata - Missing (N)	0	1	0	0	0	0	0	0	0	0	2	0	0	0	3
Ei suitseta iga päev - Does not smoke every day (N)	120	290	219	244	101	119	103	110	102	122	99	104	141	189	2063
TABEL 85.1.A. 20 või enam sigaretti päevas suitsetanud igapäevasuitsetajate protsent rahvastikurühmades sünnipölvkonna järgi, mehed TABLE 85.1.A. Percent of daily smokers who smoked 20 or more cigarettes per day in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	0,0	46,1	28,2	30,4	22,9	54,2	69,6	42,2	48,6	67,0	43,4	34,8	34,6	26,1	44,2
Ida-Virumaa	24,8	32,3	12,3	35,1	50,0	55,6	51,8	63,6	44,5	39,8	48,2	11,3	25,0	40,0	40,8
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	37,2	14,0	39,0	65,8	43,8	53,0	45,0	53,3	64,0	65,5	47,8	46,4	40,2	50,5
Järva, Lääne-Viru, Rapla	-	0,0	15,4	81,0	41,7	78,1	56,0	44,1	48,4	78,8	36,8	34,5	11,3	0,0	47,2
Lääne, Saare, Hiiumaa, Pärnumaa	-	63,0	17,6	59,7	30,7	69,4	42,4	28,3	58,7	58,6	56,2	50,0	34,9	19,1	44,8
Asulatüüp - Type of residence															
Linn - Urban	11,0	37,2	24,3	38,3	39,6	55,8	59,1	43,4	39,7	61,6	50,5	33,2	32,4	23,7	42,8
Maa - Rural	0,0	43,7	6,8	50,1	56,4	57,7	52,5	50,8	69,7	70,4	49,2	47,0	43,7	42,6	54,1
Rahvus - Ethnicity															
Eestlane - Estonian	0,0	41,6	8,4	47,1	46,1	55,9	50,1	40,4	58,7	62,3	55,8	36,6	37,1	30,2	46,7
Mitte-eestlane - Non-Estonian	19,3	33,7	32,9	34,0	39,7	57,1	65,2	52,7	35,4	67,8	41,9	33,9	29,7	27,9	44,2
Põlisus - Native-born population															
Põlisrahvastik - Native-born	0,0	43,5	13,3	50,3	46,1	57,5	50,8	40,3	57,9	63,7	55,9	39,4	37,8	29,4	47,2
Immigrantrahvastik - Not native-born	19,3	29,2	25,5	29,3	39,7	54,9	66,3	53,6	35,5	65,3	40,4	30,4	27,2	30,0	43,2
Kooselu - Cohabiting															
Kooselus - Cohabiting	11,7	29,2	17,1	39,3	43,6	57,0	60,6	46,2	51,4	66,2	51,9	38,9	30,0	54,0	49,6
Ei ole kooselus - Not cohabiting	0,0	54,6	22,1	46,8	44,1	54,0	41,2	42,6	47,7	56,8	46,3	28,9	36,4	26,7	38,2
Haridus - Education															
Põhi või madalam - Lower secondary or less	0,0	35,2	7,3	44,4	58,5	72,2	67,5	13,0	84,8	58,0	57,3	30,7	25,8	32,8	40,7
Kesk - Upper secondary	0,0	38,5	56,5	41,7	41,3	63,0	55,8	45,1	57,1	66,8	43,2	33,2	40,8	14,5	48,0
Kõrg - University	38,9	52,4	11,0	38,1	33,4	34,8	56,2	54,7	22,4	54,6	70,7	40,7	6,9	100,0	43,7
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	-	100,0	19,2	36,8	45,0	61,6	57,3	49,2	49,7	68,0	49,6	33,1	32,3	27,0	47,4
Mitteaktiivne - Non-active	9,3	36,4	18,4	42,5	42,6	47,8	58,3	30,0	56,8	28,3	54,8	57,4	44,0	31,1	40,6
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	30,6	18,6	48,6	51,5	42,0	29,8	45,3	60,9	50,0	71,2	23,9	43,3	47,3	45,9
Üle suhtelise vaesuse piiri - Above the risk of poverty	11,7	41,4	19,4	37,5	36,8	62,2	62,9	49,4	51,6	69,3	47,3	34,6	32,1	23,6	46,2
Tervise seisund - Health status															
Terve - No health disorders	-	-	-	29,5	41,4	28,3	19,3	35,8	43,5	73,3	52,8	29,6	34,5	28,7	41,5
Tervisehäired - Less severe health disorders	0,0	34,0	25,3	45,7	58,5	49,1	65,1	49,6	56,7	58,4	36,5	46,7	31,0	39,0	50,2
Tõsisemad tervisehäired - Severe health disorders	100,0	38,2	6,6	51,6	33,9	85,5	65,1	53,4	50,3	33,7	55,7	47,0	19,7	14,5	47,3
Toimetuleku piirangud - Managing restrictions	0,0	40,4	22,9	32,5	37,9	57,4	45,2	46,1	55,4	59,1	54,7	60,7	100,0	-	47,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	-	-	0,0	-	-	0,0	-	-	23,8	-	24,9	0,0	-	-	17,8
Tervist kahjustav - Health harming	0,0	45,3	30,9	48,6	48,5	57,6	48,8	50,6	56,3	54,7	61,0	37,2	10,9	31,6	48,9
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	44,9	25,6	57,1	60,6	51,2	59,7	41,1	41,5	62,9	44,0	36,7	32,3	26,3	43,0
Väline - External	0,0	28,2	14,7	24,9	32,5	47,1	50,5	73,1	90,6	44,1	78,3	0,0	0,0	-	52,5
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	-	27,3	15,9	26,1	49,1	39,4	70,8	39,4	45,6	65,8	45,3	33,1	31,7	22,9	40,5
Väga halb või halb - Very bad or bad	0,0	47,9	36,7	26,0	18,1	58,9	44,3	41,0	36,6	25,2	0,0	100,0	59,2	-	41,3
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	-	-	0,0	-	-	-	100,0	36,6	-	-	100,0	0,0	38,2	0,0	28,9
Normkaal - Normal weight	17,1	33,6	15,5	47,4	54,8	57,2	61,9	42,6	56,4	65,4	40,6	41,0	33,8	31,3	45,3
Ülekaal - Overweight	0,0	47,4	22,2	32,4	32,2	53,1	48,9	48,3	37,1	62,5	57,8	24,7	39,4	26,7	44,1
Rasumine - Obesity	0,0	76,2	33,6	40,4	37,6	61,1	60,9	46,0	61,0	64,5	54,9	48,1	15,5	-	53,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
	Vanus - Age														
	Total														

TABEL 85.B. Igapäevasuitsetajate päevas suitsetatud sigarettide arv viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 85.B. Number of cigarettes smoked per day by daily smokers during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
1–9 sigaretti - 1–9 cigarettes	100,0	30,0	51,2	28,5	21,5	45,7	33,3	42,4	20,4	38,0	30,8	27,7	38,0	52,9	34,9	
10–19 sigaretti - 10–19 cigarettes	0,0	51,5	10,2	46,9	67,3	41,8	32,1	39,4	58,5	40,8	52,5	64,4	49,9	40,2	47,5	
20 või enam sigaretti - 20 or more cigarettes	0,0	18,5	38,6	24,6	11,2	12,5	34,6	18,2	21,1	21,2	16,7	7,9	12,1	6,9	17,6	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	2	10	10	18	13	33	42	61	53	46	43	45	41	26	443	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ei suitseta iga päev - Does not smoke every day (N)	190	277	264	326	167	215	194	199	172	155	203	137	166	215	2880	
TABEL 85.1.B. 20 või enam sigaretti päevas suitsetanud igapäevasuitsetajate protsent rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 85.1.B. Percent of daily smokers who smoked 20 or more cigarettes per day in background categories by birth cohort, females																
Piirkond - Region																
Harjumaa	0,0	16,6	0,0	24,9	0,0	0,0	22,5	18,7	12,9	14,9	11,1	8,3	6,0	0,0	11,3	
Ida-Virumaa	-	50,0	-	50,0	40,8	39,9	28,6	10,0	33,3	11,1	28,6	16,7	0,0	16,7	19,9	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	-	0,0	22,6	15,4	27,9	0,0	81,8	26,0	9,2	24,8	34,8	4,7	34,6	20,8	22,7	
Järva, Lääne-Viru, Rapla	-	0,0	0,0	0,0	0,0	0,0	79,4	33,0	28,6	50,0	14,8	0,0	30,4	0,0	23,3	
Lääne, Saare, Hiiumaa, Pärnumaa	-	-	100,0	-	0,0	36,4	20,3	0,0	34,4	11,9	0,0	18,1	0,0	0,0	20,9	
Asulatüüp - Type of residence																
Linn - Urban	0,0	18,5	23,1	34,3	18,4	11,0	31,5	17,9	21,7	17,2	13,9	6,3	5,7	3,2	15,6	
Maa - Rural	-	-	69,4	0,0	0,0	19,5	53,5	19,3	19,3	32,9	61,5	12,7	36,0	32,5	25,5	
Rahvus - Ethnicity																
Eestlane - Estonian	0,0	13,5	38,5	17,7	6,3	12,7	34,5	18,3	15,2	20,6	15,8	9,7	16,9	6,9	16,8	
Mitte-eestlane - Non-Estonian	0,0	40,2	-	33,4	43,5	12,1	34,8	17,9	36,4	23,0	17,8	4,7	6,8	6,8	18,9	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	0,0	13,5	38,5	17,7	6,3	12,7	34,2	17,5	15,2	20,6	15,3	9,4	14,3	6,6	16,4	
Immigrantrahvastik - Not native-born	-	40,2	-	33,4	43,5	12,1	35,1	18,9	36,4	23,0	18,4	5,0	8,5	7,3	19,7	
Kooselu - Cohabiting																
Kooselus - Cohabiting	-	0,0	47,1	24,3	26,4	14,5	31,8	8,6	22,2	16,8	19,7	8,7	11,0	14,6	17,0	
Ei ole kooselus - Not cohabiting	0,0	20,8	32,4	24,6	0,0	10,7	37,6	28,1	17,2	29,6	10,4	5,9	13,6	5,0	18,4	
Haridus - Education																
Põhi või madalam - Lower secondary or less	0,0	15,5	43,6	29,4	0,0	19,3	64,9	25,5	51,1	34,4	64,9	5,5	28,4	9,5	25,9	
Kesk - Upper secondary	0,0	57,0	27,9	13,9	20,9	13,5	42,1	15,4	16,2	19,2	6,9	13,2	8,9	5,1	15,9	
Kõrg - University	-	0,0	53,1	34,7	0,0	7,4	14,9	20,1	25,3	19,4	20,5	0,0	0,0	0,0	16,1	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	-	-	-	41,2	0,0	0,0	29,0	17,6	17,3	20,9	15,4	8,4	16,9	0,0	16,1	
Mitteaktiivne - Non-active	0,0	18,5	38,5	19,3	19,6	32,2	52,3	22,9	78,8	22,0	20,4	6,4	5,7	10,4	21,0	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	-	11,0	18,4	25,2	0,0	29,0	40,8	32,9	7,5	7,9	15,9	44,3	23,9	0,0	21,9	
Üle suhtelise vaesuse piiri - Above the risk of poverty	0,0	33,3	72,5	23,7	14,7	4,3	33,5	17,3	26,5	26,1	17,7	3,8	9,8	8,9	17,7	
Tervise seisund - Health status																
Terve - No health disorders	-	-	-	-	0,0	0,0	26,6	22,5	14,2	22,1	8,6	7,1	12,4	11,8	13,0	
Tervisehäired - Less severe health disorders	-	0,0	33,3	19,1	23,2	13,7	38,5	20,6	30,4	28,3	6,5	0,0	16,8	0,0	20,8	
Tõsisemad tervisehäired - Severe health disorders	-	40,8	59,8	20,0	0,0	0,0	37,1	11,0	17,6	14,0	52,4	26,0	0,0	0,0	20,1	
Toimetuleku piirangud - Managing restrictions	0,0	0,0	33,4	36,9	0,0	18,8	20,1	14,0	0,0	0,0	100,0	0,0	0,0	100,0	17,8	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	-	-	0,0	-	-	0,0	-	0,0	55,9	0,0	0,0	-	-	-	14,5	
Tervist kahjustav - Health harming	0,0	15,2	61,7	0,0	-	0,0	21,5	52,9	19,7	41,0	0,0	14,2	6,2	0,0	19,9	
Kontrollkese - Locus of control																
Seesmine - Internal	-	0,0	0,0	15,4	18,5	0,0	43,0	22,1	33,1	20,3	14,7	3,9	21,4	0,0	19,7	
Väline - External	-	-	0,0	40,2	0,0	-	-	0,0	0,0	50,0	0,0	-	0,0	-	9,0	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	-	0,0	0,0	29,3	25,9	5,6	39,3	24,2	15,7	17,3	6,9	6,9	10,2	5,3	14,1	
Väga halb või halb - Very bad or bad	0,0	0,0	41,9	33,4	0,0	26,6	22,9	34,2	0,0	0,0	100,0	0,0	-	0,0	20,9	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	-	-	100,0	40,2	-	-	100,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	6,6	
Normaal - Normal weight	0,0	25,0	0,0	10,8	14,4	9,3	32,8	21,7	15,4	20,6	17,1	6,7	12,4	10,3	15,4	
Ülekaal - Overweight	-	16,4	48,8	31,8	16,9	17,0	35,6	11,5	34,1	42,7	28,1	13,2	26,5	0,0	25,8	
Rasvumine - Obesity	-	0,0	29,7	32,5	0,0	14,2	32,0	23,2	22,9	0,0	10,9	14,5	0,0	-	18,5	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
	Vanus - Age															

TABEL 86.A. Igapäevasuitsetajad tarvitatava suitsuliigi järgi viimasel neljal nädalal (%) sünnipölvkonna järgi, mehed
 TABLE 86.A. Type of cigarettes smoked by daily smokers during the last four weeks (%) by birth cohort, males

		Sünnipölvkond - Birth cohort														Kokku <i>Total</i>
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	
	Filtriga sigaretid - <i>Filter cigarettes</i>	100,0	82,7	82,1	87,1	89,5	88,3	90,8	96,8	99,3	100,0	93,5	98,9	100,0	99,0	95,5
	Filtrita sigaretid - <i>Non-filter cigarettes</i>	0,0	17,3	17,9	12,9	10,5	11,7	9,2	3,2	0,7	0,0	2,8	1,1	0,0	1,0	4,1
	Muu - <i>Other</i>	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,7	0,0	0,0	0,0	0,4
	Kokku - <i>Total (%)</i>	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - <i>Total (N)</i>	9	50	42	88	44	76	91	93	102	91	91	89	96	85	1047
	Vastamata - <i>Missing (N)</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	Ei suitseta iga päev - <i>Does not smoke every day (N)</i>	120	290	219	244	101	119	103	110	102	122	99	104	141	189	2063
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku <i>Total</i>

TABEL 86.B. Igapäevasuitsetajad tarvitava suitsuliigi järgi viimasel neljal nädalal (%) sünnipölvkonna järgi, naised

TABLE 86.B. Type of cigarettes smoked by daily smokers during the last four weeks (%) by birth cohort, females

		Sünnipölvkond - Birth cohort														Kokku <i>Total</i>
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	
Filtriga sigaretid - <i>Filter cigarettes</i>		100,0	100,0	89,8	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,9	100,0	98,0	100,0	99,3
Filtrita sigaretid - <i>Non-filter cigarettes</i>		0,0	0,0	10,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,1	0,0	2,0	0,0	0,7
Muu - <i>Other</i>		0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Kokku - <i>Total (%)</i>		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - <i>Total (N)</i>		2	10	10	18	13	33	42	61	53	46	43	45	41	26	443
Vastamata - <i>Missing (N)</i>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ei suitseta iga päev - <i>Does not smoke every day (N)</i>		190	277	264	326	167	215	194	199	172	155	203	137	166	215	2880
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku <i>Total</i>

TABEL 87.A. Kunagi regulaarselt suitsetanute praegune suitsetamine (%) sünnipõlvkonna järgi, mehed
TABLE 87.A. Current smoking of those who have ever smoked regularly (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Igapäevasuitsetaja - Daily smoker	9,1	23,5	26,8	39,0	43,5	57,2	62,1	65,2	71,1	63,0	70,8	76,1	74,9	87,1	62,1	
Juhusuitsetaja - Occasional smoker	2,5	1,5	0,0	3,3	1,4	1,6	4,2	3,1	4,2	0,9	4,4	4,1	5,5	5,8	3,3	
Loobunud suitsetamisest tervise halvenemise tõttu - Quit smoking because of worsening health status	32,9	32,5	36,5	24,2	22,4	14,3	10,4	9,5	6,3	6,9	4,0	3,2	4,4	0,0	10,9	
Loobunud suitsetamisest muudel põhjustel - Quit smoking for other reasons	55,5	42,5	36,7	33,5	32,7	26,9	23,3	22,2	18,4	29,2	20,8	16,6	15,2	7,1	23,7	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	83	203	154	229	96	133	143	140	140	143	128	118	127	99	1936	
Vastamata - Missing (N)	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
Pole kunagi regulaarselt suitsetanud - Has never smoked regularly (N)	46	137	107	103	49	62	51	63	64	70	62	75	110	175	1174	
TABEL 87.1.A. Regulaarsest suitsetamisest loobunute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 87.1.A. Percent of persons who have quit regular smoking in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	97,3	79,3	77,3	60,5	63,2	36,7	34,2	31,8	30,2	32,1	26,0	13,7	19,8	6,2	34,2	
Ida-Virumaa	57,5	57,5	60,6	49,3	40,5	57,9	26,8	19,6	18,8	27,7	24,4	24,4	8,7	16,7	28,8	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	85,2	75,7	69,5	61,6	48,2	42,1	32,7	33,6	20,7	37,1	29,9	22,9	24,1	9,3	35,2	
Järva, Lääne-Viru, Rapla	100,0	82,0	65,9	76,1	45,2	46,4	38,2	52,5	19,3	35,8	13,9	29,3	21,9	0,0	40,1	
Lääne, Saare, Hiiumaa, Pärnumaa	84,3	75,0	82,6	30,6	63,7	30,4	38,4	18,0	26,3	62,6	20,9	32,1	21,4	0,0	36,9	
Asulatüüp - Type of residence																
Linn - Urban	88,8	77,2	74,0	60,5	55,1	44,3	31,3	31,8	30,0	32,9	23,3	18,8	16,4	10,0	34,6	
Maa - Rural	87,3	66,0	71,5	47,4	55,0	33,7	40,6	31,4	13,9	42,6	28,5	25,4	33,3	0,0	34,6	
Rahvus - Ethnicity																
Eestlane - Estonian	92,2	74,6	78,7	58,6	59,2	41,2	38,1	34,8	26,8	41,2	28,2	26,5	24,1	7,9	38,3	
Mitte-eestlane - Non-Estonian	76,1	76,0	57,5	56,5	45,4	41,4	27,9	26,1	20,4	22,6	19,2	10,5	12,3	5,2	28,0	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	90,6	74,1	79,0	59,3	60,9	41,6	36,1	33,3	27,2	40,0	26,9	26,1	24,5	7,0	37,5	
Immigrantrahvastik - Not native-born	80,5	77,0	57,2	55,2	39,1	40,8	30,0	28,6	19,0	25,1	20,9	9,7	8,6	7,5	28,8	
Kooselu - Cohabiting																
Kooselus - Cohabiting	86,8	78,6	76,0	62,3	56,4	42,9	33,1	34,0	27,0	37,9	28,5	24,1	23,9	11,7	39,4	
Ei ole kooselus - Not cohabiting	91,2	65,5	61,7	39,9	49,0	32,9	36,5	22,2	14,9	28,4	14,4	10,6	16,3	6,5	22,7	
Haridus - Education																
Põhi või madalam - Lower secondary or less	87,6	71,8	67,5	55,5	43,7	25,6	19,4	21,2	23,6	42,4	9,9	22,8	17,6	5,1	32,3	
Kesk - Upper secondary	91,2	73,3	80,8	52,5	55,7	37,1	35,1	26,2	23,9	32,7	22,9	20,3	14,1	12,8	31,1	
Kõrg - University	87,7	84,4	74,6	66,1	62,9	52,9	35,7	40,8	27,2	46,2	36,1	17,8	44,2	0,0	43,9	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	100,0	79,8	63,1	60,5	58,7	46,0	34,8	36,8	26,5	37,5	25,7	20,7	20,5	10,1	31,7	
Mitteaktiivne - Non-active	87,6	74,8	74,4	57,0	51,7	31,0	29,2	0,0	9,2	18,3	16,0	8,7	12,8	5,3	41,7	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	88,7	65,8	84,6	38,4	45,0	38,5	32,0	20,5	22,1	16,5	26,5	0,0	0,0	4,7	30,8	
Üle suhtelise vaesuse piiri - Above the risk of poverty	88,8	78,9	71,1	61,8	57,6	44,7	29,2	37,6	27,1	36,9	23,6	23,0	21,1	9,0	36,2	
Tervise seisund - Health status																
Terve - No health disorders	0,0	100,0	100,0	54,1	60,6	56,8	59,9	18,2	30,0	37,5	24,5	19,7	22,4	6,7	26,0	
Tervisehäired - Less severe health disorders	87,0	87,1	73,6	61,6	57,9	41,8	29,7	35,0	24,5	38,9	34,9	25,3	15,6	11,7	37,5	
Tõsisemad tervisehäired - Severe health disorders	95,7	62,3	68,1	63,5	54,1	37,6	28,6	55,3	11,3	29,9	7,9	0,0	12,9	0,0	40,6	
Toimetuleku piirangud - Managing restrictions	86,5	75,9	75,2	47,9	52,1	37,3	26,6	18,5	11,8	22,2	20,4	15,2	0,0	0,0	45,7	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	100,0	91,0	79,3	100,0	100,0	88,1	100,0	100,0	14,9	100,0	0,0	61,4	0,0	0,0	68,5	
Tervist kahjustav - Health harming	69,8	70,3	86,1	52,0	43,9	22,0	34,7	34,4	12,2	23,7	30,1	10,3	26,0	0,0	31,5	
Kontrollkese - Locus of control																
Seesmine - Internal	90,2	76,5	70,5	60,3	68,0	47,0	36,7	34,0	28,1	44,1	26,5	15,1	23,7	10,0	34,1	
Väline - External	89,1	67,4	73,9	58,3	47,1	44,4	12,7	0,0	0,0	0,0	15,1	0,0	0,0	0,0	36,5	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	100,0	78,3	66,0	68,7	53,3	57,3	42,9	33,7	23,3	43,7	30,5	21,3	22,0	6,8	30,3	
Väga halb või halb - Very bad or bad	93,2	71,5	79,6	54,4	54,9	28,8	38,7	20,2	26,0	0,0	27,7	0,0	0,0	0,0	48,1	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	100,0	100,0	24,6	100,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	12,3	
Normkaal - Normal weight	85,6	59,0	66,3	38,2	35,2	29,9	16,5	21,8	10,8	24,1	16,3	11,8	14,2	5,2	22,0	
Ülekaal - Overweight	89,5	88,2	77,6	65,2	57,4	44,9	40,7	36,0	35,9	44,5	24,3	24,2	39,2	11,2	42,6	
Rasvumine - Obesity	90,2	89,5	86,1	77,3	81,9	57,5	51,3	43,6	29,8	40,7	46,7	33,9	24,3	100,0	51,8	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
Vanus - Age																

TABEL 87.B. Kunagi regulaarselt suitsetanute praegune suitsetamine (%) sünnipölvkonna järgi, naised
TABLE 87.B. Current smoking of those who have ever smoked regularly (%) by birth cohort, females

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Igapäevasuitsetaja - Daily smoker	19,5	39,2	29,6	48,6	41,5	51,8	55,7	57,5	58,6	60,8	59,5	64,2	69,6	69,1	57,6
	Juhusuitsetaja - Occasional smoker	0,0	0,0	3,6	3,0	4,5	0,0	6,3	4,3	5,6	6,7	5,8	6,5	7,1	11,5	5,4
	Loobunud suitsetamisest tervise halvenemise tõttu - Quit smoking because of worsening health status	19,2	28,1	20,2	17,4	27,9	16,6	14,6	10,7	4,3	1,1	7,5	8,3	1,3	6,8	9,7
	Loobunud suitsetamisest muudel põhjustel - Quit smoking for other reasons	61,3	32,7	46,6	31,0	26,1	31,6	23,4	27,5	31,5	31,4	27,2	21,0	22,0	12,6	27,3
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		11	25	33	38	30	62	77	103	90	73	72	66	60	37	777
Vastamata - Missing (N)		0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Pole kunagi regulaarselt suitsetanud - Has never smoked regularly (N)		181	262	241	306	150	185	159	157	135	128	174	116	147	204	2545
TABEL 87.1.B. Regulaarsest suitsetamisest loobunute protsent rahvastikurühmades sünnipölvkonna järgi, naised TABLE 87.1.B. Percent of persons who have quit regular smoking in background categories by birth cohort, females																
Piirkond - Region																
	Harjumaa	71,4	53,8	74,1	54,2	51,9	52,7	31,9	47,1	32,6	43,5	39,4	40,9	16,0	15,7	39,6
	Ida-Virumaa	0,0	0,0	100,0	0,0	37,2	11,7	32,3	10,2	11,1	10,0	18,2	25,1	30,8	25,0	21,1
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	100,0	0,0	64,6	31,2	58,4	59,8	58,0	43,6	38,2	43,6	37,6	19,0	30,2	0,0	39,8
	Järva, Lääne-Viru, Rapla	100,0	82,1	59,7	51,3	46,6	55,6	48,8	44,5	48,1	13,9	36,2	23,7	28,2	0,0	41,1
	Lääne, Saare, Hiiumaa, Pärnumaa	100,0	100,0	45,3	100,0	67,6	31,5	30,7	22,9	28,8	9,1	16,7	0,0	34,3	64,2	33,5
Asulatüüp - Type of residence																
	Linn - Urban	79,0	57,0	72,3	53,2	63,3	46,5	30,4	35,3	37,8	30,5	31,9	26,4	21,8	16,2	35,9
	Maa - Rural	100,0	100,0	36,8	28,1	14,1	54,6	62,5	49,2	28,6	37,6	62,2	37,8	28,7	28,8	41,0
Rahvus - Ethnicity																
	Eestlane - Estonian	87,9	65,5	62,8	55,1	52,6	53,1	48,7	45,8	36,8	34,6	43,3	30,6	28,0	21,0	41,9
	Mitte-eestlane - Non-Estonian	50,0	0,0	82,2	34,4	62,4	36,0	18,3	27,9	33,2	24,1	20,2	26,7	16,1	16,9	26,6
Põlisus - Native-born population																
	Põlisrahvastik - Native-born	78,4	65,5	63,8	58,3	55,1	53,1	45,8	46,8	36,8	34,6	44,5	32,5	29,3	22,7	42,3
	Immigrantrahvastik - Not native-born	100,0	0,0	80,1	22,2	44,9	36,0	20,6	24,6	33,2	24,1	14,6	21,1	8,6	13,1	23,8
Kooselu - Cohabiting																
	Kooselus - Cohabiting	0,0	0,0	22,1	76,1	68,5	53,4	45,7	44,0	34,7	38,2	43,0	29,1	27,5	23,5	39,9
	Ei ole kooselus - Not cohabiting	80,5	63,5	75,2	36,0	35,6	42,3	25,4	29,4	39,1	17,6	0,0	29,8	17,6	17,9	32,7
Haridus - Education																
	Põhi või madalam - Lower secondary or less	60,4	52,4	54,0	49,5	40,3	38,1	44,5	18,8	59,0	11,3	25,1	24,2	19,8	24,2	31,7
	Kesk - Upper secondary	83,3	80,5	73,5	48,9	59,0	45,4	43,4	38,9	35,6	32,9	30,5	17,6	10,5	16,9	34,9
	Kõrg - University	100,0	40,6	68,2	47,4	49,0	55,2	27,5	39,5	33,8	38,9	62,3	47,1	57,4	0,0	43,0
Majanduslik aktiivsus - Economical activity																
	Aktiivne - Active	0,0	0,0	0,0	41,0	54,7	52,4	41,5	38,3	34,8	34,3	38,2	21,9	22,2	13,9	35,5
	Mitteaktiivne - Non-active	80,5	60,8	69,2	50,3	53,6	39,7	23,3	36,7	48,7	26,3	22,2	42,5	25,1	21,8	40,2
Sissetulek - Income																
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	100,0	58,3	65,6	36,1	51,3	28,9	29,6	52,5	45,3	22,0	14,6	24,2	29,3	34,8	38,4
	Üle suhtelise vaesuse piiri - Above the risk of poverty	58,1	61,5	62,1	57,7	58,0	50,3	42,3	33,9	35,1	33,1	41,2	31,8	22,8	14,7	36,8
Tervise seisund - Health status																
	Terve - No health disorders	100,0	0,0	100,0	100,0	36,1	44,0	35,6	29,4	32,9	31,7	33,0	18,1	26,8	40,3	29,9
	Tervisehäired - Less severe health disorders	100,0	24,4	73,9	27,0	46,1	43,6	32,8	43,8	32,4	28,5	39,7	51,9	13,2	0,0	35,4
	Tõsisemad tervisehäired - Severe health disorders	100,0	12,4	38,6	39,1	73,0	61,5	53,8	28,7	30,5	37,1	23,1	34,7	0,0	0,0	39,9
	Toimetuleku piirangud - Managing restrictions	73,4	86,4	69,3	64,3	49,6	46,2	33,0	42,3	63,1	40,8	55,0	28,9	38,5	0,0	53,8
Tervisekäitumine - Health behaviour																
	Tervist hoidev - Health protective	0,0	100,0	78,4	100,0	100,0	47,6	100,0	70,4	74,8	66,6	76,7	100,0	100,0	0,0	79,6
	Tervist kahjustav - Health harming	50,0	58,8	64,8	23,5	100,0	70,6	26,1	27,5	20,3	12,3	29,2	26,1	17,4	28,7	30,6
Kontrollkese - Locus of control																
	Seesmine - Internal	100,0	37,2	79,1	45,3	64,0	59,0	25,8	35,1	47,2	33,8	30,0	30,6	27,2	21,8	36,1
	Väline - External	100,0	100,0	74,3	37,4	0,0	100,0	100,0	23,2	0,0	0,0	0,0	0,0	0,0	100,0	40,9
Enesehinnanguline tervis - Self-estimated health																
	Väga hea või hea - Very good or good	100,0	71,6	56,7	45,3	34,8	37,8	31,3	53,5	34,6	35,7	36,6	33,1	19,8	18,3	34,1
	Väga halb või halb - Very bad or bad	69,3	89,8	63,9	68,2	87,2	58,7	25,5	39,3	61,7	0,0	39,0	50,0	100,0	0,0	55,6
Kehamassiindeks - Body Mass Index																
	Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	78,5	35,1	43,0	23,5	17,9	0,0	22,6
	Normkaal - Normal weight	65,2	49,6	81,7	27,1	40,7	35,1	42,8	41,4	31,8	30,8	36,4	21,4	19,3	23,6	32,1
	Ülekaal - Overweight	100,0	50,0	67,4	52,0	50,7	48,2	27,8	32,5	31,0	39,1	37,9	49,0	24,7	0,0	39,4
	Rasumine - Obesity	100,0	86,2	61,4	78,0	64,1	63,4	42,8	42,5	49,1	27,7	10,2	32,9	60,3	100,0	50,8
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
		Vanus - Age														
		Total														

TABEL 88.A. Mittesuitsetajate tubakasuitsule eksponeerituse aeg päevas tööl viibides (%) sünnipõlvkonna järgi, mehed
 TABLE 88.A. Hours of daily exposure to tobacco smoke among non-smokers at work (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
Üldse mitte - Not at all	86,0	83,6	94,7	91,9	86,9	90,2	95,9	91,3	90,5	89,8	87,5	91,6	89,4	89,3	90,4
1 tund - 1 hour	7,0	12,5	0,0	3,7	7,7	2,9	0,9	3,9	3,6	1,9	3,2	3,4	4,6	6,5	3,6
2-5 tundi - 2-5 hours	7,0	0,0	5,3	1,2	3,9	3,3	2,2	1,8	0,8	5,4	3,8	2,2	4,8	4,2	3,2
6 või enam tundi - 6 or more hours	0,0	3,9	0,0	3,1	1,5	3,6	1,0	3,0	5,1	2,9	5,5	2,8	1,2	0,0	2,8
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	12	17	30	60	47	90	80	102	91	115	86	95	108	59	992
Vastamata - Missing (N)	1	1	0	1	0	0	0	0	0	1	2	0	1	1	8
Suitsetaja - Smoker (N)	0	1	5	22	20	49	74	78	94	85	86	86	88	54	742
Ei tööta - Not working (N)	116	322	226	249	78	56	40	23	19	12	16	12	40	160	1369
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
	Vanus - Age Total														

TABEL 88.B. Mittesuitsetajate tubakasuitsule eksponeerituse aeg päevas tööl viibides (%) sünnipõlvkonna järgi, naised
TABLE 88.B. Hours of daily exposure to tobacco smoke among non-smokers at work (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Üldse mitte - Not at all	54,7	100,0	92,4	93,5	96,0	97,0	97,2	97,5	97,9	96,5	96,4	95,5	93,5	80,6		95,5
1 tund - 1 hour	0,0	0,0	0,0	3,3	1,6	0,0	0,0	1,4	0,9	1,1	0,7	2,5	3,9	2,1		1,4
2-5 tundi - 2-5 hours	45,3	0,0	0,0	1,8	0,0	2,0	1,6	0,4	0,5	1,1	1,8	0,8	2,0	5,2		1,5
6 või enam tundi - 6 or more hours	0,0	0,0	7,6	1,4	2,4	1,0	1,2	0,7	0,7	1,3	1,1	1,2	0,6	12,1		1,6
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	4	16	15	59	56	138	161	173	150	122	163	102	112	60		1331
Vastamata - Missing (N)	0	0	0	1	0	0	0	0	0	0	0	0	0	0		1
Suitsetaja - Smoker (N)	1	2	1	5	6	21	37	59	57	40	38	39	32	14		352
Ei tööta - Not working (N)	187	269	258	279	118	89	38	28	18	39	45	41	63	167		1639
	Vanus - Age															Kokku Total
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		

TABEL 89.A. Kodus suitsetamine (%) sünnipölvkonna järgi, mehed
TABLE 89.A. Smoking at home (%) by birth cohort, males

		Sünnipölvkond - Birth cohort														Kokku	
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Kodus suitsetatakse - <i>Somebody is smoking</i>	6,0	11,8	9,4	17,0	17,3	23,1	25,6	25,0	25,3	25,0	21,4	20,6	20,0	24,0	21,4	
	Kodus ei suitsetata - <i>Nobody is smoking</i>	94,0	88,2	90,6	83,0	82,7	76,9	74,4	75,0	74,7	75,0	78,6	79,4	80,0	76,0	78,6	
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
	Kokku - Total (N)	129	340	260	331	145	195	194	203	204	213	190	193	237	274	3108	
	Vastamata - Missing (N)	0	1	1	1	0	0	0	0	0	0	0	0	0	0	3	
TABEL 89.1.A. Isikute protsent, kellel kodus suitsetatakse rahvastikurühmades sünnipölvkonna järgi, mehed																	
TABLE 89.1.A. Percent of those at whose home somebody is smoking in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	2,0	10,4	5,1	20,9	16,3	26,6	25,0	18,8	20,6	29,3	17,1	22,6	19,1	23,7	20,7	
	Ida-Virumaa	20,8	19,5	21,0	19,9	34,2	15,0	26,9	33,6	22,9	23,7	29,2	22,9	33,6	32,0	26,6	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	7,0	10,3	9,6	10,0	17,3	18,2	24,5	25,9	32,4	23,4	20,2	15,5	13,9	30,2	20,6	
	Järva, Lääne-Viru, Rapla	0,0	5,9	11,3	14,2	16,3	22,3	26,1	34,2	34,5	29,0	30,3	13,3	18,3	5,0	21,3	
	Lääne, Saare, Hiiumaa, Pärnumaa	5,9	15,3	9,1	19,1	8,8	31,9	27,0	25,7	21,1	9,1	24,5	30,5	20,6	16,7	19,9	
Asulatüüp - Type of residence																	
	Linn - Urban	5,9	10,2	9,4	16,1	17,7	20,7	24,9	24,6	23,3	26,8	22,8	22,2	20,7	24,1	21,4	
	Maa - Rural	6,3	18,0	9,5	20,1	16,2	28,8	27,5	25,9	29,4	21,0	17,3	13,4	16,9	24,0	21,6	
Rahvus - Ethnicity																	
	Eestlane - Estonian	4,2	12,3	7,7	13,9	12,9	19,8	22,4	26,5	25,8	23,7	21,5	14,2	16,0	23,5	19,4	
	Mitte-eestlane - Non-Estonian	11,4	10,7	14,4	22,2	27,3	27,5	29,7	22,5	24,1	27,8	21,1	31,8	26,9	25,3	25,2	
Põlvkond - Native-born population																	
	Põlisrahvastik - Native-born	4,1	12,7	8,1	14,0	12,2	18,5	23,5	25,6	25,3	24,2	21,3	15,7	16,7	24,3	19,7	
	Immigrantrahvastik - Not native-born	12,3	9,7	13,2	22,3	30,7	30,3	28,8	23,9	25,2	27,0	21,5	30,0	28,0	23,3	25,4	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	5,0	10,3	9,6	15,1	17,1	20,9	24,8	20,6	22,7	24,0	17,3	15,8	26,0	46,9	19,7	
	Ei ole kooselus - Not cohabiting	7,7	15,3	8,9	24,5	18,4	34,6	29,0	44,1	37,2	28,8	32,8	29,7	16,6	22,8	24,8	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	4,9	14,8	14,4	15,4	19,5	38,4	47,4	34,3	52,6	20,3	42,9	34,4	27,5	25,1	26,1	
	Kesk - Upper secondary	6,5	9,9	5,8	17,6	16,6	26,0	26,7	28,0	27,3	30,0	21,9	20,6	21,4	20,9	23,1	
	Kõrg - University	7,7	9,1	8,1	17,3	17,5	14,1	16,0	19,9	16,1	13,0	14,5	16,1	12,9	42,6	15,3	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	13,7	19,5	9,2	9,5	19,2	21,1	21,9	19,6	23,1	23,9	19,8	20,0	19,9	24,1	20,8	
	Mitteaktiivne - Non-active	5,7	11,4	9,5	19,3	15,7	27,8	40,5	63,9	47,5	42,7	39,1	29,7	20,2	24,0	22,6	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	11,4	5,9	22,6	26,8	30,8	40,2	33,6	39,4	45,3	39,5	34,5	13,1	29,3	29,1	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	4,3	10,9	10,6	15,3	14,4	19,2	25,1	23,7	24,4	24,6	19,5	17,9	19,9	21,9	19,9	
Tervise seisund - Health status																	
	Terve - No health disorders	0,0	0,0	0,0	17,2	5,5	13,1	5,1	24,0	23,0	21,3	23,2	19,7	20,6	19,7	20,2	
	Tervisehäired - Less severe health disorders	6,7	6,6	6,2	15,2	16,9	22,7	29,4	24,9	30,3	33,8	15,6	21,8	17,8	36,3	23,1	
	Tõsisemad tervisehäired - Severe health disorders	7,3	16,3	8,5	16,8	19,9	25,4	20,9	14,8	17,3	32,9	25,7	28,7	23,3	50,9	20,8	
	Toimetuleku piirangud - Managing restrictions	5,7	12,1	14,7	19,8	19,5	26,7	40,7	44,3	22,8	22,5	19,2	20,1	17,3	58,3	21,9	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	0,0	6,6	2,6	0,0	0,0	0,0	7,6	0,0	11,7	18,2	14,1	0,0	0,0	0,0	4,8	
	Tervist kahjustav - Health harming	20,6	23,5	8,0	27,6	20,9	42,1	33,4	37,7	42,7	36,2	28,8	23,1	10,4	15,0	30,2	
Kontrollkese - Locus of control																	
	Seesmine - Internal	7,6	6,1	5,3	16,7	13,1	19,3	22,0	16,7	20,0	18,3	16,6	16,0	15,4	20,3	17,1	
	Väline - External	7,1	22,6	12,7	10,7	16,2	22,5	55,1	57,0	63,2	44,1	30,8	0,0	63,1	0,0	28,8	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	0,0	5,8	10,1	12,5	8,0	11,0	27,0	19,2	23,2	18,7	17,7	18,7	20,5	20,9	19,3	
	Väga halb või halb - Very bad or bad	5,0	15,9	10,7	22,9	20,9	23,2	33,0	42,9	29,4	35,4	10,4	61,2	12,8	0,0	21,9	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	21,8	0,0	37,3	0,0	0,0	0,0	100,0	36,6	0,0	0,0	100,0	0,0	25,8	32,7	28,6	
	Normkaal - Normal weight	7,7	17,7	13,5	24,7	20,8	31,7	31,0	31,6	32,1	28,9	21,5	24,7	20,6	24,5	24,8	
	Ülekaal - Overweight	2,7	6,8	7,7	14,6	21,1	17,1	24,0	22,9	18,9	21,8	20,8	15,5	17,0	17,9	18,4	
	Rasvumine - Obesity	5,8	7,3	2,5	8,9	7,2	20,2	18,2	19,0	26,9	26,0	20,8	19,7	22,3	49,0	18,1	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 89.B. Kodus suitsetamine (%) sünnipölvkonna järgi, naised
TABLE 89.B. Smoking at home (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Kodus suitsetatakse - <i>Somebody is smoking</i>	4,2	8,7	8,9	8,2	10,6	17,3	22,0	26,4	22,5	17,0	15,3	15,9	17,8	24,0	16,6	
Kodus ei suitsetata - <i>Nobody is smoking</i>	95,8	91,3	91,1	91,8	89,4	82,7	78,0	73,6	77,5	83,0	84,7	84,1	82,2	76,0	83,4	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	191	287	274	344	180	248	236	260	225	201	246	182	207	241	3322	
Vastamata - Missing (N)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	

TABEL 89.1.B. Isikute protsent, kellel kodus suitsetatakse rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 89.1.B. Percent of those at whose home somebody is smoking in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	4,6	9,5	7,3	7,8	9,2	13,4	21,1	27,8	27,2	9,9	17,2	14,4	18,1	19,1	15,9	
Ida-Virumaa	2,9	12,3	10,8	10,3	11,4	31,9	29,7	38,0	36,1	46,2	22,4	23,8	33,3	39,6	25,8	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	4,9	9,2	7,1	10,0	14,2	15,1	19,9	19,0	11,7	14,1	10,0	17,5	12,1	22,0	13,9	
Järva, Lääne-Viru, Rapla	7,6	11,1	12,3	6,1	4,3	15,2	18,4	29,3	22,1	24,5	16,2	13,4	7,8	14,6	15,5	
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	11,1	5,1	11,5	18,8	20,5	19,5	19,5	18,0	11,5	11,8	19,4	32,7	15,9	
Asulatuüp - Type of residence																
Linn - Urban	4,4	10,2	8,0	6,7	7,6	18,0	22,7	27,0	23,2	18,2	15,4	16,2	17,6	26,5	16,9	
Maa - Rural	3,8	3,6	12,3	13,2	17,8	15,1	19,6	24,2	20,3	13,4	14,6	14,6	18,3	17,7	15,8	
Rahvus - Ethnicity																
Eestlane - Estonian	4,1	7,4	9,2	7,2	10,5	14,0	16,6	21,0	18,8	14,5	11,8	14,8	12,1	20,6	13,7	
Mitte-eestlane - Non-Estonian	4,5	11,4	8,3	9,7	10,8	22,8	29,5	33,9	30,5	23,9	22,2	18,2	26,0	30,9	22,0	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	4,8	7,2	9,4	7,7	10,0	13,4	18,3	21,4	17,6	13,6	11,8	14,0	13,0	22,0	13,8	
Immigrantrahvastik - Not native-born	3,1	12,3	7,8	9,1	12,8	24,7	28,0	34,0	35,5	26,1	23,2	21,3	26,7	29,3	22,8	
Kooselu - Cohabiting																
Kooselus - Cohabiting	11,9	12,0	12,8	8,0	17,1	21,3	22,4	28,0	23,1	17,3	15,4	16,7	19,1	15,5	18,9	
Ei ole kooselus - Not cohabiting	3,4	7,8	7,1	8,4	3,2	11,2	21,1	22,8	20,4	16,1	14,9	14,1	15,9	25,2	14,0	
Haridus - Education																
Põhi või madalam - Lower secondary or less	4,3	8,1	11,7	8,4	15,6	26,8	24,9	72,4	31,8	53,8	26,4	41,4	52,1	24,6	19,5	
Kesk - Upper secondary	5,4	8,0	6,5	8,7	9,4	18,2	25,8	31,7	25,7	18,2	20,3	13,7	18,4	21,4	18,1	
Kõrg - University	0,0	10,9	9,3	7,3	9,3	13,7	17,0	18,9	19,3	12,3	8,0	12,6	9,1	100,0	13,2	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	23,0	10,5	5,7	6,0	17,4	19,1	24,3	23,6	16,0	14,3	15,0	14,6	35,1	18,1	
Mitteaktiivne - Non-active	4,2	8,5	8,8	8,7	12,8	17,2	37,9	47,1	12,3	21,1	18,7	18,0	22,1	22,1	14,9	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	2,7	5,9	7,4	10,2	9,8	16,7	34,0	27,0	18,6	29,7	22,1	28,3	18,4	25,5	15,6	
Üle suhtelise vaesuse piiri - Above the risk of poverty	6,8	10,8	9,5	6,8	11,2	17,4	19,7	27,1	24,0	15,8	13,1	13,3	16,4	21,8	16,5	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	10,2	4,8	4,9	14,3	24,5	19,3	12,9	16,0	15,6	20,1	28,7	18,6	
Tervisehäired - Less severe health disorders	0,0	20,3	4,1	4,9	8,9	12,6	22,6	23,9	28,1	21,2	6,2	11,5	14,6	19,0	16,2	
Tõsisemad tervisehäired - Severe health disorders	11,5	10,8	8,7	10,9	11,4	23,1	20,5	29,6	20,8	23,4	42,5	19,6	28,7	6,9	17,7	
Toimetuleku piirangud - Managing restrictions	3,4	6,1	11,7	8,4	14,5	24,4	26,9	34,2	16,0	15,0	27,6	50,0	5,3	8,4	13,3	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	2,3	0,0	1,7	2,5	7,7	5,8	8,0	18,2	14,3	4,2	1,8	7,0	10,1	23,1	7,0	
Tervist kahjustav - Health harming	13,6	22,4	11,5	11,6	13,3	13,0	36,2	46,0	36,4	21,7	28,6	17,7	22,1	41,2	27,0	
Kontrollkese - Locus of control																
Seesmine - Internal	4,6	13,0	5,2	3,7	6,5	11,5	19,6	21,0	17,5	10,1	14,7	11,8	13,6	21,0	14,2	
Väline - External	1,5	5,6	7,5	16,4	0,0	0,0	19,9	30,2	14,5	51,2	41,3	0,0	0,0	17,6	10,9	
Enesehinnangu tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	10,0	6,6	9,0	9,4	20,8	16,8	18,4	23,1	11,1	13,8	13,2	16,5	21,4	16,2	
Väga halb või halb - Very bad or bad	4,6	6,5	11,1	9,2	15,4	13,8	32,4	36,0	20,5	14,0	22,3	52,9	0,0	0,0	13,3	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	31,7	0,0	25,5	36,5	0,0	0,0	50,6	0,0	34,3	12,1	9,4	13,3	32,6	27,7	23,4	
Normaal - Normal weight	2,8	10,1	4,7	7,6	8,6	22,2	18,2	23,4	22,4	14,8	15,9	15,9	14,9	24,2	16,8	
Ülekaal - Overweight	6,2	11,0	5,6	9,6	9,7	14,0	22,6	21,3	20,5	22,7	16,2	20,9	14,5	21,6	15,1	
Rasvumine - Obesity	0,0	4,0	15,4	5,8	13,8	16,6	25,9	40,9	22,5	18,4	13,8	11,9	23,8	0,0	16,9	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
	Vanus - Age															

TABEL 90.A. Suitsetamine lapsepõlvkodus (%) sünnipõlvkonna järgi, mehed
TABLE 90.A. Smoking at parental home (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
Keegi ei suitsetanud - Nobody was smoking	47,0	42,8	49,0	45,2	46,2	39,0	37,4	36,1	38,2	33,5	44,2	35,6	41,6	38,7	39,8
Ema suitsetas - Mother was smoking	1,2	0,8	2,1	1,9	4,4	1,5	3,3	4,6	2,9	5,8	5,5	10,9	6,7	12,5	5,5
Isa suitsetas - Father was smoking	49,2	52,8	44,0	45,4	43,3	54,2	51,3	51,5	51,3	47,7	42,0	39,1	40,1	33,2	45,1
Mõlemad vanemad suitsetasid - Both parents were smoking	0,0	0,8	0,0	1,8	1,4	3,1	4,1	5,3	7,0	10,3	8,3	12,2	9,9	12,5	7,0
Keegi muu kodustest suitsetas - Somebody else was smoking	2,6	2,8	4,9	5,7	4,7	2,2	3,9	2,5	0,6	2,7	0,0	2,2	1,7	3,1	2,6
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	128	340	261	325	144	194	194	203	204	213	189	193	237	274	3099
Vastamata - Missing (N)	1	1	0	7	1	1	0	0	0	0	1	0	0	0	12
TABEL 90.1.A. Isikute protsent, kelle lapsepõlvkodus ei suitsetatud, rahvastikurühmades sünnipõlvkonna järgi, mehed															
TABLE 90.1.A. Percent of persons at whose parental home nobody was smoking, in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	45,3	48,2	58,4	49,7	44,9	36,0	46,0	34,9	42,4	38,0	46,4	36,9	44,0	35,9	41,8
Ida-Virumaa	61,5	36,8	39,4	50,9	44,1	35,8	32,5	44,0	25,0	24,1	45,2	35,3	39,2	44,5	37,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	40,9	39,5	41,1	45,6	42,2	37,4	32,8	33,9	33,7	36,4	44,6	39,6	41,6	34,5	38,2
Järva, Lääne-Viru, Rapla	75,7	24,8	55,5	47,1	51,4	46,9	44,4	31,1	44,2	23,1	34,1	18,9	41,0	52,0	39,8
Lääne, Saare, Hiiu, Pärnumaa	38,2	51,9	43,5	22,6	55,3	46,5	26,7	39,3	43,1	33,0	40,0	33,0	35,0	43,3	39,1
Asulatüüp - Type of residence															
Linn - Urban	45,6	41,6	50,7	45,3	45,3	41,9	41,1	36,5	38,4	31,9	45,4	37,3	43,9	38,7	40,8
Maa - Rural	50,5	47,7	44,9	45,1	48,6	32,0	26,4	35,1	37,7	37,2	40,6	28,3	31,7	38,8	37,1
Rahvus - Ethnicity															
Eestlane - Estonian	42,9	43,8	51,9	41,3	46,6	37,9	42,9	34,7	41,6	36,6	46,3	34,3	42,3	36,7	40,5
Mitte-eestlane - Non-Estonian	59,1	40,8	40,4	52,0	45,3	40,5	30,3	38,4	31,0	26,7	40,6	38,0	40,3	43,7	38,5
Põlisus - Native-born population															
Põlisrahvastik - Native-born	43,6	43,1	50,2	41,1	48,5	39,0	41,1	34,3	42,6	35,6	45,4	33,9	42,9	36,8	40,4
Immigrantrahvastik - Not native-born	58,1	42,1	45,7	52,9	40,1	38,9	31,7	39,5	27,6	28,2	41,8	38,9	38,4	45,6	38,6
Kooselu - Cohabiting															
Kooselus - Cohabiting	48,4	44,7	51,6	44,8	45,1	40,7	34,9	34,8	36,8	33,2	42,5	36,6	34,0	21,9	38,9
Ei ole kooselus - Not cohabiting	44,5	38,1	37,7	47,1	52,4	30,0	49,3	41,8	44,5	34,9	49,1	33,8	45,8	39,7	41,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	47,8	43,2	39,9	33,2	49,5	33,7	38,3	20,7	42,5	0,0	32,0	20,0	25,3	38,0	35,5
Kesk - Upper secondary	36,8	35,2	48,4	51,5	41,0	40,2	36,4	37,0	35,1	33,2	37,5	36,6	41,6	41,9	38,6
Kõrg - University	54,4	50,8	61,3	45,0	55,1	39,5	38,9	37,6	43,9	40,5	60,8	39,2	49,0	0,0	45,1
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	37,9	42,9	51,9	45,0	45,7	40,4	38,8	37,9	39,0	33,9	44,3	36,0	38,7	35,1	38,9
Mitteaktiivne - Non-active	47,5	42,8	48,6	45,3	46,6	35,6	31,9	22,8	29,7	28,1	43,8	30,8	52,3	39,7	41,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	34,8	33,9	39,0	38,2	52,4	35,9	42,2	26,5	21,6	20,0	54,1	31,0	40,0	27,7	34,7
Üle suhtelise vaesuse piiri - Above the risk of poverty	48,4	44,5	50,4	45,6	42,7	39,5	34,1	38,1	41,7	33,1	43,1	35,2	40,6	43,2	40,2
Tervise seisund - Health status															
Terve - No health disorders	100,0	52,1	61,8	58,5	53,7	55,8	47,7	45,1	39,7	34,5	42,0	35,5	38,3	40,5	39,9
Tervisehäired - Less severe health disorders	50,3	42,3	51,1	42,7	55,2	40,3	36,3	31,3	42,4	32,7	51,3	32,0	49,8	33,3	40,7
Tõsisemad tervisehäired - Severe health disorders	43,1	43,3	51,0	45,6	34,9	41,0	33,9	24,8	26,8	34,6	41,9	36,1	44,4	22,2	38,2
Toimetuleku piirangud - Managing restrictions	45,1	42,3	43,5	45,3	41,8	23,9	33,9	48,9	24,5	21,3	42,0	48,5	35,2	58,3	39,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	50,3	43,4	70,6	68,9	60,1	72,6	37,1	44,7	59,9	28,4	56,7	35,4	62,5	46,8	52,8
Tervist kahjustav - Health harming	30,3	48,1	54,1	36,7	49,1	18,9	32,4	32,1	30,1	35,5	42,7	41,7	36,3	33,1	36,2
Kontrollikese - Locus of control															
Seesmine - Internal	50,0	48,3	49,7	39,7	51,3	41,1	43,0	42,6	31,7	27,1	43,5	35,6	46,9	39,3	40,2
Väline - External	63,0	45,6	64,5	62,9	59,2	41,8	29,7	13,9	0,0	0,0	45,3	0,0	36,9	54,1	42,9
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	32,4	35,8	66,3	53,1	36,2	46,6	47,8	43,6	38,1	38,0	43,5	36,8	40,2	40,2	40,9
Väga halb või halb - Very bad or bad	45,4	44,5	47,6	50,5	44,4	19,5	27,7	19,3	41,6	0,0	39,1	100,0	43,2	0,0	37,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	42,6	37,3	61,4	0,0	0,0	0,0	0,0	0,0	0,0	100,0	0,0	26,3	34,5	22,2	26,6
Normkaal - Normal weight	51,9	43,5	33,9	45,6	44,9	35,0	42,7	42,9	33,4	29,5	47,1	29,5	40,8	42,6	39,4
Ülekaal - Overweight	47,8	45,5	52,9	46,5	45,8	35,8	39,5	32,6	41,2	37,7	44,1	41,4	45,3	26,6	40,7
Rasumine - Obesity	26,6	31,9	72,7	42,5	48,4	51,6	25,7	35,7	40,1	28,8	37,7	46,4	38,2	0,0	40,2
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
	Vanus - Age														
	Total														

TABEL 90.B. Suitsetamine lapsepõlvkodus (%) sünnipõlvkonna järgi, naised
TABLE 90.B. Smoking at parental home (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Keegi ei suitsetanud - Nobody was smoking	42,5	42,6	45,2	48,7	51,1	43,6	31,0	41,0	44,8	44,7	43,4	40,1	39,2	44,4	42,8
Ema suitsetas - Mother was smoking	0,6	1,2	0,7	3,6	2,5	2,6	3,9	4,5	2,9	6,0	8,0	8,8	7,7	10,5	4,9
Isa suitsetas - Father was smoking	51,7	52,2	49,4	39,8	39,9	46,7	58,0	51,2	44,4	42,5	38,6	38,0	40,9	32,1	44,2
Mõlemad vanemad suitsetasid - Both parents were smoking	1,2	1,5	1,2	1,4	1,7	4,1	5,5	1,7	6,4	4,9	8,7	12,0	10,0	11,0	5,5
Keegi muu kodustest suitsetas - Somebody else was smoking	4,0	2,5	3,5	6,5	4,8	3,0	1,6	1,6	1,5	1,9	1,3	1,1	2,2	2,0	2,6
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	286	272	344	180	248	234	260	225	200	246	182	205	241	3315
Vastamata - Missing (N)	0	1	2	0	0	0	2	0	0	1	0	0	2	0	8

TABEL 90.1.B. Isikute protsent, kelle lapsepõlvkodus ei suitsetatud, rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 90.1.B. Percent of persons at whose parental home nobody was smoking, in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	38,4	48,2	41,8	49,4	53,7	47,2	33,8	45,3	46,5	52,7	47,6	38,6	38,7	47,0	44,6
Ida-Virumaa	36,2	27,7	46,1	51,7	62,0	41,2	27,6	43,5	40,9	34,6	42,5	37,3	27,4	35,7	39,6
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	49,7	44,5	47,5	44,0	51,4	40,6	31,8	31,7	44,8	45,7	48,1	51,7	47,9	47,1	44,6
Järva, Lääne-Viru, Rapla	42,0	30,7	40,6	40,5	44,8	37,2	26,8	51,2	42,4	23,9	23,4	23,6	50,4	34,0	35,8
Lääne, Saare, Hiiu, Pärnumaa	45,1	49,5	53,8	55,0	40,8	47,0	29,4	34,2	46,1	40,3	44,0	44,8	19,9	47,1	43,1
Asulatüüp - Type of residence															
Linn - Urban	43,2	43,2	47,0	49,4	50,9	44,2	31,7	41,1	44,0	44,3	43,2	40,2	38,5	41,3	42,7
Maa - Rural	40,7	40,3	38,7	46,5	51,5	41,8	28,8	40,7	47,2	45,8	44,5	39,7	41,9	52,1	43,2
Rahvus - Ethnicity															
Eestlane - Estonian	42,9	43,2	43,6	47,9	56,8	43,6	34,3	38,2	48,2	42,5	41,0	38,0	40,3	45,1	43,2
Mitte-eestlane - Non-Estonian	41,7	41,4	48,4	49,9	33,6	43,7	26,2	44,9	37,4	50,7	48,3	44,3	37,7	42,8	42,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	43,7	43,3	44,0	48,4	55,5	45,2	34,7	37,9	46,6	43,2	41,0	36,6	40,5	43,3	43,0
Immigrantrahvastik - Not native-born	39,9	40,9	48,0	49,2	34,4	40,7	24,7	45,8	39,9	48,7	49,0	49,8	36,8	47,2	42,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	58,7	48,7	43,5	55,0	47,5	42,9	30,8	40,1	44,3	45,1	44,7	40,1	37,4	34,8	42,3
Ei ole kooselus - Not cohabiting	40,6	40,9	46,0	44,3	55,2	44,8	31,2	42,9	46,3	43,6	39,1	40,2	41,9	45,8	43,4
Haridus - Education															
Põhi või madalam - Lower secondary or less	42,5	38,6	48,0	53,2	44,4	59,7	25,7	18,6	18,4	52,5	19,4	51,8	29,5	45,1	43,5
Kesk - Upper secondary	43,7	47,5	41,0	43,9	49,8	44,2	30,4	40,4	38,5	45,3	47,0	31,8	36,5	44,0	41,3
Kõrg - University	38,3	45,7	49,2	50,0	57,7	38,8	32,9	42,8	51,4	43,3	42,9	43,5	44,8	0,0	44,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	100,0	16,1	49,2	49,4	47,7	42,7	31,1	40,0	43,4	42,6	43,0	42,8	41,7	41,6	41,2
Mitteaktiivne - Non-active	42,1	43,1	45,0	48,6	52,7	45,4	30,6	50,5	57,5	53,2	44,9	33,9	35,9	44,8	44,7
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	41,8	38,2	41,9	46,5	59,4	48,8	30,2	39,4	45,7	45,8	41,1	30,3	37,2	38,8	42,7
Üle suhtelise vaesuse piiri - Above the risk of poverty	40,8	45,5	49,0	49,3	48,9	43,4	30,2	38,8	42,1	44,4	44,0	41,1	39,8	45,1	42,5
Tervise seisund - Health status															
Terve - No health disorders	33,8	14,4	91,4	52,2	49,4	52,9	39,5	50,7	46,8	46,3	41,2	39,0	37,5	43,2	42,6
Tervisehäired - Less severe health disorders	56,9	35,4	45,2	51,3	48,9	41,3	30,2	36,9	48,1	37,0	52,6	45,2	41,3	47,3	42,7
Tõsisemad tervisehäired - Severe health disorders	46,5	38,2	43,2	45,7	53,8	51,3	37,7	38,7	31,5	56,0	34,5	24,7	43,3	48,6	43,4
Toimetuleku piirangud - Managing restrictions	40,4	47,1	44,6	48,8	51,8	37,4	18,2	45,8	42,0	45,6	16,9	70,3	45,4	33,8	42,8
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	45,1	39,7	44,0	57,0	56,9	49,3	41,1	35,2	49,2	39,7	48,8	41,6	45,4	33,9	45,8
Tervist kahjustav - Health harming	32,5	45,4	43,3	42,0	66,6	35,0	22,3	49,6	62,0	38,3	48,7	42,7	26,2	0,0	41,3
Kontrollikese - Locus of control															
Seesmine - Internal	41,8	39,4	55,5	47,4	44,2	40,6	33,7	38,6	48,8	46,6	44,1	42,8	42,9	50,9	44,1
Väline - External	34,1	53,4	44,4	62,5	68,1	57,1	19,2	36,0	14,1	34,1	73,0	73,6	9,7	35,2	43,9
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	49,3	32,0	53,6	49,6	62,0	41,9	33,2	44,9	50,5	45,5	45,0	41,2	40,0	45,1	44,2
Väga halb või halb - Very bad or bad	34,8	45,8	45,8	49,3	44,2	42,7	26,0	48,7	52,2	59,1	30,2	47,1	57,0	0,0	42,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	20,6	58,4	37,3	100,0	100,0	0,0	49,4	61,6	28,1	62,3	43,5	60,8	31,7	39,9	44,9
Normkaal - Normal weight	39,8	40,1	54,6	45,5	49,6	46,0	35,0	42,7	47,6	47,2	44,2	38,5	41,6	46,9	43,8
Ülekaal - Overweight	49,0	42,3	43,1	49,0	46,7	41,1	30,5	38,9	46,4	37,6	40,9	38,6	37,0	29,3	41,3
Rasvumine - Obesity	38,3	44,1	40,6	48,9	54,1	44,1	25,2	39,6	36,9	39,2	42,1	32,6	34,1	47,1	41,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 91.A. Alkoholi tarvitamine elu jooksul (%) sünnipölvkonna järgi, mehed
TABLE 91.A. Consuming of alcohol during the lifetime (%) by birth cohort, males

	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Ei ole tarvitanud rohkem kui 1 annus elu jooksul - Hasn't consumed more than 1 dose in his life	15,6	7,0	7,7	6,9	3,9	5,1	5,8	5,3	5,0	6,8	6,3	6,5	10,0	14,0	7,3
On kunagi tarvitanud - Has ever consumed	84,4	93,0	92,3	93,1	96,1	94,9	94,2	94,7	95,0	93,2	93,7	93,5	90,0	86,0	92,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	340	261	332	145	195	194	203	204	212	190	193	237	274	3109
Vastamata - Missing (N)	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2
TABEL 91.1.A. Alkoholi kunagi elus tarvitanute protsent, rahvastikurühmades sünnipölvkonna järgi, mehed TABLE 91.1.A. Percent of persons who have ever consumed alcohol in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	83,5	98,3	95,8	95,4	98,4	100,0	94,0	96,6	97,2	90,9	95,5	94,5	95,7	84,8	94,5
Ida-Virumaa	77,1	83,6	85,0	88,8	95,1	86,6	88,2	93,4	91,4	87,9	92,0	94,3	69,9	69,0	85,8
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	84,4	90,2	88,1	89,4	91,8	92,8	94,8	93,5	96,8	93,9	86,8	89,4	91,2	86,0	91,0
Järva, Lääne-Viru, Rapla	77,9	95,5	95,4	97,1	100,0	96,3	100,0	100,0	100,0	100,0	100,0	100,0	92,8	100,0	98,1
Lääne, Saare, Hiiu, Pärnumaa	94,2	91,3	94,0	94,5	96,1	89,0	97,0	89,0	85,2	100,0	100,0	90,3	94,3	93,8	93,4
Asulatüüp - Type of residence															
Linn - Urban	85,2	94,5	91,9	94,4	95,6	96,0	93,9	96,3	94,9	92,4	93,5	97,4	88,9	82,5	92,7
Maa - Rural	82,5	86,9	93,3	88,7	97,4	92,4	95,2	90,9	95,2	94,9	94,5	76,3	95,0	94,8	92,5
Rahvus - Ethnicity															
Eestlane - Estonian	84,7	93,7	94,0	92,7	95,8	94,8	94,9	94,8	95,8	96,0	94,2	94,1	94,9	91,8	94,3
Mitte-eestlane - Non-Estonian	83,3	91,7	87,4	93,6	96,7	95,0	93,2	94,6	93,3	87,0	92,9	92,3	81,6	72,1	89,6
Põlisus - Native-born population															
Põlisrahvastik - Native-born	84,4	93,8	93,9	92,5	96,0	94,3	95,3	95,1	95,1	95,7	92,9	93,7	93,4	90,5	93,7
Immigrantrahvastik - Not native-born	84,2	91,5	87,8	94,0	96,3	95,9	92,5	93,9	94,8	86,8	95,4	93,0	81,6	69,8	90,3
Kooselu - Cohabiting															
Kooselus - Cohabiting	82,3	93,3	92,1	94,0	95,3	94,4	94,6	94,3	94,8	95,3	96,1	94,2	91,0	100,0	94,3
Ei ole kooselus - Not cohabiting	88,0	92,5	93,2	89,5	100,0	97,7	92,4	96,6	95,7	84,7	87,0	92,2	89,5	85,2	89,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	85,6	92,7	91,3	87,1	96,3	92,6	96,5	84,1	100,0	86,6	94,7	91,4	100,0	85,9	89,9
Kesk - Upper secondary	81,3	92,4	89,7	92,6	95,0	95,2	95,7	95,2	94,7	94,5	92,9	94,0	89,9	85,8	93,1
Kõrg - University	84,6	94,2	97,2	97,2	98,1	95,5	90,8	96,0	94,7	90,9	95,1	93,3	85,6	100,0	93,7
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	100,0	100,0	96,6	94,7	98,6	95,1	94,8	95,3	95,0	93,7	94,5	94,6	89,3	91,9	94,1
Mitteaktiivne - Non-active	83,6	92,7	91,7	92,6	94,0	94,5	91,7	90,3	95,5	84,0	84,5	76,0	92,7	84,3	89,7
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	88,8	89,9	86,5	91,4	97,3	96,2	89,8	93,7	100,0	86,0	89,5	91,6	86,6	86,5	91,4
Üle suhtelise vaesuse piiri - Above the risk of poverty	82,2	94,3	93,6	93,0	96,0	94,6	95,3	96,5	95,1	95,2	94,4	94,0	93,0	87,5	93,9
Tervise seisund - Health status															
Terve - No health disorders	58,0	87,8	93,8	88,7	100,0	100,0	93,2	95,6	94,5	92,8	93,5	93,7	89,4	84,9	91,4
Tervisehäired - Less severe health disorders	73,6	95,2	92,5	93,9	98,3	91,9	94,1	94,2	96,1	92,0	97,2	97,6	92,1	91,2	94,1
Tõsisemad tervisehäired - Severe health disorders	79,7	90,0	92,3	94,9	97,6	96,3	95,0	95,9	91,8	100,0	91,5	89,5	85,3	88,5	93,6
Toimetuleku piirangud - Managing restrictions	90,1	94,0	91,8	91,1	90,6	100,0	94,7	92,6	95,4	87,5	86,1	80,2	100,0	58,3	92,1
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	69,4	94,1	94,7	87,0	100,0	82,3	83,2	86,6	89,8	76,9	85,7	100,0	79,5	100,0	87,6
Tervist kahjustav - Health harming	100,0	100,0	100,0	95,2	96,0	100,0	100,0	100,0	96,4	100,0	100,0	94,2	95,4	100,0	98,3
Kontrollkese - Locus of control															
Seesmine - Internal	81,3	89,4	89,8	95,6	97,5	94,2	91,2	94,9	94,8	91,5	93,6	92,0	90,0	85,9	92,0
Väline - External	81,9	94,9	90,7	94,0	93,9	100,0	93,6	76,0	100,0	44,1	89,2	100,0	100,0	54,1	91,3
Enesehinnanguiline tervis - Self-estimated health															
Väga hea või hea - Very good or good	78,3	89,8	84,6	87,5	100,0	89,5	95,8	95,6	93,9	92,0	95,5	93,3	89,9	86,1	91,7
Väga halb või halb - Very bad or bad	87,4	91,9	91,6	90,9	87,3	94,9	96,9	88,7	93,3	73,7	88,9	61,2	100,0	100,0	91,4
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	85,9	37,3	100,0	100,0	0,0	0,0	100,0	100,0	0,0	100,0	100,0	100,0	77,1	62,7	78,0
Normkaal - Normal weight	75,6	93,3	91,2	94,4	96,6	97,6	98,5	95,3	96,4	91,0	92,5	92,2	91,4	85,9	92,1
Ülekaal - Overweight	88,8	92,2	92,2	92,9	97,7	91,2	92,6	93,1	91,4	93,8	95,7	97,5	89,1	93,7	93,3
Rasvumine - Obesity	100,0	98,4	94,5	90,8	92,8	97,5	90,1	100,0	100,0	95,8	90,9	90,5	82,9	100,0	94,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 91.B. Alkoholi tarvitamine elu jooksul (%) sünnipölvkonna järgi, naised
TABLE 91.B. Consuming of alcohol during the lifetime (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Ei ole tarvitanud rohkem kui 1 annus elu jooksul - Hasn't consumed more than 1 dose in her life	44,6	35,1	31,1	21,2	22,8	18,3	16,5	11,9	11,2	11,6	12,3	10,9	13,9	23,9	18,8
On kunagi tarvitanud - Has ever consumed	55,4	64,9	68,9	78,8	77,2	81,7	83,5	88,1	88,8	88,4	87,7	89,1	86,1	76,1	81,2
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 91.1.B. Alkoholi kunagi elus tarvitanute protsent, rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 91.1.B. Percent of persons who have ever consumed alcohol in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	59,6	68,3	74,7	82,6	80,2	84,1	84,8	93,9	93,9	88,5	91,8	92,2	88,9	71,6	84,3
Ida-Virumaa	32,0	55,1	50,4	65,7	62,4	61,8	68,4	79,6	70,5	88,5	72,4	72,8	75,8	62,9	66,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	61,4	58,8	74,7	84,9	72,5	80,1	85,7	83,5	90,0	86,5	84,9	88,4	81,9	81,9	80,7
Järva, Lääne-Viru, Rapla	58,0	80,9	63,7	77,6	88,4	91,9	90,5	89,9	93,4	90,7	96,1	100,0	85,1	82,8	87,4
Lääne, Saare, Hiiumaa, Pärnumaa	49,4	63,9	68,7	75,8	82,7	89,4	89,8	87,1	81,0	91,4	84,4	80,5	100,0	83,9	82,2
Asulatüüp - Type of residence															
Linn - Urban	58,9	67,0	69,9	79,8	77,4	79,5	82,7	89,2	88,6	89,1	88,8	87,3	84,6	75,4	81,4
Maa - Rural	46,5	57,8	65,3	75,6	76,5	89,1	85,9	84,3	89,6	86,6	82,9	97,0	91,3	77,8	80,7
Rahvus - Ethnicity															
Eestlane - Estonian	58,1	69,0	72,6	81,5	77,9	87,1	89,6	90,2	91,4	89,0	91,1	95,4	90,4	82,9	84,9
Mitte-eestlane - Non-Estonian	50,5	56,3	61,6	74,8	74,9	72,7	74,8	85,2	83,2	87,0	81,0	76,7	79,7	62,1	74,4
Põlisus - Native-born population															
Põlisrahvastik - Native-born	57,8	68,9	72,6	80,9	78,4	87,2	89,1	89,3	90,7	88,4	90,3	94,3	89,6	80,8	84,3
Immigrantrahvastik - Not native-born	50,3	55,3	60,4	75,1	72,5	71,3	74,3	86,3	83,8	88,5	82,0	75,0	79,4	63,8	74,5
Kooselu - Cohabiting															
Kooselus - Cohabiting	41,8	66,6	69,6	80,2	82,7	82,4	86,5	87,5	89,0	87,6	85,7	89,6	87,4	89,0	85,1
Ei ole kooselus - Not cohabiting	56,9	64,4	68,6	77,9	71,0	80,6	78,3	89,3	88,2	90,6	94,8	88,1	84,1	74,2	76,8
Haridus - Education															
Põhi või madalam - Lower secondary or less	46,8	58,7	65,0	79,2	74,5	83,3	79,0	88,2	79,9	62,7	64,8	76,6	88,9	75,9	70,5
Kesk - Upper secondary	62,9	71,3	72,8	82,7	78,3	81,5	80,9	87,6	88,3	91,7	88,1	94,6	87,0	77,1	83,4
Kõrg - University	77,7	70,9	67,3	73,1	77,0	81,5	87,4	88,6	89,8	87,7	90,6	87,8	84,2	40,7	84,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	77,0	79,1	84,9	74,0	85,5	86,3	88,4	88,9	89,7	88,5	91,3	89,0	74,6	87,4
Mitteaktiivne - Non-active	55,7	64,7	68,5	77,7	78,7	75,0	68,0	85,4	88,0	83,1	84,9	84,1	82,0	76,3	74,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	47,1	62,1	66,5	77,1	63,5	74,0	68,8	82,1	84,7	83,9	86,5	84,2	87,0	70,7	72,1
Üle suhtelise vaesuse piiri - Above the risk of poverty	65,5	69,1	70,2	79,8	83,1	84,6	87,7	89,5	90,0	89,8	87,6	90,4	84,7	76,9	84,3
Tervise seisund - Health status															
Terve - No health disorders	87,0	61,0	65,5	71,7	66,4	82,6	88,0	94,2	87,0	89,1	89,2	89,4	82,2	74,5	84,8
Tervisehäired - Less severe health disorders	53,1	69,6	69,3	81,1	86,5	85,3	86,8	87,8	92,9	89,5	84,5	88,7	94,4	80,4	85,7
Tõsisemad tervisehäired - Severe health disorders	64,6	75,3	60,1	77,5	71,6	80,8	80,5	89,0	87,7	79,3	88,3	89,9	100,0	75,8	78,1
Toimetuleku piirangud - Managing restrictions	53,0	59,9	73,9	78,7	69,4	74,3	75,6	78,7	82,0	100,0	89,6	84,4	81,9	66,2	70,6
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	48,6	67,6	63,2	74,9	77,9	74,0	80,5	82,6	77,7	94,7	86,1	92,6	84,9	68,3	79,8
Tervist kahjustav - Health harming	86,4	88,2	100,0	100,0	82,4	91,4	93,2	92,1	93,2	89,4	97,6	96,1	100,0	100,0	94,1
Kontrollkese - Locus of control															
Seesmine - Internal	63,1	70,2	61,7	76,7	73,1	82,7	82,1	90,1	88,4	87,4	88,3	86,5	84,6	71,5	82,2
Väline - External	53,7	55,4	62,5	72,7	61,6	63,2	66,6	79,0	71,0	100,0	57,1	47,1	100,0	47,2	64,1
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	58,6	76,7	60,4	71,3	76,5	88,8	89,8	89,6	90,5	89,1	89,3	88,8	83,9	76,8	85,2
Väga halb või halb - Very bad or bad	49,6	58,0	72,4	81,7	67,9	77,1	63,4	86,6	87,0	58,2	85,8	100,0	100,0	100,0	68,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	33,2	49,0	100,0	100,0	46,6	0,0	50,6	100,0	100,0	82,9	95,7	95,0	77,2	69,0	80,6
Normkaal - Normal weight	52,7	72,7	66,3	79,4	74,2	86,9	83,9	90,3	88,0	90,5	88,0	87,8	88,2	76,6	83,5
Ülekaal - Overweight	59,4	62,5	67,6	75,0	76,9	81,5	85,3	85,2	87,6	87,9	88,0	88,8	80,7	80,2	78,7
Rasvumine - Obesity	57,6	61,4	70,9	81,4	82,6	78,4	81,6	87,3	90,4	81,6	80,2	94,2	100,0	82,8	79,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 92.A. Esmakordselt alkoholi üle viie annuse tarvitamise ajastus (kumulatiivne %) sünnipõlvkonna järgi, mehed
TABLE 92.A. Timing of the first consuming of alcohol over five doses (cumulative %) by birth cohort, males

Vanuseks - By age	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
15	0,0	2,1	2,8	1,4	3,1	6,1	4,4	5,4	6,3	3,5	2,3	9,5	6,7	13,2	5,5
16	0,0	5,3	5,7	4,7	6,2	8,4	9,5	9,4	18,2	8,4	4,9	14,2	16,5	25,5	11,0
17	2,6	9,9	10,8	9,9	10,8	13,9	14,9	16,0	29,3	20,1	18,9	30,1	31,8	41,2	21,3
18	4,1	13,6	15,1	18,4	15,4	20,4	22,4	23,0	43,9	30,8	26,2	40,0	44,1	48,6	29,6
19	10,3	22,6	23,2	28,6	30,5	31,6	40,9	46,1	49,3	49,2	50,7	60,5	60,8	56,5	45,5
20	16,5	27,5	29,1	34,1	35,9	44,4	45,0	51,1	62,9	54,2	55,7	66,1	65,0	58,1	50,7
21	30,9	39,6	39,7	47,8	50,2	57,2	59,7	59,6	65,0	62,1	64,9	72,2	70,5	-	59,9
22	32,7	42,3	43,3	50,5	53,3	59,2	63,6	62,9	70,0	69,1	68,6	73,5	71,8	-	62,6
23	35,6	46,5	46,2	54,4	57,1	61,8	65,7	67,2	71,0	72,7	71,5	74,3	71,8	-	65,1
24	37,2	47,9	47,5	58,5	61,2	65,0	68,3	69,9	72,0	73,8	72,6	75,3	71,8	-	66,7
25	40,0	50,1	49,3	60,8	63,4	66,3	69,4	71,8	76,3	74,7	73,1	75,8	71,8	-	67,8
30	50,0	59,1	58,8	67,5	70,4	70,8	76,0	75,5	77,1	80,1	76,1	75,8	-	-	71,6
35	50,6	61,7	61,8	70,3	74,4	72,2	80,3	77,6	78,3	81,5	76,1	-	-	-	73,0
40	51,9	62,5	61,8	70,6	74,9	73,5	81,2	78,3	78,3	81,5	-	-	-	-	73,4
40+	53,7	63,7	62,6	71,3	76,8	76,1	81,9	78,9	78,9	-	-	-	-	-	73,9
Kokku - Total (N)	128	335	258	331	144	195	194	202	202	212	190	193	237	274	3095
Vastamata - Missing (N)	1	6	3	1	1	0	0	1	2	1	0	0	0	0	16

TABEL 92.1.A. Esmakordselt alkoholi üle viie annuse tarvitavate mediaanvanus rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 92.1.A. Median age at first consumption of alcohol over five doses in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	20	20	20	19	20	19	18	18	19	18	18	18	17	16	18
Ida-Virumaa	20	18	20	18	22	18	18	18	18	18	18	17	18	16	18
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	20	20	19	20	20	19	19	18	18	18	18	17	17	16	18
Järva, Lääne-Viru, Rapla	18	20	20	20	20	19	20	18	18	18	17	16	17	17	18
Lääne, Saare, Hiiu, Pärnumaa	23	20	20	19	18	19	18	18	16	17	18	16	17	15	18
Asulatüüp - Type of residence															
Linn - Urban	20	20	20	20	20	19	19	18	18	18	18	18	17	16	18
Maa - Rural	20	18	19	20	19	18	18	18	18	18	18	16	17	16	18
Rahvus - Ethnicity															
Eestlane - Estonian	20	20	20	20	20	19	19	18	18	18	18	17	17	16	18
Mitte-eestlane - Non-Estonian	20	20	20	20	20	20	18	19	19	18	18	18	18	16	18
Põlisus - Native-born population															
Põlisrahvastik - Native-born	20	20	20	20	20	19	19	18	18	18	18	17	17	16	18
Immigrantrahvastik - Not native-born	20	20	20	20	20	20	18	20	19	18	18	18	18	16	18
Kooselu - Cohabiting															
Kooselus - Cohabiting	20	20	20	20	20	19	19	18	18	18	18	17	17	15	18
Ei ole kooselus - Not cohabiting	20	20	19	19	20	19	18	18	19	18	18	18	17	16	17
Haridus - Education															
Põhi või madalam - Lower secondary or less	20	20	19	18	18	18	18	18	16	17	18	17	17	15	17
Kesk - Upper secondary	20	20	20	20	20	19	18	18	18	18	18	17	17	16	18
Kõrg - University	20	20	21	20	20	19	20	18	18	18	19	17	18	16	18
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	20	20	20	20	20	19	19	18	18	18	18	17	17	16	18
Mitteaktiivne - Non-active	20	20	20	20	20	19	18	18	17	18	18	16	16	16	18
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	20	20	19	20	21	18	20	18	18	18	18	18	18	16	18
Üle suhtelise vaesuse piiri - Above the risk of poverty	20	20	20	20	19	19	18	18	18	18	18	17	17	16	18
Tervise seisund - Health status															
Terve - No health disorders	-	16	18	20	19	19	19	19	18	18	18	17	17	16	18
Tervisehäired - Less severe health disorders	19	19	20	20	20	19	20	18	18	18	18	16	17	16	18
Tõsisemad tervisehäired - Severe health disorders	20	19	20	20	20	20	18	18	18	18	18	18	17	15	18
Toimetuleku piirangud - Managing restrictions	20	20	20	20	20	19	18	17	18	16	16	17	16	-	19
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	21	20	20	21	19	20	20	18	18	18	19	17	18	15	18
Tervist kahjustav - Health harming	25	20	19	20	20	19	18	18	17	18	18	17	17	15	18
Kontrollkese - Locus of control															
Seesmine - Internal	20	20	20	20	20	19	20	18	18	18	18	18	17	16	18
Väline - External	20	20	18	19	20	19	18	19	19	25	18	18	20	15	18
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	20	20	19	20	18	18	20	18	18	18	18	17	17	16	18
Väga halb või halb - Very bad or bad	20	20	20	20	18	19	18	18	17	18	18	13	16	13	18
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	23	20	19	-	-	-	-	18	-	-	10	20	18	15	18
Normaal - Normal weight	20	20	20	19	20	19	20	18	18	18	18	17	17	16	18
Ülekaal - Overweight	20	20	20	20	20	19	18	18	18	18	18	17	17	16	18
Rasumine - Obesity	21	20	20	20	19	19	18	18	19	19	18	18	16	18	18
80 + 75-79 70-74 65-69 60-64 55-59 50-54 45-49 40-44 35-39 30-34 25-29 20-24 15-19															Kokku Total
Vanus - Age															

TABEL 92.B. Esmakordselt alkoholi üle viie annuse tarvitamise ajastus (kumulatiivne %) sünnipõlvkonna järgi, naised
TABLE 92.B. Timing of the first consuming of alcohol over five doses (cumulative %) by birth cohort, females

Vanuseks - By age	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
15	0,0	0,3	0,0	0,2	0,0	0,0	0,6	0,3	1,0	0,0	1,3	1,3	3,2	6,5	1,2
16	0,0	0,3	0,0	0,4	0,0	1,5	0,6	1,1	1,9	1,0	4,2	2,0	8,4	13,8	2,9
17	0,0	0,7	0,0	1,0	0,0	2,5	1,1	4,7	2,9	2,5	5,1	4,2	13,9	23,4	5,0
18	0,6	0,7	0,4	1,3	0,6	4,5	3,4	6,3	5,3	5,0	8,6	9,0	19,6	28,8	7,6
19	1,2	1,9	0,9	3,1	2,7	8,7	6,4	11,3	12,3	13,3	16,4	20,7	33,6	31,8	13,0
20	1,2	3,0	0,9	4,0	4,3	10,9	7,2	12,0	14,5	17,9	18,9	23,2	37,5	33,4	14,9
21	2,2	6,3	2,3	8,2	8,5	16,2	14,0	18,8	19,9	25,6	31,9	29,4	44,3	-	20,3
22	2,2	7,1	4,2	9,7	9,7	16,9	16,4	20,1	23,8	26,4	35,8	33,9	46,3	-	22,2
23	2,6	7,7	4,6	10,6	11,3	17,9	19,0	21,6	26,6	29,2	36,7	38,4	47,3	-	23,7
24	2,6	8,4	4,9	11,1	14,1	20,0	19,6	22,2	27,2	31,3	39,1	40,2	48,1	-	24,8
25	3,3	8,4	5,4	12,6	14,7	20,3	20,5	22,2	27,6	31,7	40,0	41,4	48,1	-	25,4
30	4,8	10,1	10,2	16,0	19,4	27,1	26,0	30,9	32,5	35,6	45,8	44,7	-	-	29,4
35	4,8	11,8	13,5	17,6	24,1	29,0	27,6	35,4	36,1	39,7	48,2	-	-	-	31,5
40	4,8	11,8	14,3	18,1	24,1	31,6	27,9	37,9	37,9	40,9	-	-	-	-	32,3
40+	4,8	12,4	14,3	19,5	24,6	31,9	28,2	38,7	38,3	-	-	-	-	-	32,6
Kokku - Total (N)	189	286	274	343	180	247	236	260	225	201	245	182	207	241	3316
Vastamata - Missing (N)	3	1	0	1	0	1	0	0	0	0	1	0	0	0	7

TABEL 92.1.B. Esmakordselt alkoholi üle viie annuse tarvitavate mediaanvanus rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 92.1.B. Median age at first consumption of alcohol over five doses in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	19	20	25	22	23	23	20	22	21	20	20	20	18	16	20
Ida-Virumaa	22	25	24	20	25	20	24	22	20	20	20	19	18	16	20
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	-	23	30	26	22	20	20	21	21	20	20	18	17	15	20
Järva, Lääne-Viru, Rapla	25	19	22	21	23	21	22	22	19	18	20	18	16	16	20
Lääne, Saare, Hiiumaa, Pärnumaa	24	20	28	22	26	20	22	20	20	19	19	20	18	16	20
Asulatüüp - Type of residence															
Linn - Urban	20	20	25	21	23	21	21	22	20	20	20	20	18	16	20
Maa - Rural	24	21	25	24	21	20	20	20	22	19	20	18	18	15	19
Rahvus - Ethnicity															
Eestlane - Estonian	24	20	25	21	22	22	19	19	19	19	19	18	18	15	20
Mitte-eestlane - Non-Estonian	20	25	25	22	25	19	21	27	22	21	20	20	18	16	20
Põlisus - Native-born population															
Põlisrahvastik - Native-born	24	20	25	22	23	22	20	20	20	20	20	18	18	16	20
Immigrantrahvastik - Not native-born	20	25	25	20	26	18	21	25	22	21	20	20	18	17	20
Kooselu - Cohabiting															
Kooselus - Cohabiting	-	20	25	22	22	21	20	22	20	20	20	19	18	16	20
Ei ole kooselus - Not cohabiting	22	21	25	21	23	20	21	20	21	20	20	20	18	16	20
Haridus - Education															
Põhi või madalam - Lower secondary or less	24	20	25	21	24	18	22	20	18	20	21	18	18	16	18
Kesk - Upper secondary	20	20	25	22	22	21	20	21	21	19	19	18	18	16	20
Kõrg - University	-	25	25	24	23	20	21	21	20	20	20	20	18	-	20
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	-	19	27	20	23	21	20	21	20	20	19	18	17	17	20
Mitteaktiivne - Non-active	22	21	25	22	23	20	22	20	28	20	20	20	18	16	20
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	20	20	25	21	24	20	22	21	18	20	20	18	18	16	20
Üle suhtelise vaesuse piiri - Above the risk of poverty	24	21	25	22	22	21	20	21	20	20	20	20	18	16	20
Tervise seisund - Health status															
Terve - No health disorders	-	-	30	23	19	20	25	25	20	20	20	18	18	16	18
Tervisehäired - Less severe health disorders	25	20	25	22	21	24	20	21	20	19	20	20	18	16	20
Tõsisemad tervisehäired - Severe health disorders	25	23	25	21	23	20	20	22	21	20	19	18	21	15	21
Toimetuleku piirangud - Managing restrictions	20	20	25	20	25	18	22	20	22	22	20	19	18	15	20
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	25	20	25	21	21	22	21	20	19	20	20	20	18	16	20
Tervist kahjustav - Health harming	-	20	21	19	30	20	21	20	20	18	20	18	17	18	20
Kontrollkese - Locus of control															
Seesmine - Internal	22	21	23	20	21	23	20	21	20	20	20	20	18	16	19
Väline - External	20	25	28	24	30	18	25	20	22	18	20	22	17	18	20
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	25	20	23	20	20	20	20	22	20	20	20	19	18	16	19
Väga halb või halb - Very bad or bad	20	22	25	24	25	19	24	20	22	21	23	20	20	16	22
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	-	-	31	-	-	-	22	18	21	20	21	19	18	15	18
Normaal - Normal weight	18	24	25	22	22	23	21	20	20	20	20	20	18	16	19
Ülekaal - Overweight	25	20	25	22	23	20	20	23	20	20	20	18	18	15	20
Rasumine - Obesity	22	20	24	20	23	22	20	22	24	20	18	18	17	16	20
Kokku - Total															
80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
Vanus - Age															

TABEL 93.A. Alkoholi tarvitamise sagedus (vähemalt aasta jooksul 5 või rohkem annust korraga) (%) sünnipölvkonna järgi, mehed
 TABLE 93.A. Frequency of consuming alcohol (during at least a year 5 doses or more at one sitting) (%) by birth cohort, males

	Sünnipölvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
Iga päev (peaaegu iga päev) - Every day (almost every day)	1,5	0,0	0,9	0,6	4,3	2,1	2,9	2,9	3,8	2,0	1,1	1,1	0,3	0,5	1,7
3–4 korda nädalas - 3–4 times per week	0,0	1,6	2,4	2,4	2,3	2,6	3,0	2,9	1,0	2,3	1,6	2,6	0,9	0,3	1,9
1–2 korda nädalas - 1–2 times per week	5,5	5,1	5,7	9,3	10,7	9,5	11,5	9,8	11,1	8,7	8,7	8,7	10,0	5,2	8,9
1–3 korda kuus - 1–3 times per month	23,2	20,5	17,3	18,8	18,4	24,0	27,1	23,7	26,6	28,7	28,8	22,4	19,2	19,8	23,2
Mõned korrad aastas - Some times per year	10,9	17,0	17,5	16,6	17,6	17,0	14,9	15,8	14,9	19,9	18,6	15,3	20,8	10,2	16,4
Pole kunagi tarvitanud regulaarselt - Has never consumed regularly	58,9	55,8	56,2	52,3	46,7	44,8	40,6	44,9	42,6	38,4	41,2	49,9	48,8	64,0	47,9
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	340	261	332	145	195	194	203	204	210	189	193	237	274	3106
Vastamata - Missing (N)	0	1	0	0	0	0	0	0	0	3	1	0	0	0	5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
	Vanus - Age Total														

TABEL 93.B. Alkoholi tarvitamise sagedus (vähemalt aasta jooksul 5 või rohkem annust korraga) (%) sünnipölvkonna järgi, naised
TABLE 93.B. Frequency of consuming alcohol (during at least a year 5 doses or more at one sitting) (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Iga päev (peaaegu iga päev) - Every day (almost every day)	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,3	0,0	0,0	0,0	0,4	0,0	0,0	0,1	
3–4 korda nädalas - 3–4 times per week	0,6	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,0	0,0	0,3	0,0	1,1	0,0	0,2	
1–2 korda nädalas - 1–2 times per week	0,0	0,4	0,0	1,1	0,0	0,5	1,4	0,8	1,6	1,2	0,5	1,2	1,3	1,3	0,9	
1–3 korda kuus - 1–3 times per month	0,6	2,6	2,1	2,9	4,1	5,7	4,8	4,9	9,4	5,0	7,2	9,9	11,1	9,2	6,1	
Mõned korrad aastas - Some times per year	2,5	4,3	6,7	5,5	6,9	11,5	9,0	17,5	10,9	19,8	13,3	15,0	13,7	8,2	10,9	
Pole kunagi tarvitanud regulaarselt - Has never consumed regularly	96,3	92,7	91,2	90,5	89,0	82,3	84,2	76,5	78,1	74,0	78,7	73,5	72,8	81,3	81,8	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	191	287	274	343	180	248	236	260	225	201	246	182	207	241	3321	
Vastamata - Missing (N)	1	0	0	1	0	0	0	0	0	0	0	0	0	0	2	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 94.A. Alkoholi tarvitamise sagedus viimasel neljal nädalal (%) sünnipõlvkonna järgi, mehed
TABLE 94.A. Frequency of consuming alcohol during the last four weeks (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Iga päev (peaaegu iga päev) - Every day (almost every day)	3,8	4,1	4,3	5,4	8,2	10,0	8,6	5,5	8,5	7,5	5,9	5,1	2,1	1,5		5,8
3–4 korda nädalas - 3–4 times per week	6,5	1,6	4,1	6,3	5,8	5,6	9,6	10,5	6,5	11,2	6,5	8,0	6,2	4,5		7,0
1–2 korda nädalas - 1–2 times per week	9,0	9,4	11,4	15,7	24,6	24,2	25,2	22,2	29,6	20,0	25,8	29,6	24,3	17,0		22,5
1–3 korda kuus - 1–3 times per month	20,8	29,5	35,4	34,1	25,1	27,1	26,9	35,1	34,1	33,7	39,6	34,9	39,4	38,9		34,0
Pole tarvitanud - Has not consumed	59,9	55,4	44,8	38,5	36,3	33,1	29,7	26,7	21,3	27,6	22,2	22,4	28,0	38,1		30,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	127	337	260	330	145	195	192	203	204	211	190	192	236	274		3096
Vastamata - Missing (N)	2	4	1	2	0	0	2	0	0	2	0	1	1	0		15
TABEL 94.1.A. Vähemalt 1–2 korda nädalas viimasel neljal nädalal alkoholi tarvitanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 94.1.A. Percent of persons who consumed alcohol at least 1–2 times per week during the last four weeks in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	19,8	16,5	16,9	31,5	43,7	47,6	46,4	38,2	48,8	42,2	39,2	40,2	35,4	19,7		37,2
Ida-Virumaa	5,4	9,4	19,5	20,6	24,4	29,8	28,3	25,2	23,2	23,8	35,4	30,3	29,4	24,5		26,4
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	21,2	15,7	22,2	25,1	37,1	32,9	46,2	41,0	44,5	41,5	37,8	46,9	33,1	32,0		36,5
Järva, Lääne-Viru, Rapla	9,4	20,8	18,0	24,0	28,3	38,6	50,6	56,1	61,6	43,1	38,9	57,9	33,6	8,8		38,8
Lääne, Saare, Hiiumaa, Pärnumaa	28,9	11,6	23,5	29,7	44,4	40,5	43,6	32,5	41,2	32,5	38,8	53,4	23,8	19,5		33,5
Asulatüüp - Type of residence																
Linn - Urban	22,4	14,3	16,4	26,9	34,2	38,0	45,6	35,3	42,2	36,8	37,4	43,7	32,3	21,8		34,2
Maa - Rural	12,4	18,1	28,0	29,0	50,0	43,9	37,2	45,0	49,7	42,8	40,5	38,5	33,8	26,0		38,3
Rahvus - Ethnicity																
Eestlane - Estonian	20,8	16,4	21,4	25,7	39,6	41,4	43,3	43,8	48,7	42,3	40,1	48,8	33,8	25,6		37,5
Mitte-eestlane - Non-Estonian	15,1	12,4	15,1	30,3	36,3	37,5	43,7	29,0	35,8	30,7	34,8	32,1	30,6	16,8		31,2
Põlisus - Native-born population																
Põlisrahvastik - Native-born	20,2	15,9	20,8	26,1	39,3	41,7	43,0	42,8	48,0	42,0	39,4	47,3	31,2	24,3		36,6
Immigrantrahvastik - Not native-born	16,5	13,5	17,1	29,7	36,9	36,5	44,1	29,3	36,4	30,1	35,7	33,8	36,3	18,1		32,3
Kooselu - Cohabiting																
Kooselus - Cohabiting	19,1	15,2	18,7	28,2	41,1	39,8	43,3	37,2	46,0	39,5	38,0	45,3	42,5	25,0		38,1
Ei ole kooselus - Not cohabiting	19,7	14,7	24,8	24,4	25,2	39,3	44,0	42,4	38,2	35,5	38,8	37,9	27,2	22,9		29,9
Haridus - Education																
Põhi või madalam - Lower secondary or less	19,1	14,6	22,3	29,0	41,1	46,6	53,4	27,5	68,3	52,5	18,5	32,1	33,2	21,9		28,5
Kesk - Upper secondary	28,6	11,1	17,6	25,4	38,7	40,0	42,9	39,9	45,0	36,4	41,1	40,2	30,8	25,3		36,6
Kõrg - University	11,5	20,2	19,7	28,8	37,0	36,9	40,9	38,0	39,5	42,2	37,7	50,6	36,8	42,6		37,6
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	60,0	22,7	26,2	28,8	53,5	39,2	45,4	34,6	45,1	38,4	38,2	42,7	34,9	33,8		39,7
Mitteaktiivne - Non-active	17,7	14,7	18,9	27,0	26,4	40,9	35,1	64,4	39,3	43,6	38,1	43,3	24,4	20,0		26,3
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	31,4	12,8	17,2	22,5	17,7	36,9	35,5	39,5	45,7	37,6	33,1	26,6	11,6	17,9		28,3
Üle suhtelise vaesuse piiri - Above the risk of poverty	16,6	15,9	20,0	28,9	46,2	41,6	44,1	38,0	46,7	39,2	38,7	45,3	38,1	24,7		37,6
Tervise seisund - Health status																
Terve - No health disorders	0,0	21,9	24,2	18,6	52,5	34,4	49,2	38,1	49,1	35,6	38,0	41,1	30,3	23,5		35,3
Tervisehäired - Less severe health disorders	22,7	13,6	24,7	31,1	42,2	41,7	44,7	42,1	44,1	49,6	49,0	52,4	39,3	18,6		40,2
Tõsisemad tervisehäired - Severe health disorders	22,7	20,9	18,8	29,3	38,3	28,9	41,2	25,7	27,7	41,5	33,1	45,9	26,3	41,5		31,3
Toimetuleku piirangud - Managing restrictions	18,1	12,3	15,2	22,6	29,9	48,5	33,4	36,0	39,3	30,0	6,3	29,3	46,8	0,0		26,7
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	0,0	6,9	17,5	32,6	20,3	11,8	54,2	18,8	23,5	21,0	31,8	36,2	34,9	53,2		26,8
Tervist kahjustav - Health harming	31,1	17,9	40,0	34,4	58,1	54,1	60,0	48,8	50,6	51,9	39,2	59,2	36,4	33,1		48,3
Kontrollkese - Locus of control																
Seesmine - Internal	17,3	16,6	17,9	26,8	41,9	32,9	37,8	34,3	40,3	37,5	35,5	33,0	30,1	19,7		32,3
Väline - External	14,9	13,2	18,5	21,4	0,0	55,6	50,4	43,2	68,7	44,1	31,2	100,0	0,0	54,1		32,5
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	20,9	13,3	24,4	22,5	56,8	37,7	46,4	39,0	44,2	35,5	41,4	41,4	35,3	21,2		36,1
Väga halb või halb - Very bad or bad	14,0	12,7	10,2	21,5	29,1	43,1	27,9	55,6	37,8	59,0	17,6	0,0	51,4	0,0		27,2
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	13,7	0,0	0,0	0,0	0,0	0,0	100,0	36,6	0,0	0,0	0,0	73,7	0,0	5,8		17,9
Normaal - Normal weight	13,6	14,2	23,1	35,9	34,4	47,3	43,7	41,3	49,1	42,8	34,2	40,7	33,4	23,1		34,9
Ülekaal - Overweight	23,5	15,7	18,1	20,3	41,5	29,7	45,9	39,9	45,1	33,7	42,2	46,7	35,0	27,8		36,2
Rasvumine - Obesity	28,9	15,1	17,7	28,8	39,3	46,0	36,8	30,6	36,0	45,1	37,8	37,9	30,2	49,0		35,9
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
Vanus - Age																

TABEL 94.B. Alkoholi tarvitamise sagedus viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 94.B. Frequency of consuming alcohol during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Iga päev (peaaegu iga päev) - Every day (almost every day)	0,5	0,6	0,9	0,7	0,0	1,1	0,0	0,3	0,9	0,0	0,9	0,4	0,4	0,3	0,5
3-4 korda nädalas - 3-4 times per week	0,6	0,0	0,3	0,2	0,4	0,6	2,1	1,9	1,8	3,0	2,5	2,7	0,3	0,0	1,3
1-2 korda nädalas - 1-2 times per week	1,2	3,9	1,2	3,6	3,3	6,4	6,7	9,6	10,5	6,6	9,9	9,6	11,8	8,3	7,1
1-3 korda kuus - 1-3 times per month	10,1	17,0	22,7	32,0	36,6	42,0	45,1	48,0	51,2	56,4	50,6	46,4	49,3	43,4	41,5
Pole tarvitanud - Has not consumed	87,6	78,5	74,9	63,5	59,7	49,9	46,1	40,2	35,6	34,0	36,1	40,9	38,2	48,0	49,6
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	191	285	272	341	177	247	235	259	225	201	246	182	207	240	3308
Vastamata - Missing (N)	1	2	2	3	3	1	1	1	0	0	0	0	0	1	15

TABEL 94.1.B. Vähemalt 1-2 korda nädalas viimasel neljal nädalal alkoholi tarvitanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 94.1.B. Percent of persons who consumed alcohol at least 1-2 times per week during the last four weeks in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	1,5	5,5	4,7	7,4	7,7	9,5	11,8	15,7	10,0	15,0	18,2	14,4	12,5	5,5	10,7
Ida-Virumaa	0,0	3,9	0,0	5,5	0,0	2,1	4,6	9,4	6,6	3,8	0,0	3,4	3,0	7,6	3,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	4,0	2,8	2,8	1,8	2,6	9,0	14,4	11,1	19,6	5,3	12,0	15,9	17,3	16,0	10,1
Järva, Lääne-Viru, Rapla	0,0	3,0	0,0	0,0	4,5	14,2	5,6	5,8	24,4	13,9	13,7	13,9	9,9	17,1	10,8
Lääne, Saare, Hiiumaa, Pärnumaa	4,8	7,6	0,0	1,8	0,0	3,3	0,0	6,7	2,4	3,6	11,0	6,2	13,4	0,0	3,8
Asulatüüp - Type of residence															
Linn - Urban	2,3	4,8	3,0	5,4	3,0	8,9	7,7	9,6	12,7	10,4	12,3	12,2	10,5	8,8	8,5
Maa - Rural	2,2	3,8	0,0	1,6	5,4	5,2	12,0	18,8	15,0	7,2	17,8	15,2	19,7	8,1	9,9
Rahvus - Ethnicity															
Eestlane - Estonian	3,5	4,9	1,6	3,7	3,6	8,2	10,2	9,2	13,3	11,1	14,2	15,6	17,3	9,5	9,5
Mitte-eestlane - Non-Estonian	0,0	3,9	3,9	5,9	4,2	7,9	6,8	15,4	13,2	5,6	11,4	7,1	5,6	6,7	7,6
Põlisus - Native-born population															
Põlisrahvastik - Native-born	3,4	4,7	2,8	3,5	3,4	7,8	10,6	8,8	12,5	11,1	13,6	15,5	16,7	9,3	9,4
Immigrantrahvastik - Not native-born	0,0	4,2	1,4	6,5	5,0	8,5	5,9	16,4	15,3	5,6	12,5	5,4	4,7	6,9	7,7
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	4,4	2,7	5,8	4,2	9,5	9,4	10,5	14,9	8,6	13,9	8,5	11,8	9,7	9,8
Ei ole kooselus - Not cohabiting	2,5	4,6	2,2	3,7	3,3	5,8	7,8	14,3	7,9	12,2	11,1	23,1	13,5	8,4	7,8
Haridus - Education															
Põhi või madalam - Lower secondary or less	3,0	5,8	3,8	2,8	2,1	13,9	8,8	0,0	11,2	0,0	8,6	11,2	23,0	6,3	6,1
Kesk - Upper secondary	1,7	0,0	1,5	5,3	2,7	5,6	7,1	13,1	14,3	7,7	7,5	12,1	11,9	12,8	8,2
Kõrg - University	0,0	7,4	1,9	5,6	6,5	9,6	10,7	11,1	12,5	12,3	20,4	13,5	11,0	0,0	11,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	10,5	3,8	5,9	7,6	8,4	12,6	14,1	10,0	13,5	14,0	14,7	12,9	11,5
Mitteaktiivne - Non-active	2,3	4,7	2,0	4,7	2,7	8,8	10,9	3,0	6,0	7,9	12,4	10,0	9,4	7,9	5,9
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	5,5	2,3	5,1	2,8	9,0	4,1	12,9	5,6	12,9	9,1	8,0	8,9	8,4	6,0
Üle suhtelise vaesuse piiri - Above the risk of poverty	4,1	4,3	2,6	4,5	4,2	8,2	9,0	12,3	16,3	8,9	13,7	12,8	11,0	10,2	9,7
Tervise seisund - Health status															
Terve - No health disorders	27,7	0,0	0,0	0,0	0,0	12,2	12,6	11,5	11,5	8,8	15,4	15,0	11,6	9,2	11,7
Tervisehäired - Less severe health disorders	0,0	7,1	2,9	5,2	5,9	8,9	8,9	17,4	15,9	13,3	12,2	7,7	15,7	6,7	10,5
Tõsisemad tervisehäired - Severe health disorders	0,0	8,3	3,0	3,7	1,4	5,6	6,3	0,0	16,5	7,5	5,1	15,4	17,6	14,1	5,8
Toimetuleku piirangud - Managing restrictions	2,2	2,7	1,8	5,2	4,0	7,9	9,8	6,4	6,1	0,0	0,0	0,0	5,5	8,4	4,3
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	2,1	1,5	5,0	2,6	1,4	3,2	8,1	9,9	21,1	10,7	7,1	9,3	0,0	7,2
Tervist kahjustav - Health harming	0,0	4,1	7,3	4,0	0,0	17,0	14,6	14,2	32,9	0,0	19,8	43,3	25,9	0,0	17,8
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	1,9	7,3	4,1	3,2	12,2	10,9	10,9	13,5	9,9	14,9	11,4	11,3	6,8	9,9
Väline - External	0,0	1,4	0,0	8,9	0,0	8,0	0,0	14,4	14,3	0,0	15,8	0,0	11,9	0,0	4,5
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	7,1	3,4	0,0	2,6	5,7	7,6	12,5	14,7	14,3	11,0	16,9	12,6	10,9	9,7	11,7
Väga halb või halb - Very bad or bad	1,9	4,3	0,0	5,6	0,0	3,2	5,3	13,8	14,4	0,0	0,0	26,4	0,0	0,0	3,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	37,4	22,8	6,9	6,8	10,4
Normaal - Normal weight	2,9	5,6	0,0	6,9	2,9	13,7	8,2	11,5	12,0	13,2	12,6	11,6	15,2	7,5	10,3
Ülekaal - Overweight	3,3	5,2	3,7	2,6	4,3	6,3	10,1	12,7	11,2	5,4	10,5	7,8	7,5	9,4	7,0
Rasvumine - Obesity	0,0	2,7	2,5	5,1	4,0	5,6	8,3	11,3	24,4	4,4	5,5	18,4	0,0	61,3	7,3
Vanus - Age															
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 95.A. Ühel tarbimiskorral tavaline korraga joodud ölle kogus viimasel neljal nädalal alkoholi tarvitanute hulgas (%) sünnipõlvkonna järgi, mehed
TABLE 95.A. Usual amount of beer drunk at one sitting among those who have consumed alcohol during the last four weeks (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Pole joonud õlut - Has not drunk beer	62,2	61,5	50,7	41,6	29,1	25,9	35,4	35,2	26,0	18,8	21,0	16,9	20,2	17,9	26,8	
1 annus* - 1 dose*	23,3	21,2	25,3	24,6	37,9	29,0	19,4	20,4	20,0	21,6	17,2	21,3	17,7	24,8	22,2	
2 annust - 2 doses	7,3	4,4	9,2	10,5	14,8	13,4	15,7	18,3	22,6	28,2	23,7	20,8	25,6	19,1	19,5	
3 annust või enam - 3 doses or more	7,2	12,9	14,8	23,3	18,2	31,7	29,5	26,1	31,4	31,4	38,1	41,0	36,5	38,2	31,5	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	51	156	140	203	91	131	136	147	159	154	146	149	168	168	1999	
Vastamata - Missing (N)	0	1	1	0	0	0	0	0	1	1	0	0	0	0	4	
Pole tarvitanud alkoholi - Has not consumed alcohol (N)	78	184	120	129	54	64	58	56	44	58	44	44	69	106	1108	
* 1 annus = 0,5 l lahjat õlut - 1 dose = 0,5 l light beer																
TABEL 95.1.A. Õlut joonute protsent viimasel neljal nädalal alkoholi tarvitanute hulgas rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 95.1.A. Percent of persons who have drunk beer among those who have consumed alcohol during the last four weeks in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	33,9	33,6	34,1	56,5	74,0	79,3	55,3	56,8	75,7	90,2	84,1	82,9	84,4	81,7	74,5	
Ida-Virumaa	19,9	16,7	48,5	59,8	41,9	73,6	60,4	54,8	57,2	55,5	70,0	72,3	75,0	89,0	63,5	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	36,5	48,9	54,8	61,9	81,1	66,1	82,8	79,1	83,0	79,5	70,8	81,2	76,0	84,7	76,0	
Järva, Lääne-Viru, Rapla	29,5	57,1	56,1	53,5	71,9	84,8	70,6	83,0	78,6	83,8	86,8	94,1	71,6	83,8	78,4	
Lääne, Saare, Hiiumaa, Pärnumaa	61,5	34,1	64,7	60,8	65,5	60,2	53,0	54,9	63,2	77,9	78,7	100,0	85,0	73,9	67,4	
Asulatuüp - Type of residence																
Linn - Urban	45,7	36,9	37,3	54,9	68,3	72,7	63,5	62,2	69,5	81,0	77,3	81,5	80,5	78,6	71,2	
Maa - Rural	16,4	45,7	74,0	70,4	76,9	77,3	68,2	70,3	82,8	81,6	83,8	92,4	77,1	89,4	78,5	
Rahvus - Ethnicity																
Eestlane - Estonian	38,1	46,7	52,2	58,1	76,0	77,1	73,1	71,9	77,8	86,6	78,9	84,7	79,9	82,3	76,3	
Mitte-eestlane - Non-Estonian	36,3	20,4	38,3	59,0	60,1	70,3	53,5	51,5	64,7	68,0	79,2	80,3	79,5	81,3	66,7	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	38,1	46,1	51,0	59,0	75,9	77,5	69,4	71,1	77,9	86,0	77,8	84,7	79,4	82,3	75,9	
Immigrantrahvastik - Not native-born	36,3	22,4	43,0	57,4	57,3	69,2	56,8	51,8	63,4	68,1	81,8	80,1	80,8	80,8	66,7	
Kooselu - Cohabiting																
Kooselus - Cohabiting	44,0	37,4	49,0	59,7	68,1	78,4	63,1	62,5	74,0	81,8	78,2	85,1	79,5	86,5	71,8	
Ei ole kooselus - Not cohabiting	28,4	40,7	48,4	53,0	100,0	49,5	75,2	77,0	71,9	78,4	81,5	79,3	80,0	81,7	76,2	
Haridus - Education																
Põhi või madalam - Lower secondary or less	37,1	41,6	57,4	63,3	72,6	64,0	66,3	72,6	75,1	84,3	85,0	71,5	84,0	80,6	73,2	
Kesk - Upper secondary	47,3	43,0	41,9	52,4	68,5	76,0	66,8	66,8	74,6	81,4	80,4	82,3	81,2	84,7	74,5	
Kõrg - University	32,5	31,2	48,8	63,4	74,6	75,1	60,1	61,7	71,1	80,1	75,0	87,0	73,9	100,0	70,6	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	51,6	15,1	51,2	60,1	75,0	73,2	67,0	64,0	73,3	81,9	79,5	82,7	76,6	85,4	75,1	
Mitteaktiivne - Non-active	36,7	39,7	48,5	57,9	66,2	76,6	52,5	70,1	78,1	68,5	68,8	90,6	93,9	80,9	67,6	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	37,5	34,5	46,3	59,6	63,2	66,1	60,8	76,0	71,2	72,1	64,8	100,0	89,7	82,5	69,0	
Üle suhtelise vaesuse piiri - Above the risk of poverty	38,4	38,9	50,3	55,9	75,4	78,8	64,6	62,7	74,0	84,5	79,5	82,8	80,6	82,3	74,0	
Tervise seisund - Health status																
Terve - No health disorders	100,0	65,2	28,1	52,6	100,0	60,2	80,9	70,8	77,1	86,7	77,8	82,1	77,4	82,5	79,6	
Tervisehäired - Less severe health disorders	39,1	35,2	56,8	65,9	61,8	74,4	57,4	65,1	70,5	80,6	85,5	85,2	87,0	78,2	70,8	
Tõsisemad tervisehäired - Severe health disorders	48,8	45,7	48,5	54,4	79,4	74,7	81,2	40,9	59,0	66,6	71,2	76,6	67,6	88,4	64,9	
Toimetuleku piirangud - Managing restrictions	31,9	33,4	43,1	52,6	65,8	78,5	54,9	74,0	85,0	43,0	72,1	100,0	100,0	100,0	61,8	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	0,0	36,3	57,0	76,1	39,7	60,8	64,2	41,8	65,1	76,6	77,0	64,9	77,0	100,0	65,0	
Tervist kahjustav - Health harming	54,8	35,0	50,2	45,6	67,8	80,8	77,0	67,4	68,8	80,5	89,9	90,0	60,6	100,0	73,2	
Kontrollkese - Locus of control																
Seesmine - Internal	50,0	46,6	51,8	52,3	69,9	76,0	63,7	55,2	73,6	82,9	81,4	82,3	81,7	86,0	74,7	
Väline - External	11,9	24,6	48,8	66,4	100,0	67,4	64,6	51,4	87,4	0,0	54,3	100,0	100,0	100,0	62,1	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	47,4	45,0	66,0	60,8	81,4	81,3	65,9	65,4	74,0	85,3	80,4	82,6	81,4	81,1	78,4	
Väga halb või halb - Very bad or bad	12,3	32,2	33,5	57,3	64,5	75,2	52,5	57,6	68,5	51,9	33,9	0,0	100,0	0,0	55,6	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	43,3	0,0	0,0	0,0	0,0	0,0	100,0	100,0	0,0	0,0	0,0	100,0	41,1	100,0	81,5	
Normkaal - Normal weight	40,3	34,3	47,3	60,5	74,9	82,6	58,5	63,4	74,4	80,6	78,6	77,6	83,3	80,2	74,3	
Ülekaal - Overweight	31,7	37,0	47,7	51,7	69,1	71,0	67,2	64,7	75,5	80,7	81,9	89,8	78,7	89,8	72,8	
Rasumine - Obesity	53,1	54,3	57,4	69,9	69,5	65,6	69,1	66,3	68,3	83,4	70,2	83,5	53,9	51,0	69,8	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
							Vanus - Age								Total	

TABEL 95.B. Ühel tarbimiskorral tavaline korraga joodud ölle kogus viimasel neljal nädalal alkoholi tarvitanute hulgas (%) sünnipölvkonna järgi, naised
TABLE 95.B. Usual amount of beer drunk at one sitting among those who have consumed alcohol during the last four weeks (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Pole joonud ölut - Has not drunk beer	95,3	87,6	91,1	86,3	87,5	76,0	81,4	74,1	80,1	79,1	76,4	71,5	74,5	75,9	78,5
1 annus* - 1 dose*	0,0	10,5	5,5	10,5	12,5	14,9	14,7	19,0	16,4	14,7	11,3	19,8	14,4	12,4	14,4
2 annust - 2 doses	0,0	1,9	3,4	1,0	0,0	0,9	0,6	5,1	1,4	1,6	4,3	4,0	6,2	8,7	3,3
3 annust või enam - 3 doses or more	4,7	0,0	0,0	2,2	0,0	8,2	3,3	1,8	2,1	4,6	8,0	4,7	4,9	3,0	3,8
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	25	63	72	125	71	124	125	151	143	131	153	103	126	125	1537
Vastamata - Missing (N)	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Pole tarvitanud alkoholi - Has not consumed alcohol (N)	167	224	201	219	108	124	111	109	82	70	93	79	81	116	1784

* 1 annus = 0,5 l lahjat ölut - 1 dose = 0,5 l light beer

TABEL 95.1.B. Ölut joonute protsent viimasel neljal nädalal alkoholi tarvitanute hulgas rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 95.1.B. Percent of persons who have drunk beer among those who have consumed alcohol during the last four weeks in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	0,0	4,0	16,9	15,0	11,3	26,0	16,1	24,5	20,4	17,7	23,1	22,5	24,0	18,2	20,0
Ida-Virumaa	0,0	9,5	0,0	10,7	0,0	12,3	33,9	21,3	6,5	27,8	27,4	35,2	26,6	34,6	21,7
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	15,1	31,4	9,3	11,7	21,3	25,8	16,8	25,5	29,8	23,4	22,4	49,0	29,8	28,4	25,7
Järva, Lääne-Viru, Rapla	0,0	16,4	0,0	6,2	0,0	33,0	30,8	41,7	18,8	39,4	22,3	18,5	41,1	32,7	24,1
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	10,7	0,0	21,8	20,9	17,3	7,5	21,9	12,8	5,2	26,0	34,9	0,0	20,1	15,6
Asulatüüp - Type of residence															
Linn - Urban	0,0	12,4	9,6	12,5	12,3	21,0	16,5	26,2	20,6	21,9	21,4	30,0	23,8	25,9	21,0
Maa - Rural	33,4	12,4	0,0	17,7	12,0	34,6	24,1	24,6	17,9	17,8	34,6	22,0	30,5	19,6	22,8
Rahvus - Ethnicity															
Eestlane - Estonian	6,3	14,7	10,4	16,2	12,7	27,8	19,6	25,8	19,8	19,4	22,3	26,5	23,7	24,3	21,3
Mitte-eestlane - Non-Estonian	0,0	5,1	5,1	8,6	10,2	16,2	16,9	25,9	20,0	24,9	26,4	33,0	28,7	23,4	21,7
Põlisus - Native-born population															
Põlisrahvastik - Native-born	6,0	15,2	10,6	16,2	12,4	26,9	18,3	24,8	21,0	19,4	21,4	26,2	22,8	23,1	20,9
Immigrantrahvastik - Not native-born	0,0	4,6	3,7	7,6	11,3	17,5	19,2	27,6	17,1	24,9	29,1	35,4	31,8	28,2	22,8
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	17,8	4,5	6,9	18,7	23,5	17,8	28,4	15,4	21,4	23,1	31,9	28,7	32,5	22,2
Ei ole kooselus - Not cohabiting	5,6	10,4	11,1	19,2	4,2	24,7	20,0	20,8	35,4	19,8	25,2	22,2	21,3	22,8	20,3
Haridus - Education															
Põhi või madalam - Lower secondary or less	10,9	17,1	5,3	16,9	10,5	42,2	20,0	0,0	100,0	0,0	58,9	51,8	20,0	22,2	22,2
Kesk - Upper secondary	0,0	8,5	8,1	10,9	14,2	21,3	18,2	28,6	12,8	21,3	21,9	22,3	21,7	25,8	19,8
Kõrg - University	0,0	11,1	14,9	14,5	10,5	23,9	18,8	24,2	24,0	21,4	22,7	28,8	31,9	100,0	23,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	22,9	8,3	12,7	22,7	15,6	27,1	20,7	15,2	20,7	30,8	29,1	19,4	22,0
Mitteaktiivne - Non-active	4,7	13,2	7,6	15,0	12,0	27,4	46,0	7,5	9,7	49,3	36,5	20,7	18,6	25,1	20,5
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	21,8	8,8	16,0	17,6	21,5	0,0	24,9	21,3	44,4	28,1	31,6	23,6	28,0	21,3
Üle suhtelise vaesuse piiri - Above the risk of poverty	0,0	7,9	6,3	13,0	11,2	23,7	20,0	27,5	22,7	18,0	24,2	29,4	27,1	25,1	22,2
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	29,0	16,7	19,5	18,0	22,1	24,1	21,2	27,5	22,5	22,1
Tervisehäired - Less severe health disorders	0,0	12,5	8,4	8,9	8,9	28,3	23,9	31,4	23,5	22,4	21,1	43,5	23,6	28,6	24,0
Tõsisemad tervisehäired - Severe health disorders	0,0	17,1	6,0	25,2	11,9	17,3	9,4	29,0	14,5	12,2	29,0	43,6	29,4	10,5	18,4
Toimetuleku piirangud - Managing restrictions	7,5	9,1	11,0	6,2	24,5	12,3	16,5	7,8	21,8	20,7	33,8	100,0	17,9	34,2	14,5
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	9,8	17,3	10,2	15,7	14,9	8,7	6,3	22,3	22,7	18,7	34,4	24,7	16,9	18,6
Tervist kahjustav - Health harming	0,0	7,7	20,3	0,0	0,0	32,6	25,0	35,5	26,1	55,3	33,8	45,9	12,3	42,3	28,0
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	8,8	19,9	4,7	11,5	18,0	12,7	26,9	16,6	23,0	24,6	18,3	23,8	25,2	20,4
Väline - External	0,0	0,0	0,0	20,9	0,0	74,8	0,0	19,5	0,0	41,2	38,2	0,0	32,7	0,0	19,6
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	0,0	26,1	5,1	12,2	28,8	26,0	32,4	20,8	21,2	25,3	23,7	26,6	26,3	24,4
Väga halb või halb - Very bad or bad	19,0	17,3	3,1	17,3	0,0	21,5	14,9	12,4	43,9	0,0	24,6	100,0	0,0	0,0	17,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	100,0	0,0	30,5	0,0	16,7	12,5	33,1	10,5	17,3
Normkaal - Normal weight	13,0	14,5	7,9	17,7	4,5	29,2	17,6	26,2	19,7	25,1	21,7	33,2	23,8	26,0	23,3
Ülekaal - Overweight	0,0	19,6	9,5	15,0	17,8	23,3	18,2	19,7	24,7	22,0	33,5	13,4	31,3	19,7	20,1
Rasvumine - Obesity	0,0	0,0	8,8	7,8	14,8	19,7	18,7	35,6	11,5	5,7	29,2	46,8	23,2	48,7	18,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 96.A. Ühel tarbimiskorral tavaline korraga joodud veini (muu kerge alkoholi) kogus viimasel neljal nädalal alkoholi tarvitavate hulgas (%) sünnipölvkonna järgi, mehed
TABLE 96.A. Usual amount of wine (other light alcohol) drunk at one sitting among those who have consumed alcohol during the last four weeks (%) by birth cohort, males

	Sünnipölvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Pole joonud veini - Has not drunk wine	73,4	72,9	74,0	74,1	70,2	66,5	64,8	54,6	56,9	54,2	51,0	44,1	44,8	36,1	55,0
1–2 annust* - 1–2 doses*	20,9	24,8	21,9	19,4	26,3	23,4	24,5	26,6	30,8	30,7	38,6	38,8	43,6	55,7	33,5
3–4 annust - 3–4 doses	2,1	0,5	3,3	3,7	2,8	5,4	4,1	11,8	4,4	4,9	5,7	13,2	4,7	5,3	6,1
üle 4 annuse - over 4 doses	3,6	1,8	0,8	2,8	0,7	4,7	6,6	7,0	7,9	10,2	4,7	3,9	6,9	2,9	5,4
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	51	156	141	203	91	131	136	147	159	154	146	148	168	168	1999
Vastamata - Missing (N)	0	1	0	0	0	0	0	0	1	1	0	1	0	0	4
Pole tarvitanud alkoholi - Has not consumed alcohol (N)	78	184	120	129	54	64	58	56	44	58	44	44	69	106	1108

*1 annus = 100 ml veini - 1 dose = 100 ml of wine

TABEL 96.1.A. Veini (muud kerge alkoholi) joonute protsent viimasel neljal nädalal alkoholi tarvitavate hulgas rahvastikurühmades sünnipölvkonna järgi, mehed
TABLE 96.1.A. Percent of persons who have drunk wine (other light alcohol) among alcohol consumers during the last four weeks in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	40,9	31,0	36,1	28,5	35,8	35,3	38,3	52,1	44,7	52,2	55,1	61,5	54,9	61,8	49,2
Ida-Virumaa	0,0	8,4	21,5	16,6	33,6	15,9	42,1	24,6	45,5	46,0	48,5	48,6	52,6	60,4	40,0
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	22,1	33,8	23,6	29,3	31,6	21,2	24,2	38,0	45,1	40,6	46,3	49,4	58,2	67,1	42,9
Järva, Lääne-Viru, Rapla	16,9	21,6	30,0	14,5	8,7	51,2	45,6	60,7	17,0	44,8	33,4	50,9	52,2	61,5	42,1
Lääne, Saare, Hiiu, Pärnumaa	26,1	8,4	12,0	31,7	19,0	50,2	34,8	46,8	49,1	32,4	38,3	50,0	50,7	65,4	41,7
Asulatüüp - Type of residence															
Linn - Urban	24,4	25,5	31,3	27,0	28,4	37,5	39,1	47,2	42,8	42,9	47,4	56,0	54,8	64,0	45,5
Maa - Rural	32,7	34,3	14,6	22,3	32,8	24,4	22,9	41,4	43,3	52,4	53,6	53,8	56,7	63,6	43,3
Rahvus - Ethnicity															
Eestlane - Estonian	30,2	29,6	26,7	30,6	33,1	40,1	37,0	49,1	49,8	50,6	53,0	55,0	60,6	63,3	48,7
Mitte-eestlane - Non-Estonian	11,3	21,7	23,7	18,3	22,8	25,0	32,9	38,4	28,2	34,1	40,8	57,0	43,4	65,9	37,3
Põlisus - Native-born population															
Põlisrahvastik - Native-born	30,2	29,9	27,4	29,9	30,6	39,1	38,7	50,4	47,9	51,9	53,0	55,6	59,1	63,3	48,7
Immigrantrahvastik - Not native-born	11,3	21,2	21,9	19,0	27,4	25,2	29,6	35,1	31,1	29,5	39,6	55,9	44,4	66,9	36,3
Kooselu - Cohabiting															
Kooselus - Cohabiting	31,6	28,3	23,9	25,9	28,0	32,9	34,8	46,1	44,9	44,3	47,2	57,6	49,8	61,2	41,5
Ei ole kooselus - Not cohabiting	19,1	24,7	34,5	26,0	47,4	36,8	38,2	41,7	32,9	52,7	54,6	52,1	59,1	64,1	52,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	15,7	17,3	19,5	11,0	18,5	28,8	30,7	52,7	34,2	20,1	62,3	46,4	42,3	56,9	41,6
Kesk - Upper secondary	29,2	33,3	22,5	22,6	20,9	27,2	32,1	39,9	40,4	46,6	47,4	56,1	57,9	79,2	43,9
Kõrg - University	42,2	32,0	37,9	37,9	49,9	43,4	42,7	50,3	50,3	46,8	49,7	57,1	56,0	100,0	48,6
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	27,8	40,2	50,9	47,1	39,8	32,0	37,0	46,6	45,0	45,6	49,5	54,7	54,9	50,8	46,7
Mitteaktiivne - Non-active	26,5	26,4	21,2	19,0	18,2	37,6	26,2	37,0	12,6	49,7	38,5	73,2	56,7	68,4	40,0
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	22,4	32,5	8,0	22,3	27,6	16,9	44,7	35,8	30,8	36,5	51,3	55,6	36,7	69,5	36,4
Üle suhtelise vaesuse piiri - Above the risk of poverty	30,2	26,2	28,8	26,5	30,1	39,6	35,1	47,3	43,6	47,7	49,2	56,0	58,6	63,0	46,1
Tervise seisund - Health status															
Terve - No health disorders	0,0	33,1	50,4	38,6	16,5	34,9	52,2	44,2	48,4	46,0	51,6	52,7	45,6	61,8	50,3
Tervisehäired - Less severe health disorders	7,9	36,6	24,8	29,2	40,7	35,7	30,1	49,4	43,2	45,0	52,5	62,7	71,6	70,9	45,3
Tõsisemad tervisehäired - Severe health disorders	37,4	23,7	22,8	23,9	22,0	37,3	48,5	38,3	21,5	50,7	25,5	59,9	79,9	67,3	37,6
Toimetuleku piirangud - Managing restrictions	29,7	24,1	25,4	18,6	24,0	22,8	19,8	33,4	30,1	31,6	27,9	68,7	73,4	100,0	28,2
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	37,8	34,3	58,1	52,2	30,7	32,4	81,1	68,3	68,2	71,1	62,0	77,6	94,8	100,0	68,9
Tervist kahjustav - Health harming	30,6	25,1	7,7	26,6	26,7	36,8	36,3	39,6	46,1	64,3	54,1	61,8	78,8	100,0	45,8
Kontrollkese - Locus of control															
Seesmine - Internal	47,5	21,7	33,7	30,2	37,2	39,2	41,4	48,1	45,2	52,4	54,9	52,2	51,1	64,9	48,8
Väline - External	0,0	40,6	17,2	6,0	68,1	15,9	29,8	51,4	21,9	100,0	26,3	0,0	0,0	100,0	25,8
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	47,4	32,9	44,0	33,0	45,9	32,5	46,4	54,9	56,4	45,9	52,9	55,1	54,7	64,3	53,3
Väga halb või halb - Very bad or bad	33,8	24,3	26,4	16,0	19,2	22,1	28,2	29,5	21,7	56,2	54,0	100,0	59,2	28,6	28,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	56,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	73,7	82,9	38,9	57,5
Normkaal - Normal weight	28,9	27,1	33,7	21,1	29,2	33,8	38,5	54,2	43,6	50,8	53,1	54,2	54,6	66,1	49,3
Ülekaal - Overweight	28,7	27,9	21,3	26,8	30,0	35,6	35,8	39,1	42,6	40,5	52,8	62,1	48,0	55,6	42,1
Rasvumine - Obesity	0,0	26,4	15,6	34,0	30,1	29,3	29,4	48,3	42,6	48,1	23,4	39,7	83,1	100,0	37,8
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 96.B. Ühel tarbimiskorral tavaline korraga joodud veini (muu kerge alkoholi) kogus viimasel neljal nädalal alkoholi tarvitavate hulgas (%) sünnipõlvkonna järgi, naised
TABLE 96.B. Usual amount of wine (other light alcohol) drunk at one sitting among those who have consumed alcohol during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Pole joonud veini - Has not drunk wine	35,7	46,9	45,7	37,7	23,0	31,6	19,6	22,4	21,0	9,2	17,5	11,4	13,2	6,5	20,0
1-2 annust* - 1-2 doses*	58,1	47,0	47,4	58,4	64,7	59,7	65,0	62,5	64,9	72,5	68,7	68,4	63,5	73,7	64,9
3-4 annust - 3-4 doses	6,2	4,3	5,1	2,9	12,3	7,6	11,6	13,9	10,5	12,6	8,8	18,1	16,0	11,9	11,4
üle 4 annuse - over 4 doses	0,0	1,8	1,8	1,0	0,0	1,1	3,8	1,2	3,6	5,7	5,0	2,1	7,3	7,9	3,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	25	63	73	125	71	124	125	151	141	130	152	103	124	125	1532
Vastamata - Missing (N)	0	0	0	0	1	0	0	0	2	1	1	0	2	0	7
Pole tarvitanud alkoholi - Has not consumed alcohol (N)	167	224	201	219	108	124	111	109	82	70	93	79	81	116	1784

*1 annus = 100 ml veini - 1 dose = 100 ml of wine

TABEL 96.1.B. Veini (muud kerget alkoholi) joonute protsent viimasel neljal nädalal alkoholi tarvitavate hulgas rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 96.1.B. Percent of persons who have drunk wine (other light alcohol) among alcohol consumers during the last four weeks in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	77,5	60,7	53,3	59,7	77,2	70,2	84,8	78,1	80,5	90,6	83,7	91,1	86,5	97,0	81,6
Ida-Virumaa	100,0	57,5	55,0	51,8	71,0	63,4	65,8	70,2	61,2	77,8	51,6	82,4	93,4	79,2	69,6
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	52,8	43,0	41,1	66,0	66,7	68,4	66,7	88,4	81,6	94,6	87,7	100,0	79,1	92,3	80,0
Järva, Lääne-Viru, Rapla	100,0	31,2	53,1	79,8	91,0	93,3	83,0	56,9	77,7	81,7	87,6	79,1	90,3	91,8	80,8
Lääne, Saare, Hiiu, Pärnumaa	0,0	56,8	75,3	59,7	75,9	45,5	96,1	80,8	73,7	93,0	78,8	69,2	88,4	95,6	78,8
Asulatüüp - Type of residence															
Linn - Urban	74,9	53,8	54,1	60,7	79,6	68,8	80,0	73,1	78,3	92,5	79,7	85,9	87,1	92,4	79,0
Maa - Rural	0,0	49,2	56,6	67,5	67,3	67,2	81,5	93,7	76,0	81,5	94,6	100,0	80,9	96,4	81,9
Rahvus - Ethnicity															
Eestlane - Estonian	58,2	50,5	54,0	70,9	75,6	74,9	82,4	79,3	79,2	90,5	88,7	95,0	84,7	94,4	82,2
Mitte-eestlane - Non-Estonian	82,2	61,7	54,9	44,9	79,0	55,3	77,1	75,2	74,5	88,2	67,3	73,9	87,3	90,8	74,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	60,6	50,7	56,4	69,5	76,1	74,1	81,0	80,2	78,7	91,5	89,2	95,4	83,4	94,7	82,3
Immigrantrahvastik - Not native-born	78,3	60,0	48,9	44,8	76,6	55,6	79,3	73,6	75,1	85,6	64,0	67,6	91,0	88,9	72,9
Kooselu - Cohabiting															
Kooselus - Cohabiting	77,9	42,3	57,8	70,6	62,4	66,0	86,4	78,3	79,2	90,0	81,2	87,5	87,6	91,9	80,2
Ei ole kooselus - Not cohabiting	61,8	57,1	52,3	55,5	93,2	72,2	69,3	76,0	72,5	89,5	85,1	90,5	83,1	93,8	78,9
Haridus - Education															
Põhi või madalam - Lower secondary or less	39,1	47,9	45,6	50,4	72,3	47,3	63,6	74,8	0,0	100,0	41,1	55,8	89,4	94,5	71,7
Kesk - Upper secondary	86,0	54,6	52,1	63,5	74,7	69,0	82,5	80,1	77,0	86,4	84,1	87,2	83,5	93,4	79,7
Kõrg - University	80,2	58,4	71,1	71,6	79,4	71,3	81,2	75,3	79,7	92,7	83,2	95,0	87,6	0,0	82,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	41,2	13,8	50,4	86,7	73,3	81,3	77,6	76,7	92,2	85,2	90,4	84,7	90,4	82,1
Mitteaktiivne - Non-active	64,3	53,9	57,5	65,1	71,8	55,6	72,4	77,5	89,6	78,1	68,3	82,4	87,3	94,2	74,9
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	64,6	48,5	60,7	58,8	65,9	58,2	61,4	75,1	62,4	86,4	65,3	67,6	79,6	95,7	68,0
Üle suhtelise vaesuse piiri - Above the risk of poverty	69,0	55,3	50,8	63,7	79,5	68,1	83,9	79,0	78,5	89,7	85,0	90,3	86,5	93,1	81,5
Tervise seisund - Health status															
Terve - No health disorders	100,0	0,0	100,0	65,9	100,0	72,6	77,7	86,1	76,2	88,9	85,8	90,3	91,6	94,2	87,7
Tervisehäired - Less severe health disorders	100,0	63,4	69,0	70,8	88,9	74,6	82,7	72,9	73,2	94,3	79,0	94,3	75,2	90,2	79,8
Tõsisemad tervisehäired - Severe health disorders	100,0	43,6	64,5	68,4	75,6	59,4	75,1	95,0	83,1	89,3	79,4	69,2	100,0	100,0	75,6
Toimetuleku piirangud - Managing restrictions	43,3	59,6	34,6	43,9	39,4	52,9	84,3	55,8	100,0	58,6	0,0	0,0	89,3	100,0	57,6
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	81,3	72,3	75,3	75,2	64,2	69,7	70,0	86,1	81,6	93,7	89,7	91,7	97,9	100,0	83,7
Tervist kahjustav - Health harming	100,0	52,2	47,8	62,5	100,0	66,4	96,0	72,1	75,4	64,6	78,7	100,0	79,8	42,3	78,9
Kontrollkese - Locus of control															
Seesmine - Internal	100,0	46,0	41,3	69,5	80,9	73,0	79,6	76,2	81,8	92,4	85,2	88,7	85,4	94,2	82,9
Väline - External	60,2	53,8	70,9	24,8	78,6	50,5	100,0	89,9	71,6	79,4	100,0	0,0	100,0	0,0	72,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	100,0	73,7	51,7	76,2	82,7	72,5	86,4	82,0	81,4	88,8	84,7	93,8	87,3	92,2	86,2
Väga halb või halb - Very bad or bad	12,3	54,4	49,5	50,5	64,2	60,9	78,5	68,8	100,0	100,0	46,6	26,4	100,0	100,0	61,4
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	100,0	0,0	100,0	0,0	100,0	0,0	50,2	100,0	81,2	80,1	100,0	100,0	87,4
Normkaal - Normal weight	73,9	60,8	64,6	63,3	82,2	71,8	88,1	85,5	84,9	90,0	86,3	87,8	85,4	93,0	85,2
Ülekaal - Overweight	62,4	47,0	55,9	62,0	78,4	83,6	74,8	76,4	72,3	83,3	74,1	100,0	69,4	100,0	75,5
Rasvumine - Obesity	51,8	54,4	40,5	63,5	66,6	48,9	73,7	62,0	67,4	100,0	63,6	78,3	100,0	51,3	64,9
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 97.A. Ühel tarbimiskorral tavaline korraga joodud viina (muu kange alkoholi) kogus viimasel neljal nädalal alkoholi tarvitavate hulgas (%) sünnipölvkonna järgi, mehed
TABLE 97.A. Usual amount of vodka (other strong alcohol) drunk at one sitting among those who have consumed alcohol during the last four weeks (%) by birth cohort, males

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
Pole joodud viina - Has not drunk vodka		22,3	20,2	23,0	24,3	29,6	21,0	19,8	24,8	24,3	25,9	34,0	35,0	44,8	54,9	31,3
1–2 pitsi* - 1–2 shots*		45,7	40,0	28,9	21,9	24,0	11,7	12,4	13,7	16,4	8,6	21,5	11,1	9,0	8,1	14,9
3–4 pitsi - 3–4 shots		18,5	22,6	25,0	26,8	16,6	24,1	26,9	20,4	18,4	12,4	8,9	14,8	12,3	8,9	16,9
5–6 pitsi - 5–6 shots		0,0	9,5	10,7	8,7	12,8	14,5	16,9	13,0	8,2	16,9	7,6	9,0	6,9	8,1	10,7
7–16 pitsi - 7–16 shots		11,3	6,5	7,4	12,5	9,5	16,3	18,7	11,3	10,9	17,0	17,5	13,5	16,0	11,2	13,8
0,5 liitrit või enam - 0.5 litres or more		2,2	1,2	5,0	5,8	7,5	12,4	5,3	16,8	21,8	19,2	10,5	16,6	11,0	8,8	12,4
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		51	156	141	201	91	131	135	147	158	153	145	149	168	168	1994
Vastamata - Missing (N)		0	1	0	2	0	0	1	0	2	2	1	0	0	0	9
Pole tarvitanud alkoholi - Has not consumed alcohol (N)		78	184	120	129	54	64	58	56	44	58	44	44	69	106	1108
*1 pits = 30 ml - 1 shot = 30 ml																

*1 pits = 30 ml - 1 shot = 30 ml

TABEL 97.1.A. Viina (muud kanget alkoholi) joonute protsent viimasel neljal nädalal alkoholi tarvitavate hulgas rahvastikurühmades sünnipölvkonna järgi, mehed
TABLE 97.1.A. Percent of persons who have drunk vodka (other strong alcohol) among alcohol consumers during the last four weeks in background categories by birth cohort, males

Piirkond - Region															
Harjumaa	72,8	78,3	76,3	83,4	67,4	83,1	83,0	74,0	74,3	65,2	59,0	69,4	55,3	34,8	67,0
Ida-Virumaa	80,1	95,9	83,2	83,3	100,0	89,4	81,4	78,0	81,2	91,2	81,5	74,9	80,3	46,1	80,5
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	88,5	78,6	74,0	63,1	70,6	78,7	77,1	78,8	79,4	78,2	64,0	58,6	55,2	64,4	69,7
Järva, Lääne-Viru, Rapla	100,0	75,8	83,5	74,5	49,7	67,4	76,2	80,6	72,9	76,9	73,7	45,9	17,2	32,4	63,1
Lääne, Saare, Hiiumaa, Pärnumaa	47,9	74,3	75,0	63,8	70,6	68,8	76,3	65,8	64,5	67,8	74,0	62,5	51,4	38,2	63,8
Asulatüüp - Type of residence															
Linn - Urban	75,7	79,9	77,5	78,0	76,0	83,1	79,0	72,8	74,7	76,4	68,7	65,7	55,1	45,0	69,5
Maa - Rural	82,8	79,5	75,8	63,9	57,5	69,9	81,3	80,3	75,4	67,3	56,5	61,1	55,3	45,3	65,8
Rahvus - Ethnicity															
Eestlane - Estonian	80,9	76,3	73,5	66,3	69,3	74,8	78,4	74,0	69,9	69,3	58,1	62,6	53,7	47,1	65,0
Mitte-eestlane - Non-Estonian	63,7	87,5	88,2	88,8	72,5	84,5	81,0	77,5	85,6	84,3	80,6	69,3	58,3	37,9	75,5
Põlisus - Native-born population															
Põlisrahvastik - Native-born	80,9	77,2	72,8	66,3	68,5	76,2	78,4	74,0	71,1	70,1	56,8	61,2	55,9	45,5	65,0
Immigrantrahvastik - Not native-born	63,7	85,4	89,1	89,8	75,5	83,3	81,4	77,6	83,9	83,2	85,6	72,5	53,1	43,3	76,6
Kooselu - Cohabiting															
Kooselus - Cohabiting	72,2	80,2	76,7	78,0	73,0	79,8	79,8	72,8	74,9	74,3	64,5	64,5	52,4	34,0	71,6
Ei ole kooselus - Not cohabiting	85,9	79,1	78,0	61,2	43,7	74,5	77,9	88,5	75,0	70,5	68,6	66,0	57,2	46,0	61,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	91,7	83,9	78,3	79,3	68,2	71,9	75,8	90,1	69,0	82,9	78,5	70,0	56,7	42,7	61,4
Kesk - Upper secondary	59,7	73,1	77,0	73,2	69,5	79,5	77,9	67,4	75,5	76,0	68,0	67,8	55,8	48,4	69,4
Kõrg - University	67,4	81,5	75,4	74,5	72,7	80,9	83,9	81,7	74,9	66,7	57,8	59,8	52,6	100,0	70,9
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	48,4	59,8	58,3	71,9	74,5	84,9	77,3	73,1	75,4	74,1	65,5	65,7	54,9	53,3	69,8
Mitteaktiivne - Non-active	80,1	80,9	80,6	75,8	65,5	62,6	90,6	89,5	67,9	66,2	65,3	52,7	56,4	42,3	65,0
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	91,6	76,3	81,5	62,3	69,3	80,1	89,9	80,9	65,3	62,3	21,0	0,0	42,9	47,3	64,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	76,3	79,1	76,6	77,3	70,6	79,7	78,2	73,3	77,3	73,8	71,1	69,1	55,0	47,5	70,1
Tervise seisund - Health status															
Terve - No health disorders	100,0	52,4	84,7	96,7	54,1	74,7	71,7	67,6	69,7	72,4	69,0	65,7	57,7	45,6	63,4
Tervisehäired - Less severe health disorders	87,7	91,8	77,1	73,7	64,9	79,4	80,1	76,6	77,7	82,8	51,4	64,5	50,4	40,1	70,6
Tõsisemad tervisehäired - Severe health disorders	70,7	72,1	89,7	71,6	89,1	78,5	78,3	73,9	87,7	64,0	86,5	83,3	52,2	67,9	76,8
Toimetuleku piirangud - Managing restrictions	76,1	80,5	66,2	73,6	72,3	80,4	88,5	93,5	78,7	75,4	27,9	33,4	45,6	0,0	74,2
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	24,2	82,6	62,6	73,7	80,1	78,7	57,2	67,8	63,8	53,5	33,3	67,1	52,1	0,0	59,3
Tervist kahjustav - Health harming	80,5	84,2	84,6	82,2	75,6	85,8	79,2	75,3	57,9	79,0	76,7	75,2	50,9	100,0	74,8
Kontrollkese - Locus of control															
Seesmine - Internal	50,9	80,5	75,3	74,8	68,9	71,4	85,1	81,8	71,6	80,2	66,5	61,3	54,4	40,9	67,2
Väline - External	88,1	74,5	82,8	83,8	31,9	80,5	75,1	73,1	56,7	100,0	48,1	100,0	0,0	100,0	70,1
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	67,8	82,7	75,1	77,8	46,6	74,8	77,4	72,1	67,2	73,9	65,6	65,6	58,3	43,0	63,6
Väga halb või halb - Very bad or bad	84,9	78,5	79,4	68,1	72,4	73,6	86,6	81,6	91,8	76,1	100,0	100,0	59,2	0,0	78,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	100,0	0,0	0,0	0,0	0,0	0,0	100,0	100,0	0,0	0,0	0,0	0,0	57,2	13,6	33,6
Normkaal - Normal weight	66,3	79,6	72,6	77,1	58,0	74,0	69,8	70,4	72,8	69,4	59,5	66,0	53,8	43,7	62,2
Ülekaal - Overweight	82,9	86,6	82,1	73,8	68,6	81,3	80,7	81,1	70,6	78,5	64,7	72,8	59,1	57,3	73,5
Rasvumine - Obesity	87,7	63,9	76,2	72,5	85,0	83,5	93,4	67,7	87,6	70,9	86,1	51,4	56,6	49,0	77,3
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 97.B. Ühel tarbimiskorral tavaline korraga joodud viina (muu kange alkoholi) kogus viimasel neljal nädalal alkoholi tarvitavate hulgas (%) sünnipölvkonna järgi, naised
TABLE 97.B. Usual amount of vodka (other strong alcohol) drunk at one sitting among those who have consumed alcohol during the last four weeks (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Pole joonud viina - Has not drunk vodka	65,9	45,5	52,2	50,3	59,6	54,8	60,1	61,7	66,6	76,0	71,2	78,7	65,8	72,7	65,4	
1–2 pitsi* - 1–2 shots*	25,9	46,5	35,7	34,9	22,2	25,6	21,3	18,9	17,5	8,6	11,8	5,7	12,7	11,5	17,6	
3–4 pitsi - 3–4 shots	8,2	4,5	10,3	11,6	13,6	14,5	14,7	10,7	12,8	10,2	13,0	8,4	14,6	6,8	11,6	
5–6 pitsi - 5–6 shots	0,0	3,5	0,0	3,2	4,6	2,0	3,3	5,4	1,4	2,7	2,8	5,3	5,6	4,1	3,5	
7–16 pitsi - 7–16 shots	0,0	0,0	1,8	0,0	0,0	3,1	0,6	1,7	0,6	2,5	0,8	1,9	1,3	3,4	1,5	
0,5 liitrit või enam - 0.5 litres or more	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,6	1,1	0,0	0,4	0,0	0,0	1,5	0,4	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	25	63	73	125	72	124	125	151	143	131	153	103	125	125	1538	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
Pole tarvitanud alkoholi - Has not consumed alcohol (N)	167	224	201	219	108	124	111	109	82	70	93	79	81	116	1784	
*1 pits = 30 ml - 1 shot = 30 ml																

*1 pitsi = 30 ml - 1 shot = 30 ml

TABEL 97.1.B. Viina (muud kanget alkoholi) joonute protsent viimasel neljal nädalal alkoholi tarvitavate hulgas rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 97.1.B. Percent of persons who have drunk vodka (other strong alcohol) among alcohol consumers during the last four weeks in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	11,1	47,3	46,7	50,2	34,1	40,4	39,3	34,2	34,8	18,7	24,6	17,7	38,7	21,2	31,9
Ida-Virumaa	0,0	38,4	78,0	69,6	64,5	61,1	59,4	42,6	51,7	50,0	45,6	47,2	19,9	20,8	47,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	57,0	62,1	61,1	39,5	51,1	45,0	51,2	36,8	33,9	21,3	30,9	14,5	41,2	37,9	37,6
Järva, Lääne-Viru, Rapla	0,0	90,2	32,9	39,9	24,0	31,5	27,2	56,8	25,3	28,9	22,0	23,7	9,7	35,7	29,9
Lääne, Saare, Hiiumaa, Pärnumaa	100,0	53,7	24,7	53,5	45,0	57,5	20,9	36,4	31,7	22,3	36,5	30,8	20,5	23,9	33,4
Asulatüüp - Type of residence															
Linn - Urban	28,6	54,9	47,0	55,2	36,5	44,9	44,2	36,1	29,0	26,0	25,9	22,4	35,9	29,6	34,8
Maa - Rural	67,3	52,5	55,6	31,7	50,4	46,1	28,5	46,2	45,8	17,6	43,3	16,6	28,0	21,5	34,1
Rahvus - Ethnicity															
Eestlane - Estonian	39,7	55,5	46,7	38,3	41,2	39,2	31,6	36,2	28,2	20,1	26,6	15,5	37,5	30,5	31,7
Mitte-eestlane - Non-Estonian	17,8	51,2	50,2	72,6	36,7	57,4	53,7	41,2	44,8	34,2	33,6	34,6	27,6	17,4	41,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	37,4	55,5	44,3	40,6	42,5	39,5	34,6	38,0	30,3	19,1	25,6	15,2	37,2	29,6	32,0
Immigrantrahvastik - Not native-born	21,7	51,6	57,1	71,8	29,5	58,1	50,7	38,7	41,2	36,9	37,0	40,1	26,2	18,1	41,2
Kooselu - Cohabiting															
Kooselus - Cohabiting	22,1	49,3	45,1	47,7	43,9	44,8	32,1	34,9	36,5	24,5	30,6	21,5	29,0	30,7	33,2
Ei ole kooselus - Not cohabiting	36,4	56,5	49,4	51,3	36,0	45,8	54,2	45,1	22,8	22,7	23,1	21,0	40,5	26,7	36,7
Haridus - Education															
Põhi või madalam - Lower secondary or less	57,3	60,9	59,6	53,1	48,2	72,7	66,2	0,0	100,0	0,0	51,7	48,8	66,2	26,6	44,8
Kesk - Upper secondary	14,0	57,5	40,3	51,7	33,3	43,6	42,4	29,4	32,1	21,6	28,8	21,7	36,8	28,8	33,5
Kõrg - University	19,8	41,6	46,3	43,8	46,0	42,2	31,7	48,1	33,3	27,4	27,2	16,5	22,5	0,0	32,6
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	80,0	86,2	60,3	37,8	37,7	40,2	39,3	33,3	23,0	29,4	19,5	31,5	21,1	32,5
Mitteaktiivne - Non-active	34,1	52,9	44,8	47,2	41,5	64,8	36,8	22,5	34,5	29,2	26,1	27,2	38,7	28,6	38,7
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	35,4	51,4	44,7	41,0	52,3	62,5	44,0	57,0	38,1	42,1	59,2	53,0	49,1	40,8	47,9
Üle suhtelise vaesuse piiri - Above the risk of poverty	28,5	54,1	49,1	56,9	37,3	45,1	40,5	33,0	32,3	22,0	24,9	18,5	29,1	24,1	32,0
Tervise seisund - Health status															
Terve - No health disorders	0,0	100,0	0,0	34,1	0,0	36,8	43,3	38,9	34,5	23,1	26,3	12,0	34,1	29,0	27,0
Tervisehäired - Less severe health disorders	0,0	60,2	27,3	54,1	44,3	32,7	43,9	43,3	36,6	24,4	30,9	36,5	31,3	28,5	36,5
Tõsisemad tervisehäired - Severe health disorders	0,0	59,1	41,5	37,2	34,2	59,0	37,1	17,4	20,9	15,0	34,0	50,9	50,3	20,6	35,1
Toimetuleku piirangud - Managing restrictions	54,2	47,2	69,6	61,8	53,8	85,2	24,7	47,0	40,2	79,3	66,2	100,0	42,0	0,0	53,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	12,4	51,8	21,2	40,7	39,3	36,2	33,3	34,7	26,9	26,8	19,8	10,8	25,4	0,0	27,6
Tervist kahjustav - Health harming	0,0	66,0	52,2	60,9	28,1	51,0	51,8	38,6	53,4	19,8	28,0	25,7	41,4	100,0	42,0
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	76,6	68,7	59,6	51,2	42,8	42,0	33,5	28,8	19,1	26,1	23,8	32,2	26,6	32,6
Väline - External	34,4	52,1	12,8	62,7	38,7	24,8	19,7	41,3	52,2	79,4	36,8	0,0	51,8	0,0	42,5
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	56,6	43,5	50,7	27,9	38,0	39,2	33,6	30,5	20,0	27,9	18,0	30,1	25,3	28,2
Väga halb või halb - Very bad or bad	100,0	46,0	52,0	49,1	50,2	57,2	26,6	38,0	30,7	64,6	28,8	100,0	0,0	0,0	47,0
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	100,0	0,0	0,0	0,0	0,0	100,0	0,0	60,6	0,0	35,4	38,9	0,0	22,1	24,3
Normkaal - Normal weight	34,5	64,9	48,7	46,2	29,3	43,2	32,6	38,5	31,3	19,0	24,9	20,7	39,6	26,2	31,1
Ülekaal - Overweight	26,8	35,5	37,6	48,8	38,9	30,2	47,6	32,6	32,6	33,9	25,9	17,6	35,6	37,8	35,1
Rasvumine - Obesity	48,2	66,6	67,0	56,3	55,3	63,1	42,3	47,3	34,2	42,3	56,5	18,8	0,0	51,3	49,1
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 98.A. Alkoholi tarvitamise sagedus lapsepõlvkodus (%) sünnipõlvkonna järgi, mehed
TABLE 98.A. Frequency of consuming alcohol at parental home (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Iga päev (peaaegu iga päev) - Every day (almost every day)	1,8	0,0	0,0	0,2	0,5	1,9	0,7	2,6	0,9	3,0	2,0	0,8	0,7	0,8	1,2	
3–4 korda nädalas - 3–4 times per week	2,2	0,0	1,4	0,6	0,5	0,4	2,8	2,2	3,8	3,4	4,2	2,3	2,3	1,7	2,3	
1–2 korda nädalas - 1–2 times per week	2,1	3,9	3,7	4,5	2,4	7,8	10,4	14,9	11,5	13,3	12,1	8,5	9,1	7,5	9,1	
1–3 korda kuus - 1–3 times per month	15,9	18,3	7,7	21,1	23,2	25,6	23,8	28,9	36,9	33,6	28,9	28,3	27,9	27,1	26,9	
Mõned korrad aastas - Some times per year	53,7	56,4	58,4	50,2	50,0	50,9	45,0	41,5	38,1	42,8	39,2	53,2	52,8	55,1	48,0	
Üldse mitte - Not at all	24,3	21,4	28,8	23,4	23,4	13,4	17,3	9,9	8,8	3,9	13,6	6,9	7,2	7,8	12,5	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	129	339	261	326	144	194	193	203	204	213	189	193	237	274	3099	
Vastamata - Missing (N)	0	2	0	6	1	1	1	0	0	0	1	0	0	0	12	
TABEL 98.1.A. Isikute protsent, kelle lapsepõlvkodus ei tarvitatud alkoholi rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 98.1.A. Percent of persons at whose parental home alcohol was not consumed in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	30,3	19,8	27,9	23,1	23,2	1,8	19,1	9,6	7,2	1,5	12,1	1,4	2,9	10,4	10,1	
Ida-Virumaa	22,9	27,4	36,5	32,5	19,5	16,4	21,9	12,2	17,2	12,1	13,3	5,7	12,6	12,5	16,2	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	25,1	20,9	24,9	24,5	19,2	17,0	16,0	1,5	6,0	2,9	13,9	14,6	8,8	6,9	12,0	
Järva, Lääne-Viru, Rapla	9,4	19,9	47,3	18,8	24,3	35,3	22,5	14,3	0,0	0,0	8,6	6,3	5,0	0,0	14,2	
Lääne, Saare, Hiiumaa, Pärnumaa	20,2	23,1	17,7	16,2	33,9	14,2	6,9	21,3	17,0	9,0	24,8	25,0	13,7	4,0	15,9	
Asulatüüp - Type of residence																
Linn - Urban	23,9	22,0	28,8	23,3	23,5	12,2	18,4	10,2	10,0	3,5	13,3	6,1	7,2	9,3	12,6	
Maa - Rural	25,2	18,9	28,6	23,7	23,2	16,3	14,0	9,2	6,4	4,9	14,7	10,2	7,2	4,1	12,1	
Rahvus - Ethnicity																
Eestlane - Estonian	20,7	24,2	30,7	22,6	21,9	15,4	19,0	10,1	8,2	2,4	13,7	7,6	7,3	6,8	12,5	
Mitte-eestlane - Non-Estonian	34,8	15,8	23,0	24,8	26,8	10,7	15,0	9,7	10,1	7,3	13,5	5,6	6,9	10,3	12,3	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	21,3	23,5	30,0	22,4	21,7	15,6	18,9	9,5	8,8	2,3	14,5	7,4	7,0	7,8	12,5	
Immigrantrahvastik - Not native-born	34,2	17,1	25,4	25,3	28,1	10,0	14,7	10,8	8,9	8,1	11,8	5,9	7,6	8,1	12,5	
Kooselu - Cohabiting																
Kooselus - Cohabiting	22,9	21,4	29,0	20,6	21,7	13,6	17,3	10,8	9,1	4,0	12,0	6,8	0,9	0,0	12,7	
Ei ole kooselus - Not cohabiting	26,6	21,5	27,5	34,7	32,5	12,6	17,2	6,3	7,4	3,6	18,1	7,1	10,7	8,3	12,0	
Haridus - Education																
Põhi või madalam - Lower secondary or less	18,8	22,2	32,8	27,0	29,3	12,8	9,5	8,9	17,0	8,3	15,8	7,6	5,0	9,2	14,3	
Kesk - Upper secondary	28,4	22,7	24,7	28,4	22,7	18,4	21,8	10,3	7,8	3,6	13,7	4,8	8,3	4,4	12,3	
Kõrg - University	30,5	18,9	29,2	15,4	21,8	8,0	12,0	9,7	9,5	3,8	12,8	10,0	5,6	0,0	11,5	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	35,0	12,8	31,6	18,5	21,0	12,5	16,3	10,1	9,2	3,4	13,1	6,9	6,8	7,1	10,2	
Mitteaktiivne - Non-active	23,7	21,8	28,4	25,0	25,4	15,8	21,2	8,8	4,5	12,6	20,3	6,8	8,7	8,0	17,2	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	26,5	21,6	16,5	23,3	26,3	13,9	24,8	17,8	2,7	6,7	25,9	8,4	18,5	6,8	16,0	
Üle suhtelise vaesuse piiri - Above the risk of poverty	25,3	20,6	30,2	23,2	22,5	11,1	14,6	6,9	7,9	2,8	12,4	6,7	6,3	8,9	11,6	
Tervise seisund - Health status																
Terve - No health disorders	34,6	21,8	40,6	24,7	10,1	0,0	16,7	9,8	9,4	5,3	13,9	5,6	7,9	8,7	8,9	
Tervisehäired - Less severe health disorders	27,4	17,5	28,0	19,4	26,9	15,4	18,7	11,1	10,7	0,0	14,9	4,7	1,4	4,3	13,3	
Tõsisemad tervisehäired - Severe health disorders	25,2	20,1	27,7	19,8	24,8	13,6	9,0	4,1	8,2	0,0	12,6	31,0	19,6	8,1	15,6	
Toimetuleku piirangud - Managing restrictions	22,6	23,8	28,8	32,8	21,9	14,4	21,8	12,5	0,0	8,3	7,2	7,7	17,3	0,0	19,4	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	37,9	30,0	23,8	27,3	13,2	4,0	0,0	27,5	10,2	5,0	17,7	3,9	3,3	0,0	11,9	
Tervist kahjustav - Health harming	6,6	8,3	33,9	22,5	23,0	3,6	12,8	6,7	11,3	4,4	14,9	0,0	12,1	0,0	11,1	
Kontrollikese - Locus of control																
Seesmine - Internal	41,2	22,2	25,3	18,9	23,5	12,4	19,2	7,7	8,4	4,8	15,6	8,5	7,0	5,8	11,4	
Väline - External	20,2	26,7	37,1	35,5	28,1	0,0	29,7	0,0	9,9	0,0	21,6	0,0	0,0	0,0	20,2	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	21,7	19,5	39,6	28,2	18,7	15,0	19,2	13,7	9,8	2,9	11,7	4,6	7,0	7,3	9,6	
Väga halb või halb - Very bad or bad	28,9	21,7	26,3	26,2	26,1	15,1	17,0	7,3	0,0	17,6	11,1	38,8	0,0	0,0	18,8	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	62,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	46,8	11,2	9,1	13,7	
Normkaal - Normal weight	30,4	21,4	20,4	25,5	23,2	13,9	23,8	13,2	5,4	3,5	19,7	4,8	7,2	8,3	12,1	
Ülekaal - Overweight	25,0	21,1	36,2	24,1	21,5	14,0	13,9	9,4	12,5	3,3	9,8	6,4	5,9	5,6	12,8	
Rasumine - Obesity	8,2	18,3	31,4	18,6	26,6	11,7	13,4	6,5	7,0	6,6	9,1	7,5	11,5	0,0	12,6	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
	Vanus - Age															

TABEL 98.B. Alkoholi tarvitamise sagedus lapsepõlvkodus (%) sünnipõlvkonna järgi, naised
TABLE 98.B. Frequency of consuming alcohol at parental home (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Iga päev (peaaegu iga päev) - Every day (almost every day)	0,0	0,6	1,3	1,4	0,0	0,8	0,5	1,9	2,1	4,8	1,6	1,6	3,6	0,0	1,5	
3–4 korda nädalas - 3–4 times per week	0,0	1,5	0,6	0,6	1,8	2,0	5,6	3,0	4,4	2,3	3,0	3,9	4,9	3,5	2,9	
1–2 korda nädalas - 1–2 times per week	1,6	2,3	2,9	4,6	3,7	7,4	8,3	6,4	10,2	9,4	11,4	9,9	8,3	7,7	7,2	
1–3 korda kuus - 1–3 times per month	9,9	11,2	10,3	11,8	10,9	18,9	20,0	21,9	29,3	27,0	29,1	26,8	28,5	26,8	21,2	
Mõned korrad aastas - Some times per year	53,1	51,8	46,7	44,6	46,9	50,3	49,0	56,5	43,4	43,7	46,6	45,8	46,8	50,4	48,1	
Üldse mitte - Not at all	35,4	32,6	38,2	37,0	36,7	20,6	16,6	10,3	10,6	12,8	8,3	12,0	7,9	11,6	19,1	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	191	287	272	342	180	248	234	260	225	201	246	182	205	241	3314	
Vastamata - Missing (N)	1	0	2	2	0	0	2	0	0	0	0	0	2	0		

TABEL 98.1.B. Isikute protsent, kelle lapsepõlvkodus ei tarvitatud alkoholi rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 98.1.B. Percent of persons at whose parental home alcohol was not consumed in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	22,6	30,9	36,7	36,9	34,7	16,4	13,4	5,2	8,3	13,3	8,2	9,0	8,1	10,5	16,3
Ida-Virumaa	40,5	25,8	50,0	41,9	41,0	25,7	27,4	13,9	24,5	19,2	17,5	10,2	6,0	12,4	24,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	43,0	32,6	39,8	30,0	38,7	25,6	16,2	14,7	8,4	16,3	6,5	15,1	9,0	12,5	20,5
Järva, Lääne-Viru, Rapla	48,7	35,8	29,2	36,3	30,8	15,6	13,2	22,2	16,9	4,6	5,6	17,7	7,2	15,3	19,3
Lääne, Saare, Hiiumaa, Pärnumaa	45,2	41,6	34,8	42,1	39,5	21,8	15,7	3,1	3,5	3,6	7,0	11,8	6,0	10,3	18,8
Asulatüüp - Type of residence															
Linn - Urban	32,9	33,5	40,6	38,3	35,7	19,2	20,0	10,9	10,8	10,6	9,4	12,6	9,0	12,1	19,5
Maa - Rural	41,6	29,6	29,5	32,6	39,3	25,0	6,2	8,2	10,1	19,0	3,2	9,5	4,0	10,4	17,8
Rahvus - Ethnicity															
Eestlane - Estonian	39,0	33,3	34,8	40,5	41,0	21,4	16,7	9,2	9,3	12,6	6,7	11,7	4,5	10,6	19,1
Mitte-eestlane - Non-Estonian	28,9	31,1	45,0	31,6	23,7	19,0	16,4	11,9	13,6	13,2	11,5	12,4	13,0	13,8	19,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	39,2	33,3	33,9	38,7	39,9	21,4	17,3	8,8	8,7	12,7	6,9	11,4	6,3	11,5	19,0
Immigrantrahvastik - Not native-born	27,6	31,0	48,5	33,9	24,5	18,9	15,5	12,6	15,8	13,1	11,7	13,6	10,9	12,1	19,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	47,8	33,5	34,8	41,3	40,5	19,2	17,9	10,0	10,7	12,7	7,7	12,7	5,6	7,2	16,7
Ei ole kooselus - Not cohabiting	34,0	32,4	39,8	34,0	32,4	22,6	14,2	10,9	10,4	13,1	10,5	10,1	11,2	12,3	21,9
Haridus - Education															
Põhi või madalam - Lower secondary or less	36,8	30,4	39,7	31,8	47,5	35,2	21,2	9,1	18,5	37,3	11,1	11,3	4,8	9,4	25,2
Kesk - Upper secondary	35,1	32,5	33,7	36,6	38,4	21,6	17,5	9,6	7,6	15,5	8,1	12,1	5,6	14,5	18,4
Kõrg - University	28,3	37,7	44,9	43,4	26,9	15,4	14,5	11,0	12,6	7,9	8,2	12,0	11,6	59,3	16,6
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	23,0	16,5	35,2	35,1	18,0	18,5	8,9	10,5	11,8	8,3	11,9	7,9	3,9	13,2
Mitteaktiivne - Non-active	35,6	32,8	39,1	37,3	37,6	24,9	6,0	24,2	11,6	17,0	8,6	12,1	7,9	13,0	25,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	33,5	30,5	40,2	28,6	34,8	26,2	17,0	10,9	14,3	16,5	0,0	8,4	5,2	8,8	23,3
Üle suhtelise vaesuse piiri - Above the risk of poverty	36,2	33,6	37,7	40,6	37,5	17,0	18,1	10,0	10,4	12,1	10,4	12,7	9,4	10,3	18,1
Tervise seisund - Health status															
Terve - No health disorders	72,3	42,9	70,3	47,7	15,6	21,9	12,6	11,7	12,5	9,7	9,1	13,2	8,9	11,8	12,0
Tervisehäired - Less severe health disorders	22,4	34,7	30,6	37,8	32,5	20,2	14,9	6,7	13,8	14,8	6,6	7,4	4,3	11,3	16,3
Tõsisemad tervisehäired - Severe health disorders	33,0	31,1	35,0	35,6	42,3	17,9	23,7	12,3	0,0	24,4	7,8	14,9	0,0	14,1	25,0
Toimetuleku piirangud - Managing restrictions	36,3	32,4	42,5	36,5	43,1	24,1	13,7	19,4	5,7	0,0	12,8	15,6	16,4	8,4	30,0
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	36,4	27,4	30,0	44,5	41,2	17,3	23,5	12,2	13,3	9,9	3,7	7,4	3,9	19,0	18,6
Tervist kahjustav - Health harming	11,8	32,1	42,2	33,3	56,4	25,1	16,2	18,6	18,7	0,0	20,1	16,7	8,0	0,0	20,7
Kontrollikese - Locus of control															
Seesmine - Internal	28,9	35,7	46,4	36,1	24,8	19,7	14,9	12,4	14,2	12,1	5,5	15,5	7,0	10,0	15,6
Väline - External	31,1	35,1	34,6	45,2	56,0	24,3	19,2	11,9	0,0	0,0	31,0	26,4	0,0	0,0	28,2
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	16,4	31,5	45,4	50,3	31,6	16,5	14,6	12,1	9,9	11,4	6,6	12,7	8,5	10,7	13,0
Väga halb või halb - Very bad or bad	32,1	32,3	39,6	38,5	51,7	19,8	14,0	16,1	8,3	24,4	8,7	0,0	43,0	49,6	31,0
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	48,0	0,0	78,2	46,6	0,0	49,4	0,0	14,0	0,0	8,1	22,3	4,6	9,2	12,2
Normaal - Normal weight	30,6	32,6	32,6	37,9	30,9	16,6	11,8	6,9	7,1	14,4	5,9	11,4	8,8	13,0	14,2
Ülekaal - Overweight	53,8	27,1	40,1	38,2	29,5	26,2	20,3	11,3	14,2	12,1	15,5	13,9	9,7	6,6	24,2
Rasvumine - Obesity	26,2	39,2	40,4	33,0	47,7	18,6	18,5	16,2	16,6	12,1	13,9	4,3	0,0	0,0	25,8
Vanus - Age															
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total

TABEL 99.A. Kehaline aktiivsus elu jooksul (%) sünnipõlvkonna järgi, mehed
TABLE 99.A. Physical activity during the lifetime (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Pole kunagi tegelenud spordiga - Has never gone in for sports	28,5	20,8	22,4	21,3	13,9	20,1	16,2	17,2	15,2	17,5	12,2	11,7	12,7	7,9	15,3
Tegelenud võistlusspordiga - Has gone in for competitive sports	5,9	8,6	7,1	9,9	8,9	9,3	12,7	5,7	7,7	7,9	10,3	7,0	7,5	8,5	8,5
Tegelenud võistlus- ja harrastusspordiga - Has gone in for competitive and recreational sports	22,2	27,0	33,9	37,5	43,0	36,2	44,8	49,0	52,8	50,3	52,5	57,0	53,2	58,6	48,1
Tegelenud harrastusspordiga - Has gone in for recreational sports	43,4	43,6	36,6	31,3	34,2	34,4	26,3	28,1	24,3	24,3	25,0	24,3	26,6	25,0	28,1
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	340	260	331	145	195	194	203	204	213	190	193	237	274	3108
Vastamata - Missing (N)	0	1	1	1	0	0	0	0	0	0	0	0	0	0	3
TABEL 99.1.A. Mitte kunagi spordiga tegelenute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 99.1.A. Percent of persons who have never gone in for sports in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	23,3	21,4	16,5	22,1	4,6	21,4	12,0	19,7	12,5	17,3	7,6	14,8	9,8	7,4	13,7
Ida-Virumaa	33,3	25,8	24,0	26,7	29,3	19,4	14,2	12,2	14,3	26,1	10,6	11,6	18,9	10,0	17,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	32,1	20,9	25,1	24,7	13,7	22,5	18,2	17,2	13,3	14,0	15,0	12,3	11,9	8,6	15,7
Järva, Lääne-Viru, Rapla	26,7	16,9	35,3	6,0	6,9	16,4	22,7	17,5	16,8	12,3	29,4	0,0	18,5	6,5	15,6
Lääne, Saare, Hiiumaa, Pärnumaa	29,5	14,8	19,6	19,4	32,7	15,8	21,1	15,0	27,0	21,8	15,5	0,0	12,5	6,8	17,4
Asulatüüp - Type of residence															
Linn - Urban	22,9	19,9	23,1	21,0	13,1	19,9	14,5	14,9	14,0	19,8	13,3	12,7	13,3	9,2	15,2
Maa - Rural	41,4	24,7	21,0	22,4	15,8	20,8	21,2	22,8	17,9	12,5	9,0	7,3	10,2	4,5	15,5
Rahvus - Ethnicity															
Eestlane - Estonian	26,5	15,6	22,7	18,4	9,5	15,6	14,5	16,6	14,3	12,0	11,7	8,6	8,5	6,7	12,7
Mitte-eestlane - Non-Estonian	34,1	31,6	21,6	26,3	23,7	26,3	18,5	18,2	17,2	29,8	13,1	17,2	20,0	10,7	20,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	26,5	15,8	23,3	18,0	9,8	16,2	15,8	15,7	15,1	14,3	11,0	9,6	10,9	7,0	13,3
Immigrantrahvastik - Not native-born	34,7	31,2	19,9	27,3	24,8	26,5	16,9	20,3	15,6	25,7	14,7	15,7	17,0	11,0	19,7
Kooselu - Cohabiting															
Kooselus - Cohabiting	27,8	19,9	22,4	19,4	14,3	19,2	12,9	15,4	16,0	13,4	8,7	10,8	11,8	9,1	14,8
Ei ole kooselus - Not cohabiting	29,6	23,1	22,5	29,1	11,6	25,2	31,5	25,1	11,6	34,1	22,2	13,5	13,2	7,8	16,2
Haridus - Education															
Põhi või madalam - Lower secondary or less	41,8	28,0	27,1	38,9	22,3	30,2	28,1	45,2	19,7	37,0	40,4	19,2	24,6	8,9	21,8
Kesk - Upper secondary	17,2	16,3	27,2	21,9	16,6	21,4	20,5	19,9	18,5	19,3	9,8	11,3	11,5	5,5	16,1
Kõrg - University	13,9	14,9	9,9	10,2	3,7	15,0	4,7	9,4	7,7	9,7	9,6	9,9	10,1	0,0	9,5
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	27,7	9,8	20,5	10,6	19,2	14,7	15,5	13,5	16,3	10,7	11,6	12,5	9,2	13,8
Mitteaktiivne - Non-active	29,8	20,5	24,2	21,6	16,6	22,5	22,6	29,5	33,3	38,0	29,8	13,1	13,4	7,5	18,4
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	28,3	32,3	35,4	26,6	13,8	29,1	16,4	25,1	29,5	29,3	23,0	29,6	19,5	9,5	23,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	29,5	17,7	20,5	19,7	13,7	16,8	16,2	15,5	12,0	13,0	9,4	11,7	11,8	6,7	13,6
Tervise seisund - Health status															
Terve - No health disorders	42,0	20,5	17,8	25,2	0,0	16,3	19,8	10,0	16,2	16,8	14,0	13,3	13,9	7,6	13,2
Tervisehäired - Less severe health disorders	17,7	14,7	23,1	16,0	14,3	20,1	13,2	16,2	11,1	15,3	5,2	6,1	9,8	7,4	13,5
Tõsisemad tervisehäired - Severe health disorders	22,5	21,5	16,1	22,3	16,6	16,6	17,4	29,8	23,6	9,9	5,3	0,0	10,3	8,1	16,8
Toimetuleku piirangud - Managing restrictions	33,1	23,1	27,7	27,5	15,5	26,2	23,1	29,2	19,8	53,6	33,7	20,0	18,0	41,7	25,6
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	27,9	11,5	6,7	19,6	7,2	7,7	0,0	16,8	6,1	18,1	8,9	5,0	6,3	0,0	9,1
Tervist kahjustav - Health harming	24,8	21,5	32,6	25,9	15,0	16,4	27,8	19,2	33,3	14,3	13,7	8,5	13,5	0,0	19,5
Kontrollkese - Locus of control															
Seesmine - Internal	16,7	20,6	10,2	15,3	12,3	18,2	10,2	11,5	11,7	12,3	11,6	9,2	9,1	6,0	11,0
Väline - External	36,0	28,6	50,8	33,0	29,0	28,8	40,1	37,9	55,9	100,0	35,6	0,0	63,1	0,0	37,7
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	14,5	14,7	13,1	15,6	17,2	10,4	16,0	9,9	16,5	14,9	10,5	11,0	12,0	6,0	11,5
Väga halb või halb - Very bad or bad	36,5	31,7	35,7	31,9	19,2	22,0	27,3	57,1	21,4	82,4	25,0	38,8	0,0	0,0	30,2
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	13,7	62,7	24,5	0,0	0,0	0,0	100,0	100,0	0,0	100,0	100,0	59,5	38,6	6,6	35,4
Normaal - Normal weight	39,2	20,4	21,3	19,7	19,2	22,0	20,9	18,5	17,5	22,0	13,3	10,9	11,8	8,1	15,3
Ülekaal - Overweight	21,7	23,4	19,7	21,1	12,9	17,2	9,2	17,7	16,2	16,1	11,5	12,6	13,3	5,9	15,0
Rasvumine - Obesity	18,8	11,8	31,4	25,5	8,9	22,5	20,5	7,3	9,6	10,4	9,1	2,4	7,0	0,0	13,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 99.B. Kehaline aktiivsus elu jooksul (%) sünnipölvkonna järgi, naised
TABLE 99.B. Physical activity during the lifetime (%) by birth cohort, females

	Sünnipölvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Pole kunagi tegelenud spordiga - Has never gone in for sports	39,0	39,0	39,7	32,3	24,5	26,9	27,8	23,2	15,8	21,6	20,8	20,8	20,7	22,1	25,7
Tegelenud võistlusspordiga - Has gone in for competitive sports	3,1	1,8	2,1	3,1	2,7	3,4	5,6	5,8	3,8	3,4	7,2	4,6	7,0	6,5	4,5
Tegelenud võistlus- ja harrastusspordiga - Has gone in for competitive and recreational sports	8,2	13,4	15,7	19,4	27,4	30,2	29,1	31,1	37,5	38,2	34,7	38,2	37,2	40,4	30,2
Tegelenud harrastusspordiga - Has gone in for recreational sports	49,7	45,8	42,5	45,2	45,4	39,5	37,5	39,9	42,9	36,8	37,3	36,4	35,1	31,0	39,6
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 99.1.B. Mitte kunagi spordiga tegelenute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 99.1.B. Percent of persons who have never gone in for sports in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	39,3	45,5	46,7	39,2	27,3	23,4	25,5	24,8	18,2	21,5	25,4	16,5	17,8	17,0	26,1
Ida-Virumaa	53,7	40,0	31,4	31,6	32,8	49,4	26,1	19,4	36,1	26,9	23,9	21,6	30,3	32,1	31,4
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	38,1	37,5	36,5	27,5	22,2	21,2	27,9	26,9	11,5	17,3	20,3	17,5	19,8	20,9	23,6
Järva, Lääne-Viru, Rapla	35,2	30,3	35,1	18,4	14,7	28,5	32,6	25,1	6,0	22,5	8,8	42,3	15,5	23,4	22,9
Lääne, Saare, Hiiumaa, Pärnumaa	23,0	30,6	39,6	28,3	26,3	22,5	32,6	11,5	15,1	28,4	17,0	17,5	33,1	27,6	25,1
Asulatuüp - Type of residence															
Linn - Urban	39,9	39,7	41,7	30,3	27,6	27,5	27,8	22,8	18,4	20,5	19,7	21,5	20,7	24,8	26,2
Maa - Rural	36,9	36,4	32,4	39,3	17,1	25,1	27,9	24,5	7,6	25,1	26,0	17,7	20,6	15,4	24,0
Rahvus - Ethnicity															
Eestlane - Estonian	34,6	35,3	36,0	27,9	19,4	18,1	25,7	17,3	9,4	19,4	17,4	19,6	20,3	20,9	21,9
Mitte-eestlane - Non-Estonian	46,9	46,9	47,0	39,0	40,2	41,7	30,9	31,5	29,7	27,7	27,6	23,2	21,4	24,6	32,8
Põlisus - Native-born population															
Põlisrahvastik - Native-born	34,7	35,7	35,2	30,7	20,9	18,6	28,9	18,7	11,3	19,0	17,9	18,3	20,5	21,1	22,6
Immigrantrahvastik - Not native-born	48,1	46,8	50,0	35,2	38,3	42,7	26,1	30,2	27,7	28,6	27,4	27,5	21,1	24,9	32,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	36,2	36,2	37,3	31,9	24,2	25,7	30,7	22,7	15,7	20,0	17,7	21,1	19,0	23,5	23,2
Ei ole kooselus - Not cohabiting	39,3	39,8	40,8	32,6	24,9	28,9	22,7	24,3	15,8	25,7	31,6	20,0	23,1	21,9	28,6
Haridus - Education															
Põhi või madalam - Lower secondary or less	41,8	41,5	51,4	41,5	43,8	25,3	47,2	79,2	20,1	17,9	31,5	26,6	38,1	22,8	36,3
Kesk - Upper secondary	39,2	40,4	38,8	34,1	23,7	31,5	29,2	23,2	19,9	26,1	24,9	22,5	24,3	20,5	27,2
Kõrg - University	23,1	31,8	24,3	19,2	13,1	21,7	21,6	19,9	12,1	17,6	14,6	18,6	12,0	40,7	18,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	16,1	17,8	33,5	22,5	24,9	26,7	22,2	14,5	21,8	17,8	19,0	19,1	24,7	21,2
Mitteaktiivne - Non-active	39,2	39,4	40,6	32,1	25,5	30,4	33,9	33,4	27,0	21,0	30,9	24,9	22,9	21,7	30,8
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	42,4	42,4	42,3	35,2	26,9	38,1	40,0	34,1	21,1	18,5	23,7	35,1	15,6	28,7	33,4
Üle suhtelise vaesuse piiri - Above the risk of poverty	35,3	36,2	37,1	31,4	23,3	24,4	24,9	21,6	14,3	21,3	21,3	19,3	22,4	21,4	23,6
Tervise seisund - Health status															
Terve - No health disorders	33,8	47,6	11,0	52,0	43,0	10,0	30,2	29,1	9,0	25,4	18,4	14,0	24,1	22,5	20,8
Tervisehäired - Less severe health disorders	14,9	37,6	48,5	22,3	15,7	19,6	18,8	20,0	20,6	10,8	22,9	28,2	11,2	19,3	20,5
Tõsisemad tervisehäired - Severe health disorders	29,8	37,2	43,4	32,0	20,4	31,6	35,4	18,7	15,8	32,4	10,6	48,3	15,8	36,9	30,3
Toimetuleku piirangud - Managing restrictions	43,6	39,6	34,3	38,9	44,0	42,7	41,0	33,7	24,4	21,3	75,9	15,6	30,6	22,2	38,2
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	35,6	30,9	43,6	20,9	15,5	22,1	16,7	14,7	14,3	17,6	20,0	11,2	18,3	14,8	19,8
Tervist kahjustav - Health harming	46,1	56,3	34,2	44,9	69,0	31,6	30,9	32,1	38,4	40,0	47,0	7,0	22,3	0,0	34,6
Kontrollkese - Locus of control															
Seesmine - Internal	36,1	38,9	37,2	22,0	24,3	21,0	16,2	18,2	15,2	17,1	17,0	17,1	19,2	18,9	19,7
Väline - External	50,7	49,6	43,0	52,0	30,7	30,5	60,6	21,2	38,6	48,8	50,3	47,1	40,7	0,0	44,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	33,8	28,6	31,2	15,1	17,2	17,2	21,9	18,7	10,5	19,5	18,1	17,4	19,0	23,2	18,9
Väga halb või halb - Very bad or bad	46,6	41,4	37,0	43,5	33,6	43,9	34,1	34,5	30,4	48,8	49,6	73,6	57,0	0,0	40,3
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	33,4	22,3	37,3	14,6	0,0	0,0	49,4	0,0	42,0	18,8	13,1	32,1	16,5	29,0	23,5
Normaal - Normal weight	46,0	30,5	35,0	18,9	17,6	26,4	24,0	21,5	10,1	18,5	19,4	16,3	22,9	18,8	20,8
Ülekaal - Overweight	31,3	38,9	43,1	36,3	19,4	22,9	27,6	21,7	18,9	28,2	23,9	21,3	11,1	28,6	27,8
Rasvumine - Obesity	33,6	49,1	38,3	40,0	37,4	30,6	32,9	29,8	24,1	25,2	30,5	37,1	15,0	78,5	34,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 100.A. Harrastusspordiga tegelemise sagedus viimasel neljal nädalal (%) sünnipölvkonna järgi, mehed
TABLE 100.A. Frequency of going in for recreational sports during the last four weeks (%) by birth cohort, males

	Sünnipölvkond - Birth cohort														
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
Iga päev (peaaegu iga päev) - Every day (almost every day)	7,3	6,9	15,8	17,8	18,9	18,8	10,0	18,4	15,7	18,7	17,1	19,0	15,3	21,6	16,9
3–4 korda nädalas - 3–4 times per week	2,3	4,2	3,3	4,3	3,5	9,4	6,6	7,8	11,3	8,0	12,7	12,7	13,0	19,6	10,0
1–2 korda nädalas - 1–2 times per week	3,1	3,8	8,2	4,7	4,7	9,3	14,5	16,4	13,6	15,0	21,0	14,9	21,5	22,3	14,7
1–3 korda kuus - 1–3 times per month	1,2	1,4	1,5	0,7	5,4	3,5	3,9	3,6	3,5	6,9	4,0	5,4	4,6	1,1	3,7
Pole tegeleenud - Has not gone	86,1	83,7	71,2	72,5	67,5	59,0	65,0	53,8	55,9	51,4	45,2	48,0	45,6	35,4	54,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	340	260	331	145	195	194	203	204	212	190	193	237	274	3107
Vastamata - Missing (N)	0	1	1	1	0	0	0	0	0	1	0	0	0	0	4
TABEL 100.1.A. Vähemalt 1–2 korda nädalas viimasel neljal nädalal harrastusspordiga tegeleenute protsent rahvastikurühmades sünnipölvkonna järgi, mehed															
TABLE 100.1.A. Percent of persons who have gone in for recreational sports at least 1–2 times per week during the last four weeks in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	16,5	10,4	32,3	20,9	30,4	39,3	23,5	40,8	44,0	33,0	56,3	42,6	44,5	63,9	40,5
Ida-Virumaa	10,5	13,3	24,0	33,6	17,0	37,2	42,9	48,6	38,6	41,6	57,5	53,2	62,3	58,0	45,3
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	10,0	19,6	27,9	28,3	24,6	32,1	27,7	46,2	43,0	46,1	41,6	47,4	55,3	64,8	42,1
Järva, Lääne-Viru, Rapla	9,0	28,9	19,0	36,1	28,3	51,0	44,1	28,3	31,9	46,6	48,8	47,7	41,1	55,5	40,5
Lääne, Saare, Hiiumaa, Pärnumaa	13,8	11,0	25,3	26,1	29,5	26,8	33,5	45,6	33,7	59,7	40,0	59,4	40,5	67,7	40,9
Asulatüüp - Type of residence															
Linn - Urban	13,4	14,5	26,9	23,9	26,4	34,2	32,2	39,0	40,7	37,2	52,3	43,9	47,4	58,9	39,7
Maa - Rural	11,0	16,3	28,4	36,2	29,0	45,6	27,7	51,2	40,3	52,1	46,8	58,3	60,0	75,2	46,9
Rahvus - Ethnicity															
Eestlane - Estonian	13,3	18,6	29,5	30,1	30,6	40,8	31,8	45,1	44,8	45,1	50,7	55,8	48,9	66,1	44,5
Mitte-eestlane - Non-Estonian	10,9	7,2	21,0	21,3	19,4	33,2	30,2	38,5	31,8	34,3	51,2	30,5	51,2	57,4	36,2
Põlisus - Native-born population															
Põlisrahvastik - Native-born	13,0	18,1	29,3	31,1	29,1	39,4	34,3	46,2	43,7	43,3	50,3	52,3	47,5	63,7	43,8
Immigrantrahvastik - Not native-born	11,8	8,2	21,9	19,1	21,8	34,6	26,1	35,6	33,2	37,8	52,0	35,6	55,3	62,8	36,7
Kooselu - Cohabiting															
Kooselus - Cohabiting	14,0	16,3	28,8	29,4	28,2	38,1	35,0	46,8	40,9	45,4	52,6	44,3	43,9	25,1	39,3
Ei ole kooselus - Not cohabiting	10,4	11,3	21,2	16,1	21,4	34,7	13,2	24,5	39,3	27,3	46,0	50,9	53,1	65,6	46,1
Haridus - Education															
Põhi või madalam - Lower secondary or less	10,8	11,8	25,7	13,3	15,0	30,7	35,6	19,9	55,4	42,1	39,5	45,0	39,8	64,1	42,1
Kesk - Upper secondary	10,2	17,4	26,2	31,5	28,5	35,3	25,1	43,2	38,5	39,5	47,5	46,5	47,9	60,9	40,0
Kõrg - University	18,4	16,8	30,9	29,3	31,1	42,6	40,0	45,8	42,2	47,3	60,6	47,3	58,9	100,0	44,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	15,9	7,6	40,4	32,7	26,5	41,3	32,3	45,4	41,6	42,6	52,8	45,4	47,2	48,4	43,2
Mitteaktiivne - Non-active	12,5	15,2	25,5	24,9	27,6	28,5	26,1	22,6	30,8	28,3	29,0	65,5	59,1	67,6	38,3
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	14,7	14,5	13,4	16,1	19,4	30,4	23,2	33,9	29,4	34,3	47,1	35,8	57,5	75,0	35,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	12,3	14,6	30,7	29,7	29,4	41,0	32,8	44,7	42,9	42,0	53,1	45,9	47,1	61,9	42,2
Tervise seisund - Health status															
Terve - No health disorders	34,6	47,3	42,5	25,9	44,3	51,0	28,5	50,1	51,2	43,4	49,5	46,8	55,3	65,1	51,5
Tervisehäired - Less severe health disorders	19,7	26,2	36,8	34,6	28,1	42,8	34,5	40,2	30,0	44,4	57,7	39,7	39,8	61,1	39,6
Tõsisemad tervisehäired - Severe health disorders	19,5	16,9	26,6	28,2	36,2	33,1	25,5	40,5	41,0	36,0	51,0	55,1	42,2	39,9	34,2
Toimetuleku piirangud - Managing restrictions	7,5	7,2	16,5	14,1	13,0	19,2	26,7	34,0	33,2	21,3	37,5	58,6	17,3	58,3	20,6
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	38,2	38,9	57,9	70,0	33,0	62,9	68,4	61,3	71,6	58,3	73,4	71,1	68,9	53,2	63,5
Tervist kahjustav - Health harming	0,0	1,5	11,1	4,6	12,5	21,3	16,0	21,1	23,5	23,8	37,4	48,1	41,1	85,0	24,7
Kontrollkese - Locus of control															
Seesmine - Internal	21,7	18,5	39,9	34,9	34,2	37,8	32,3	47,9	46,9	49,9	53,8	50,1	53,3	66,2	47,9
Väline - External	3,2	1,5	6,0	11,0	10,7	30,5	27,4	19,0	34,7	0,0	28,5	100,0	36,9	100,0	20,4
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	28,6	27,4	46,1	34,7	28,2	51,8	37,8	51,8	49,4	46,4	54,7	47,7	55,3	68,8	52,4
Väga halb või halb - Very bad or bad	3,1	2,1	10,4	5,7	16,4	19,7	22,2	8,5	20,9	0,0	40,9	0,0	51,8	100,0	14,5
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	37,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	20,5	34,1	66,0	38,6
Normkaal - Normal weight	10,7	15,0	33,0	28,2	20,4	42,1	28,0	41,9	38,2	36,6	48,8	51,3	49,7	66,1	44,7
Ülekaal - Overweight	15,5	14,2	23,0	25,8	27,5	35,2	32,6	40,5	42,5	46,2	52,9	40,8	50,6	50,5	38,8
Rasvumine - Obesity	0,0	18,0	26,6	26,9	34,8	34,6	33,9	52,3	40,5	41,1	51,8	46,8	56,1	51,0	39,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
	Vanus - Age														
	Total														

227

TABEL 101.A. Valmistoidule soola lisamise harjumus (%) sünnipõlvkonna järgi, mehed
TABLE 101.A. Habits of adding salt to food at the time of eating (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														Kokku	
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Peaaegu mitte kunagi - Almost never	49,1	47,7	44,2	47,1	39,2	38,8	33,8	38,9	39,9	33,9	45,9	38,0	44,9	41,9	40,7	
	Kui toit pole piisavalt soolane - When food is not enough salty	47,0	44,9	47,3	44,8	50,6	47,0	54,3	50,2	48,5	51,8	45,7	53,3	48,9	51,3	49,6	
	Üsna sageli enne maitsmist - Quite often before tasting	3,9	7,4	8,5	8,1	10,2	14,2	11,9	10,9	11,6	14,3	8,4	8,7	6,2	6,8	9,7	
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)		129	340	261	331	145	195	194	203	204	213	190	193	237	274	3109	
Vastamata - Missing (N)		0	1	0	1	0	0	0	0	0	0	0	0	0	0	2	
TABEL 101.1.A. Valmistoidule enne maitsmist soola lisajate protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																	
TABLE 101.1.A. Percent of persons who add salt to food before tasting in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	5,5	6,9	11,6	9,7	13,3	15,0	15,5	13,4	9,3	11,8	7,2	9,5	5,4	6,5	10,0	
	Ida-Virumaa	0,0	6,3	12,9	10,3	14,7	21,0	15,1	16,8	20,4	13,0	10,6	2,9	6,3	11,0	12,0	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	4,2	10,4	8,2	8,6	4,6	11,7	9,4	7,3	15,2	22,0	8,5	11,7	7,3	8,2	10,3	
	Järva, Lääne-Viru, Rapla	0,0	4,8	4,6	2,9	17,4	9,8	7,7	6,5	4,9	15,0	15,6	11,1	7,2	6,2	8,9	
	Lääne, Saare, Hiiumaa, Pärnumaa	4,4	3,3	3,2	3,8	4,9	15,8	6,9	8,1	7,9	5,2	4,4	0,0	5,4	2,0	5,6	
Asulatüüp - Type of residence																	
	Linn - Urban	3,0	6,8	9,1	7,8	10,9	14,5	14,3	11,0	8,0	14,1	11,2	9,6	5,2	6,2	9,7	
	Maa - Rural	5,8	9,5	7,1	8,8	8,4	13,5	4,9	10,7	19,4	14,8	0,0	5,1	10,8	8,3	9,7	
Rahvus - Ethnicity																	
	Eestlane - Estonian	3,0	5,9	5,7	5,9	11,0	13,4	6,7	8,4	10,4	10,5	3,6	7,3	6,2	5,2	7,6	
	Mitte-eestlane - Non-Estonian	6,5	10,3	16,6	11,5	8,6	15,3	18,7	15,1	14,2	22,8	16,9	11,3	6,3	10,5	13,7	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	2,9	5,9	5,8	6,2	11,1	13,2	7,4	8,9	11,4	10,9	3,4	7,1	6,1	5,3	7,8	
	Immigrantrahvastik - Not native-born	7,1	10,3	16,1	11,4	7,8	15,9	19,0	15,0	12,2	23,0	18,9	12,0	6,5	12,0	14,1	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	3,9	8,6	8,5	7,6	12,1	14,0	10,6	10,5	12,2	13,1	8,4	10,6	6,9	11,9	10,6	
	Ei ole kooselus - Not cohabiting	3,7	4,3	8,3	9,8	0,0	15,6	17,9	13,0	9,0	19,3	8,2	5,2	5,9	6,5	8,1	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	2,6	5,5	7,4	7,0	12,6	12,1	14,3	5,6	9,6	28,4	10,5	12,7	14,2	6,8	8,9	
	Kesk - Upper secondary	7,1	9,7	7,1	8,0	10,4	14,8	15,6	13,0	14,4	15,9	11,1	9,0	6,9	5,7	11,4	
	Kõrg - University	3,2	7,7	12,0	8,7	8,4	14,4	4,5	9,3	6,3	7,7	2,4	7,1	1,0	42,6	7,3	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	15,9	7,3	8,2	6,7	9,2	14,8	11,3	10,6	11,3	13,8	8,4	8,1	5,8	11,6	10,1	
	Mitteaktiivne - Non-active	3,2	7,4	8,5	8,5	11,1	12,9	14,4	13,0	15,6	23,5	8,1	19,1	7,7	5,5	8,9	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	4,7	7,3	6,2	8,4	2,4	11,0	14,9	4,9	6,8	24,2	0,0	13,3	14,3	8,5	9,2	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	3,9	6,8	9,4	8,1	12,6	14,2	10,7	11,4	11,1	12,7	9,1	9,0	5,3	7,8	9,8	
Tervise seisund - Health status																	
	Terve - No health disorders	0,0	0,0	6,2	14,5	0,0	14,2	11,6	8,9	6,1	12,6	9,6	8,6	7,2	7,2	8,6	
	Tervisehäired - Less severe health disorders	0,0	1,7	5,9	7,2	10,8	15,0	9,8	10,7	15,8	9,2	3,3	8,1	5,8	2,0	9,3	
	Tõsisemad tervisehäired - Severe health disorders	8,0	6,5	11,3	6,8	7,3	13,4	14,5	10,5	8,3	27,5	18,2	12,8	0,0	25,8	11,8	
	Toimetuleku piirangud - Managing restrictions	3,8	10,7	9,1	8,9	15,1	12,8	17,7	19,8	23,1	30,6	0,0	9,2	0,0	0,0	12,5	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	0,0	7,0	0,0	10,3	26,1	0,0	0,0	0,0	0,0	12,7	0,0	6,3	5,6	0,0	4,7	
	Tervist kahjustav - Health harming	0,0	13,4	11,5	10,0	3,9	30,4	15,6	10,0	13,9	28,0	14,7	19,2	4,6	0,0	14,4	
Kontrollkese - Locus of control																	
	Seesmine - Internal	2,4	5,2	9,7	7,9	7,2	12,9	11,4	8,8	10,9	10,7	7,6	9,5	5,2	7,4	8,7	
	Väline - External	0,0	4,1	14,8	16,3	16,2	9,3	17,5	27,7	29,5	55,9	6,4	0,0	0,0	0,0	13,7	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	0,0	2,9	8,0	11,9	4,8	13,3	11,9	11,1	6,1	12,2	8,6	8,4	6,1	5,9	8,3	
	Väga halb või halb - Very bad or bad	0,0	11,2	14,4	4,5	12,0	10,0	17,4	18,6	8,9	43,8	10,4	0,0	16,5	100,0	11,9	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	0,0	25,5	0,0	0,0	0,0	0,0	0,0	63,4	0,0	0,0	0,0	0,0	0,0	0,0	4,6	
	Normkaal - Normal weight	3,1	5,4	11,4	11,8	15,8	12,1	11,5	15,1	10,1	18,4	9,6	9,1	6,7	7,6	10,2	
	Ülekaal - Overweight	4,0	8,9	6,8	4,5	7,3	16,2	11,7	9,1	13,2	10,1	8,4	10,7	4,4	5,3	9,4	
	Rasvumine - Obesity	7,9	8,4	6,5	9,7	7,8	14,1	13,2	5,7	11,0	17,8	5,4	3,9	12,3	0,0	9,8	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 101.B. Valmistoidule soola lisamise harjumus (%) sünnipõlvkonna järgi, naised
TABLE 101.B. Habits of adding salt to food at the time of eating (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Peaaegu mitte kunagi - Almost never	64,4	58,9	60,7	57,7	61,2	57,5	55,0	55,3	55,0	57,7	56,6	50,5	49,0	48,2	55,6
Kui toit pole piisavalt soolane - When food is not enough salty	32,8	34,4	36,0	37,0	36,5	38,0	40,8	38,8	41,1	39,9	39,9	44,5	43,5	45,5	39,7
Üsna sageli enne maitsmist - Quite often before tasting	2,8	6,7	3,3	5,3	2,3	4,5	4,2	5,9	3,9	2,4	3,5	5,0	7,5	6,3	4,7
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 101.1.B. Valmistoidule enne maitsmist soola lisajate protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 101.1.B. Percent of persons who add salt to food before tasting in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	3,0	5,4	3,5	6,1	2,5	3,0	3,0	7,4	3,3	1,7	2,7	6,6	7,9	2,5	4,4
Ida-Virumaa	2,9	7,7	6,9	13,1	0,0	13,4	10,8	5,6	9,8	0,0	10,0	3,4	0,0	4,9	6,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	2,6	6,3	4,5	1,0	3,3	3,7	6,4	5,1	2,8	3,0	1,3	4,1	9,8	10,7	4,8
Järva, Lääne-Viru, Rapla	0,0	15,1	0,0	0,0	3,7	0,0	0,0	5,8	6,8	0,0	3,9	5,4	4,8	14,4	4,5
Lääne, Saare, Hiiumaa, Pärnumaa	4,8	3,1	0,0	2,5	0,0	4,9	0,0	3,1	0,0	7,1	3,7	0,0	11,4	4,4	3,0
Asulatüüp - Type of residence															
Linn - Urban	3,9	7,6	3,8	5,9	1,5	4,7	4,8	7,7	5,2	2,5	4,2	5,4	9,1	6,1	5,3
Maa - Rural	0,0	3,7	1,8	3,1	4,2	4,0	2,4	0,0	0,0	2,0	0,0	3,0	1,7	6,7	2,5
Rahvus - Ethnicity															
Eestlane - Estonian	2,1	3,6	2,3	2,1	2,0	4,1	2,1	4,5	0,9	1,8	2,7	4,7	8,2	7,1	3,5
Mitte-eestlane - Non-Estonian	4,0	13,5	5,4	10,1	3,2	5,2	7,3	8,0	10,5	4,0	4,9	5,5	6,5	4,7	6,8
Põlisus - Native-born population															
Põlisrahvastik - Native-born	2,0	4,0	2,2	2,5	2,9	3,5	2,9	4,3	0,9	1,8	3,0	4,8	7,5	6,5	3,6
Immigrantrahvastik - Not native-born	4,4	13,3	6,1	10,1	0,0	6,5	6,4	8,5	12,2	4,0	4,5	5,4	7,6	5,8	7,0
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	2,9	3,3	5,2	2,0	3,3	3,8	6,9	2,8	2,8	2,7	4,4	8,1	3,5	4,1
Ei ole kooselus - Not cohabiting	3,1	7,8	3,4	5,3	2,6	6,3	4,9	3,9	7,7	1,4	6,2	6,4	6,6	6,7	5,3
Haridus - Education															
Põhi või madalam - Lower secondary or less	0,7	4,9	4,9	5,0	1,4	5,6	5,7	11,8	11,2	11,3	4,4	11,1	0,0	7,3	5,3
Kesk - Upper secondary	4,6	9,1	3,3	4,0	1,6	5,5	5,1	10,0	6,2	1,7	2,2	4,8	6,7	4,7	4,9
Kõrg - University	8,3	8,1	1,1	7,4	4,0	3,0	2,9	2,0	1,7	2,2	4,8	4,0	10,3	0,0	4,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	6,3	8,4	3,2	4,5	2,2	6,2	4,4	3,0	3,8	5,5	4,9	0,0	4,2
Mitteaktiivne - Non-active	2,8	6,9	3,2	4,7	1,8	4,7	15,7	3,0	0,0	0,0	2,4	3,7	11,1	7,4	5,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	1,6	7,8	3,5	5,0	4,5	6,4	3,6	1,6	3,0	0,0	4,2	4,6	5,2	2,8	4,1
Üle suhtelise vaesuse piiri - Above the risk of poverty	4,8	6,5	3,4	5,8	1,5	2,8	2,5	7,5	3,9	3,1	3,1	4,7	6,8	6,7	4,5
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	17,0	0,0	0,0	0,0	6,5	4,5	2,1	3,0	3,9	6,5	7,2	4,6
Tervisehäired - Less severe health disorders	0,0	2,4	0,0	2,8	1,8	6,1	3,1	5,1	3,2	2,6	4,7	5,7	9,8	3,7	4,1
Tõsisemad tervisehäired - Severe health disorders	0,0	8,6	0,0	7,1	3,9	5,3	1,3	10,3	7,1	3,7	0,0	12,1	28,0	16,9	5,6
Toimetuleku piirangud - Managing restrictions	3,7	7,1	7,0	4,6	1,4	1,3	14,1	2,2	0,0	0,0	10,0	0,0	0,0	0,0	4,9
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	1,6	9,5	3,2	3,5	3,1	3,7	1,4	3,2	2,5	0,0	3,8	5,4	7,5	14,8	3,8
Tervist kahjustav - Health harming	13,6	5,8	0,0	4,9	0,0	0,0	0,0	13,8	6,4	10,6	4,5	0,0	0,0	0,0	4,2
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	7,9	2,5	3,6	0,0	5,8	0,8	5,3	2,6	2,8	2,8	3,9	8,1	5,0	4,0
Väline - External	4,0	8,4	3,4	7,8	0,0	0,0	10,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	4,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	0,0	0,0	6,2	4,3	4,0	1,6	3,7	4,0	2,3	3,5	3,1	8,9	5,9	4,4
Väga halb või halb - Very bad or bad	3,5	8,2	6,0	7,1	1,5	1,6	3,9	10,3	8,8	0,0	13,6	73,6	0,0	0,0	6,0
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	7,9	15,4	5,5
Normaal - Normal weight	1,0	5,7	1,9	2,1	4,5	3,9	4,5	2,8	1,6	0,7	4,0	7,2	7,1	4,7	4,1
Ülekaal - Overweight	4,3	9,2	5,4	5,9	0,0	2,7	2,9	6,8	9,8	6,3	5,1	0,0	9,9	8,1	5,3
Rasvumine - Obesity	5,0	4,6	2,1	7,4	3,0	6,4	5,3	11,5	4,1	3,7	0,0	0,0	8,7	0,0	5,2
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 102.A. Kehamassiindeks (%) sünnipõlvkonna järgi, mehed
TABLE 102.A. Body Mass Index (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														Kokku Total
		1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	
Alakaal (<18,5) - Underweight (<18,5)		4,6	0,9	1,1	0,2	0,0	0,0	0,5	1,0	0,0	0,3	0,4	2,0	2,9	5,3	1,4
Normkaal (18,5- 24,99) - Normal weight (18,5- 24,99)		42,3	46,0	39,3	35,6	32,3	36,1	35,5	33,4	35,3	36,1	39,9	53,5	68,7	79,1	45,9
Ülekaal (25,0 - 29,99) - Overweight (25,0 - 29,99)		41,9	40,3	42,1	45,0	41,3	41,4	42,3	45,5	43,4	47,4	44,9	31,9	23,5	14,8	37,5
Rasvumine (>=30,0) - Obesity (>=30,0)		11,2	12,8	17,5	19,2	26,4	22,5	21,7	20,1	21,3	16,2	14,8	12,6	4,9	0,8	15,2
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		129	339	261	331	145	195	194	202	204	213	190	192	237	273	3105
Vastamata - Missing (N)		0	2	0	1	0	0	0	1	0	0	0	1	0	1	6
TABEL 102.1.A. Ülekaaluliste ja rasvunute (kehamassiindeks >=25) isikute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 102.1.A. Percent of persons with overweight and obesity (Body Mass Index >=25) in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa		52,8	50,4	56,7	62,1	63,4	63,5	62,4	64,9	70,1	56,7	60,4	40,6	18,8	16,5	50,4
Ida-Virumaa		45,9	43,0	57,0	73,3	78,4	55,2	65,7	54,2	72,1	69,1	68,1	43,8	39,8	7,5	54,6
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru		50,9	59,5	60,8	66,9	64,4	63,4	61,4	72,4	48,2	64,0	50,9	43,4	38,6	14,1	51,2
Järva, Lääne-Viru, Rapla		48,9	65,0	73,3	72,8	80,4	63,7	62,1	76,0	76,1	63,8	60,6	50,1	25,6	22,0	59,3
Lääne, Saare, Hiiumaa, Pärnumaa		64,5	49,0	54,9	47,9	69,9	75,9	71,9	58,1	67,1	82,1	63,6	76,7	19,5	19,0	56,1
Asulatüüp - Type of residence																
Linn - Urban		57,5	50,9	59,3	66,1	67,7	60,9	64,8	67,3	67,4	61,2	58,1	42,6	26,5	16,9	52,0
Maa - Rural		42,7	61,8	60,2	58,0	67,6	71,0	61,9	61,5	58,9	68,9	64,3	53,0	36,3	12,4	54,7
Rahvus - Ethnicity																
Eestlane - Estonian		56,6	55,4	63,2	64,7	72,0	65,1	66,3	63,2	65,2	68,4	58,4	44,6	30,5	17,9	53,8
Mitte-eestlane - Non-Estonian		42,7	48,3	49,2	63,4	57,9	62,1	61,1	69,5	63,8	52,9	62,0	44,5	24,7	10,1	50,6
Põlisus - Native-born population																
Põlisrahvastik - Native-born		55,2	55,5	64,3	65,0	72,1	64,8	67,1	66,0	66,1	67,6	59,4	43,6	30,4	17,7	53,7
Immigrantrahvastik - Not native-born		46,3	48,0	46,7	62,8	56,1	62,3	59,4	64,7	61,5	53,3	60,3	46,3	23,3	8,1	50,4
Kooselu - Cohabiting																
Kooselus - Cohabiting		53,8	52,6	57,3	66,6	74,6	66,9	66,7	69,6	67,5	64,9	62,8	49,7	33,0	36,7	62,3
Ei ole kooselus - Not cohabiting		51,8	54,1	69,4	54,5	29,8	48,2	52,0	47,6	52,1	58,4	51,0	34,6	25,7	14,4	33,9
Haridus - Education																
Põhi või madalam - Lower secondary or less		54,5	51,6	60,3	54,9	57,6	60,8	71,6	22,5	70,6	60,2	59,3	42,4	27,6	12,5	37,0
Kesk - Upper secondary		47,2	57,7	62,2	68,5	70,1	60,1	64,0	59,0	63,8	65,8	54,2	47,0	30,8	24,0	54,7
Kõrg - University		55,6	50,0	55,2	64,9	68,2	69,4	61,5	80,0	65,6	58,5	70,8	41,1	22,7	0,0	59,7
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active		86,3	55,1	60,0	70,8	76,2	64,7	66,1	69,0	66,6	63,7	61,1	45,7	28,8	21,4	57,2
Mitteaktiivne - Non-active		51,5	52,9	59,5	62,2	60,7	61,9	55,6	39,0	45,8	61,5	43,7	25,7	26,7	14,0	43,4
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty		53,2	52,8	48,3	58,8	50,8	57,5	59,0	44,7	57,4	47,1	57,3	31,8	11,1	9,8	44,3
Üle suhtelise vaesuse piiri - Above the risk of poverty		53,6	53,4	62,1	65,0	74,1	65,8	65,0	69,3	64,9	67,4	57,6	46,0	30,7	18,4	55,3
Tervise seisund - Health status																
Terve - No health disorders		76,5	40,0	60,5	56,6	56,4	64,1	65,3	69,5	64,3	65,1	58,4	47,1	35,3	14,0	46,6
Tervisehäired - Less severe health disorders		44,4	56,7	53,8	68,2	66,1	63,6	58,8	63,8	76,4	58,2	58,9	34,4	13,8	21,0	55,4
Tõsisemad tervisehäired - Severe health disorders		41,4	50,0	63,0	64,3	75,9	67,5	80,7	72,4	22,6	66,3	74,4	38,9	18,1	26,8	60,9
Toimetuleku piirangud - Managing restrictions		58,6	53,8	62,3	60,3	66,3	60,4	63,8	50,8	55,8	58,1	51,8	49,7	18,0	0,0	57,9
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective		48,9	40,7	44,1	54,2	53,1	64,7	54,2	70,5	36,6	48,1	35,4	22,6	8,4	0,0	39,7
Tervist kahjustav - Health harming		83,8	60,6	82,7	69,2	69,0	56,6	62,0	74,2	69,1	52,5	69,6	48,8	49,5	0,0	63,2
Kontrollkese - Locus of control																
Seesmine - Internal		52,7	45,1	59,6	71,5	77,6	65,4	67,5	66,8	65,7	65,7	60,7	45,8	28,8	17,0	53,0
Väline - External		43,6	52,6	73,7	58,2	32,1	37,7	52,8	43,2	21,9	44,1	46,7	0,0	0,0	0,0	45,1
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good		47,4	39,8	46,1	68,8	51,6	62,7	63,4	59,5	60,0	62,2	55,0	45,8	27,9	13,8	44,6
Väga halb või halb - Very bad or bad		58,9	53,8	66,0	57,1	66,9	74,6	60,6	64,1	52,0	53,0	43,6	0,0	26,2	100,0	59,8
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight		0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Normkaal - Normal weight		0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Ülekaal - Overweight		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Rasvumine - Obesity		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
		Vanus - Age														

TABEL 102.B. Kehamassiindeks (%) sünnipölvkonna järgi, naised
TABLE 102.B. Body Mass Index (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Alakaal (<18,5) - Underweight (<18,5)	3,2	1,4	1,1	1,6	1,4	0,0	0,6	0,8	4,2	5,5	6,8	8,1	14,5	12,8	4,7	
Normkaal (18,5- 24,99) - Normal weight (18,5- 24,99)	42,5	31,7	24,3	27,6	28,4	27,2	39,5	45,3	55,8	58,7	67,4	69,8	70,9	76,2	49,1	
Ülekaal (25,0 - 29,99) - Overweight (25,0 - 29,99)	34,1	41,2	40,8	37,3	36,1	32,4	31,9	32,0	24,3	24,8	15,9	15,1	10,3	9,2	26,4	
Rasvumine (>=30,0) - Obesity (>=30,0)	20,2	25,7	33,8	33,5	34,1	40,4	28,0	21,9	15,7	11,0	9,9	7,0	4,3	1,8	19,8	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	186	286	273	343	179	248	236	260	225	201	246	180	206	241	3310	
Vastamata - Missing (N)	6	1	1	1	1	0	0	0	0	0	0	2	1	0	13	
TABEL 102.1.B. Ülekaaluliste ja rasvunute (kehamassiindeks >=25) isikute protsent rahvastikurühmades sünnipölvkonna järgi, naised TABLE 102.1.B. Percent of persons with overweight and obesity (Body Mass Index >=25) in background categories by birth cohort, females																
Piirkond - Region																
Harjumaa	54,0	64,8	68,9	68,4	56,2	69,1	55,4	53,0	29,2	32,5	21,4	22,6	12,4	12,8	41,5	
Ida-Virumaa	53,9	77,0	74,5	75,1	77,1	77,3	67,6	60,2	52,5	38,5	46,3	23,8	18,7	12,4	54,6	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	54,0	68,7	80,5	69,3	73,7	71,3	56,5	58,1	55,1	33,0	24,2	19,1	16,5	10,4	47,0	
Järva, Lääne-Viru, Rapla	75,6	59,5	80,2	65,7	75,8	66,4	65,0	39,7	35,7	56,3	24,8	27,8	25,8	16,8	48,5	
Lääne, Saare, Hiiumaa, Pärnumaa	40,8	65,6	74,5	77,7	82,5	85,8	63,6	51,0	40,2	34,5	25,9	17,3	6,0	3,1	48,4	
Asulatuüp - Type of residence																
Linn - Urban	55,0	66,1	72,9	70,4	73,0	70,8	60,2	56,8	39,2	31,3	25,9	21,2	15,8	10,6	45,8	
Maa - Rural	52,8	69,7	80,6	71,9	63,0	79,3	58,6	44,0	42,7	48,8	25,2	26,3	10,5	12,0	47,3	
Rahvus - Ethnicity																
Eestlane - Estonian	56,8	65,7	74,8	66,2	67,1	72,6	55,4	51,4	36,4	33,4	25,1	21,4	14,5	10,7	44,4	
Mitte-eestlane - Non-Estonian	49,6	69,5	74,2	77,6	79,2	73,0	66,1	57,3	48,0	42,1	27,3	23,5	14,8	11,6	49,5	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	54,3	66,4	75,0	67,4	68,2	72,5	56,9	51,3	36,7	33,6	26,5	21,4	14,6	10,8	44,5	
Immigrantrahvastik - Not native-born	54,5	68,3	73,5	76,6	77,6	73,3	64,7	57,9	49,2	41,7	24,3	24,0	14,7	11,6	49,8	
Kooselu - Cohabiting																
Kooselus - Cohabiting	62,7	67,5	70,5	74,2	74,7	76,5	63,3	55,2	41,1	37,4	25,7	21,1	12,0	12,0	46,2	
Ei ole kooselus - Not cohabiting	53,4	66,8	76,5	68,3	64,9	67,0	53,8	51,1	36,6	31,6	26,3	24,6	18,4	10,9	46,2	
Haridus - Education																
Põhi või madalam - Lower secondary or less	51,5	69,4	78,9	75,3	76,0	66,6	65,9	77,7	71,5	48,8	56,2	26,6	8,9	12,0	49,9	
Kesk - Upper secondary	58,7	71,9	81,0	72,8	75,6	74,8	63,4	53,3	42,7	30,1	27,0	25,5	13,7	9,6	47,7	
Kõrg - University	55,5	55,9	56,3	62,8	57,4	71,8	54,5	53,0	36,1	40,2	20,0	19,1	17,2	0,0	42,3	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	60,8	89,9	64,3	69,1	70,4	60,1	52,9	39,7	36,5	23,0	22,4	17,5	14,1	42,4	
Mitteaktiivne - Non-active	54,7	67,1	73,9	71,9	70,7	76,9	58,6	63,4	43,2	32,7	35,4	21,5	10,7	10,5	50,5	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	46,4	69,3	75,3	71,8	68,3	78,6	68,0	53,0	42,6	53,0	41,7	19,1	23,9	20,5	57,7	
Üle suhtelise vaesuse piiri - Above the risk of poverty	64,8	66,1	75,4	70,2	72,3	69,8	60,5	53,8	39,9	34,3	22,8	22,1	14,1	10,8	44,1	
Tervises seisund - Health status																
Terve - No health disorders	13,0	57,3	8,6	67,4	69,6	74,9	35,0	40,4	27,6	36,7	23,1	18,1	18,5	9,2	24,3	
Tervisehäired - Less severe health disorders	65,3	45,4	63,6	62,0	59,5	69,8	54,0	48,6	45,0	32,3	27,1	27,3	7,8	15,3	44,4	
Tõsisemad tervisehäired - Severe health disorders	64,0	63,7	82,8	80,9	79,9	76,9	65,6	64,8	64,6	37,1	35,3	37,2	0,0	6,9	66,0	
Toimetuleku piirangud - Managing restrictions	52,4	72,7	77,9	69,4	77,3	73,9	83,2	79,4	38,2	44,7	46,4	15,6	11,9	10,9	66,2	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	49,6	49,3	55,8	65,0	54,1	68,8	48,3	48,5	34,2	36,8	12,8	22,7	11,2	0,0	39,3	
Tervist kahjustav - Health harming	86,4	83,7	89,0	69,0	100,0	82,1	68,1	68,6	56,9	79,4	38,2	29,9	36,4	28,7	61,2	
Kontrollkese - Locus of control																
Seesmine - Internal	70,2	67,4	77,5	71,5	70,0	75,3	63,4	52,3	37,2	33,7	21,5	20,1	14,3	8,3	39,6	
Väline - External	49,4	67,9	71,5	80,0	55,8	67,4	74,1	62,9	64,0	48,8	31,0	26,4	0,0	47,2	60,0	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	63,3	39,8	60,5	55,9	51,6	65,5	52,9	35,1	33,2	32,9	21,9	22,7	15,0	11,6	29,3	
Väga halb või halb - Very bad or bad	47,6	76,6	78,0	79,9	72,3	82,5	76,5	69,5	47,3	40,9	61,8	0,0	0,0	50,4	70,1	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
Normkaal - Normal weight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
Ülekaal - Overweight	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Rasvumine - Obesity	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
	Vanus - Age															

TABEL 103.A. Keskmine pikkus sünnipölvkonna järgi, mehed
TABLE 103.A. Average height by birth cohort, males

	Sünnipölvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Keskmine pikkus (cm) - Average height (cm)	174,2	173,5	173,9	174,5	175,1	175,7	176,5	178,2	179,0	179,2	180,1	180,9	181,4	180,9		177,2
Kokku - Total (N)	129	340	261	332	145	195	194	202	204	213	190	193	237	274		3109
Vastamata - Missing (N)	0	1	0	0	0	0	0	1	0	0	0	0	0	0		2
TABEL 103.1.A. Keskmine pikkus rahvastikurühmades sünnipölvkonna järgi, mehed TABLE 103.1.A. Average height in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	176,8	173,9	174,0	174,2	175,3	176,1	176,3	178,7	179,6	178,7	179,4	180,5	182,3	181,6		178,6
Ida-Virumaa	171,4	170,8	172,9	171,8	172,9	173,6	174,9	174,7	178,2	178,1	179,5	179,3	180,6	178,9		176,8
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	172,9	173,6	174,2	175,1	175,6	176,4	176,8	178,4	177,8	179,4	181,0	182,8	181,2	179,9		178,5
Järva, Lääne-Viru, Rapla	173,7	172,6	174,5	175,1	174,7	175,5	177,1	179,4	179,4	179,8	181,5	180,6	179,3	179,7		178,1
Lääne, Saare, Hiiumaa, Pärnumaa	175,0	176,9	173,5	176,9	176,6	178,1	177,6	180,1	181,3	182,0	180,4	177,9	181,5	183,7		179,5
Asulatüüp - Type of residence																
Linn - Urban	174,6	173,5	174,1	174,3	174,8	175,6	176,5	178,0	179,1	179,4	179,8	180,5	181,6	181,3		178,4
Maa - Rural	174,0	174,0	173,3	175,5	176,4	177,0	176,1	179,2	179,4	178,9	180,7	181,8	180,4	180,2		178,5
Rahvus - Ethnicity																
Eestlane - Estonian	174,5	174,2	174,5	175,9	176,6	177,1	177,4	179,2	179,8	179,6	180,9	181,4	182,0	181,3		179,1
Mitte-eestlane - Non-Estonian	174,3	172,4	172,0	172,4	172,4	174,6	175,1	176,8	177,9	178,3	178,6	179,6	180,4	180,3		177,0
Põlisus - Native-born population																
Põlisrahvastik - Native-born	174,3	174,3	174,6	175,8	176,5	177,2	177,3	179,3	179,8	179,5	180,8	181,5	181,9	181,3		179,2
Immigrantrahvastik - Not native-born	174,8	172,3	172,0	172,4	171,9	174,2	175,1	176,4	177,6	178,5	178,5	179,3	180,2	180,0		176,7
Kooselu - Cohabiting																
Kooselus - Cohabiting	174,5	173,6	174,0	174,9	175,4	176,4	176,8	178,6	179,6	179,6	180,2	181,4	181,1	185,9		178,2
Ei ole kooselus - Not cohabiting	174,6	173,6	173,2	173,2	174,4	174,2	174,6	177,0	177,0	177,6	179,6	179,6	181,5	180,7		178,8
Haridus - Education																
Põhi või madalam - Lower secondary or less	174,2	173,2	173,4	174,0	173,8	176,4	174,5	175,4	178,3	184,3	175,7	178,2	179,6	180,2		177,5
Kesk - Upper secondary	174,7	173,4	173,9	174,4	175,0	174,7	176,3	177,8	179,0	179,2	180,1	181,2	181,8	182,8		178,6
Kõrg - University	174,5	174,5	174,5	175,1	176,6	177,4	177,4	179,4	179,6	178,3	181,1	180,8	181,3	184,9		178,6
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	177,5	174,3	176,2	176,0	176,4	176,4	176,7	178,7	179,3	179,2	180,4	180,6	181,2	180,8		179,1
Mitteaktiivne - Non-active	174,3	173,6	173,6	174,1	174,3	175,1	175,3	175,6	177,8	180,2	175,9	183,2	182,3	181,0		176,9
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	174,4	173,3	171,9	173,2	175,2	175,2	174,3	177,4	181,2	180,5	179,5	181,0	178,8	179,7		177,0
Üle suhtelise vaesuse piiri - Above the risk of poverty	174,3	173,7	174,4	174,9	175,5	176,5	177,1	178,5	178,7	178,9	179,8	180,9	181,8	181,8		178,6
Tervise seisund - Health status																
Terve - No health disorders	176,5	172,7	175,5	174,5	177,9	180,2	180,3	179,3	179,5	178,1	179,1	182,0	184,0	181,8		180,0
Tervisehäired - Less severe health disorders	174,8	174,8	172,0	174,8	177,2	179,3	176,5	178,1	179,5	177,5	179,9	181,5	180,7	182,8		178,0
Tõsisemad tervisehäired - Severe health disorders	174,4	173,3	171,9	173,2	175,2	175,2	174,3	177,4	181,1	180,5	179,5	181,0	178,8	179,7		177,0
Toimetuleku piirangud - Managing restrictions	174,3	173,7	174,4	174,9	175,5	176,5	177,1	178,5	178,7	178,9	179,8	180,9	181,8	181,8		175,3
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	176,5	172,0	175,5	174,5	177,9	180,2	180,3	179,3	179,5	178,1	179,1	182,0	184,0	181,8		179,6
Tervist kahjustav - Health harming	174,8	174,8	172,0	174,8	177,2	179,3	176,5	178,1	179,5	177,5	179,9	181,5	180,7	182,8		178,3
Kontrollkese - Locus of control																
Seesmine - Internal	174,8	174,5	173,9	175,4	175,1	176,7	177,1	178,9	179,1	179,0	180,7	181,3	181,7	181,4		179,2
Väline - External	173,4	172,6	171,2	172,2	175,8	174,7	174,6	175,0	178,6	188,7	176,3	170,0	184,5	176,2		174,9
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	175,4	172,3	175,0	174,2	177,0	177,3	176,6	178,6	179,1	178,5	180,1	181,3	181,4	180,9		179,7
Väga halb või halb - Very bad or bad	174,3	173,8	173,2	173,3	173,9	175,3	175,0	174,7	179,4	180,0	174,8	169,4	179,1	178,0		174,8
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	174,4	175,3	170,6	177,0	-	-	172,0	169,5	-	186,0	180,0	187,3	188,1	177,4		180,3
Normkaal - Normal weight	174,2	173,9	173,3	174,6	176,0	176,4	175,7	176,9	177,8	179,1	178,7	180,3	181,0	181,3		178,6
Ülekaal - Overweight	174,9	173,6	174,7	174,6	175,0	176,8	176,7	179,5	179,8	179,3	181,2	181,3	181,8	181,1		178,5
Rasvumine - Obesity	173,6	172,6	173,4	174,5	174,7	174,0	177,4	178,6	180,2	179,1	180,1	180,6	181,4	174,6		177,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
Vanus - Age																

TABEL 103.B. Keskmine pikkus sünnipõlvkonna järgi, naised
TABLE 103.B. Average height by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Keskmine pikkus (cm) - Average height (cm)	161,0	160,8	161,3	162,1	162,5	163,7	162,9	164,5	165,6	165,9	166,2	166,8	167,5	168,0	164,0	
Kokku - Total (N)	188	287	274	344	180	248	236	260	225	201	246	182	207	241	3319	
Vastamata - Missing (N)	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
TABEL 103.1.B. Keskmine pikkus rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 103.1.B. Average height in background categories by birth cohort, females																
Piirkond - Region																
Harjumaa	161,7	160,6	161,8	162,1	162,9	164,0	163,1	164,7	165,2	166,6	166,3	165,3	166,7	168,3	164,6	
Ida-Virumaa	159,1	159,5	158,9	160,8	159,9	162,3	161,3	163,4	164,9	163,6	164,6	167,5	164,6	167,6	162,8	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	160,1	161,5	161,1	162,2	162,5	164,6	163,1	164,6	166,2	166,4	167,0	166,6	168,7	167,5	164,8	
Järva, Lääne-Viru, Rapla	162,4	160,2	161,4	163,5	163,1	163,3	165,0	163,5	165,9	164,6	164,9	166,5	170,5	167,5	164,6	
Lääne, Saare, Hiiumaa, Pärnumaa	164,1	162,0	163,5	163,1	164,4	162,4	163,2	166,5	166,1	165,4	166,1	170,6	170,8	169,4	165,5	
Asulatüüp - Type of residence																
Linn - Urban	160,9	160,8	161,4	161,9	162,7	163,8	162,9	164,3	165,8	165,9	166,0	166,6	166,6	168,1	164,5	
Maa - Rural	161,6	161,0	161,1	163,0	162,5	163,0	163,3	165,4	165,2	165,9	166,4	165,6	170,5	168,2	164,8	
Rahvus - Ethnicity																
Eestlane - Estonian	161,4	161,8	161,9	163,0	163,4	164,3	163,9	165,7	166,5	166,3	166,5	166,9	168,3	168,2	165,2	
Mitte-eestlane - Non-Estonian	160,6	158,7	160,3	160,8	160,4	162,6	161,7	163,0	163,9	164,8	165,3	165,5	166,4	167,9	163,3	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	161,4	161,7	162,1	163,0	163,5	164,3	163,9	165,7	166,4	166,4	166,7	166,8	168,4	168,2	165,2	
Immigrantrahvastik - Not native-born	160,6	158,6	159,7	160,6	159,5	162,3	161,6	162,7	163,7	164,7	164,7	165,5	165,7	167,9	163,0	
Kooselu - Cohabiting																
Kooselus - Cohabiting	163,0	159,7	161,8	161,8	162,1	163,1	163,2	164,1	165,4	165,9	166,2	166,0	167,6	165,6	164,6	
Ei ole kooselus - Not cohabiting	160,9	161,1	161,2	162,4	163,2	164,5	162,7	165,4	166,3	165,8	165,8	167,5	167,3	168,5	164,5	
Haridus - Education																
Põhi või madalam - Lower secondary or less	160,2	160,7	161,1	161,5	162,9	162,6	161,2	164,3	164,6	166,5	162,7	165,7	165,7	175,2	163,7	
Kesk - Upper secondary	162,0	160,6	161,5	162,4	162,5	163,0	162,5	163,6	165,5	166,0	166,1	166,0	167,9	167,4	164,4	
Kõrg - University	163,5	161,3	161,5	162,1	162,8	164,6	164,1	165,5	165,9	165,7	166,6	166,9	167,3	175,2	165,1	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	154,0	163,6	163,9	162,4	163,8	164,3	162,9	164,6	165,9	165,7	166,4	166,8	167,6	168,8	165,4	
Mitteaktiivne - Non-active	161,2	160,8	161,3	162,1	162,1	162,4	163,5	164,4	163,7	166,7	164,9	165,7	167,3	168,0	163,6	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	160,0	161,4	161,1	162,3	162,2	163,5	162,2	163,5	166,9	166,2	163,7	169,6	167,9	167,6	163,5	
Üle suhtelise vaesuse piiri - Above the risk of poverty	161,9	160,0	161,5	161,9	162,8	163,6	163,2	164,9	165,2	165,7	166,7	166,0	167,2	168,0	164,7	
Tervise seisund - Health status																
Terve - No health disorders	157,6	159,2	158,4	162,3	164,2	161,2	163,8	165,2	165,3	166,6	165,6	166,6	166,7	167,5	166,1	
Tervisehäired - Less severe health disorders	165,1	160,0	160,7	162,0	162,9	164,7	163,3	163,8	166,5	165,1	166,8	166,3	169,3	169,9	165,0	
Tõsisemad tervisehäired - Severe health disorders	159,9	161,4	161,6	162,1	162,2	163,0	162,5	165,4	165,5	166,3	167,9	164,1	166,0	163,8	163,2	
Toimetuleku piirangud - Managing restrictions	161,0	160,8	161,7	162,3	162,3	162,6	162,5	165,3	163,9	162,8	164,2	171,6	167,3	169,1	162,4	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	162,9	159,5	160,8	162,0	162,4	164,3	162,7	165,6	166,3	167,0	165,4	166,6	168,9	162,8	164,7	
Tervist kahjustav - Health harming	158,6	161,9	162,7	162,0	162,5	164,6	163,7	166,7	164,2	167,6	166,1	165,5	164,9	173,8	164,7	
Kontrollkese - Locus of control																
Seesmine - Internal	161,5	160,8	161,2	161,4	162,5	163,1	163,8	165,3	165,7	166,2	166,3	165,9	167,8	167,9	165,3	
Väline - External	160,0	160,6	159,7	159,5	161,0	162,7	159,0	162,2	162,3	162,3	163,0	164,4	163,2	170,5	161,0	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	160,5	159,4	161,0	162,5	164,3	164,7	163,7	165,0	165,6	166,5	166,3	166,7	167,6	168,2	166,1	
Väga halb või halb - Very bad or bad	160,7	161,1	161,4	161,6	162,2	160,9	162,2	163,8	158,0	163,5	164,9	164,1	165,0	174,5	162,0	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	167,0	169,3	160,9	168,6	175,5	-	161,6	162,8	165,0	166,7	166,5	165,5	167,7	168,2	167,1	
Normkaal - Normal weight	160,9	160,6	161,0	161,8	161,9	163,7	164,0	164,7	165,8	166,1	165,9	165,7	167,8	168,0	165,3	
Ülekaal - Overweight	161,5	160,6	161,5	162,9	162,7	164,5	162,4	164,2	165,1	165,2	166,0	168,0	166,8	168,4	163,7	
Rasvumine - Obesity	160,1	160,8	161,4	161,2	162,4	162,9	162,3	164,8	166,3	165,8	166,8	170,7	163,2	171,1	163,1	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	
Vanus - Age																

TABEL 104.A. Kõrgem lõpetatud haridustase (%) sünnipõlvkonna järgi, mehed
TABLE 104.A. The highest completed educational level (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Algharidus jäi saamata - No primary education	2,5	1,3	0,4	0,0	0,0	0,5	0,0	0,6	0,0	0,0	0,4	0,4	0,0	0,3	0,3
Algharidus - Primary education	17,6	14,8	10,9	5,2	1,6	1,6	0,0	1,6	0,0	0,8	0,5	0,0	0,7	7,7	2,8
Põhiharidus - Lower secondary education	36,7	34,3	34,1	31,0	32,3	23,0	24,2	12,7	12,1	13,8	15,9	24,6	19,0	66,3	26,1
Keskharidus - Upper secondary education	11,5	11,0	16,8	13,5	24,2	22,3	31,6	28,8	35,7	34,3	31,1	27,8	38,9	21,5	27,6
Keskeriharidus - Specialized secondary education	4,4	11,2	10,6	14,5	14,1	13,1	12,1	13,8	21,6	24,4	21,6	13,7	15,9	3,4	14,7
Kõrgharidus - Higher education	24,0	25,9	26,1	34,7	26,9	38,8	32,1	42,5	30,1	26,4	30,5	33,1	25,5	0,8	28,1
Teaduskraad - Scientific degree	3,3	1,5	1,1	1,1	0,9	0,7	0,0	0,0	0,5	0,3	0,0	0,4	0,0	0,0	0,4
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TABEL 104.1.A. Kõrgharidusega isikute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 104.1.A. Percent of persons with higher education in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	41,2	34,4	47,3	41,8	37,3	49,1	49,0	49,5	36,8	29,0	40,3	34,5	23,2	1,3	34,7
Ida-Virumaa	26,0	14,8	31,5	40,6	19,7	25,4	33,4	34,6	23,9	28,5	34,5	17,1	36,4	0,0	27,0
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	19,6	27,1	20,8	31,9	23,2	29,1	14,0	42,2	34,5	28,1	24,3	38,1	26,4	1,2	25,4
Järva, Lääne-Viru, Rapla	28,3	13,7	13,9	30,8	6,6	40,2	26,2	36,8	7,2	20,0	13,2	48,8	13,5	0,0	22,4
Lääne, Saare, Hiiu, Pärnumaa	15,3	26,1	5,1	24,8	29,2	44,8	26,9	34,6	26,2	19,8	8,8	22,9	23,9	0,0	21,2
Asulatüüp - Type of residence															
Linn - Urban	34,9	27,9	32,8	39,2	32,1	44,4	36,9	49,1	33,7	29,0	36,3	34,6	27,0	0,7	31,8
Maa - Rural	9,6	25,1	13,9	24,9	16,7	27,6	18,1	26,8	23,7	21,8	13,3	28,7	19,0	1,3	19,2
Rahvus - Ethnicity															
Eestlane - Estonian	23,8	25,7	22,9	32,6	24,8	38,3	29,2	36,1	27,8	27,4	31,0	36,5	26,6	0,5	26,8
Mitte-eestlane - Non-Estonian	38,0	31,0	39,7	41,1	34,4	41,0	36,0	53,0	36,3	25,4	29,7	28,3	23,5	1,6	31,7
Põlisus - Native-born population															
Põlisrahvastik - Native-born	24,2	25,1	22,5	32,4	25,6	40,7	30,7	39,1	27,7	27,6	31,2	36,3	26,7	0,5	27,2
Immigrantrahvastik - Not native-born	37,7	32,1	40,1	41,8	33,3	37,6	34,4	48,9	37,2	24,7	29,1	28,2	22,6	2,2	31,5
Kooselu - Cohabiting															
Kooselus - Cohabiting	26,4	27,7	28,5	35,6	28,4	39,2	33,2	45,7	31,1	29,6	33,8	31,0	30,7	6,8	33,3
Ei ole kooselus - Not cohabiting	29,0	26,7	21,4	36,8	24,0	40,9	27,3	28,1	27,7	15,8	21,2	38,3	22,5	0,5	19,1
Haridus - Education															
Põhi või madalam - Lower secondary or less	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Kesk - Upper secondary	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Kõrg - University	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	70,5	54,7	42,3	47,6	33,6	42,1	33,4	47,5	31,2	27,9	32,3	34,8	27,9	1,7	33,5
Mitteaktiivne - Non-active	25,2	26,1	25,1	32,2	22,9	33,3	27,0	6,0	23,5	8,7	10,1	13,5	16,5	0,6	18,3
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	23,9	23,3	12,6	29,5	20,0	25,9	16,5	16,7	22,6	10,1	18,5	0,0	10,9	0,0	16,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	26,1	28,8	31,1	35,9	29,6	43,3	34,0	49,5	30,1	28,3	30,2	34,0	25,8	1,5	30,7
Tervise seisund - Health status															
Terve - No health disorders	0,0	42,7	42,7	36,3	51,8	53,7	41,5	45,8	31,5	27,6	29,1	31,4	23,1	0,6	25,2
Tervisehäired - Less severe health disorders	20,9	32,6	30,0	43,8	37,0	45,5	32,9	45,9	35,7	23,9	40,1	44,4	30,3	2,0	35,7
Tõsisemad tervisehäired - Severe health disorders	37,2	27,3	33,0	28,4	25,8	33,3	28,5	34,0	15,0	21,2	34,2	20,4	27,7	0,0	27,8
Toimetuleku piirangud - Managing restrictions	27,2	24,4	17,7	31,2	9,8	20,5	21,9	24,2	19,2	40,0	0,0	39,0	34,6	0,0	21,8
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	43,6	43,0	33,8	63,1	76,8	72,5	60,7	36,4	47,7	58,3	59,5	67,1	64,7	0,0	57,3
Tervist kahjustav - Health harming	39,3	33,1	25,3	34,2	22,9	31,1	27,4	42,2	32,9	21,4	41,5	69,9	22,8	25,9	35,1
Kontrollkese - Locus of control															
Seesmine - Internal	44,6	36,8	35,2	47,8	43,0	47,5	44,3	50,5	42,9	31,2	34,2	31,3	25,6	1,5	33,5
Väline - External	9,9	16,0	9,7	33,5	11,0	19,7	27,8	0,0	0,0	0,0	21,6	0,0	0,0	0,0	15,8
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	41,9	30,0	41,8	41,8	25,4	58,3	42,4	55,8	36,3	31,9	32,2	37,4	26,4	0,6	30,6
Väga halb või halb - Very bad or bad	25,5	22,2	16,4	24,7	5,3	15,7	27,1	8,5	29,8	0,0	17,6	0,0	13,3	0,0	18,9
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	41,2	25,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	19,9	11,7	0,0	7,5
Normkaal - Normal weight	24,3	29,4	31,0	35,4	27,3	33,4	34,9	25,6	29,8	30,8	22,3	36,4	28,2	1,1	24,8
Ülekaal - Overweight	29,5	25,7	24,0	34,1	31,5	52,6	28,8	53,0	29,9	25,7	35,5	28,0	22,2	0,0	32,3
Rasvumine - Obesity	25,5	27,2	27,9	41,5	22,4	25,0	34,8	50,1	33,2	21,7	38,2	38,8	11,8	0,0	32,5
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 104.B. Kõrgem lõpetatud haridustase (%) sünnipõlvkonna järgi, naised
TABLE 104.B. The highest completed educational level (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Algharidus jäi saamata - No primary education	0,8	2,8	0,4	0,2	0,4	0,0	0,0	0,0	0,0	0,3	0,0	0,0	0,0	0,0	0,3
	Algharidus - Primary education	20,7	15,9	10,0	4,2	3,3	0,3	0,0	0,0	0,0	1,1	0,4	0,0	2,4	3,1	
	Põhiharidus - Lower secondary education	43,1	38,4	34,7	34,5	21,8	15,3	16,7	7,0	6,9	7,5	9,4	14,5	12,6	62,6	21,9
	Keskharidus- Upper secondary education	16,8	12,6	18,9	19,2	36,9	32,6	30,3	31,3	31,4	27,9	29,5	25,2	45,3	31,6	28,8
	Keskeriharidus - Specialized secondary education	8,4	7,4	13,1	13,5	7,5	12,1	10,6	10,6	8,0	16,4	15,5	6,0	2,9	2,7	9,6
	Kõrgharidus - Higher education	10,2	22,9	22,6	27,0	29,7	38,8	41,8	51,1	53,7	48,2	44,2	53,2	39,2	0,7	36,0
	Teaduskraad - Scientific degree	0,0	0,0	0,3	1,4	0,4	0,9	0,6	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,3
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 104.1.B. Kõrgharidusega isikute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 104.1.B. Percent of persons with higher education in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	14,5	34,6	28,8	39,5	27,4	53,3	48,4	57,0	63,4	60,7	48,6	59,8	42,4	0,0	43,2
Ida-Virumaa	5,8	19,2	25,7	23,2	31,0	47,4	49,4	40,7	31,1	46,2	41,2	49,1	27,4	2,5	32,7
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	4,8	13,5	21,8	26,6	35,3	30,3	32,8	51,9	60,8	37,6	45,1	46,9	40,7	0,0	33,5
Järva, Lääne-Viru, Rapla	10,1	22,9	5,9	7,4	29,2	19,6	23,6	40,4	42,6	44,6	37,1	46,5	44,1	4,4	29,0
Lääne, Saare, Hiiu, Pärnumaa	16,1	12,9	21,7	17,4	25,1	27,5	44,4	50,5	46,9	37,9	38,5	62,6	26,5	0,0	30,2
Asulatüüp - Type of residence															
Linn - Urban	13,4	26,3	24,4	33,5	27,8	42,9	45,4	49,0	54,2	53,1	44,9	56,3	40,9	1,0	38,4
Maa - Rural	2,2	11,1	17,6	11,1	36,0	29,0	33,3	57,9	52,1	34,0	40,6	43,4	33,2	0,0	29,5
Rahvus - Ethnicity															
Eestlane - Estonian	5,1	20,7	22,2	27,2	34,3	37,3	40,7	57,7	57,4	48,4	45,9	59,1	42,7	0,0	37,3
Mitte-eestlane - Non-Estonian	19,4	27,5	24,4	30,3	17,5	43,6	44,9	41,8	45,6	47,6	40,7	43,5	34,0	2,3	34,4
Põlisus - Native-born population															
Põlisrahvastik - Native-born	5,7	20,2	22,7	26,1	33,6	37,1	38,6	57,3	57,6	48,4	44,7	57,4	41,9	0,0	36,7
Immigrantrahvastik - Not native-born	19,6	29,3	23,5	32,4	17,1	44,6	48,7	41,5	43,2	47,5	43,1	44,1	34,1	2,7	35,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	4,3	25,3	25,5	29,2	27,6	37,9	47,1	46,1	54,5	46,6	44,2	52,4	41,0	2,4	42,0
Ei ole kooselus - Not cohabiting	10,9	22,2	21,7	27,9	33,0	42,4	34,2	61,5	51,1	52,1	43,9	57,4	36,6	0,5	29,6
Haridus - Education															
Põhi või madalam - Lower secondary or less	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Kesk - Upper secondary	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Kõrg - University	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	38,5	48,4	53,3	42,2	49,4	42,5	54,1	54,7	49,2	46,3	59,6	48,8	2,1	49,2
Mitteaktiivne - Non-active	10,3	22,6	21,8	23,9	24,3	22,6	42,1	20,0	44,1	43,7	37,1	40,6	26,0	0,5	21,6
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	12,6	18,8	17,5	19,2	31,9	25,2	45,4	45,4	38,3	32,0	3,9	26,9	24,6	0,0	23,9
Üle suhtelise vaesuse piiri - Above the risk of poverty	6,2	25,6	27,3	35,3	30,4	43,4	39,9	51,1	58,1	50,1	49,7	58,3	42,1	0,7	40,4
Tervise seisund - Health status															
Terve - No health disorders	0,0	18,4	35,8	27,2	51,1	59,3	55,7	60,3	52,6	48,0	46,6	52,5	38,3	1,2	40,0
Tervisehäired - Less severe health disorders	17,1	37,9	26,6	32,8	33,2	44,5	42,2	52,1	65,9	52,1	43,7	65,8	41,6	0,0	42,3
Tõsisemad tervisehäired - Severe health disorders	16,5	19,1	26,2	29,4	26,8	36,1	45,5	41,3	41,3	37,1	35,5	42,6	29,8	0,0	32,5
Toimetuleku piirangud - Managing restrictions	8,5	22,0	18,7	24,1	22,9	27,5	30,4	47,0	28,5	56,2	19,6	15,6	40,6	0,0	23,4
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	7,1	30,0	30,8	34,6	40,0	55,5	56,4	55,7	70,8	62,8	65,7	72,8	61,7	0,0	53,0
Tervist kahjustav - Health harming	27,2	19,4	6,5	40,2	19,6	37,5	45,3	65,2	60,5	49,9	30,5	41,4	27,1	0,0	39,4
Kontrollkese - Locus of control															
Seesmine - Internal	12,8	30,6	30,3	35,9	39,9	50,7	56,2	57,4	66,2	55,3	52,6	63,0	48,0	0,8	46,2
Väline - External	6,7	18,2	10,3	17,4	22,1	26,6	43,8	27,2	56,7	34,1	8,0	26,4	30,0	0,0	20,2
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	17,4	34,8	41,9	41,5	51,3	56,2	59,8	64,3	53,1	53,8	58,3	42,9	0,9	44,5
Väga halb või halb - Very bad or bad	8,3	22,8	14,3	18,7	30,9	35,5	28,6	20,8	17,2	44,2	0,0	0,0	0,0	0,0	20,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	14,2	19,3	62,7	21,8	53,4	0,0	49,4	100,0	49,9	29,2	66,3	45,9	38,0	0,0	34,0
Normkaal - Normal weight	10,0	31,2	38,5	37,1	42,8	41,1	48,1	51,2	57,7	46,4	45,7	57,3	38,2	1,0	39,5
Ülekaal - Overweight	12,2	23,6	18,5	27,9	31,6	45,9	45,4	53,9	52,1	56,1	39,9	49,1	54,1	0,0	37,5
Rasumine - Obesity	8,2	12,1	16,0	22,3	17,6	33,7	30,8	44,9	42,7	49,5	25,4	40,8	27,1	0,0	27,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 105.A. Tervisehäiretest tingitud õppimispiirangute esinemine (%) sünnipõlvkonna järgi, mehed
TABLE 105.A. Health related limitations in educational career (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Piiranguid pole esinenud - No limitations	93,4	97,6	95,8	95,9	96,1	95,5	96,3	94,4	96,8	95,8	98,0	96,7	94,0	94,9		95,8
Ei lõpetanud koos eakaaslastega, loobus soovitud edasiõpingutest - Didn't graduate with classmates, had to discontinue desired studies	6,6	2,0	2,9	3,8	3,9	4,0	2,4	2,4	2,8	3,6	1,1	1,7	5,0	4,0		3,1
Algharidus jäi saamata - Didn't get primary education	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,0	0,0	0,4	0,4	0,0	0,0		0,2
Muud piirangud - Other limitations	0,0	0,4	1,3	0,3	0,0	0,5	1,3	2,6	0,4	0,6	0,5	1,2	1,0	1,1		0,9
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0		100,0
Kokku - Total (N)	129	341	261	332	145	195	194	203	204	213	190	193	237	274		3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
TABEL 105.1.A. Haridustee läbimisel tervisehäiretest tingitud piiranguid omanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 105.1.A. Percent of persons who have had health related limitations in educational career in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	0,0	2,6	5,1	0,9	4,7	3,4	2,0	1,7	1,6	4,5	0,0	5,1	1,1	7,5		3,1
Ida-Virumaa	5,2	1,5	0,0	1,7	4,9	3,0	3,2	5,6	9,9	6,8	0,0	0,0	8,4	8,5		4,6
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	13,7	2,5	2,2	5,9	4,4	3,7	5,5	11,3	3,4	5,6	6,4	3,4	9,9	2,9		5,6
Järva, Lääne-Viru, Rapla	0,0	0,0	4,6	6,2	4,7	7,1	0,0	4,5	4,9	0,0	7,0	0,0	7,0	3,0		3,9
Lääne, Saare, Hiiu, Pärnumaa	10,9	3,9	7,8	11,4	0,0	8,9	7,3	7,0	0,0	0,0	0,0	0,0	9,6	2,1		4,5
Asulatüüp - Type of residence																
Linn - Urban	4,2	3,0	3,9	3,3	4,5	4,3	2,5	4,9	2,6	3,0	2,1	3,6	5,8	5,8		3,9
Maa - Rural	12,3	0,0	5,0	7,1	2,4	5,1	7,1	7,3	4,4	6,7	1,7	2,2	6,6	3,4		4,9
Rahvus - Ethnicity																
Eestlane - Estonian	8,9	3,2	5,1	5,9	5,0	7,0	5,6	6,8	2,9	3,8	3,1	4,2	5,7	3,4		4,7
Mitte-eestlane - Non-Estonian	0,0	0,6	1,7	1,2	1,6	1,3	1,2	3,7	3,8	4,9	0,0	1,8	6,4	9,2		3,2
Põlisus - Native-born population																
Põlisrahvastik - Native-born	8,6	3,2	5,2	5,8	4,7	7,4	5,2	6,4	3,3	4,3	2,9	5,0	6,5	5,4		5,1
Immigrantrahvastik - Not native-born	0,0	0,6	1,6	1,3	1,8	0,0	1,4	4,1	2,9	3,8	0,0	0,0	4,6	4,1		2,1
Kooselu - Cohabiting																
Kooselus - Cohabiting	7,6	2,6	3,5	3,6	4,7	4,3	3,7	3,8	2,9	3,0	0,9	2,4	6,2	5,1		3,4
Ei ole kooselus - Not cohabiting	5,0	1,9	7,2	6,2	0,0	5,7	3,9	13,8	4,6	8,8	5,1	5,0	5,8	5,1		5,7
Haridus - Education																
Põhi või madalam - Lower secondary or less	4,3	1,3	4,7	6,3	0,0	6,3	8,8	15,6	8,0	28,4	16,4	9,7	14,3	5,5		7,2
Kesk - Upper secondary	11,3	3,2	4,5	3,8	6,1	3,8	3,7	4,4	4,3	3,2	1,1	3,3	4,5	4,1		3,8
Kõrg - University	6,8	3,1	3,2	3,2	1,8	4,7	1,9	5,5	0,0	2,2	0,0	1,2	5,7	0,0		2,8
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	15,1	3,6	4,4	5,2	2,5	2,5	4,1	3,5	2,5	0,3	2,4	5,4	7,6		3,2
Mitteaktiivne - Non-active	6,9	1,8	4,3	4,1	2,9	9,5	8,7	16,7	0,0	31,6	21,1	17,5	8,0	4,4		6,2
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	4,9	2,5	12,2	5,7	3,2	3,9	5,7	10,1	0,0	15,9	14,4	35,0	3,6	6,1		7,4
Üle suhtelise vaesuse piiri - Above the risk of poverty	6,2	2,5	2,6	4,0	3,9	4,7	3,8	3,8	2,4	2,6	1,0	1,9	5,3	3,8		3,3
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,2	2,4	0,5	3,1	2,0	3,3		2,0
Tervisehäired - Less severe health disorders	4,7	2,9	4,0	4,2	3,5	5,5	2,0	3,1	2,3	1,9	0,0	0,0	8,5	10,7		3,8
Tõsisemad tervisehäired - Severe health disorders	4,5	3,4	2,6	4,9	4,2	2,0	7,6	22,7	0,0	7,6	0,0	0,0	26,6	8,1		6,8
Toimetuleku piirangud - Managing restrictions	8,2	1,8	6,3	4,3	5,4	6,9	10,6	12,9	13,1	30,6	28,6	20,0	35,8	41,7		9,9
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	0,0	0,0	4,9	8,4	7,2	0,0	12,6	0,0	0,0	0,0	0,0	0,0	3,3	0,0		2,2
Tervist kahjustav - Health harming	6,6	0,0	0,0	0,0	5,0	2,2	6,1	6,9	3,5	5,2	0,0	0,0	5,8	0,0		3,5
Kontrollkese - Locus of control																
Seesmine - Internal	5,6	1,1	2,6	5,7	4,8	2,6	1,3	3,1	2,4	1,9	0,5	1,8	4,8	6,3		3,1
Väline - External	5,3	3,9	2,9	2,7	5,2	6,4	8,8	37,9	0,0	100,0	11,9	0,0	0,0	45,9		9,7
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	5,7	0,0	3,4	0,0	0,0	0,0	2,3	0,0	2,5	0,0	2,2	1,5	3,7		1,7
Väga halb või halb - Very bad or bad	7,4	1,5	6,4	3,2	5,0	3,2	8,7	31,3	0,0	64,6	25,0	38,8	39,5	0,0		9,4
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	21,8	0,0	0,0	0,0	0,0	0,0	100,0	0,0	0,0	0,0	100,0	0,0	24,0	6,6		14,0
Normaal - Normal weight	2,2	3,2	5,9	4,6	1,3	2,7	1,7	3,4	1,5	5,6	2,8	3,2	4,4	4,8		3,7
Ülekaal - Overweight	9,1	1,9	3,1	3,6	5,1	3,5	5,0	6,7	2,0	1,7	1,2	0,0	6,7	6,7		3,5
Rasvumine - Obesity	8,2	1,3	3,5	4,7	5,4	9,5	2,5	4,1	8,5	8,4	0,0	9,3	13,7	0,0		5,9
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19		Kokku Total
Vanus - Age																

TABEL 105.B. Tervisehäiretest tingitud õppimispiirangute esinemine (%) sünnipõlvkonna järgi, naised
TABLE 105.B. Health related limitations in educational career (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Piiranguid pole esinenud - No limitations	97,2	96,6	96,4	95,2	92,3	94,2	95,4	96,8	95,0	98,1	96,2	96,2	95,4	95,2	95,7
	Ei lõpetanud koos eakaaslastega, loobus soovitud edasiõpingutest - Didn't graduate with classmates, had to discontinue desired studies	2,2	3,1	3,6	4,4	7,7	5,8	4,6	3,2	4,2	1,1	2,4	2,3	3,9	3,6	3,8
	Algharidus jäi saamata - Didn't get primary education	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,3	0,0	0,0	0,0	0,0
	Muud piirangud - Other limitations	0,6	0,3	0,0	0,4	0,0	0,0	0,0	0,0	0,8	0,8	1,1	1,5	0,7	1,2	0,5
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323
	Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABEL 105.1.B. Haridustee läbimisel tervisehäiretest tingitud piiranguid omanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 105.1.B. Percent of persons who have had health related limitations in educational career in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	3,0	4,3	3,5	3,2	9,9	5,5	5,5	3,9	5,0	0,0	5,5	6,1	3,9	2,5	4,3	
Ida-Virumaa	0,0	3,8	2,0	4,1	4,8	0,0	0,0	0,0	3,3	3,8	2,6	0,0	3,0	3,6	2,1	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	5,3	1,2	2,3	5,1	3,2	4,4	8,4	1,9	10,6	5,1	2,1	2,8	5,2	7,0	4,7	
Järva, Lääne-Viru, Rapla	0,0	0,0	9,7	4,1	14,6	14,7	0,0	5,3	3,2	0,0	3,2	0,0	15,5	13,8	6,0	
Lääne, Saare, Hiiu, Pärnumaa	0,0	7,6	2,3	10,4	8,1	7,8	5,9	6,2	0,0	0,0	3,6	5,7	0,0	2,2	4,4	
Asulatüüp - Type of residence																
Linn - Urban	3,1	4,4	3,7	4,1	7,0	4,6	4,6	4,2	5,4	1,8	4,1	4,7	5,9	4,7	4,5	
Maa - Rural	2,1	0,0	3,4	7,3	9,3	10,0	4,7	0,0	3,8	2,1	2,6	0,0	0,0	5,0	3,8	
Rahvus - Ethnicity																
Eestlane - Estonian	2,8	4,2	5,0	5,7	8,0	7,5	6,9	2,7	6,4	2,1	4,5	4,6	3,7	5,9	5,1	
Mitte-eestlane - Non-Estonian	2,9	1,7	0,9	3,5	6,6	3,1	1,4	3,8	2,0	1,4	2,5	2,1	6,0	2,5	2,9	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	2,6	4,1	4,8	5,9	9,2	8,0	7,4	2,6	5,7	2,1	4,8	4,2	3,3	6,1	5,1	
Immigrantrahvastik - Not native-born	3,2	1,8	1,0	2,9	1,9	1,7	0,0	4,1	3,3	1,4	1,8	2,7	7,1	1,4	2,5	
Kooselu - Cohabiting																
Kooselus - Cohabiting	11,6	2,6	0,0	1,3	3,4	4,9	3,8	2,4	4,3	0,5	3,6	3,4	2,3	3,1	3,0	
Ei ole kooselus - Not cohabiting	1,8	3,7	5,3	7,2	12,5	7,3	6,0	5,0	7,3	5,4	4,7	4,5	7,9	5,1	5,9	
Haridus - Education																
Põhi või madalam - Lower secondary or less	4,0	4,1	5,6	5,5	8,0	14,0	20,9	0,0	28,5	0,0	26,5	2,9	13,7	6,4	7,4	
Kesk - Upper secondary	1,7	2,6	3,4	4,5	9,2	8,8	3,0	4,0	6,0	1,9	2,1	4,2	3,7	2,2	4,3	
Kõrg - University	0,0	2,9	1,1	4,4	4,9	0,0	2,5	2,7	2,9	2,1	2,5	3,6	3,7	0,0	2,7	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	6,3	0,0	7,0	4,6	4,7	2,4	4,9	0,3	3,5	2,4	3,4	6,1	3,4	
Mitteaktiivne - Non-active	2,8	3,5	3,5	5,7	8,0	7,9	4,2	11,3	5,9	8,5	5,0	7,0	6,3	4,6	5,3	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	2,3	4,8	5,1	5,7	11,4	4,2	4,6	1,4	13,2	7,7	16,2	12,5	2,4	4,9	6,3	
Üle suhtelise vaesuse piiri - Above the risk of poverty	2,5	2,0	1,9	4,5	5,7	7,0	4,8	2,5	3,1	0,8	2,2	3,3	5,2	5,4	3,8	
Tervise seisund - Health status																
Terve - No health disorders	0,0	14,4	0,0	0,0	21,3	0,0	0,0	0,0	2,3	0,0	0,9	2,3	1,8	2,3	1,7	
Tervisehäired - Less severe health disorders	0,0	0,0	4,5	5,3	6,4	3,6	2,9	1,0	2,5	0,8	6,1	1,5	8,7	7,0	3,8	
Tõsisemad tervisehäired - Severe health disorders	4,1	2,6	3,8	3,8	3,7	9,1	4,7	6,4	8,9	5,4	6,4	21,2	14,3	10,0	6,1	
Toimetuleku piirangud - Managing restrictions	3,0	3,9	3,3	5,7	12,5	8,7	12,1	12,1	20,2	18,6	36,8	0,0	10,4	22,2	7,7	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	2,4	2,1	3,6	5,8	13,9	2,8	7,3	1,4	5,9	3,2	1,9	6,9	7,0	14,8	5,3	
Tervist kahjustav - Health harming	0,0	11,3	7,3	7,3	22,5	4,6	0,0	0,0	0,0	0,0	0,0	0,0	8,0	28,7	3,6	
Kontrollkese - Locus of control																
Seesmine - Internal	4,8	2,0	3,4	6,6	1,7	3,2	4,1	3,6	3,8	0,0	1,9	5,2	4,5	1,6	3,2	
Väline - External	2,6	1,5	4,9	5,6	13,7	16,6	9,4	0,0	7,4	0,0	0,0	0,0	0,0	22,9	5,3	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	7,1	5,0	0,0	6,6	10,1	1,8	1,8	1,2	2,4	0,4	1,9	2,2	2,3	5,3	2,7	
Väga halb või halb - Very bad or bad	4,0	4,0	3,2	6,2	18,2	14,1	12,7	19,7	33,1	23,5	14,2	0,0	43,0	0,0	9,4	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	14,2	0,0	0,0	21,8	0,0	0,0	0,0	0,0	7,8	0,0	8,1	0,0	4,4	0,0	3,4	
Normkaal - Normal weight	2,9	4,3	3,6	7,8	12,7	7,9	4,2	2,3	4,7	2,0	2,4	3,4	5,6	3,6	4,3	
Ülekaal - Overweight	3,6	3,1	3,3	1,8	8,5	5,4	2,3	1,0	2,5	3,0	3,5	4,8	0,0	14,4	3,7	
Rasvumine - Obesity	0,0	3,1	4,3	4,8	3,1	4,8	7,8	8,4	9,4	0,0	11,4	10,4	0,0	38,7	5,6	
Vanus - Age																
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 106.A. Tööelu põhiline amet* (%) sünnipõlvkonna järgi, mehed
TABLE 106.A. Main occupation* during the whole working life (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Juht - Manager (1)	26,0	23,8	26,0	20,9	23,0	18,8	12,6	25,2	21,2	18,9	18,6	15,4	7,9	1,6	17,8	
Tippspetsialist - Professional (2)	12,2	10,1	5,9	12,1	6,7	10,3	5,0	6,5	6,8	5,0	10,0	7,9	11,6	1,6	7,8	
Spetsialist - Associate professional (3)	2,9	4,7	7,4	7,5	6,0	8,3	9,6	9,8	8,3	8,9	11,7	12,6	9,7	3,1	8,9	
Ametnik - Clerk (4)	1,4	0,4	2,3	0,2	0,9	0,7	0,0	0,9	0,0	2,1	3,3	2,2	3,8	3,1	1,6	
Teenindaja, müüja - Service, sales worker (5)	0,9	0,9	0,7	0,3	0,4	0,3	2,8	4,1	2,2	3,7	7,1	6,6	9,0	9,4	4,0	
Põllumajandustöötaja - Agricultural worker (6)	4,6	1,3	1,2	0,7	0,0	2,2	0,4	2,6	2,4	4,2	1,1	2,0	0,6	2,9	1,8	
Oskustööline - Skilled worker (7)	18,2	30,7	23,8	29,1	35,8	27,9	28,8	21,5	26,7	32,6	25,2	35,7	33,9	51,4	30,1	
Masinaoperaator - Machine operator (8)	28,3	23,1	27,8	24,6	21,0	27,5	37,2	26,1	29,5	20,0	17,7	11,8	16,8	4,7	22,5	
Lihttööline - Unskilled worker (9)	3,7	2,3	2,6	2,9	5,0	2,7	3,6	2,3	1,9	3,6	3,2	5,1	5,2	22,2	4,3	
Relvajõud - Armed forces (10)	1,8	2,7	2,3	1,7	1,2	1,3	0,0	1,0	1,0	1,0	2,1	0,7	1,5	0,0	1,2	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	129	338	260	330	144	194	194	200	202	209	184	189	213	98	2884	
Vastamata - Missing (N)	0	1	0	1	1	0	0	1	1	1	2	3	0	1	12	
Pole kunagi töötanud - Has never worked (N)	0	2	1	1	0	1	0	2	1	3	4	1	24	175	215	
*Rahvusvahelise ametialade klassifikatsiooni (1988) põhijaotused - ISCO-88 major groups																
TABEL 106.1.A. Oskus- ja lihttööliste (6–9) protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 106.1.A. Percent of skilled and unskilled workers (6–9) in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	41,1	47,8	43,8	54,4	50,6	48,6	49,0	39,3	53,2	49,7	39,8	46,9	51,2	85,4	49,4	
Ida-Virumaa	63,5	76,5	58,1	59,5	85,1	86,6	71,3	66,3	66,4	59,5	50,0	72,6	71,7	85,9	68,3	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	59,7	53,4	60,4	54,3	72,6	67,2	85,5	63,7	63,2	69,4	55,5	59,1	49,2	76,4	63,6	
Järva, Lääne-Viru, Rapla	56,0	78,9	57,7	63,2	58,8	58,1	79,1	62,1	74,4	75,3	46,6	59,0	54,7	90,7	64,3	
Lääne, Saare, Hiiumaa, Pärnumaa	65,7	66,8	67,5	65,4	56,3	58,7	84,4	48,5	62,2	64,6	57,5	54,2	76,4	64,9	63,9	
Asulatüüp - Type of residence																
Linn - Urban	47,9	57,1	51,2	55,2	58,1	55,2	64,5	46,3	55,2	60,6	44,4	50,1	52,5	78,3	54,8	
Maa - Rural	71,0	58,5	65,4	64,1	71,2	72,2	85,9	66,9	71,8	60,3	55,4	75,8	74,1	90,8	69,8	
Rahvus - Ethnicity																
Eestlane - Estonian	54,0	58,6	57,3	52,9	58,5	55,7	71,3	51,5	63,1	58,2	37,3	43,8	46,1	77,9	54,7	
Mitte-eestlane - Non-Estonian	57,0	54,9	50,1	64,6	69,1	66,4	68,2	54,4	55,2	65,5	64,3	73,5	75,5	87,2	65,8	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	54,5	58,9	55,7	54,5	58,4	56,5	71,7	50,0	64,4	57,5	36,9	45,1	49,3	81,1	55,4	
Immigrantrahvastik - Not native-born	55,7	54,2	54,9	62,2	70,6	66,2	67,1	57,6	51,2	68,1	68,3	72,9	74,1	81,4	65,5	
Kooselu - Cohabiting																
Kooselus - Cohabiting	50,9	55,7	52,9	57,3	59,1	61,0	68,1	48,5	57,0	60,0	44,9	53,4	55,1	84,3	56,2	
Ei ole kooselus - Not cohabiting	61,5	61,7	66,8	57,1	76,1	56,0	78,4	71,0	76,4	62,4	53,7	57,2	57,4	80,9	64,7	
Haridus - Education																
Põhi või madalam - Lower secondary or less	88,8	89,3	89,5	96,3	95,4	92,0	95,0	100,0	93,2	86,2	76,3	77,8	92,6	90,5	90,5	
Kesk - Upper secondary	38,0	57,5	56,4	64,4	72,8	77,6	84,2	67,7	77,2	72,7	57,7	69,0	55,3	70,1	68,7	
Kõrg - University	7,8	8,8	11,0	25,2	20,8	28,5	36,1	27,4	19,3	24,7	20,0	23,7	44,2	100,0	26,0	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	13,7	15,1	37,2	49,2	54,0	59,0	67,3	49,7	58,1	59,7	46,5	53,2	57,5	83,9	56,4	
Mitteaktiivne - Non-active	56,8	59,4	58,0	59,8	68,0	63,4	81,0	74,9	87,0	76,0	56,1	78,7	49,5	77,7	64,7	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	69,2	63,5	67,4	61,9	82,6	74,7	83,8	74,3	82,2	76,0	50,4	76,9	65,3	86,2	73,6	
Üle suhtelise vaesuse piiri - Above the risk of poverty	52,2	55,2	52,0	56,7	56,0	55,2	67,3	47,6	60,7	58,2	47,0	51,8	57,1	81,0	56,2	
Tervise seisund - Health status																
Terve - No health disorders	76,5	31,2	55,4	72,5	54,6	44,9	67,2	46,2	61,9	62,9	51,3	54,8	62,6	82,5	59,6	
Tervisehäired - Less severe health disorders	59,5	50,8	45,5	49,6	47,7	54,6	65,7	53,1	55,2	52,4	32,1	48,6	41,1	70,6	52,1	
Tõsisemad tervisehäired - Severe health disorders	33,9	59,3	49,3	61,7	59,3	68,5	80,7	59,8	60,9	63,4	52,7	78,1	61,3	100,0	63,0	
Toimetuleku piirangud - Managing restrictions	59,3	60,7	70,5	60,4	84,5	76,7	78,0	60,5	74,7	51,1	59,2	50,4	53,9	0,0	68,3	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	35,5	48,6	50,6	24,8	10,2	30,7	43,1	54,2	46,2	36,1	22,8	0,0	10,6	46,8	28,2	
Tervist kahjustav - Health harming	40,5	58,1	64,8	56,3	67,1	59,5	77,6	54,7	70,7	80,8	42,7	16,7	42,9	69,9	57,8	
Kontrollkese - Locus of control																
Seesmine - Internal	33,3	49,2	49,4	48,9	46,6	50,4	56,9	45,9	50,4	55,1	45,7	52,8	52,7	78,6	52,1	
Väline - External	74,5	65,5	71,3	73,3	83,8	79,4	82,5	69,5	72,6	100,0	58,2	0,0	100,0	0,0	73,9	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	34,3	45,5	41,8	52,4	51,9	37,1	57,9	43,9	53,1	58,5	45,4	50,8	60,0	79,7	53,8	
Väga halb või halb - Very bad or bad	64,7	58,0	59,5	70,9	85,3	72,7	91,8	100,0	83,1	100,0	39,6	100,0	18,3	0,0	72,4	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	44,6	0,0	100,0	100,0	0,0	0,0	100,0	0,0	0,0	100,0	0,0	59,5	48,8	75,9	55,8	
Normkaal - Normal weight	53,7	60,0	54,1	59,3	64,4	64,9	77,0	68,6	65,8	61,9	52,6	49,5	57,0	84,2	61,9	
Ülekaal - Overweight	56,5	56,9	60,6	60,1	59,2	45,1	66,2	47,8	58,8	59,9	44,5	66,4	57,9	69,8	56,6	
Rasumine - Obesity	56,3	54,2	43,5	47,3	62,7	80,7	64,9	39,3	55,1	58,2	40,4	45,3	45,8	100,0	54,9	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															
	Total															

TABEL 106.B. Tööelu põhiline amet* (%) sünnipölvkonna järgi, naised
TABLE 106.B. Main occupation* during the whole working life (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															Kokku
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Juht - Manager (1)	9,8	11,4	12,2	15,5	11,2	12,2	9,6	13,2	10,9	11,4	8,9	6,8	4,9	0,0	10,3	
Tippspetsialist - Professional (2)	5,0	13,8	13,8	13,6	15,8	18,4	16,4	18,8	24,2	17,1	17,7	13,9	12,8	0,0	15,6	
Spetsialist - Associate professional (3)	18,3	19,1	18,4	19,2	21,9	17,3	19,5	16,1	16,7	21,9	20,7	18,9	16,7	8,6	18,5	
Ametnik - Clerk (4)	11,9	6,9	10,1	7,1	11,3	6,4	9,8	11,5	8,9	8,0	8,7	9,5	12,2	13,1	9,5	
Teenindaja, müüja - Service, sales worker (5)	9,9	6,2	10,3	8,7	10,2	15,1	13,1	15,8	16,9	22,1	24,4	27,1	35,8	40,7	17,9	
Põllumajandustöötaja - Agricultural worker (6)	9,2	8,4	6,1	7,4	2,8	5,6	3,7	2,5	4,5	4,2	1,0	1,4	1,4	1,9	4,1	
Oskustöoline - Skilled worker (7)	3,6	6,1	6,8	7,5	5,7	6,8	10,6	4,4	4,7	3,6	1,6	5,9	2,3	2,8	5,3	
Masinaoperaator - Machine operator (8)	15,6	16,0	14,5	13,8	11,5	12,2	13,6	13,2	8,4	8,3	13,3	9,8	5,0	9,1	11,6	
Lihttöoline- Unskilled worker (9)	16,7	12,1	7,8	7,0	9,6	6,0	3,2	4,5	4,2	3,4	3,7	6,2	8,9	23,8	7,0	
Relvajõud - Armed forces (10)	0,0	0,0	0,0	0,2	0,0	0,0	0,5	0,0	0,6	0,0	0,0	0,5	0,0	0,0	0,2	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	188	284	273	342	180	248	233	260	221	200	240	180	175	71	3095	
Vastamata - Missing (N)	2	1	1	1	0	0	3	0	3	1	2	0	2	0	16	
Pole kunagi töötanud - Has never worked (N)	2	2	0	1	0	0	0	0	1	0	4	2	30	170	212	
*Rahvusvahelise ametilade klassifikatsiooni (1988) põhijaotused - ISCO-88 major groups																

*Rahvusvahelise ametialade klassifikatsiooni (1988) põhijaotused - ISCO-88 major groups

TABEL 106.1.B. Oskus- ja lihttööliste (6–9) protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 106.1.B. Percent of skilled and unskilled workers (6–9) in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	35,8	31,6	33,5	27,9	28,2	17,9	30,5	26,5	12,9	11,3	15,4	12,5	16,4	33,6	22,3	
Ida-Virumaa	42,7	55,1	36,9	38,5	42,8	42,2	35,3	24,1	44,1	23,1	31,5	32,9	31,7	44,6	36,7	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	52,5	52,0	26,6	46,0	26,0	30,6	31,1	21,4	23,2	30,6	21,4	29,0	8,5	40,1	29,5	
Järva, Lääne-Viru, Rapla	50,6	30,1	56,5	46,8	25,3	42,8	33,7	33,7	20,2	19,9	19,3	33,8	39,2	33,6	32,5	
Lääne, Saare, Hiiumaa, Pärnumaa	57,7	51,6	32,6	33,6	32,4	43,2	26,4	17,6	29,3	14,6	19,7	33,2	21,2	43,7	30,9	
Asulatüüp - Type of residence																
Linn - Urban	37,1	39,1	32,1	31,6	29,4	29,7	31,9	25,9	21,1	14,5	17,4	19,8	18,3	34,5	26,1	
Maa - Rural	65,6	54,8	46,6	49,7	29,6	33,3	28,8	20,3	24,2	33,9	29,6	37,8	15,6	54,3	34,5	
Rahvus - Ethnicity																
Eestlane - Estonian	53,3	40,8	35,0	33,6	25,3	28,6	25,8	18,5	16,8	19,5	17,7	17,7	10,6	34,6	24,9	
Mitte-eestlane - Non-Estonian	29,7	46,2	35,5	39,1	42,3	33,8	38,9	33,2	33,1	19,7	23,6	34,8	29,4	41,3	34,0	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	52,2	41,0	34,6	34,3	27,1	29,1	27,8	19,7	17,4	19,5	17,8	20,0	11,7	36,1	25,7	
Immigrantrahvastik - Not native-born	29,7	46,2	36,5	38,3	38,7	33,3	36,7	32,3	34,1	19,5	23,7	32,1	29,8	40,1	33,2	
Kooselu - Cohabiting																
Kooselus - Cohabiting	42,5	41,3	24,7	29,9	31,8	31,1	28,8	26,9	22,0	19,9	19,9	25,8	15,1	37,8	25,3	
Ei ole kooselus - Not cohabiting	45,4	42,9	40,0	39,9	26,8	29,7	35,3	19,8	21,6	18,7	18,4	17,0	21,4	37,5	31,7	
Haridus - Education																
Põhi või madalam - Lower secondary or less	68,1	72,7	66,4	71,6	72,5	76,5	55,2	77,7	68,3	61,0	46,6	65,7	61,4	43,2	67,1	
Kesk - Upper secondary	16,8	16,9	29,0	26,2	26,1	39,6	42,2	34,2	35,0	23,7	29,9	33,8	16,8	35,4	30,1	
Kõrg - University	10,7	7,3	1,4	7,1	6,7	7,2	12,8	12,9	8,9	11,4	5,2	8,7	9,4	0,0	9,0	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	100,0	16,1	0,0	19,5	14,7	21,6	30,4	22,1	20,9	18,7	21,0	17,6	15,9	44,4	21,5	
Mitteaktiivne - Non-active	44,8	43,0	36,7	38,7	36,6	46,2	35,0	50,1	30,8	23,3	14,4	37,0	21,1	31,5	36,8	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	51,9	46,5	38,6	43,8	40,7	37,3	36,7	32,5	34,6	37,2	31,9	62,8	21,7	76,8	40,5	
Üle suhtelise vaesuse piiri - Above the risk of poverty	40,1	41,8	31,3	29,0	24,1	29,2	32,4	24,0	19,3	16,1	16,8	20,6	17,4	28,2	24,4	
Tervise seisund - Health status																
Terve - No health disorders	38,5	0,0	11,1	24,8	26,9	12,4	38,9	22,6	19,6	23,0	23,0	21,4	18,3	39,4	22,7	
Tervisehäired - Less severe health disorders	27,5	33,6	29,9	33,3	25,2	30,9	25,6	24,4	19,5	18,4	14,2	17,8	14,3	33,8	24,0	
Tõsisemad tervisehäired - Severe health disorders	43,7	42,2	35,6	29,5	25,1	26,6	34,6	21,3	26,6	9,5	18,3	45,4	28,7	33,1	29,6	
Toimetuleku piirangud - Managing restrictions	47,6	46,0	38,5	44,4	45,8	39,2	37,1	33,4	33,9	18,6	0,0	40,6	19,7	56,5	40,8	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	31,4	19,8	26,7	22,4	18,2	19,3	19,8	15,1	14,9	18,2	13,4	21,3	11,0	43,0	18,7	
Tervist kahjustav - Health harming	23,4	22,3	35,6	17,1	10,7	19,6	23,7	17,5	21,7	21,7	17,6	26,8	26,9	58,8	22,5	
Kontrollkese - Locus of control																
Seesmine - Internal	51,5	34,7	28,7	29,0	20,1	17,0	25,1	19,6	14,3	12,1	14,4	17,4	12,7	31,8	19,2	
Väline - External	52,1	55,3	29,3	59,4	37,7	20,1	45,8	51,7	33,7	34,1	54,6	26,4	34,0	72,9	45,4	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	49,1	28,4	28,2	23,4	15,9	24,4	22,9	15,3	17,7	18,7	13,8	18,4	15,8	41,1	19,5	
Väga halb või halb - Very bad or bad	49,6	44,0	45,4	45,7	27,0	35,5	42,5	55,3	36,3	14,0	35,7	0,0	43,0	0,0	42,0	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	28,4	75,2	0,0	56,5	0,0	0,0	0,0	0,0	35,5	12,3	17,5	31,8	30,7	9,6	25,0	
Normkaal - Normal weight	45,4	33,0	18,2	25,0	21,0	30,6	25,4	20,9	16,6	18,4	16,0	21,0	11,4	37,2	21,5	
Ülekaal - Overweight	42,9	45,0	41,5	34,5	23,2	32,8	30,3	26,4	28,6	19,0	26,2	24,2	27,7	54,8	31,6	
Rasumine - Obesity	49,8	50,0	40,2	45,5	43,1	28,6	40,9	30,6	27,0	30,4	35,4	38,3	49,1	100,0	38,5	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

Vanus - Age

TABEL 107.A. Tööelu põhilise ametiga seondunud füüsiline koormus (%) sünnipõlvkonna järgi, mehed
TABLE 107.A. Physical load related to main occupation during the whole working life (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Peamiselt istuv tööviis - <i>Mainly sitting</i>	28,0	21,4	22,9	20,2	26,2	22,5	23,2	28,9	25,6	19,0	26,3	23,4	20,9	6,7	22,9
	Kerge füüsiline pingutus - <i>Light physical exertion</i>	20,7	26,5	25,2	26,7	21,9	21,3	24,1	21,5	23,7	27,1	25,6	18,4	19,9	19,1	22,9
	Mõõdukas füüsiline pingutus - <i>Moderate physical exertion</i>	29,5	28,8	28,2	29,2	25,5	32,2	26,2	25,7	27,1	30,1	32,8	31,7	38,8	54,3	31,1
	Raske füüsiline pingutus - <i>Hard physical exertion</i>	21,8	23,3	23,7	23,9	26,4	24,0	26,5	23,9	23,6	23,8	15,3	26,5	20,4	19,9	23,1
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		129	339	260	331	145	194	194	201	202	210	186	192	212	98	2893
Vastamata - Missing (N)		0	0	0	0	0	0	0	0	1	0	0	0	1	1	3
Pole kunagi töötanud - <i>Has never worked</i> (N)		0	2	1	1	0	1	0	2	1	3	4	1	24	175	215
TABEL 107.1.A. Põhilise tööelu jooksul rasket füüsilist tööd teinute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 107.1.A. Percent of persons whose main occupation demanded hard physical exertion in background categories by birth cohort, males																
Piirkond - Region																
	Harjumaa	9,5	14,5	16,8	13,6	15,7	16,2	15,5	17,1	20,6	14,5	11,8	21,2	18,3	21,4	16,8
	Ida-Virumaa	49,0	47,6	39,1	40,5	65,6	43,2	36,4	58,6	31,1	32,8	37,2	45,8	39,7	29,0	41,4
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	16,5	19,3	19,1	29,0	23,9	24,3	38,1	23,0	22,2	23,8	14,9	29,6	14,6	14,6	23,2
	Järva, Lääne-Viru, Rapla	31,1	34,7	18,1	26,9	23,6	34,4	24,2	10,8	44,4	35,3	0,0	7,8	15,2	0,0	22,4
	Lääne, Saare, Hiiumaa, Pärnumaa	32,7	30,2	38,6	25,0	34,0	16,2	22,1	21,1	13,8	36,3	9,3	39,0	17,5	26,7	24,1
Asulatüüp - Type of residence																
	Linn - Urban	13,9	21,5	21,6	21,0	28,3	23,5	24,4	25,0	22,9	22,3	18,1	25,6	19,8	20,5	22,6
	Maa - Rural	40,4	30,6	28,8	33,6	21,6	25,4	32,7	21,4	25,2	27,2	6,7	30,3	23,1	17,9	24,7
Rahvus - Ethnicity																
	Eestlane - Estonian	22,0	22,0	22,3	21,1	19,7	20,6	27,5	16,6	24,5	22,0	6,4	22,3	13,9	20,0	19,5
	Mitte-eestlane - Non-Estonian	21,1	26,0	27,9	28,5	41,3	28,6	25,3	36,4	21,8	28,0	30,6	33,7	32,5	19,7	29,6
Põlisus - Native-born population																
	Põlisrahvastik - Native-born	21,5	21,9	21,4	23,4	20,2	20,2	27,9	16,8	24,0	22,1	7,1	23,9	15,5	18,4	19,9
	Immigrantrahvastik - Not native-born	22,9	26,3	30,1	24,8	42,7	30,2	24,3	38,3	22,7	28,3	32,2	31,3	32,7	24,5	30,0
Kooselu - Cohabiting																
	Kooselus - Cohabiting	22,7	24,0	22,8	21,9	25,6	24,6	27,3	24,2	24,1	23,2	13,8	29,3	22,0	37,8	23,7
	Ei ole kooselus - Not cohabiting	20,2	21,6	28,1	31,9	30,6	20,9	22,6	22,6	21,4	26,6	19,7	21,0	19,4	17,9	21,7
Haridus - Education																
	Põhi või madalam - Lower secondary or less	38,6	39,0	44,7	49,0	45,6	38,1	59,0	35,2	37,8	24,2	34,3	40,9	25,4	23,8	38,2
	Kesk - Upper secondary	9,5	18,7	18,7	21,9	27,4	30,3	27,7	26,9	28,8	28,6	15,5	30,3	21,8	16,6	25,0
	Kõrg - University	2,0	4,4	4,2	11,2	13,5	11,7	13,1	18,8	10,0	11,6	10,7	15,6	15,3	0,0	12,6
Majanduslik aktiivsus - Economical activity																
	Aktiivne - Active	13,7	7,6	6,4	12,0	15,7	23,9	24,8	23,9	21,0	22,3	14,5	25,8	20,7	25,0	21,5
	Mitteaktiivne - Non-active	22,2	24,1	26,2	27,7	35,2	24,5	33,7	24,7	51,8	54,4	26,3	36,8	18,6	13,0	27,6
Sissetulek - Income																
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	28,4	26,2	31,6	33,4	45,2	35,9	36,3	22,9	39,5	17,7	28,1	43,6	34,8	11,6	32,1
	Üle suhtelise vaesuse piiri - Above the risk of poverty	20,9	22,2	22,5	22,3	20,8	21,3	24,6	22,9	20,2	25,9	14,1	25,7	17,0	21,0	21,4
Tervise seisund - Health status																
	Terve - No health disorders	42,0	12,2	11,7	27,6	13,1	24,7	23,6	20,2	25,0	19,1	16,0	23,7	19,1	19,6	20,5
	Tervisehäired - Less severe health disorders	16,6	15,6	16,0	18,4	19,9	19,3	20,9	26,3	19,3	32,4	13,4	22,3	22,0	11,9	20,7
	Tõsisemad tervisehäired - Severe health disorders	11,2	23,8	24,8	21,6	27,7	31,0	37,3	27,8	19,9	27,5	11,6	52,0	29,8	46,6	27,4
	Toimetuleku piirangud - Managing restrictions	26,0	27,0	32,2	33,4	38,0	30,7	40,6	17,8	36,9	51,1	23,2	55,1	0,0	0,0	32,9
Tervisekäitumine - Health behaviour																
	Tervist hoidev - Health protective	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Kontrollkese - Locus of control																
	Seesmine - Internal	13,9	20,8	20,2	15,9	19,2	20,6	19,1	19,8	13,3	20,6	15,8	23,7	15,9	13,7	18,2
	Väline - External	53,2	20,3	34,2	33,1	42,7	24,0	27,4	22,3	46,0	100,0	20,5	100,0	0,0	0,0	32,2
Enesehinnanguline tervis - Self-estimated health																
	Väga hea või hea - Very good or good	15,4	10,2	19,5	16,5	22,7	17,3	20,9	19,2	18,6	19,4	14,7	25,7	22,6	15,6	20,0
	Väga halb või halb - Very bad or bad	28,5	25,2	29,5	34,6	40,3	35,4	28,7	32,5	48,5	76,2	0,0	100,0	0,0	0,0	32,3
Kehamassiindeks - Body Mass Index																
	Alakaal - Underweight	31,0	0,0	62,7	100,0	0,0	0,0	100,0	0,0	0,0	0,0	0,0	26,3	33,6	37,9	32,2
	Normkaal - Normal weight	27,8	22,9	26,6	30,4	33,4	21,1	28,8	30,9	21,5	29,9	16,3	25,1	20,9	17,6	24,2
	Ülekaal - Overweight	14,2	25,2	18,9	16,9	23,7	18,7	28,4	25,0	24,3	22,3	13,5	30,6	19,9	21,1	22,2
	Rasumine - Obesity	23,8	21,8	26,5	28,0	22,1	38,5	17,5	11,2	25,6	14,7	17,9	21,9	8,9	100,0	21,9
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
		Vanus - Age														
		Total														

TABEL 107.B. Tööelu põhilise ametiga seondunud füüsiline koormus (%) sünnipölvkonna järgi, naised
TABLE 107.B. Physical load related to main occupation during the whole working life (%) by birth cohort, females

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Peamiselt istuv tööviis - <i>Mainly sitting</i>	31,9	30,1	24,9	31,7	31,7	29,0	37,7	30,7	36,3	31,4	44,3	37,8	39,1	16,0	33,4
	Kerge füüsiline pingutus - <i>Light physical exertion</i>	24,3	26,6	32,3	28,0	27,2	30,1	23,7	31,8	26,7	27,6	24,9	26,5	24,2	32,7	27,5
	Mõõdukas füüsiline pingutus - <i>Moderate physical exertion</i>	17,9	19,8	23,5	22,2	27,9	23,0	23,0	25,7	24,6	35,1	23,9	28,8	31,3	43,7	26,0
	Raske füüsiline pingutus - <i>Hard physical exertion</i>	25,9	23,5	19,3	18,1	13,2	17,9	15,6	11,8	12,4	5,9	6,9	6,9	5,4	7,6	13,1
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	190	285	274	342	180	248	236	260	224	201	242	180	177	71	3110
	Vastamata - Missing (N)	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	Pole kunagi töötanud - <i>Has never worked</i> (N)	2	2	0	1	0	0	0	0	1	0	4	2	30	170	212

TABEL 107.1.B. Põhilise tööelu jooksul rasket füüsilist tööd teinute protsent rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 107.1.B. Percent of persons whose main occupation demanded hard physical exertion in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	13,1	10,4	7,8	11,9	4,2	15,0	10,9	9,1	4,9	4,7	1,4	4,6	2,9	6,6	7,4
Ida-Virumaa	39,6	27,4	29,4	19,8	13,3	23,7	24,3	12,0	23,8	11,5	21,0	17,6	22,7	25,6	21,4
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	32,9	24,8	19,0	25,6	17,2	15,4	11,6	11,6	13,1	7,1	5,2	4,7	5,6	6,5	13,6
Järva, Lääne-Viru, Rapla	22,0	29,2	33,4	22,9	17,0	11,9	20,9	13,1	21,0	0,0	3,9	9,7	0,0	0,0	15,2
Lääne, Saare, Hiiu, Pärnumaa	41,8	47,9	26,9	19,8	21,3	29,2	20,2	20,7	11,9	7,1	18,6	5,7	6,2	0,0	19,9
Asulatüüp - Type of residence															
Linn - Urban	17,1	17,7	14,6	16,0	11,8	17,3	14,3	12,3	11,4	4,6	6,4	8,5	5,8	9,0	11,7
Maa - Rural	48,9	44,0	36,5	25,1	16,7	19,8	19,9	9,8	15,3	9,7	9,2	0,0	4,4	0,0	17,8
Rahvus - Ethnicity															
Eestlane - Estonian	32,3	27,0	20,1	17,4	12,5	15,0	12,8	9,8	10,0	5,1	6,5	3,4	3,0	1,8	11,9
Mitte-eestlane - Non-Estonian	14,5	16,3	17,6	19,1	15,5	22,7	19,7	14,4	17,7	8,1	7,9	14,1	9,6	14,9	15,4
Põlisus - Native-born population															
Põlisrahvastik - Native-born	30,7	26,4	20,1	17,8	13,1	14,8	13,0	10,3	11,0	4,4	6,6	3,8	2,9	3,8	12,0
Immigrantrahvastik - Not native-born	16,0	16,7	17,4	18,5	14,0	23,7	20,0	14,0	16,2	9,8	7,6	15,1	10,8	14,3	15,5
Kooselu - Cohabiting															
Kooselus - Cohabiting	14,3	22,8	21,8	17,7	14,4	20,8	14,4	12,0	8,9	7,0	8,0	5,8	6,2	4,6	11,6
Ei ole kooselus - Not cohabiting	27,3	23,7	18,1	18,4	11,9	13,4	17,8	11,3	23,7	3,2	2,9	9,5	4,4	8,5	15,1
Haridus - Education															
Põhi või madalam - Lower secondary or less	39,9	39,0	32,2	32,6	31,0	44,6	30,1	9,1	44,2	26,5	22,7	8,6	24,4	7,6	31,5
Kesk - Upper secondary	9,4	9,6	16,8	13,3	12,1	22,6	20,3	16,0	19,2	5,2	9,8	11,2	4,6	7,8	13,3
Kõrg - University	3,9	6,6	5,2	7,8	3,3	5,0	7,0	8,1	5,3	4,7	1,9	3,6	2,1	0,0	5,0
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	10,5	10,6	9,5	13,6	13,4	10,8	10,1	6,2	5,6	7,9	5,6	4,3	9,2
Mitteaktiivne - Non-active	26,1	23,9	19,6	19,4	15,0	25,3	28,2	21,5	34,0	4,5	11,8	4,4	5,1	10,6	18,3
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	30,0	25,1	18,7	21,5	12,4	25,5	19,4	12,9	24,1	9,2	16,7	9,5	2,8	22,4	19,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	20,3	22,4	20,5	14,7	12,6	14,6	15,3	12,3	9,0	4,6	3,7	6,8	6,4	4,9	10,9
Tervise seisund - Health status															
Terve - No health disorders	38,5	16,7	0,0	0,0	6,9	5,6	6,9	5,1	4,9	7,7	8,0	3,3	4,6	8,8	5,9
Tervisehäired - Less severe health disorders	22,1	14,1	8,7	12,2	11,7	16,7	12,9	12,9	13,2	3,6	2,8	11,8	4,8	7,8	11,0
Tõsisemad tervisehäired - Severe health disorders	24,2	29,0	15,7	17,3	14,8	16,3	15,5	10,5	20,8	6,4	14,3	15,0	14,3	0,0	16,2
Toimetuleku piirangud - Managing restrictions	26,4	23,2	27,3	25,4	15,8	25,7	29,0	19,0	28,3	0,0	10,7	14,1	12,4	0,0	23,7
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Kontrollkese - Locus of control															
Seesmine - Internal	29,7	14,2	12,8	15,6	7,1	15,4	8,4	8,9	6,6	4,5	6,0	5,5	3,6	6,5	8,2
Väline - External	26,6	31,9	16,6	29,3	20,3	26,3	26,7	18,8	23,2	17,1	8,0	26,4	0,0	37,6	23,9
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	27,8	25,3	8,1	9,0	1,1	13,4	8,1	5,1	8,5	6,1	5,3	4,4	2,7	6,9	6,3
Väga halb või halb - Very bad or bad	28,9	23,6	23,9	26,6	15,7	14,7	35,3	24,4	45,2	0,0	34,2	26,4	43,0	0,0	24,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	38,2	0,0	34,7	0,0	0,0	0,0	0,0	7,4	24,5	0,0	0,0	8,8	27,6	9,4
Normkaal - Normal weight	23,3	17,4	9,9	11,2	8,8	20,2	16,8	8,7	11,3	5,6	6,1	4,1	5,4	3,1	9,3
Ülekaal - Overweight	26,0	24,1	20,9	16,5	13,4	19,3	10,9	12,7	17,1	3,5	14,3	8,1	3,9	14,3	15,3
Rasvumine - Obesity	36,5	30,1	24,9	24,8	15,8	15,2	19,8	17,1	10,1	3,6	6,0	40,9	0,0	44,5	19,4
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 108.A. Tööelu põhilisele ametile enamus ajast iseloomulik töölaad (%) sünnipõlvkonna järgi, mehed
TABLE 108.A. Mood of the work characterising most of the time the main occupation (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort															
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Monotoonne, ühelaadsete liigutustega - Monotonous, with same kind of motions	27,5	27,2	25,6	23,7	26,4	29,9	31,8	29,8	33,7	23,7	21,1	22,7	35,3	36,6	28,2	
	Seotud vibratsiooni või rappumisega - Connected with vibration or shaking	34,9	38,6	44,6	41,9	43,0	51,1	49,0	41,6	44,0	35,3	22,0	31,7	25,1	30,1	37,6	
	Nõuab kummardumist või ebamugavat töoasendit - Demands bending or uncomfortable pose	46,8	50,9	48,0	52,0	56,5	55,8	54,1	46,7	46,3	50,6	45,0	48,7	57,7	69,4	51,6	
	Nõuab vaimset ja emotsionaalset pingutust - Demands mental and emotional exertion	62,8	67,0	66,1	69,8	67,9	67,6	62,4	68,7	63,6	65,5	69,3	59,8	59,9	42,6	64,2	
	Kokku - Total (N)	129	339	260	331	145	194	194	201	202	210	186	192	212	98	2893	
	Vastamata - Missing (N)	0	0	0	0	0	0	0	0	1	0	0	0	1	1	3	
	Pole kunagi töötanud - Has never worked (N)	0	2	1	1	0	1	0	2	1	3	4	1	24	175	215	
TABEL 108.1.A. Isikute protsent, kelle põhiline amet nõudis enamus ajast vaimset ja emotsionaalset pingutust rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 108.1.A. Percent of persons whose main occupation demanded most of the time mental and emotional exertion in background categories by birth cohort, males																	
Piirkond - Region																	
	Harjumaa	68,1	72,3	66,7	75,4	71,8	79,2	70,5	78,2	69,8	82,2	74,9	65,5	70,4	48,1	71,9	
	Ida-Virumaa	80,2	69,6	87,5	69,8	78,4	77,6	88,2	85,6	76,8	75,9	88,5	64,7	80,9	55,2	78,4	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	66,4	61,9	62,1	62,2	59,9	57,6	42,3	64,0	56,2	47,3	61,2	48,2	53,9	39,7	55,0	
	Järva, Lääne-Viru, Rapla	28,3	70,6	65,3	70,8	64,2	65,3	57,2	47,5	68,8	63,2	34,9	54,1	49,7	22,9	56,9	
	Lääne, Saare, Hiiumaa, Pärnumaa	53,9	55,0	58,1	68,0	67,2	41,1	52,5	50,2	42,8	34,4	57,7	55,9	4,4	26,5	47,0	
Asulatüüp - Type of residence																	
	Linn - Urban	66,7	66,6	69,0	74,9	71,4	74,4	66,7	74,7	69,1	72,7	75,3	62,9	65,0	48,6	69,0	
	Maa - Rural	53,6	68,7	59,3	53,3	58,8	51,3	49,6	54,6	51,8	48,9	51,1	46,2	37,6	22,4	50,3	
Rahvus - Ethnicity																	
	Eestlane - Estonian	56,8	60,0	64,3	63,5	62,3	56,5	48,9	57,1	51,8	57,0	59,7	51,3	45,9	28,7	54,4	
	Mitte-eestlane - Non-Estonian	80,5	81,5	71,5	80,3	80,2	82,7	79,9	88,4	88,0	84,7	85,9	74,6	85,9	68,5	82,1	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	56,1	60,5	64,1	63,5	62,1	56,7	51,0	59,7	53,2	58,0	61,5	51,5	50,4	35,6	55,8	
	Immigrantrahvastik - Not native-born	85,0	80,5	71,8	81,0	82,9	85,1	80,3	86,8	88,0	84,5	85,4	75,6	83,6	65,0	82,1	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	62,7	68,4	65,9	69,8	71,1	69,2	65,5	71,8	67,8	68,8	69,3	56,5	61,1	34,2	67,0	
	Ei ole kooselus - Not cohabiting	62,9	63,5	67,2	70,0	50,3	59,1	47,9	54,4	44,6	51,8	69,4	66,3	59,1	43,5	57,2	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	58,4	62,8	51,7	61,1	58,8	67,6	49,3	21,8	46,7	13,8	53,7	38,9	63,0	37,1	50,8	
	Kesk - Upper secondary	56,6	65,8	67,8	67,5	65,0	63,3	55,4	62,0	56,2	62,0	65,6	55,7	56,6	45,6	60,0	
	Kõrg - University	76,0	74,7	82,1	77,9	78,9	72,6	79,2	83,7	82,3	82,8	80,1	73,3	65,8	100,0	77,8	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	67,5	72,9	69,5	72,7	67,5	69,6	61,4	71,5	64,3	67,2	71,0	61,2	61,6	46,5	65,5	
	Mitteaktiivne - Non-active	62,6	66,7	65,7	68,9	68,2	62,7	66,2	46,1	55,7	31,2	43,9	37,6	47,4	37,3	60,8	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	74,3	69,6	69,6	66,2	49,7	58,4	67,8	47,1	50,6	32,3	65,6	39,2	62,0	18,1	55,4	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	57,5	66,5	66,9	70,0	72,1	71,9	59,2	74,5	63,2	70,3	69,8	58,2	56,1	44,9	65,0	
Tervise seisund - Health status																	
	Terve - No health disorders	42,0	68,2	78,4	63,5	64,5	71,9	58,6	69,5	69,7	66,9	71,5	56,1	60,4	44,5	63,0	
	Tervisehäired - Less severe health disorders	51,6	63,9	64,7	63,5	72,6	68,6	63,7	68,8	58,8	67,5	74,9	73,8	61,5	32,9	65,6	
	Tõsisemad tervisehäired - Severe health disorders	54,2	68,6	69,5	80,3	68,4	68,2	51,7	70,5	68,2	60,4	48,5	79,3	50,5	49,8	65,2	
	Toimetuleku piirangud - Managing restrictions	69,9	67,3	63,1	70,6	62,3	61,3	74,9	62,0	51,0	46,8	55,3	43,1	53,9	0,0	63,2	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	56,8	69,2	65,5	82,5	53,3	78,6	68,4	65,7	75,5	81,9	82,3	77,6	64,7	53,2	72,2	
	Tervist kahjustav - Health harming	68,7	72,3	79,6	76,6	67,9	64,9	71,3	65,2	70,7	63,5	89,4	61,0	63,5	74,1	70,2	
Kontrollkese - Locus of control																	
	Seesmine - Internal	69,4	69,2	71,6	70,8	71,5	70,9	66,5	72,2	70,2	70,8	68,5	62,9	64,8	46,7	67,2	
	Väline - External	65,8	69,7	60,5	69,3	41,8	64,0	86,2	52,8	82,8	0,0	50,3	0,0	0,0	0,0	62,6	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	49,2	64,4	68,4	61,1	61,3	71,9	59,6	71,6	67,3	66,4	72,4	60,0	59,3	43,1	63,4	
	Väga halb või halb - Very bad or bad	69,2	72,8	68,2	78,8	68,2	69,7	61,0	59,4	33,7	0,0	65,9	0,0	19,0	0,0	64,3	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	54,7	100,0	37,3	100,0	0,0	0,0	0,0	63,4	0,0	0,0	0,0	0,0	33,6	24,1	30,0	
	Normkaal - Normal weight	58,4	64,3	61,6	67,8	71,4	76,3	57,8	63,0	58,6	66,5	63,8	60,1	59,5	44,8	61,7	
	Ülekaal - Overweight	65,8	68,8	68,9	67,0	67,8	62,7	64,7	70,7	69,7	63,5	71,1	64,9	67,7	39,8	66,6	
	Rasumine - Obesity	71,8	69,1	71,7	80,7	63,7	62,7	66,6	73,7	59,5	70,5	78,7	55,1	40,2	0,0	66,9	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 108.B. Tööelu põhilisele ametile enamus ajast iseloomulik töölaad (%) sünnipõlvkonna järgi, naised
TABLE 108.B. Mood of the work characterising most of the time the main occupation (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort															Kokku
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Monotoonne, ühelaadsete liigutustega - Monotonous, with same kind of motions	40,8	37,7	33,4	35,1	39,9	31,6	33,7	32,1	30,1	25,3	31,8	27,2	39,3	48,7	33,6	
	Seotud vibratsiooni või rappumisega - Connected with vibration or shaking	11,2	16,0	16,7	17,1	19,2	12,1	15,1	16,1	10,5	9,5	9,4	12,1	6,5	10,6	13,1	
	Nõuab kummardumist või ebamugavat töoasendit - Demands bending or uncomfortable pose	51,0	45,8	43,1	42,5	35,5	37,0	42,4	41,0	37,5	34,8	33,7	34,7	35,0	47,3	39,1	
	Nõuab vaimset ja emotsionaalset pingutust - Demands mental and emotional exertion	54,4	57,0	61,6	67,0	64,8	68,4	67,0	70,4	68,5	68,4	67,5	65,2	59,3	45,3	64,8	
	Kokku - Total (N)	190	285	274	343	180	248	236	260	224	201	242	180	177	71	3111	
	Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Pole kunagi töötanud - Has never worked (N)	2	2	0	1	0	0	0	0	1	0	4	2	30	170	212	
TABEL 108.1.B. Isikute protsent, kelle põhiline amet nõudis enamus ajast vaimset ja emotsionaalset pingutust rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 108.1.B. Percent of persons whose main occupation demanded most of the time mental and emotional exertion in background categories by birth cohort, females																	
Piirkond - Region																	
	Harjumaa	63,3	64,7	62,3	75,3	66,1	77,6	67,5	75,6	77,3	78,6	70,0	76,3	69,0	52,0	71,2	
	Ida-Virumaa	74,6	60,8	72,7	69,8	70,8	80,4	83,7	69,5	86,4	73,1	94,7	85,9	77,3	52,1	76,2	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	44,8	46,6	56,7	60,7	61,0	60,5	56,3	65,6	62,9	55,8	67,3	54,0	49,2	22,5	57,0	
	Järva, Lääne-Viru, Rapla	39,6	47,3	52,6	45,3	59,8	56,3	61,2	77,5	50,0	69,7	52,8	44,0	21,2	37,9	53,3	
	Lääne, Saare, Hiiumaa, Pärnumaa	34,5	60,3	64,6	61,8	69,8	54,4	64,2	56,5	67,2	61,9	53,1	43,1	42,2	45,5	58,2	
Asulatüüp - Type of residence																	
	Linn - Urban	59,5	58,2	61,8	70,8	65,5	73,8	70,7	71,3	72,0	73,0	69,1	68,3	63,6	47,9	67,7	
	Maa - Rural	41,2	52,6	61,0	54,3	63,1	50,1	55,4	67,4	57,9	55,1	60,2	52,4	45,4	31,3	55,2	
Rahvus - Ethnicity																	
	Eestlane - Estonian	38,6	53,5	55,9	60,6	59,9	60,4	57,8	65,2	59,9	61,9	58,0	56,0	48,3	38,1	57,1	
	Mitte-eestlane - Non-Estonian	83,1	64,4	72,9	76,9	79,8	81,7	79,9	77,6	87,6	85,9	87,0	84,1	78,0	54,3	79,1	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	39,6	54,0	56,3	62,4	60,2	61,6	58,6	65,1	60,9	61,1	59,1	59,4	53,5	37,8	58,2	
	Immigrantrahvastik - Not native-born	85,7	64,0	73,9	75,3	82,1	81,0	80,8	78,6	89,5	87,9	86,8	80,8	71,3	58,5	79,1	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	33,8	64,7	63,0	64,8	65,3	68,9	65,0	68,5	66,1	69,3	69,9	67,3	65,7	30,5	66,5	
	Ei ole kooselus - Not cohabiting	56,8	54,8	61,0	68,6	64,2	67,5	70,4	74,3	76,4	66,0	58,6	59,8	49,8	49,3	62,5	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	44,3	43,3	52,6	50,7	54,4	33,8	50,0	69,7	44,2	44,0	42,6	47,8	50,2	53,5	48,1	
	Kesk - Upper secondary	62,3	66,7	60,7	68,5	63,4	65,2	60,4	62,0	66,2	67,6	60,1	55,4	54,1	40,5	61,4	
	Kõrg - University	84,2	75,0	76,6	83,9	73,9	81,3	78,4	78,0	71,7	71,5	78,7	74,8	67,5	100,0	75,8	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	100,0	83,9	58,7	76,5	64,4	72,0	67,3	72,1	68,4	69,2	66,6	64,0	63,2	50,3	67,7	
	Mitteaktiivne - Non-active	54,1	56,5	61,8	65,3	65,0	62,0	65,2	53,3	70,3	65,1	71,1	68,0	51,4	40,8	60,9	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	54,5	52,5	64,3	63,4	61,7	59,2	65,9	72,1	59,0	63,9	65,3	57,5	51,1	26,4	60,4	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	55,9	61,6	60,0	71,0	66,9	71,3	66,3	68,8	69,2	68,1	66,6	65,1	60,6	49,3	65,9	
Tervise seisund - Health status																	
	Terve - No health disorders	33,8	71,9	59,2	75,2	69,7	61,4	61,0	79,2	64,7	67,7	66,5	63,2	56,6	49,8	63,7	
	Tervisehäired - Less severe health disorders	61,9	47,6	54,2	68,1	65,1	75,0	65,0	70,0	68,8	71,9	64,5	70,9	58,4	47,6	66,5	
	Tõsisemad tervisehäired - Severe health disorders	62,7	59,0	67,4	69,5	60,8	63,5	69,1	66,7	72,0	59,6	88,4	63,4	87,8	13,3	65,7	
	Toimetuleku piirangud - Managing restrictions	52,6	57,3	62,1	63,2	68,9	60,9	73,1	64,1	78,3	78,3	70,3	64,1	75,1	0,0	62,5	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	53,5	65,3	60,8	76,1	65,6	75,4	84,9	62,3	78,9	64,9	69,3	75,6	65,1	42,1	70,0	
	Tervist kahjustav - Health harming	73,2	54,3	59,8	60,7	90,2	73,5	65,4	82,0	70,4	68,3	59,7	47,9	70,4	41,2	66,0	
Kontrollkese - Locus of control																	
	Seesmine - Internal	65,2	53,3	65,9	70,8	78,1	77,4	74,0	76,5	72,4	72,7	67,6	73,5	59,0	42,0	69,8	
	Väline - External	47,7	53,3	45,6	59,3	73,5	57,6	61,8	67,2	100,0	65,9	53,7	73,6	46,2	27,1	57,0	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	44,5	38,0	60,1	62,8	69,3	70,5	67,0	69,0	66,0	69,0	68,8	64,1	58,6	42,6	64,3	
	Väga halb või halb - Very bad or bad	53,9	55,6	60,4	63,0	64,4	66,8	78,8	44,9	59,5	71,9	78,0	100,0	0,0	100,0	61,2	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	85,8	24,8	62,7	43,5	0,0	0,0	0,0	61,6	58,3	87,9	77,3	69,0	50,3	64,9	62,1	
	Normkaal - Normal weight	51,8	56,5	56,8	63,7	69,6	68,2	63,6	72,7	68,5	65,7	66,0	68,2	61,9	44,1	64,4	
	Ülekaal - Overweight	54,2	60,8	61,4	68,5	65,7	75,5	70,5	66,3	67,9	68,7	73,2	59,8	66,8	45,2	66,4	
	Rasvumine - Obesity	55,9	54,1	64,9	69,1	63,6	62,7	69,2	72,0	72,5	72,0	61,9	55,6	30,0	0,0	64,6	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
		Vanus - Age															Total

TABEL 109.A. Tööelu põhilisele ametile iseloomulik töökeskkond (%) sünnipõlvkonna järgi, mehed
TABLE 109.A. Environment characterising the main occupation (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Seotud müraga, mille tase sunnib valjemalt rääkima - Noise level that requires louder speaking	55,7	60,8	59,6	65,2	57,5	65,8	65,6	58,5	55,7	54,8	48,0	53,7	52,3	58,2	57,4
Seotud toksiliste ainete ja muude kemikaalidega - Toxic substances and other chemicals	27,5	31,9	33,0	34,2	38,8	35,7	37,7	28,6	28,1	29,6	20,9	28,4	33,7	29,1	31,0
Kokkupuude haigusttekitavate mikroorganismidega - Contact with micro-organisms causing diseases	12,8	10,2	14,3	13,9	17,3	12,5	10,1	12,8	13,9	10,5	9,3	10,9	5,0	2,7	11,0
Tolmune, suitsune või gaasine töökeskkond - Dusty, smoky or gassed environment	41,4	56,9	58,2	56,9	57,9	60,8	61,3	55,0	54,9	49,9	43,3	49,0	56,3	69,4	54,8
Seotud röntsiiooniga - Connected with radiation	4,8	7,6	11,7	8,0	10,8	4,7	4,2	4,3	3,8	4,6	5,1	3,0	2,4	6,1	5,2
Kokku - Total (N)	129	339	260	331	145	194	194	201	202	210	186	192	212	98	2893
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	1	0	0	0	1	1	3
Pole kunagi töötanud - Has never worked (N)	0	2	1	1	0	1	0	2	1	3	4	1	24	175	215
TABEL 109.1.A. Isikute protsent, kelle põhiline amet oli seotud tervisele kahjuliku töökeskkonnaga rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 109.1.A. Percent of persons whose main occupation was related to unhealthy working environment in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	52,0	70,5	65,7	71,8	69,7	69,9	68,4	59,9	62,0	57,4	51,3	46,4	67,4	78,4	62,0
Ida-Virumaa	82,3	90,6	82,1	82,7	85,3	94,0	80,2	88,5	82,9	83,6	84,1	77,1	81,7	68,4	83,1
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	58,5	59,8	74,7	67,8	84,4	73,2	83,9	72,1	65,2	64,2	54,2	70,3	61,4	69,8	68,8
Järva, Lääne-Viru, Rapla	56,0	75,6	74,8	78,9	68,4	72,5	65,4	63,3	76,5	90,2	51,6	73,0	62,8	100,0	71,9
Lääne, Saare, Hiiu, Pärnumaa	66,4	74,0	80,7	78,6	81,3	73,3	94,2	69,5	62,9	71,4	57,6	77,1	80,6	71,6	74,7
Asulatüüp - Type of residence															
Linn - Urban	58,5	72,1	71,1	74,3	75,4	73,4	75,5	63,5	64,0	68,6	57,4	56,7	67,4	74,5	67,2
Maa - Rural	63,7	65,0	79,3	71,9	80,7	76,6	84,6	79,7	73,2	65,6	58,1	76,0	75,2	80,4	74,0
Rahvus - Ethnicity															
Eestlane - Estonian	57,0	64,3	73,0	67,7	72,4	69,7	79,0	61,7	65,2	63,2	51,3	57,4	61,8	73,7	64,8
Mitte-eestlane - Non-Estonian	69,0	84,0	75,0	83,8	86,9	80,6	76,4	79,7	70,3	77,8	68,4	65,2	82,1	79,9	76,6
Põlisus - Native-born population															
Põlisrahvastik - Native-born	57,0	64,6	72,1	68,5	73,7	68,9	78,8	61,6	65,6	64,1	51,5	56,8	62,3	74,8	65,0
Immigrantrahvastik - Not native-born	69,9	83,4	77,4	83,0	85,3	83,0	76,4	82,0	69,9	76,9	70,1	66,8	85,3	79,4	77,4
Kooselu - Cohabiting															
Kooselus - Cohabiting	58,0	72,3	72,3	73,6	75,9	74,1	78,1	67,5	65,0	66,7	56,5	63,5	63,3	78,3	68,4
Ei ole kooselus - Not cohabiting	63,6	66,6	78,9	74,5	82,1	75,6	76,9	72,3	75,6	72,0	60,7	54,0	72,5	75,6	70,4
Haridus - Education															
Põhi või madalam - Lower secondary or less	78,1	89,2	95,0	86,2	90,6	79,1	80,8	80,4	93,2	88,7	70,0	90,2	90,2	77,4	85,1
Kesk - Upper secondary	49,8	74,6	71,9	80,6	80,5	86,5	86,5	77,2	76,7	72,8	62,8	71,9	68,6	73,1	74,8
Kõrg - University	36,2	38,1	48,6	58,2	61,8	58,5	61,6	56,1	41,2	51,3	44,4	31,5	60,7	100,0	51,2
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	48,4	35,3	50,8	69,0	68,4	74,6	74,2	68,5	63,8	66,7	56,3	58,7	70,2	80,5	66,3
Mitteaktiivne - Non-active	60,6	72,4	76,7	75,2	83,9	73,6	93,0	67,4	100,0	87,0	76,4	85,8	59,9	69,7	76,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	57,5	74,6	78,5	77,3	82,9	76,6	87,9	68,0	91,7	85,1	76,6	91,4	77,8	77,0	79,5
Üle suhtelise vaesuse piiri - Above the risk of poverty	59,2	69,0	72,4	73,4	73,4	72,2	75,7	67,8	65,0	64,6	55,9	57,6	67,7	73,9	66,8
Tervise seisund - Health status															
Terve - No health disorders	34,6	65,0	74,6	82,3	81,5	62,9	55,2	69,7	63,6	68,2	56,7	57,9	69,3	75,9	64,7
Tervisehäired - Less severe health disorders	65,2	72,7	69,8	66,3	64,0	71,8	81,9	64,6	62,7	62,4	51,1	62,8	64,8	75,2	67,4
Tõsisemad tervisehäired - Severe health disorders	46,8	69,3	69,1	75,0	83,5	78,5	84,2	80,5	82,5	77,8	74,2	87,2	79,3	77,4	77,5
Toimetuleku piirangud - Managing restrictions	63,9	70,9	80,8	81,4	86,7	83,7	81,1	67,1	86,1	58,2	67,5	57,2	73,1	0,0	77,1
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	35,4	50,0	47,1	30,4	34,0	24,6	43,0	44,8	40,5	30,5	20,4	8,6	39,5	46,8	32,4
Tervist kahjustav - Health harming	43,2	50,1	74,3	55,8	65,5	76,5	64,9	52,7	65,7	70,4	38,4	9,9	32,1	43,9	53,8
Kontrollkese - Locus of control															
Seesmine - Internal	51,4	64,6	73,8	64,0	72,0	63,3	75,2	64,3	60,3	64,8	52,5	58,3	63,9	71,5	63,5
Väline - External	74,5	76,4	81,7	83,3	72,3	78,2	76,2	69,5	72,6	100,0	75,8	0,0	100,0	0,0	76,6
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	49,7	56,5	65,2	62,9	74,1	60,6	73,2	61,8	61,3	65,5	52,6	55,3	71,0	74,9	63,3
Väga halb või halb - Very bad or bad	61,3	75,6	80,3	88,0	88,7	84,1	94,8	91,4	73,5	100,0	58,8	100,0	50,4	0,0	81,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	53,3	37,3	100,0	100,0	0,0	0,0	100,0	63,4	0,0	100,0	0,0	53,2	100,0	37,9	70,8
Normkaal - Normal weight	64,0	68,6	71,5	69,1	75,9	71,3	85,4	76,4	69,3	69,8	58,7	55,2	70,0	77,2	69,4
Ülekaal - Overweight	58,0	77,4	73,7	76,1	68,5	71,8	73,5	65,9	67,1	71,9	51,7	71,1	68,2	76,3	68,6
Rasvumine - Obesity	55,4	58,2	76,0	77,3	91,2	83,8	73,5	60,9	62,4	49,7	72,0	55,6	37,8	100,0	68,7
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 109.B. Tööelu põhilisele ametile iseloomulik töökeskkond (%) sünnipõlvkonna järgi, naised
TABLE 109.B. Environment characterising the main occupation (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990		
Seotud müraga, mille tase sunnib valjemalt rääkima - Noise level that requires louder speaking	29,2	39,1	40,3	42,9	33,7	41,4	36,3	36,1	37,3	33,2	29,9	35,5	24,6	42,9	35,7	
Seotud toksiliste ainete ja muude kemikaalidega - Toxic substances and other chemicals	19,5	23,1	31,4	27,2	26,5	25,2	25,6	24,6	25,2	17,1	14,7	21,3	19,6	25,3	23,3	
Kokkupuude haigusttekitavate mikroorganismidega - Contact with micro-organisms causing diseases	9,9	14,7	20,3	16,2	16,8	14,1	16,5	13,0	19,8	19,9	14,1	15,8	16,6	2,0	15,8	
Tolmune, suitsune või gaasine töökeskkond - Dusty, smoky or gassed environment	28,5	30,6	30,4	32,8	28,8	28,0	26,7	28,7	27,2	21,3	17,1	24,6	21,5	31,2	26,5	
Seotud röntsiiooniga - Connected with radiation	1,2	4,0	2,2	4,1	2,4	1,8	3,8	2,2	2,0	2,1	1,2	2,0	2,7	2,3	2,5	
Kokku - Total (N)	190	285	274	343	180	248	236	260	224	201	242	180	177	71	3111	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pole kunagi töötanud - Has never worked (N)	2	2	0	1	0	0	0	0	1	0	4	2	30	170	212	
TABEL 109.1.B. Isikute protsent, kelle põhiline amet oli seotud tervisele kahjuliku töökeskkonnaga rahvastikurühmades sünnipõlvkonna järgi, naised TABLE 109.1.B. Percent of persons whose main occupation was related to unhealthy working environment in background categories by birth cohort, females																
Piirkond - Region																
Harjumaa	44,2	44,6	61,1	55,3	52,9	54,7	49,1	56,5	55,7	46,3	35,0	36,7	47,9	51,4	49,2	
Ida-Virumaa	71,4	70,7	79,2	72,0	72,3	66,9	70,2	63,0	69,5	65,4	73,7	65,9	49,9	85,1	69,1	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	46,6	53,0	53,5	62,6	45,2	46,3	43,3	49,7	57,2	48,4	43,2	44,0	38,4	46,1	48,3	
Järva, Lääne-Viru, Rapla	53,7	63,9	57,8	70,9	45,0	56,0	49,7	51,5	47,0	66,0	43,2	66,9	31,6	66,4	54,0	
Lääne, Saare, Hiiumaa, Pärnumaa	36,5	53,8	49,0	49,9	62,7	63,9	70,7	45,8	62,1	60,4	50,2	58,8	12,6	48,8	54,5	
Asulatüüp - Type of residence																
Linn - Urban	46,7	52,8	61,6	57,6	55,3	58,6	54,2	55,5	56,7	54,2	44,7	42,6	45,2	60,1	53,1	
Maa - Rural	52,6	57,2	54,7	69,0	47,9	46,4	56,1	49,7	56,7	46,7	41,2	68,0	31,2	32,7	51,5	
Rahvus - Ethnicity																
Eestlane - Estonian	45,4	48,1	56,1	58,3	45,9	54,1	52,0	46,4	52,8	48,6	36,7	45,6	34,4	48,9	48,0	
Mitte-eestlane - Non-Estonian	53,7	65,7	68,0	63,1	75,2	58,6	58,4	65,1	65,2	62,2	59,3	51,4	54,7	64,6	61,4	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	44,6	48,3	55,1	57,8	46,2	55,6	52,0	48,1	53,6	47,2	39,2	45,3	38,3	49,4	48,7	
Immigrantrahvastik - Not native-born	56,1	66,8	71,7	64,4	79,9	56,1	58,9	63,5	65,1	65,8	55,4	53,4	49,4	67,1	61,5	
Kooselu - Cohabiting																
Kooselus - Cohabiting	35,4	56,7	64,6	61,3	54,2	57,3	53,1	55,2	53,2	52,7	42,7	47,0	41,2	51,0	51,8	
Ei ole kooselus - Not cohabiting	49,8	53,0	58,0	59,5	51,9	53,5	57,2	52,1	68,2	51,4	49,5	48,6	43,0	57,2	53,9	
Haridus - Education																
Põhi või madalam - Lower secondary or less	60,6	66,8	71,9	75,0	80,2	82,0	57,5	68,3	88,8	73,1	69,8	57,7	56,9	63,7	68,8	
Kesk - Upper secondary	28,0	40,3	54,5	58,3	51,0	60,6	63,2	63,6	64,1	53,9	55,3	56,8	40,9	52,9	55,2	
Kõrg - University	47,5	41,5	53,5	45,8	38,8	42,9	44,3	44,8	49,1	48,8	28,7	39,5	39,7	0,0	42,9	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	100,0	54,7	34,6	57,1	42,9	49,3	54,7	52,7	57,1	53,4	41,5	46,6	44,4	54,9	50,4	
Mitteaktiivne - Non-active	48,0	53,8	61,2	60,8	58,1	67,2	54,0	68,7	53,1	47,6	53,9	49,8	36,9	56,7	55,8	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	53,5	52,6	56,5	65,2	53,9	52,9	54,5	54,7	71,3	59,5	62,5	74,7	23,6	76,8	57,0	
Üle suhtelise vaesuse piiri - Above the risk of poverty	43,9	55,0	62,3	56,0	52,5	56,6	55,7	53,1	53,4	50,0	40,7	46,5	46,1	55,1	51,5	
Tervise seisund - Health status																
Terve - No health disorders	38,5	38,1	57,9	69,9	35,6	34,1	35,3	52,2	53,8	44,6	39,1	46,3	40,4	57,3	45,1	
Tervisehäired - Less severe health disorders	29,1	52,1	55,0	52,2	45,7	50,3	50,6	57,5	55,0	58,0	50,2	44,7	43,8	52,0	51,4	
Tõsisemad tervisehäired - Severe health disorders	50,4	52,4	64,6	62,5	58,8	61,6	62,3	44,2	67,1	70,5	64,7	66,9	28,7	46,4	59,7	
Toimetuleku piirangud - Managing restrictions	50,4	55,3	60,1	63,9	64,8	67,4	66,5	58,2	60,6	45,5	29,7	34,5	54,1	100,0	58,9	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	25,6	28,6	38,7	34,2	36,9	38,8	32,0	38,4	33,4	30,2	18,4	27,1	15,5	27,6	29,7	
Tervist kahjustav - Health harming	23,8	40,7	38,3	33,8	32,3	40,8	32,3	26,0	25,1	60,0	32,2	51,9	52,6	58,8	37,3	
Kontrollkese - Locus of control																
Seesmine - Internal	53,7	50,0	62,3	51,6	45,9	48,4	47,7	49,9	48,1	50,7	36,5	41,9	44,4	60,1	47,4	
Väline - External	54,8	59,7	60,9	74,6	44,5	67,9	70,4	67,5	53,4	68,3	88,2	73,6	57,2	72,9	63,0	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	30,7	47,0	68,4	47,0	40,9	50,3	43,6	46,5	46,3	53,4	37,4	41,4	40,6	61,6	45,4	
Väga halb või halb - Very bad or bad	51,5	51,0	61,4	64,5	55,5	64,0	62,6	76,2	76,1	40,9	35,7	26,4	57,0	0,0	58,5	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	61,8	75,2	0,0	56,5	53,4	0,0	50,6	0,0	21,5	48,9	31,9	59,1	45,6	67,4	45,5	
Normkaal - Normal weight	46,6	49,1	61,0	59,3	52,4	59,3	46,8	54,6	56,0	52,5	39,1	44,0	40,9	51,9	49,3	
Ülekaal - Overweight	42,7	57,6	60,6	60,6	51,6	49,7	60,8	59,0	59,3	52,9	63,9	54,2	42,3	65,1	56,3	
Rasvumine - Obesity	53,9	53,6	60,4	60,5	54,5	58,3	58,8	48,4	64,4	51,4	55,6	54,6	45,0	100,0	56,8	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 110.A. Tööõnnetuste esinemine elu jooksul (%) sünnipõlvkonna järgi, mehed
TABLE 110.A. Lifetime prevalence of accidents at work (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Pole esinenud - Has never had	91,8	85,7	88,6	87,0	84,1	88,6	80,3	91,0	87,6	92,6	96,2	94,1	95,0	100,0	90,4	
On esinenud - Has had	8,2	14,3	11,4	13,0	15,9	11,4	19,7	9,0	12,4	7,4	3,8	5,9	5,0	0,0	9,6	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	129	339	260	331	145	194	194	201	203	210	186	192	213	99	2896	
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pole kunagi töötanud - Has never worked (N)	0	2	1	1	0	1	0	2	1	3	4	1	24	175	215	
TABEL 110.1.A. Vähemalt üht tööõnnetust omanute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 110.1.A. Percent of persons who have had at least one accident at work in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	13,0	14,7	3,8	15,5	13,3	14,5	14,0	11,5	15,3	4,6	3,0	6,1	9,0	0,0	9,4	
Ida-Virumaa	20,8	27,3	17,5	14,7	31,4	12,0	26,3	5,8	18,2	7,7	8,0	9,5	2,3	0,0	12,7	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	5,7	7,7	10,8	12,5	13,1	6,3	26,6	8,5	8,8	7,7	2,4	4,7	3,8	0,0	8,7	
Järva, Lääne-Viru, Rapla	0,0	13,8	16,1	8,0	15,1	20,3	19,1	7,8	14,8	14,7	9,2	5,6	0,0	0,0	11,5	
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	15,7	19,7	9,0	18,1	0,0	14,0	7,3	3,9	9,5	0,0	0,0	0,0	0,0	7,3	
Asulatüüp - Type of residence																
Linn - Urban	7,9	15,6	11,6	12,0	15,7	14,4	21,0	9,2	13,4	6,7	3,4	6,7	5,3	0,0	9,9	
Maa - Rural	9,0	8,9	11,0	16,5	16,6	4,3	15,9	8,6	10,3	8,9	5,0	2,3	3,4	0,0	8,7	
Rahvus - Ethnicity																
Eestlane - Estonian	6,7	12,7	12,4	10,8	14,7	10,2	15,8	9,7	10,6	8,3	3,0	6,3	4,6	0,0	8,8	
Mitte-eestlane - Non-Estonian	12,7	17,8	8,4	16,7	18,6	13,0	24,8	8,0	16,2	5,4	5,2	5,1	5,6	0,0	11,1	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	6,5	12,8	12,9	11,9	14,7	10,2	17,6	9,1	10,2	8,9	2,8	5,3	4,2	0,0	8,8	
Immigrantrahvastik - Not native-born	13,8	17,5	7,2	14,9	19,1	13,4	23,0	8,9	17,8	3,7	5,8	6,9	6,9	0,0	11,4	
Kooselu - Cohabiting																
Kooselus - Cohabiting	7,9	12,3	11,8	13,1	16,6	10,9	19,2	7,0	12,7	8,5	4,6	6,6	3,2	0,0	10,3	
Ei ole kooselus - Not cohabiting	8,7	19,3	9,6	12,8	12,2	14,0	22,0	18,4	11,1	3,0	1,6	4,5	6,1	0,0	7,8	
Haridus - Education																
Põhi või madalam - Lower secondary or less	13,0	15,4	16,2	12,1	11,2	20,7	11,7	0,0	11,4	0,0	9,9	12,8	16,8	0,0	11,1	
Kesk - Upper secondary	0,0	16,0	9,2	16,0	19,2	10,8	21,7	13,0	17,0	8,2	5,0	6,2	3,4	0,0	10,8	
Kõrg - University	6,5	10,9	8,3	10,1	11,9	8,8	19,0	5,7	2,8	6,6	0,0	3,1	3,6	0,0	6,9	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	7,6	7,0	11,7	18,6	10,3	16,5	9,2	12,1	6,6	2,9	6,2	5,7	0,0	8,5	
Mitteaktiivne - Non-active	8,6	14,7	12,0	13,4	13,8	14,1	33,1	7,8	16,2	24,0	17,1	0,0	0,0	0,0	12,7	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	12,7	17,7	20,3	13,7	17,8	10,9	21,2	5,7	13,4	8,6	5,9	14,5	0,0	0,0	12,1	
Üle suhtelise vaesuse piiri - Above the risk of poverty	7,7	13,6	9,6	13,3	16,6	11,7	17,3	10,0	12,0	7,2	3,9	5,7	5,9	0,0	9,3	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	15,7	7,6	16,8	1,8	4,5	7,0	4,7	1,1	4,0	3,7	0,0	4,0	
Tervisehäired - Less severe health disorders	8,5	13,1	10,4	10,9	16,5	8,8	18,3	11,8	18,7	13,3	5,0	14,2	8,3	0,0	12,4	
Tõsisemad tervisehäired - Severe health disorders	9,1	14,1	13,0	14,5	11,4	12,1	32,3	8,7	15,7	16,2	14,9	9,1	5,1	0,0	14,2	
Toimetuleku piirangud - Managing restrictions	8,2	15,8	12,5	14,0	21,6	15,9	32,4	10,1	10,3	0,0	8,6	0,0	0,0	0,0	14,7	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	15,2	15,9	4,9	10,8	0,0	7,7	12,6	11,2	9,1	7,2	6,9	0,0	0,0	0,0	6,1	
Tervist kahjustav - Health harming	4,2	7,8	3,7	14,2	22,7	12,0	16,1	8,8	6,8	11,5	0,0	5,8	4,6	0,0	9,4	
Kontrollkese - Locus of control																
Seesmine - Internal	6,6	13,6	14,0	14,2	13,2	9,8	13,5	6,6	10,8	5,6	2,5	7,4	4,7	0,0	7,7	
Väline - External	10,3	10,6	3,4	10,9	7,7	46,8	32,1	22,3	0,0	0,0	0,0	0,0	0,0	0,0	15,2	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	15,4	11,9	10,2	16,6	15,8	8,5	14,1	8,0	6,3	5,1	2,0	4,0	3,9	0,0	5,7	
Väga halb või halb - Very bad or bad	10,3	14,8	11,1	14,2	19,3	10,0	28,2	8,6	24,9	0,0	13,8	0,0	0,0	0,0	15,0	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	37,3	0,0	100,0	0,0	0,0	0,0	63,4	0,0	0,0	0,0	0,0	0,0	0,0	9,1	
Normkaal - Normal weight	12,0	15,6	13,2	11,4	13,9	13,9	23,9	14,1	10,3	7,6	4,0	5,7	5,1	0,0	9,4	
Ülekaal - Overweight	4,0	13,4	6,6	14,4	15,2	7,8	19,2	5,1	14,3	6,3	4,9	5,2	6,3	0,0	9,3	
Rasumine - Obesity	13,1	11,7	19,3	12,0	19,7	14,1	14,3	6,8	12,1	10,3	0,0	9,3	0,0	0,0	11,2	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															Total

TABEL 110.B. Tööõnnetuste esinemine elu jooksul (%) sünnipõlvkonna järgi, naised
TABLE 110.B. Lifetime prevalence of accidents at work (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Pole esinenud - Has never had	96,0	89,1	94,3	89,7	90,6	93,1	92,6	96,0	95,6	97,5	98,1	98,1	100,0	98,2	94,9
On esinenud - Has had	4,0	10,9	5,7	10,3	9,4	6,9	7,4	4,0	4,4	2,5	1,9	1,9	0,0	1,8	5,1
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	190	285	274	343	180	248	236	260	224	201	242	180	177	71	3111
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pole kunagi töötanud - Has never worked (N)	2	2	0	1	0	0	0	0	1	0	4	2	30	170	212

TABEL 110.1.B. Vähemalt üht tööõnnetust omanute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 110.1.B. Percent of persons who have had at least one accident at work in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	4,5	10,7	10,5	11,3	4,9	9,9	9,4	4,8	6,6	3,4	2,8	1,7	0,0	3,8	5,9
Ida-Virumaa	6,4	10,4	5,0	9,7	6,6	6,2	9,9	0,0	10,2	0,0	2,6	0,0	0,0	0,0	5,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	1,4	13,7	4,8	11,5	12,3	6,0	4,0	3,8	2,7	1,7	0,8	1,7	0,0	0,0	4,7
Järva, Lääne-Viru, Rapla	13,4	9,4	0,0	9,4	8,1	3,9	7,3	7,7	0,0	6,4	0,0	5,4	0,0	0,0	4,5
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	8,1	0,0	7,0	17,2	3,3	3,6	3,2	3,2	0,0	2,6	0,0	0,0	0,0	3,9
Asulatüüp - Type of residence															
Linn - Urban	4,9	8,5	6,2	9,8	11,5	7,3	8,3	5,2	5,1	3,3	2,3	2,3	0,0	2,2	5,5
Maa - Rural	1,8	19,3	3,7	12,0	4,2	5,6	4,4	0,0	1,9	0,0	0,0	0,0	0,0	0,0	3,7
Rahvus - Ethnicity															
Eestlane - Estonian	2,2	10,8	3,5	8,2	8,5	6,7	6,0	3,4	1,6	3,4	1,3	2,1	0,0	0,0	4,2
Mitte-eestlane - Non-Estonian	7,4	11,2	10,0	13,7	12,4	7,2	9,4	4,7	10,5	0,0	3,1	1,3	0,0	4,2	6,7
Põlisus - Native-born population															
Põlisrahvastik - Native-born	2,4	10,5	3,9	7,8	8,4	6,4	5,1	3,7	1,5	3,4	1,3	2,0	0,0	0,0	4,1
Immigrantrahvastik - Not native-born	7,5	12,0	9,7	14,9	13,4	7,8	11,0	4,3	12,2	0,0	3,4	1,6	0,0	5,1	7,3
Kooselu - Cohabiting															
Kooselus - Cohabiting	8,8	6,8	7,6	10,1	10,5	7,6	6,3	3,2	3,8	1,4	2,4	1,6	0,0	0,0	4,4
Ei ole kooselus - Not cohabiting	3,5	12,1	4,8	10,5	8,2	5,8	9,2	5,5	6,3	5,3	0,0	2,5	0,0	2,3	6,1
Haridus - Education															
Põhi või madalam - Lower secondary or less	4,2	12,0	5,4	9,4	9,4	12,5	3,7	11,8	0,0	0,0	10,4	0,0	0,0	0,0	6,9
Kesk - Upper secondary	3,3	8,7	7,9	10,7	11,9	6,2	9,3	5,8	7,9	0,7	0,9	3,2	0,0	2,8	5,6
Kõrg - University	5,7	11,1	1,9	10,9	5,3	6,2	6,1	1,9	1,7	4,5	2,0	1,3	0,0	0,0	3,7
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	15,4	0,0	18,1	3,6	6,1	6,9	4,4	4,8	3,1	2,2	1,6	0,0	3,9	4,1
Mitteaktiivne - Non-active	4,0	10,8	5,9	8,9	12,2	8,2	9,9	0,0	0,0	0,0	0,8	2,5	0,0	0,0	6,4
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	3,2	12,8	5,6	8,5	9,0	8,8	9,2	3,1	5,0	1,9	0,0	0,0	0,0	0,0	6,2
Üle suhtelise vaesuse piiri - Above the risk of poverty	4,3	9,3	5,3	10,2	9,3	6,2	7,5	4,3	3,0	2,4	2,1	2,3	0,0	2,7	4,6
Tervises seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	7,7	0,0	0,0	0,0	2,8	5,0	2,4	0,5	0,0	0,0	0,0	1,3
Tervisehäired - Less severe health disorders	7,0	5,1	0,0	2,8	4,9	5,8	5,7	2,3	4,8	4,2	3,4	4,5	0,0	5,9	3,9
Tõsisemad tervisehäired - Severe health disorders	2,8	8,0	6,7	12,6	11,4	6,1	7,0	5,7	4,4	0,0	7,8	7,7	0,0	0,0	7,3
Toimetuleku piirangud - Managing restrictions	4,0	13,7	8,2	14,8	18,4	12,1	17,2	9,9	0,0	0,0	0,0	0,0	0,0	0,0	10,4
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	3,8	1,6	3,2	6,9	8,6	7,6	1,4	10,1	3,8	2,7	0,0	0,0	0,0	0,0	3,5
Tervist kahjustav - Health harming	13,6	13,8	0,0	0,0	0,0	4,6	0,0	10,9	6,4	0,0	2,3	0,0	0,0	0,0	3,8
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	8,5	8,5	8,0	7,5	3,9	7,9	4,7	2,9	2,3	1,6	3,6	0,0	0,0	3,9
Väline - External	4,7	11,8	2,8	10,3	0,0	8,0	20,6	12,1	8,0	0,0	0,0	0,0	0,0	0,0	7,4
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	7,1	6,4	0,0	3,8	1,9	5,7	3,0	2,9	2,6	3,9	0,4	1,5	0,0	2,2	2,2
Väga halb või halb - Very bad or bad	6,1	9,7	10,7	13,5	16,9	13,8	14,5	17,1	0,0	0,0	0,0	0,0	0,0	0,0	10,8
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	34,7	0,0	0,0	0,0	0,0	14,0	0,0	0,0	0,0	0,0	0,0	2,4
Normkaal - Normal weight	5,0	11,8	4,6	10,9	5,4	5,7	4,4	4,1	1,0	3,2	1,9	0,0	0,0	2,4	3,2
Ülekaal - Overweight	3,3	10,6	6,4	8,4	11,0	7,0	7,9	1,7	5,6	1,3	1,8	4,8	0,0	0,0	6,0
Rasvumine - Obesity	4,5	11,0	4,6	10,9	11,7	7,6	11,2	7,1	11,7	2,8	3,4	16,3	0,0	0,0	8,6
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 111.A. Tavategevus (%) sünnipõlvkonna järgi, mehed
TABLE 111.A. Usual activity (%) by birth cohort, males

		Sünnipõlvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Töötav - Employed	4,7	4,6	12,1	23,7	45,1	70,7	80,5	87,9	91,0	94,2	92,0	93,8	78,7	21,4	67,2
	Töötu / tööd otsiv - Unemployed	0,0	0,0	0,0	0,0	0,5	7,5	4,3	6,0	4,0	3,2	2,1	3,3	3,3	2,4	3,2
	(Üli)õpilane - Student	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,4	0,5	15,4	73,6	9,5
	Invaliiduspensionär - Disability pensioner	1,1	1,9	1,4	2,4	5,1	13,0	11,7	4,7	4,4	2,1	4,6	1,7	0,7	0,0	4,0
	Vanaduspensionär - Retired	94,2	93,5	86,5	73,9	49,3	5,9	1,5	0,5	0,0	0,0	0,0	0,0	0,0	0,0	14,9
	Kodune - At home	0,0	0,0	0,0	0,0	0,0	2,9	1,5	0,9	0,6	0,5	0,9	0,7	1,9	2,0	1,1
	Muu - Other	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,0	0,0	0,0	0,0	0,0	0,6	0,1
Kokku - Total (%)		100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)		129	341	261	332	145	195	194	203	204	213	190	193	237	274	3111
TABEL 111.1.A. Majanduslikult aktiivsete osakaal rahvastikurühmades sünnipõlvkonna järgi, mehed																
TABLE 111.1.A. Percent of economically active persons in background categories by birth cohort, males																
Piirkond - Region																
	Harjumaa	10,2	8,3	13,7	31,8	52,2	68,8	82,5	94,9	95,6	95,5	98,5	94,5	82,0	23,5	72,1
	Ida-Virumaa	0,0	0,0	14,4	12,0	39,3	68,6	76,1	88,8	94,3	83,5	89,4	94,3	76,9	24,5	67,5
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	2,1	3,0	12,4	19,6	36,7	67,1	76,2	81,6	83,7	95,2	85,4	92,4	73,3	20,7	62,0
	Järva, Lääne-Viru, Rapla	0,0	4,8	12,5	18,8	42,4	78,2	94,7	93,5	83,2	100,0	84,4	94,4	78,9	18,6	68,3
	Lääne, Saare, Hiiumaa, Pärnumaa	4,4	0,0	7,1	24,4	47,3	78,6	79,9	74,6	94,0	94,8	87,7	92,4	84,7	16,6	61,3
Asulatüüp - Type of residence																
	Linn - Urban	6,7	4,7	11,2	28,1	51,1	74,4	81,6	92,1	92,2	95,5	92,4	94,9	78,1	23,9	69,1
	Maa - Rural	0,0	4,0	14,4	9,4	29,5	61,7	77,5	77,9	88,4	91,3	90,6	89,0	81,4	15,1	61,9
Rahvus - Ethnicity																
	Eestlane - Estonian	4,1	5,4	14,8	24,5	47,2	71,7	83,4	84,2	89,7	95,7	90,4	93,6	78,8	19,8	66,1
	Mitte-eestlane - Non-Estonian	6,5	2,8	4,4	22,5	40,3	69,3	76,8	94,0	93,7	90,8	94,8	94,2	78,6	25,0	69,2
Põlisus - Native-born population																
	Põlisrahvastik - Native-born	4,0	5,4	14,4	24,5	46,4	72,1	84,0	84,3	90,1	95,3	90,3	92,2	77,1	20,9	66,0
	Immigrantrahvastik - Not native-born	7,1	2,8	5,9	22,4	41,6	68,5	75,1	94,8	93,1	91,5	95,4	96,9	82,7	23,0	69,8
Kooselu - Cohabiting																
	Kooselus - Cohabiting	6,4	5,0	11,0	25,9	48,3	74,5	85,3	92,7	94,6	96,7	95,1	94,2	94,1	33,8	75,3
	Ei ole kooselus - Not cohabiting	1,8	3,5	17,2	15,2	27,3	50,8	58,2	66,9	74,5	84,2	83,0	93,2	70,0	20,7	51,3
Haridus - Education																
	Põhi või madalam - Lower secondary or less	0,0	1,6	3,9	10,4	17,4	55,5	78,2	56,8	80,3	69,5	63,6	91,6	77,9	14,0	31,4
	Kesk - Upper secondary	6,0	4,5	14,9	24,1	48,0	71,5	79,2	83,6	90,9	94,4	93,0	92,1	75,8	39,6	74,1
	Kõrg - University	12,1	9,1	18,9	31,5	54,6	75,3	83,7	98,3	93,1	98,1	97,3	97,5	86,2	42,6	79,0
Majanduslik aktiivsus - Economical activity																
	Aktiivne - Active	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Mitteaktiivne - Non-active	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Sissetulek - Income																
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	1,5	0,0	3,8	8,2	39,4	48,2	52,8	53,9	66,4	55,5	51,7	49,9	4,1	32,1
	Üle suhtelise vaesuse piiri - Above the risk of poverty	5,0	5,8	14,5	29,1	57,0	82,1	86,8	98,0	97,5	99,2	95,3	96,1	84,3	29,2	75,0
Tervise seisund - Health status																
	Terve - No health disorders	0,0	0,0	14,9	30,4	51,4	83,1	95,8	90,5	95,4	98,4	97,8	94,8	78,6	19,7	76,4
	Tervisehäired - Less severe health disorders	0,0	8,0	18,3	36,3	59,6	81,6	87,7	93,3	96,1	95,6	95,5	96,3	81,4	24,6	75,2
	Tõsisemad tervisehäired - Severe health disorders	12,8	5,6	12,4	19,0	50,3	61,9	75,6	77,5	86,6	80,6	84,9	100,0	78,7	48,2	55,8
	Toimetuleku piirangud - Managing restrictions	3,6	2,8	5,6	8,3	19,7	40,4	36,8	64,4	56,7	59,6	30,3	67,8	46,8	0,0	26,6
Tervisekäitumine - Health behaviour																
	Tervist hoidev - Health protective	7,7	6,6	38,5	27,7	43,9	86,2	91,5	100,0	94,1	100,0	100,0	96,3	72,9	46,8	78,1
	Tervist kahjustav - Health harming	4,9	4,9	12,1	27,5	66,7	71,5	84,5	83,9	93,3	95,9	100,0	100,0	94,2	48,1	78,1
Kontrollikese - Locus of control																
	Seesmine - Internal	10,0	7,1	18,7	38,6	51,6	82,2	90,4	94,6	96,9	97,9	95,3	94,7	77,3	25,3	75,7
	Väline - External	0,0	2,4	0,0	6,0	5,2	42,1	34,3	13,9	44,6	0,0	57,7	100,0	36,9	0,0	23,3
Enesehinnanguline tervis - Self-estimated health																
	Väga hea või hea - Very good or good	13,3	13,4	22,0	27,8	41,7	85,2	89,9	98,1	95,3	98,9	95,6	93,7	77,9	20,4	75,6
	Väga halb või halb - Very bad or bad	0,0	1,9	1,6	5,9	10,6	34,6	32,5	34,3	48,2	0,0	53,5	61,2	48,2	0,0	20,0
Kehamassiindeks - Body Mass Index																
	Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	63,4	0,0	100,0	0,0	100,0	76,7	9,1	40,1
	Normkaal - Normal weight	1,5	4,5	12,4	19,5	33,1	69,1	76,9	80,0	86,1	93,8	89,6	92,0	78,3	20,7	61,5
	Ülekaal - Overweight	8,1	4,6	9,3	24,9	55,7	65,6	79,6	93,5	94,0	95,8	93,6	95,4	79,6	28,4	72,0
	Rasumine - Obesity	5,8	5,4	19,2	29,4	43,0	82,5	89,9	92,3	92,8	90,1	95,5	100,0	81,4	49,0	75,7
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku
		Vanus - Age														
		Total														

TABEL 111.B. Tavategevus (%) sünnipölvkonna järgi, naised
TABLE 111.B. Usual activity (%) by birth cohort, females

		Sünnipölvkond - Birth cohort														
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total
	Töötav - Employed	0,6	1,7	4,1	15,4	32,6	63,6	84,7	91,0	90,0	80,7	77,3	70,0	57,8	14,4	53,2
	Töötu / tööd otsiv - Unemployed	0,0	0,0	0,0	0,0	0,0	1,6	2,9	1,9	1,5	4,7	2,3	4,1	1,1	1,1	1,7
	(Üli)õpilane - Student	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,0	3,3	22,0	81,5	9,1
	Invaliiduspensionär - Disability pensioner	4,9	1,6	3,0	2,3	2,7	11,5	8,2	5,6	3,0	1,4	2,6	0,4	0,7	0,5	3,4
	Vanaduspensionär - Retired	94,5	96,7	92,9	82,1	64,7	21,0	1,4	0,3	0,0	0,0	0,0	0,0	0,0	0,0	26,1
	Kodune - At home	0,0	0,0	0,0	0,0	0,0	2,3	2,3	1,2	4,9	13,2	15,2	22,2	18,4	2,5	6,4
	Muu - Other	0,0	0,0	0,0	0,2	0,0	0,0	0,5	0,0	0,6	0,0	0,6	0,0	0,0	0,0	0,1
	Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
	Kokku - Total (N)	192	287	274	344	180	248	236	260	225	201	246	182	207	241	3323

TABEL 111.1.B. Majanduslikult aktiivsete osakaal rahvastikurühmades sünnipölvkonna järgi, naised
TABLE 111.1.B. Percent of economically active persons in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	1,5	2,2	3,5	21,5	44,6	72,6	90,2	94,8	90,1	79,2	75,8	75,2	63,2	26,7	58,2
Ida-Virumaa	0,0	1,9	3,0	8,2	18,1	50,5	73,9	83,3	90,2	65,4	61,2	63,6	42,4	9,9	42,9
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	1,1	3,5	14,7	27,0	63,7	82,6	90,2	89,7	79,6	82,9	74,5	54,4	10,0	51,8
Järva, Lääne-Viru, Rapla	0,0	3,3	0,0	8,2	16,7	56,4	86,2	90,5	86,6	95,4	79,8	55,6	68,4	0,0	52,0
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	12,1	12,0	47,6	58,3	84,6	89,5	94,3	89,3	83,7	60,6	49,0	4,2	51,8
Asulatüüp - Type of residence															
Linn - Urban	0,8	1,7	3,8	16,3	35,0	68,1	85,3	90,9	91,8	82,7	77,3	72,5	54,3	17,1	54,5
Maa - Rural	0,0	1,7	5,2	12,6	26,7	48,8	83,1	91,2	84,5	75,0	77,6	59,5	70,1	7,6	48,8
Rahvus - Ethnicity															
Eestlane - Estonian	0,9	1,9	4,8	18,9	37,1	69,1	88,9	92,3	92,0	81,9	82,9	73,3	63,0	11,1	55,2
Mitte-eestlane - Non-Estonian	0,0	1,2	2,6	10,1	18,9	54,5	78,9	89,2	85,7	77,7	66,3	63,4	50,2	21,2	49,4
Põlisus - Native-born population															
Põlisrahvastik - Native-born	0,9	1,5	5,2	18,4	35,3	67,0	87,4	92,2	90,8	81,8	81,5	72,7	63,8	12,6	54,6
Immigrantrahvastik - Not native-born	0,0	2,2	1,4	10,3	22,5	57,3	80,5	89,2	87,8	78,0	67,8	62,6	46,7	19,1	49,9
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	1,2	6,2	15,2	23,1	65,2	86,2	90,7	88,5	77,2	75,7	64,3	58,2	29,3	64,0
Ei ole kooselus - Not cohabiting	0,7	1,8	3,1	15,6	43,4	61,2	82,3	91,6	95,1	89,8	83,0	83,9	57,2	12,2	40,5
Haridus - Education															
Põhi või madalam - Lower secondary or less	1,0	1,3	0,0	6,5	21,4	32,0	72,7	47,5	89,9	74,8	64,0	50,9	54,6	5,2	16,4
Kesk - Upper secondary	0,0	1,5	4,8	13,1	29,3	57,8	87,3	87,7	87,8	79,5	75,8	64,4	47,6	29,7	54,5
Kõrg - University	0,0	2,9	8,6	28,9	45,6	79,3	84,9	96,5	91,8	82,5	81,0	77,4	72,1	40,7	72,1
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Mitteaktiivne - Non-active	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	0,0	0,0	0,0	8,9	27,4	53,7	71,4	88,9	69,6	60,2	47,5	36,7	5,5	26,8
Üle suhtelise vaesuse piiri - Above the risk of poverty	1,4	3,4	8,1	25,6	42,7	76,0	93,4	96,3	92,8	85,1	80,0	73,1	65,1	14,6	62,9
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	10,2	38,6	82,1	95,3	96,2	94,0	82,7	75,4	77,0	54,9	14,1	64,5
Tervisehäired - Less severe health disorders	0,0	6,0	4,2	17,2	43,4	76,0	91,7	97,8	88,1	86,1	84,8	66,6	63,8	14,7	65,3
Tõsisemad tervisehäired - Severe health disorders	4,1	4,1	5,8	18,9	31,2	62,5	86,5	85,2	91,8	72,0	73,1	40,3	29,8	20,1	46,3
Toimetuleku piirangud - Managing restrictions	0,0	0,0	3,2	11,4	10,8	32,0	56,1	64,5	79,0	50,4	48,3	43,9	70,5	10,9	20,4
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	1,5	5,7	11,8	35,3	71,3	95,9	93,5	89,4	83,1	82,8	75,7	66,9	14,9	61,1
Tervist kahjustav - Health harming	0,0	0,0	0,0	9,2	27,4	77,4	88,4	86,5	93,6	72,4	77,4	75,5	92,0	41,2	66,6
Kontrollikese - Locus of control															
Seesmine - Internal	0,0	3,2	7,4	17,4	36,9	75,4	92,6	95,6	93,2	88,2	79,9	71,6	59,7	10,8	62,7
Väline - External	0,0	0,0	2,3	11,2	20,7	32,5	76,0	67,4	67,6	31,7	64,1	73,6	58,1	0,0	24,3
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	7,1	4,9	7,2	25,7	43,2	83,5	91,0	97,2	91,5	88,5	75,9	72,8	55,3	14,7	64,8
Väga halb või halb - Very bad or bad	0,0	0,0	0,0	7,9	14,8	38,1	50,8	50,1	74,1	66,1	56,3	26,4	57,0	0,0	17,4
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	53,4	0,0	49,4	100,0	100,0	87,9	79,5	47,6	45,7	12,4	46,9
Normaal - Normal weight	1,4	2,1	1,7	20,0	33,0	69,2	84,9	92,7	89,8	79,1	80,3	71,9	58,2	14,1	57,9
Ülekaal - Overweight	0,0	1,6	3,5	14,4	30,3	75,5	82,3	87,5	87,2	79,9	70,4	73,8	66,5	18,7	49,7
Rasvumine - Obesity	0,0	1,5	6,7	13,6	34,5	50,4	88,2	92,2	92,4	88,2	66,4	63,5	76,2	17,2	47,9
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
Vanus - Age															

TABEL 112.A. Praegune amet* (%) sünnipölvkonna järgi, mehed
TABLE 112.A. Current occupation* (%) by birth cohort, males

	Sünnipölvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Juht - Manager (1)	15,9	34,5	36,2	13,3	20,1	13,0	14,8	27,7	26,6	22,4	24,8	22,3	9,5	2,1	19,7	
Tippspetsialist - Professional (2)	51,6	20,4	15,4	15,8	9,5	11,1	5,7	8,4	4,7	6,8	8,8	5,6	10,4	2,1	7,7	
Spetsialist - Associate professional (3)	0,0	7,6	2,7	9,4	6,5	7,8	9,0	8,7	8,2	9,0	11,4	14,5	11,1	4,2	9,7	
Ametnik - Clerk (4)	0,0	10,0	2,7	2,6	4,1	0,9	0,5	1,4	3,4	1,6	1,6	1,4	5,1	4,1	2,3	
Teenindaja, müüja - Service, sales worker (5)	0,0	0,0	1,9	2,3	1,7	1,5	4,9	2,8	3,3	3,2	4,5	5,8	7,2	8,1	4,3	
Põllumajandustöötaja - Agricultural worker (6)	0,0	0,0	2,7	4,2	0,0	2,1	3,4	3,2	3,4	3,3	1,0	1,5	0,6	6,1	2,4	
Oskustöoline - Skilled worker (7)	13,7	0,0	9,3	27,4	26,3	29,8	30,1	24,6	25,4	31,8	29,7	30,9	34,7	50,6	30,2	
Masinaoperaator - Machine operator (8)	0,0	7,6	12,0	8,9	17,9	24,2	27,7	18,4	19,9	18,6	15,2	10,9	17,0	6,3	17,6	
Lihttöoline - Unskilled worker (9)	18,8	19,9	17,1	14,8	13,9	9,6	3,9	3,7	3,9	2,6	1,5	6,4	3,3	16,4	5,3	
Relvajõud - Armed forces (10)	0,0	0,0	0,0	1,3	0,0	0,0	0,0	1,1	1,2	0,7	1,5	0,7	1,1	0,0	0,8	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	6	14	31	79	64	138	156	176	179	198	174	178	195	74	1662	
Vastamata - Missing (N)	0	0	0	0	1	0	0	1	4	1	0	3	0	1	11	
Ei töötä - Not working (N)	123	327	230	253	80	57	38	26	21	14	16	12	42	199	1438	
*Rahvusvahelise ametialade klassifikatsiooni (1988) põhijaotused - ISCO-88 major groups																
TABEL 112.1.A. Oskus- ja lihttööliste (6–9) protsent rahvastikurühmades sünnipölvkonna järgi, mehed																
TABLE 112.1.A. Percent of skilled and unskilled workers (6–9) in background categories by birth cohort, males																
Piirkond - Region																
Harjumaa	46,2	27,7	56,5	65,7	48,7	63,0	45,5	41,0	46,1	46,9	38,3	42,0	48,2	80,4	47,4	
Ida-Virumaa	0,0	0,0	55,2	42,8	62,1	89,2	63,4	59,8	60,2	61,3	57,4	69,9	63,9	90,8	64,8	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	0,0	37,7	51,3	64,0	69,7	76,6	62,1	49,5	62,1	57,5	55,2	55,3	74,3	60,5	
Järva, Lääne-Viru, Rapla	0,0	100,0	0,0	0,0	65,6	46,5	70,1	54,0	74,1	64,1	54,3	51,2	49,8	88,4	57,6	
Lääne, Saare, Hiiu, Pärnumaa	0,0	0,0	27,5	63,6	69,3	67,9	91,6	41,6	56,7	64,0	49,2	43,5	79,4	67,8	62,9	
Asulatüüp - Type of residence																
Linn - Urban	32,5	24,4	43,8	53,7	54,6	61,4	60,5	42,7	49,8	55,6	45,1	47,8	50,9	76,3	52,2	
Maa - Rural	0,0	42,1	35,8	70,8	72,9	78,2	79,5	69,8	58,7	58,2	54,3	58,4	76,2	92,3	66,1	
Rahvus - Ethnicity																
Eestlane - Estonian	21,0	18,5	37,4	37,2	57,8	64,6	65,1	48,1	52,9	52,3	35,7	39,0	47,8	75,3	50,2	
Mitte-eestlane - Non-Estonian	54,1	62,4	75,8	88,3	58,8	67,3	65,2	52,7	52,0	65,7	67,4	68,5	70,0	86,3	65,0	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	21,0	18,5	34,9	38,6	57,5	65,3	66,4	47,1	54,8	52,2	35,6	39,6	50,5	78,8	51,3	
Immigrantrahvastik - Not native-born	54,1	62,4	82,5	87,8	59,7	66,3	62,8	54,9	47,3	67,3	71,1	68,5	68,1	80,7	64,5	
Kooselu - Cohabiting																
Kooselus - Cohabiting	21,8	16,1	39,6	54,7	58,1	63,1	63,2	47,5	50,5	55,8	46,9	45,4	53,5	73,0	52,9	
Ei ole kooselus - Not cohabiting	100,0	66,5	44,8	59,6	57,4	84,5	78,1	65,2	64,6	59,0	49,0	57,8	57,1	79,8	62,6	
Haridus - Education																
Põhi või madalam - Lower secondary or less	0,0	100,0	100,0	84,9	73,4	95,0	88,1	100,0	67,2	79,8	81,6	59,3	83,9	88,2	82,5	
Kesk - Upper secondary	46,2	17,1	50,6	76,2	76,4	82,0	81,2	68,9	69,6	66,6	57,3	65,6	55,8	70,2	67,1	
Kõrg - University	26,7	13,4	14,8	30,6	23,5	39,6	30,8	26,4	16,2	28,0	22,2	21,6	43,7	100,0	27,9	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	32,5	27,5	41,0	55,3	58,1	65,5	65,1	49,9	52,6	56,4	47,2	49,5	57,7	83,6	55,6	
Mitteaktiivne - Non-active	0,0	0,0	0,0	0,0	0,0	100,0	0,0	0,0	0,0	0,0	100,0	100,0	25,8	66,6	52,8	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	0,0	0,0	100,0	70,7	85,8	90,0	78,3	63,8	57,1	63,3	33,3	53,8	100,0	71,5	
Üle suhtelise vaesuse piiri - Above the risk of poverty	40,0	29,8	41,2	55,7	58,4	63,1	61,5	47,2	53,2	57,0	46,4	49,0	58,3	79,8	54,8	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	65,5	56,1	29,6	61,5	65,9	43,1	47,6	57,3	53,0	51,3	63,2	78,8	55,9	
Tervisehäired - Less severe health disorders	0,0	20,5	47,7	49,4	56,6	59,9	62,6	51,7	53,7	51,2	32,6	45,3	42,4	74,2	52,4	
Tõsisemad tervisehäired - Severe health disorders	0,0	38,3	12,5	75,6	59,8	79,5	72,3	60,1	73,9	57,8	42,2	55,2	43,9	100,0	61,8	
Toimetuleku piirangud - Managing restrictions	70,3	24,4	62,9	47,2	84,1	81,5	69,2	49,8	57,6	64,3	73,9	28,7	26,9	0,0	61,3	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	0,0	0,0	46,3	15,2	30,0	51,8	53,4	44,8	42,9	36,1	22,8	0,0	12,9	46,8	29,0	
Tervist kahjustav - Health harming	0,0	63,1	33,8	41,6	64,8	62,8	73,6	49,5	54,8	74,7	42,7	16,7	54,7	69,9	53,7	
Kontrollkese - Locus of control																
Seesmine - Internal	48,1	26,7	44,6	50,0	42,4	54,4	57,8	44,2	42,0	52,0	44,7	49,1	52,8	76,1	50,1	
Väline - External	0,0	0,0	0,0	100,0	100,0	100,0	81,4	100,0	77,8	0,0	49,3	0,0	100,0	0,0	75,8	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	20,8	25,3	41,0	53,1	47,1	57,3	43,4	44,5	54,2	45,0	45,2	58,5	77,9	51,1	
Väga halb või halb - Very bad or bad	0,0	0,0	0,0	66,9	100,0	79,1	63,3	100,0	64,7	0,0	67,2	100,0	26,6	0,0	70,4	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	100,0	0,0	59,5	48,8	61,1	51,7	
Normkaal - Normal weight	100,0	28,1	65,6	66,6	69,4	71,5	70,4	66,3	58,1	56,1	52,6	44,0	57,4	83,7	59,6	
Ülekaal - Overweight	25,9	18,3	17,6	56,3	52,6	50,4	63,9	44,9	52,2	56,7	47,9	61,0	55,1	63,5	53,5	
Rasumine - Obesity	0,0	50,0	32,9	39,4	58,4	79,9	60,0	40,5	44,8	54,9	32,7	43,2	37,5	100,0	50,4	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															
	Total															

TABEL 112.B. Praegune amet* (%) sünnipõlvkonna järgi, naised
TABLE 112.B. Current occupation* (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Juht - Manager (1)	0,0	16,1	0,0	5,3	5,5	9,8	7,9	15,3	11,5	9,6	9,9	9,9	4,1	0,0	9,3	
Tippspetsialist - Professional (2)	0,0	0,0	16,8	24,0	23,3	25,8	15,1	19,3	22,7	17,8	17,9	20,2	16,2	0,0	18,8	
Spetsialist - Associate professional (3)	0,0	38,6	20,6	29,3	15,0	14,3	12,0	13,2	16,6	25,5	23,3	21,3	22,3	9,2	18,3	
Ametnik - Clerk (4)	0,0	0,0	0,0	1,3	10,5	3,4	10,9	10,2	9,1	6,9	6,9	7,4	11,6	21,4	8,8	
Teenindaja, müüja - Service, sales worker (5)	0,0	0,0	28,0	5,5	19,3	19,4	15,7	15,8	11,8	21,8	18,7	24,6	32,2	42,2	20,1	
Põllumajandustöötaja - Agricultural worker (6)	0,0	0,0	0,0	0,0	0,0	0,7	2,8	0,4	3,6	3,7	1,1	2,1	0,7	0,0	1,7	
Oskustööline - Skilled worker (7)	0,0	0,0	0,0	1,6	0,0	1,4	6,2	2,4	3,9	1,8	2,6	1,8	2,3	4,1	2,8	
Masinaoperaator - Machine operator (8)	100,0	0,0	0,0	2,4	2,4	6,9	15,1	11,2	13,6	7,7	13,8	6,6	4,1	7,4	9,6	
Lihttööline - Unskilled worker (9)	0,0	45,3	34,6	30,6	24,0	18,3	13,8	12,2	6,6	5,2	5,8	5,5	6,5	15,7	10,4	
Relvajõud - Armed forces (10)	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0	0,6	0,0	0,0	0,6	0,0	0,0	0,2	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	1	5	11	50	59	156	194	231	204	169	207	149	142	46	1624	
Vastamata - Missing (N)	0	0	0	2	0	0	3	1	4	2	1	0	1	0	14	
Ei tööta - Not working (N)	191	282	263	292	121	92	39	28	17	30	38	33	64	195	1685	
*Rahvusvahelise ametialade klassifikatsiooni (1988) põhijaotused - ISCO-88 major groups																

*Rahvusvahelise ametialade klassifikatsiooni (1988) põhijaotused - ISCO-88 major groups

TABEL 112.1.B. Oskus- ja lihttööliste (6–9) protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 112.1.B. Percent of skilled and unskilled workers (6–9) in background categories by birth cohort, females

Piirkond - Region																
Harjumaa	100,0	50,0	33,1	38,2	33,2	24,0	40,3	24,2	15,4	10,0	19,1	12,5	10,6	18,8	20,7	
Ida-Virumaa	0,0	0,0	0,0	40,0	0,0	42,8	39,7	26,7	47,1	17,7	31,0	26,0	26,2	42,9	31,8	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	0,0	35,3	33,0	31,3	19,9	29,2	28,5	20,9	29,5	21,7	12,6	7,8	39,4	22,6	
Järva, Lääne-Viru, Rapla	0,0	100,0	0,0	0,0	31,7	25,8	40,3	36,8	42,2	19,9	22,9	18,9	39,4	0,0	31,0	
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	45,6	29,1	12,3	40,7	38,8	18,3	39,0	16,1	34,3	27,7	10,6	59,0	29,7	
Asulatüüp - Type of residence																
Linn - Urban	100,0	29,6	38,3	32,1	27,3	27,8	37,9	27,3	25,1	14,9	20,9	16,3	14,5	22,8	23,7	
Maa - Rural	0,0	100,0	25,1	44,4	23,1	25,1	37,7	22,5	36,5	28,3	34,4	14,5	10,8	49,7	27,4	
Rahvus - Ethnicity																
Eestlane - Estonian	100,0	28,9	43,9	28,2	23,9	20,9	29,4	19,9	22,6	16,8	20,0	9,6	7,8	30,3	19,4	
Mitte-eestlane - Non-Estonian	0,0	100,0	0,0	53,3	41,1	41,0	51,8	35,4	39,8	23,3	31,6	31,4	23,7	23,8	35,3	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	100,0	36,2	38,8	27,6	23,9	21,2	30,2	20,3	21,5	16,8	20,0	10,9	7,3	30,0	19,5	
Immigrantrahvastik - Not native-born	0,0	59,8	0,0	56,9	41,1	40,8	51,6	35,8	45,2	23,0	32,3	32,2	27,1	22,7	36,6	
Kooselu - Cohabiting																
Kooselus - Cohabiting	0,0	0,0	42,7	33,9	22,1	25,2	36,8	28,3	29,2	17,5	23,6	17,6	10,5	19,4	24,3	
Ei ole kooselus - Not cohabiting	100,0	53,5	27,2	34,9	28,9	30,9	39,9	21,9	23,0	20,5	22,6	12,3	17,4	29,6	25,0	
Haridus - Education																
Põhi või madalam - Lower secondary or less	100,0	58,0	0,0	64,5	85,3	74,2	49,6	100,0	83,9	57,0	55,7	53,7	60,1	56,0	62,3	
Kesk - Upper secondary	0,0	0,0	46,8	55,6	25,5	36,6	49,6	32,7	42,6	23,4	35,3	25,6	15,4	21,1	32,6	
Kõrg - University	0,0	59,8	21,6	13,4	9,0	14,0	22,2	18,8	13,5	10,2	6,8	5,3	3,1	0,0	12,0	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	100,0	45,3	34,6	34,5	26,3	27,4	37,6	26,2	27,2	18,9	25,1	14,4	13,4	33,8	25,0	
Mitteaktiivne - Non-active	0,0	0,0	0,0	0,0	0,0	0,0	100,0	0,0	44,3	9,3	7,2	25,4	14,1	13,2	17,4	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	0,0	0,0	0,0	11,5	30,9	53,4	33,4	44,8	31,4	48,8	50,1	24,0	61,8	39,5	
Üle suhtelise vaesuse piiri - Above the risk of poverty	100,0	45,3	34,6	33,4	27,5	28,5	38,3	25,2	25,3	15,8	20,0	12,7	12,9	19,7	22,9	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	51,0	21,9	36,7	29,0	22,1	17,7	23,4	15,8	16,3	30,4	21,1	
Tervisehäired - Less severe health disorders	0,0	59,8	29,3	39,6	26,2	26,7	31,8	25,8	24,5	21,1	21,7	12,0	6,0	22,3	23,6	
Tõsisemad tervisehäired - Severe health disorders	100,0	36,2	45,1	40,8	15,1	18,2	43,1	25,9	47,9	19,5	36,1	34,0	0,0	21,1	31,5	
Toimetuleku piirangud - Managing restrictions	0,0	0,0	27,3	23,0	52,9	55,9	54,8	22,8	38,7	0,0	0,0	0,0	22,7	0,0	34,4	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	0,0	0,0	73,3	32,7	9,6	17,6	22,6	14,7	17,8	11,9	9,9	11,5	3,4	0,0	13,6	
Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	29,3	24,2	27,1	24,7	11,8	15,2	9,4	26,9	0,0	21,0	
Kontrollkese - Locus of control																
Seesmine - Internal	0,0	58,7	27,3	25,4	9,3	17,6	24,1	15,1	18,4	12,7	16,6	11,2	11,1	20,0	15,8	
Väline - External	0,0	0,0	100,0	70,1	63,0	37,7	66,6	38,6	46,5	0,0	83,9	26,4	0,0	58,1	48,2	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	100,0	100,0	39,4	7,7	13,5	18,4	27,0	17,7	22,4	13,7	16,1	11,4	13,1	28,2	17,1	
Väga halb või halb - Very bad or bad	0,0	0,0	0,0	33,2	15,0	40,2	57,4	38,6	40,6	47,5	45,8	0,0	43,0	0,0	42,4	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	21,5	0,0	20,9	43,7	19,8	0,0	19,0	
Normkaal - Normal weight	100,0	58,7	100,0	33,6	0,0	24,3	31,4	19,3	21,9	18,4	21,9	14,3	8,6	26,8	19,4	
Ülekaal - Overweight	0,0	0,0	70,7	36,6	39,2	19,0	37,0	31,2	34,8	13,0	22,4	15,1	18,6	41,4	27,2	
Rasumine - Obesity	0,0	100,0	0,0	33,0	37,1	40,2	48,2	35,0	39,1	38,9	37,9	8,3	53,8	100,0	39,0	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total	

TABEL 113.A. Töönädala pikkus (%) sünnipõlvkonna järgi, mehed
TABLE 113.A. Duration of working week (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
Vähem kui 40 tundi - Less than 40 hours	67,5	52,5	37,2	27,0	6,7	9,2	6,3	5,4	5,5	6,8	3,9	4,1	8,1	19,1	7,4
40 tundi - 40 hours	18,8	39,9	45,9	56,9	62,3	66,0	60,9	54,6	50,0	57,6	55,4	54,7	62,1	55,5	57,2
Üle 40 tunni - More than 40 hours	13,7	7,6	16,9	16,1	31,0	24,8	32,8	40,0	44,5	35,6	40,7	41,2	29,8	25,4	35,4
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	6	14	30	79	65	138	154	174	180	196	172	181	195	75	1659
Vastamata - Missing (N)	0	0	1	0	0	0	2	3	3	3	2	0	0	0	14
Ei tööta - Not working (N)	123	327	230	253	80	57	38	26	21	14	16	12	42	199	1438
TABEL 113.1.A. Isikute protsent, kelle töönädala pikkus on üle 40 tunni, rahvastikurühmades sünnipõlvkonna järgi, mehed TABLE 113.1.A. Percent of persons whose working week is longer than 40 hours in background categories by birth cohort, males															
Piirkond - Region															
Harjumaa	0,0	10,4	10,4	21,9	43,2	25,1	30,5	35,8	44,2	31,6	48,1	39,8	24,8	24,1	35,2
Ida-Virumaa	0,0	0,0	0,0	14,3	0,0	19,5	30,3	49,5	52,7	45,4	20,4	45,5	44,6	28,8	37,5
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	100,0	0,0	30,3	11,2	17,5	25,6	35,2	28,7	26,8	33,6	36,3	35,0	27,7	20,0	29,9
Järva, Lääne-Viru, Rapla	0,0	0,0	37,0	0,0	54,5	25,0	33,4	59,2	59,8	38,2	50,5	63,4	27,3	31,0	43,4
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	0,0	13,1	19,4	26,9	36,0	49,8	59,9	42,2	37,7	33,0	34,3	35,9	39,2
Asulatüüp - Type of residence															
Linn - Urban	13,7	9,2	22,1	13,4	35,9	26,3	31,3	38,2	47,6	35,7	39,7	42,1	29,5	23,8	35,4
Maa - Rural	0,0	0,0	7,8	43,5	9,1	20,2	37,3	44,8	37,1	35,4	43,8	37,0	31,1	32,0	35,5
Rahvus - Ethnicity															
Eestlane - Estonian	21,0	9,5	14,6	16,8	31,8	24,1	31,3	43,6	45,0	36,8	42,8	45,0	31,8	27,6	37,0
Mitte-eestlane - Non-Estonian	0,0	0,0	38,1	15,0	29,1	25,7	34,8	34,5	43,4	32,7	37,0	34,5	26,0	21,6	32,6
Põlisus - Native-born population															
Põlisrahvastik - Native-born	21,0	9,5	15,2	16,4	30,8	24,4	32,3	40,8	45,6	36,5	44,3	46,0	32,0	25,5	36,9
Immigrantrahvastik - Not native-born	0,0	0,0	27,6	15,7	31,6	25,5	33,5	38,5	41,9	33,3	33,3	32,1	24,4	25,0	32,2
Kooselu - Cohabiting															
Kooselus - Cohabiting	15,9	9,8	13,6	18,6	30,7	25,6	32,0	39,9	45,2	37,8	39,5	43,8	32,2	48,6	36,8
Ei ole kooselus - Not cohabiting	0,0	0,0	25,4	0,0	33,4	18,6	37,8	40,5	40,1	25,8	44,9	36,2	28,1	23,5	31,6
Haridus - Education															
Põhi või madalam - Lower secondary or less	0,0	0,0	0,0	10,0	26,6	30,5	27,6	38,4	68,5	16,6	18,8	46,2	35,0	20,5	31,4
Kesk - Upper secondary	0,0	0,0	0,0	18,0	42,8	22,3	32,3	45,5	45,0	36,2	39,0	36,0	28,5	28,8	35,7
Kõrg - University	19,5	13,9	38,5	15,7	10,7	26,0	35,3	34,7	39,7	36,4	47,9	47,8	30,6	42,6	36,1
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	13,7	7,6	16,9	16,2	31,0	24,9	32,8	40,0	44,5	35,6	40,5	40,9	31,3	29,9	35,9
Mitteaktiivne - Non-active	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	100,0	100,0	7,4	12,4	15,1
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	100,0	0,0	50,0	0,0	18,3	28,6	35,5	38,5	53,1	54,1	66,7	14,3	0,0	34,1
Üle suhtelise vaesuse piiri - Above the risk of poverty	16,9	0,0	17,9	14,6	33,2	25,8	35,2	39,8	45,7	34,0	39,1	40,8	29,5	29,8	35,6
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	34,5	41,6	15,3	3,3	34,8	31,4	42,4	30,5	36,1	38,0	26,8	25,7	32,9
Tervisehäired - Less severe health disorders	0,0	0,0	13,4	15,5	34,3	33,5	31,4	40,1	47,5	44,6	46,8	43,8	36,8	27,2	37,8
Tõsisemad tervisehäired - Severe health disorders	0,0	23,0	28,6	14,7	22,5	12,1	30,5	57,7	32,6	47,2	48,9	54,3	36,4	17,7	35,6
Toimetuleku piirangud - Managing restrictions	29,7	0,0	0,0	0,0	48,9	15,8	45,3	49,4	54,7	58,9	73,9	70,3	0,0	0,0	42,5
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	0,0	24,7	0,0	29,6	44,4	23,5	48,1	37,3	23,2	60,1	35,2	29,6	0,0	36,4
Tervist kahjustav - Health harming	100,0	0,0	0,0	22,0	44,2	28,2	36,0	42,6	54,0	65,4	38,2	49,8	22,5	0,0	41,3
Kontrollkese - Locus of control															
Seesmine - Internal	0,0	0,0	11,1	12,0	25,4	24,0	39,7	41,3	48,5	38,0	43,0	42,8	30,5	16,5	36,9
Väline - External	0,0	100,0	0,0	0,0	0,0	14,0	25,6	0,0	22,2	0,0	53,7	0,0	0,0	0,0	28,8
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	42,2	21,5	0,0	19,4	23,3	29,1	35,6	36,2	47,0	34,0	35,0	40,7	26,2	24,1	34,6
Väga halb või halb - Very bad or bad	0,0	0,0	0,0	0,0	100,0	23,8	51,6	65,1	18,7	0,0	55,6	0,0	27,7	0,0	36,6
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	100,0	0,0	0,0	0,0	66,7	30,8	61,1	51,7
Normaal - Normal weight	0,0	16,9	9,7	22,5	28,5	28,7	40,5	32,8	40,1	38,8	33,9	34,7	26,6	22,6	32,3
Ülekaal - Overweight	0,0	0,0	10,1	12,8	25,3	24,5	27,3	37,9	51,4	37,1	40,6	48,1	39,4	32,9	37,5
Rasvumine - Obesity	100,0	0,0	34,3	15,0	44,9	20,0	31,2	52,6	36,9	24,7	58,0	46,1	26,0	0,0	37,6
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 113.B. Töönädala pikkus (%) sünnipölvkonna järgi, naised
TABLE 113.B. Duration of working week (%) by birth cohort, females

	Sünnipölvkond - Birth cohort															
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
Vähem kui 40 tundi - Less than 40 hours	0,0	31,8	47,5	58,4	37,7	17,8	13,7	13,4	12,5	12,2	18,0	24,7	24,3	40,2	19,2	
40 tundi - 40 hours	100,0	68,2	42,0	34,8	55,8	58,1	70,4	67,1	65,1	66,0	63,8	60,3	57,8	49,7	62,6	
Üle 40 tunni - More than 40 hours	0,0	0,0	10,5	6,8	6,5	24,1	15,9	19,5	22,4	21,8	18,2	15,0	17,9	10,1	18,2	
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	
Kokku - Total (N)	1	5	11	51	57	154	196	230	208	169	207	146	141	46	1622	
Vastamata - Missing (N)	0	0	0	1	2	2	1	2	0	2	1	3	2	0	16	
Ei tööta - Not working (N)	191	282	263	292	121	92	39	28	17	30	38	33	64	195	1685	
TABEL 113.1.B. Isikute protsent, kelle töönädala pikkus on üle 40 tunni, rahvastikurühmades sünnipölvkonna järgi, naised																
TABLE 113.1.B. Percent of persons whose working week is longer than 40 hours in background categories by birth cohort, females																
Piirkond - Region																
Harjumaa	0,0	0,0	33,1	8,1	6,0	19,8	13,2	16,0	21,5	13,7	17,1	11,1	17,4	7,3	15,2	
Ida-Virumaa	0,0	0,0	0,0	0,0	0,0	34,7	18,0	30,6	3,8	11,8	19,0	19,5	10,5	28,6	18,5	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	0,0	0,0	0,0	10,1	9,3	16,5	21,1	33,0	29,8	16,9	20,1	24,2	18,9	21,2	
Järva, Lääne-Viru, Rapla	0,0	0,0	0,0	50,0	0,0	63,4	17,4	12,7	21,8	24,0	20,9	14,8	20,7	0,0	22,2	
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	0,0	0,0	7,9	25,4	19,2	22,7	20,7	32,2	20,4	15,3	7,6	0,0	19,4	
Asulatüüp - Type of residence																
Linn - Urban	0,0	0,0	14,4	8,4	5,4	24,5	14,0	20,5	22,9	25,3	17,4	16,8	18,5	8,9	18,7	
Maa - Rural	0,0	0,0	0,0	0,0	9,9	22,1	21,6	16,3	20,8	12,0	22,0	6,9	16,3	16,5	16,5	
Rahvus - Ethnicity																
Eestlane - Estonian	0,0	0,0	0,0	9,3	6,2	20,4	20,4	20,8	22,6	22,2	19,2	16,2	18,2	5,3	18,7	
Mitte-eestlane - Non-Estonian	0,0	0,0	49,5	0,0	8,7	31,8	8,7	17,7	22,2	20,9	15,7	11,8	17,4	15,2	17,1	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	0,0	0,0	11,7	9,1	6,2	20,1	18,9	21,0	23,8	21,2	19,9	15,9	20,6	8,9	19,0	
Immigrantrahvastik - Not native-born	0,0	0,0	0,0	0,0	8,7	32,8	10,6	17,3	18,8	23,7	13,6	11,9	12,0	12,0	16,4	
Kooselu - Cohabiting																
Kooselus - Cohabiting	0,0	0,0	0,0	11,4	13,4	22,4	14,8	18,2	23,0	18,5	14,8	15,3	20,8	0,0	17,9	
Ei ole kooselus - Not cohabiting	0,0	0,0	20,3	3,8	2,1	26,8	18,0	22,2	20,9	29,3	29,1	14,3	14,2	13,4	18,9	
Haridus - Education																
Põhi või madalam - Lower secondary or less	0,0	0,0	0,0	0,0	0,0	10,0	0,0	19,1	0,0	10,8	17,4	7,6	9,1	7,8	6,8	
Kesk - Upper secondary	0,0	0,0	0,0	6,7	6,6	23,4	16,6	22,5	25,0	25,7	14,9	11,9	15,7	10,8	18,4	
Kõrg - University	0,0	0,0	21,6	8,8	8,5	26,2	18,1	17,1	21,5	19,3	22,0	17,7	21,9	0,0	19,5	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	0,0	0,0	10,5	6,8	6,5	24,1	16,0	19,5	22,8	21,9	17,8	15,6	18,8	15,0	18,6	
Mitteaktiivne - Non-active	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	12,1	20,3	21,9	10,7	14,0	0,0	12,7	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	0,0	0,0	0,0	0,0	34,6	8,4	24,3	17,4	24,0	16,1	16,2	0,0	0,0	16,8	
Üle suhtelise vaesuse piiri - Above the risk of poverty	0,0	0,0	10,5	4,7	7,1	21,2	16,7	19,5	23,6	21,6	18,1	15,5	20,4	15,3	18,4	
Tervise seisund - Health status																
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	24,2	9,2	10,5	23,0	20,8	20,8	11,2	13,7	11,2	16,4	
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	0,0	2,7	29,7	20,3	19,6	22,9	16,8	13,5	24,0	21,8	10,8	19,6	
Tõsisemad tervisehäired - Severe health disorders	0,0	0,0	0,0	11,6	12,1	13,4	10,4	35,4	14,9	45,6	10,9	20,1	100,0	0,0	19,6	
Toimetuleku piirangud - Managing restrictions	0,0	0,0	28,2	8,6	18,4	18,8	14,7	9,9	29,4	0,0	46,2	0,0	26,5	0,0	17,5	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	0,0	0,0	0,0	13,3	14,4	15,3	20,5	12,1	24,8	25,2	15,9	12,5	12,7	0,0	17,1	
Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	6,0	8,6	23,5	8,3	11,8	23,1	13,7	16,1	0,0	14,4	
Kontrollkese - Locus of control																
Seesmine - Internal	0,0	0,0	27,3	6,2	3,9	26,0	19,6	18,7	19,4	24,0	22,6	12,5	15,4	7,8	18,5	
Väline - External	0,0	0,0	0,0	0,0	0,0	12,6	0,0	37,4	0,0	0,0	39,9	26,4	0,0	0,0	13,2	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	0,0	0,0	0,0	10,5	12,6	28,1	25,4	16,2	23,8	22,7	20,4	14,2	17,3	10,6	19,5	
Väga halb või halb - Very bad or bad	0,0	0,0	0,0	16,6	15,0	6,5	12,7	20,1	5,7	26,2	54,2	0,0	100,0	0,0	15,6	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	100,0	0,0	28,1	27,9	32,8	0,0	20,0	0,0	19,3	
Normkaal - Normal weight	0,0	0,0	0,0	6,6	8,7	14,3	18,3	20,0	18,1	22,8	16,1	17,2	19,0	13,6	17,9	
Ülekaal - Overweight	0,0	0,0	0,0	6,6	3,7	35,9	16,3	10,4	32,1	18,9	18,9	8,7	10,0	0,0	18,3	
Rasvumine - Obesity	0,0	0,0	18,9	7,5	8,1	19,0	10,9	31,9	21,4	20,6	22,0	27,5	16,5	0,0	19,2	
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
	Vanus - Age															
	Total															

[illegible]

TABEL 114.B. Haiguse tõttu töölt puudumine viimasel neljal nädalal (%) sünnipõlvkonna järgi, naised
TABLE 114.B. Absence from work due to illness during the last four weeks (%) by birth cohort, females

	Sünnipõlvkond - Birth cohort														
	1921 1925	1926 1930	1931 1935	1936 1940	1941 1945	1946 1950	1951 1955	1956 1960	1961 1965	1966 1970	1971 1975	1976 1980	1981 1985	1986 1990	Kokku Total
On puudunud - Has been absent	0,0	0,0	0,0	7,5	4,2	9,6	10,9	8,5	11,6	13,4	13,1	17,9	9,5	18,4	11,6
Pole puudunud - Hasn't been absent	100,0	100,0	100,0	92,5	95,8	90,4	89,1	91,5	88,4	86,6	86,9	82,1	90,5	81,6	88,4
Kokku - Total (%)	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Kokku - Total (N)	1	5	11	52	59	156	197	232	208	171	208	149	143	46	1638
Vastamata - Missing (N)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ei tööta - Not working (N)	191	282	263	292	121	92	39	28	17	30	38	33	64	195	1685

TABEL 114.1.B. Haiguse tõttu viimasel neljal nädalal töölt puudunute protsent rahvastikurühmades sünnipõlvkonna järgi, naised
TABLE 114.1.B. Percent of persons who have been absent from work due to illness during last four weeks in background categories by birth cohort, females

Piirkond - Region															
Harjumaa	0,0	0,0	0,0	8,1	5,6	7,5	11,0	10,5	8,2	11,6	16,8	12,9	10,9	16,9	11,2
Ida-Virumaa	0,0	0,0	0,0	0,0	0,0	8,1	7,3	8,9	16,9	23,5	13,8	27,5	21,0	14,3	14,2
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	0,0	0,0	0,0	6,9	7,5	12,5	19,5	3,9	10,3	9,0	8,6	23,5	5,8	44,0	11,6
Järva, Lääne-Viru, Rapla	0,0	0,0	0,0	0,0	0,0	6,9	0,0	11,2	13,0	18,6	8,4	15,1	5,9	0,0	9,9
Lääne, Saare, Hiiumaa, Pärnumaa	0,0	0,0	0,0	14,6	0,0	14,6	10,6	8,5	17,0	18,3	14,7	17,9	0,0	0,0	12,1
Asulatüüp - Type of residence															
Linn - Urban	0,0	0,0	0,0	9,2	0,0	9,9	11,0	9,6	10,3	15,8	13,3	17,3	12,1	19,4	12,0
Maa - Rural	0,0	0,0	0,0	0,0	17,8	8,4	10,5	4,9	16,1	6,6	12,4	20,6	2,1	13,2	9,9
Rahvus - Ethnicity															
Eestlane - Estonian	0,0	0,0	0,0	10,1	4,9	10,5	13,7	5,6	8,2	10,6	12,8	16,0	6,5	18,5	10,4
Mitte-eestlane - Non-Estonian	0,0	0,0	0,0	0,0	0,0	7,7	6,2	12,7	19,5	21,7	13,8	22,4	14,7	18,3	14,0
Põlisus - Native-born population															
Põlisrahvastik - Native-born	0,0	0,0	0,0	9,9	4,9	10,4	12,2	5,4	8,7	9,9	12,5	16,0	7,1	15,6	10,1
Immigrantrahvastik - Not native-born	0,0	0,0	0,0	0,0	0,0	7,9	8,6	13,5	19,7	23,6	14,7	24,0	14,6	22,6	15,0
Kooselu - Cohabiting															
Kooselus - Cohabiting	0,0	0,0	0,0	9,4	6,3	10,7	9,8	8,0	12,5	11,6	14,4	22,4	9,2	14,9	12,2
Ei ole kooselus - Not cohabiting	0,0	0,0	0,0	6,1	3,0	7,8	12,9	9,5	8,9	17,6	8,8	7,6	9,8	19,5	10,3
Haridus - Education															
Põhi või madalam - Lower secondary or less	0,0	0,0	0,0	0,0	14,4	24,3	3,7	0,0	14,0	11,3	7,8	22,4	0,0	30,7	11,5
Kesk - Upper secondary	0,0	0,0	0,0	11,7	0,0	12,8	13,6	9,8	13,1	17,6	18,1	24,5	12,8	15,9	14,4
Kõrg - University	0,0	0,0	0,0	6,8	5,6	5,1	9,3	7,7	10,3	9,7	8,2	13,2	7,7	0,0	8,9
Majanduslik aktiivsus - Economical activity															
Aktiivne - Active	0,0	0,0	0,0	7,5	4,2	9,6	10,9	8,5	11,3	13,1	10,5	10,6	7,9	27,2	10,4
Mitteaktiivne - Non-active	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	18,6	37,6	61,1	16,3	0,0	28,2
Sissetulek - Income															
Allpool suhtelise vaesuse piiri - Below the risk of poverty	0,0	0,0	0,0	0,0	0,0	12,8	8,6	11,4	13,8	26,4	18,8	22,3	4,5	23,0	14,6
Üle suhtelise vaesuse piiri - Above the risk of poverty	0,0	0,0	0,0	7,7	4,6	9,5	10,7	7,4	11,6	11,2	12,7	18,1	9,5	12,6	10,9
Tervise seisund - Health status															
Terve - No health disorders	0,0	0,0	0,0	0,0	0,0	0,0	0,0	5,8	4,0	10,7	15,6	12,3	10,9	17,6	10,4
Tervisehäired - Less severe health disorders	0,0	0,0	0,0	4,7	3,3	7,3	8,0	5,3	15,4	9,1	4,2	23,2	4,1	21,1	8,7
Tõsisemad tervisehäired - Severe health disorders	0,0	0,0	0,0	3,5	7,8	16,9	13,5	15,8	18,4	34,9	27,1	45,1	59,1	21,1	18,7
Toimetuleku piirangud - Managing restrictions	0,0	0,0	0,0	17,2	0,0	12,1	29,0	20,5	20,2	15,1	40,5	35,4	12,1	0,0	19,1
Tervisekäitumine - Health behaviour															
Tervist hoidev - Health protective	0,0	0,0	0,0	16,2	8,8	5,4	13,6	13,8	7,8	12,1	11,3	14,0	13,5	0,0	11,5
Tervist kahjustav - Health harming	0,0	0,0	0,0	0,0	0,0	5,9	1,9	13,1	15,5	12,3	23,2	10,1	16,1	0,0	12,1
Kontrollikese - Locus of control															
Seesmine - Internal	0,0	0,0	0,0	4,2	0,0	5,7	11,4	10,4	9,5	14,9	9,0	13,8	5,8	11,9	9,8
Väline - External	0,0	0,0	0,0	0,0	0,0	25,1	12,2	0,0	35,5	0,0	73,1	0,0	0,0	0,0	16,0
Enesehinnanguline tervis - Self-estimated health															
Väga hea või hea - Very good or good	0,0	0,0	0,0	6,9	7,3	2,1	7,2	5,8	8,3	9,0	12,5	11,6	8,7	14,9	9,1
Väga halb või halb - Very bad or bad	0,0	0,0	0,0	9,9	0,0	28,1	16,8	47,4	13,4	26,2	0,0	0,0	0,0	0,0	20,4
Kehamassiindeks - Body Mass Index															
Alakaal - Underweight	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	13,6	10,8	19,3	25,1	9,2	21,3	14,7
Normkaal - Normal weight	0,0	0,0	0,0	4,3	8,2	4,1	11,3	5,1	11,0	10,8	11,9	18,5	5,9	21,7	10,8
Ülekaal - Overweight	0,0	0,0	0,0	3,9	0,0	12,4	7,2	12,5	14,1	17,0	16,8	15,1	28,8	0,0	12,5
Rasvumine - Obesity	0,0	0,0	0,0	15,4	5,2	11,3	14,3	10,5	9,3	19,2	11,1	14,2	16,5	0,0	11,9
	80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku Total
	Vanus - Age														

TABEL 115.A. Rahulolu elu erinevate külgedega (%) sünnipõlvkonna järgi, mehed
TABLE 115.A. Being satisfied with different aspects of life (%) by birth cohort, males

	Sünnipõlvkond - Birth cohort															Kokku Total
	1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986		
	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990		
Tööga - With work	92,8	96,2	100,0	94,5	96,8	86,6	85,7	90,0	91,3	92,4	89,6	91,2	88,6	87,2	90,1	
Karjääriga, elus edasijõudmisega - With career, advancement in life	91,0	92,0	96,2	88,3	85,0	77,9	72,0	75,6	77,4	82,3	76,0	79,9	81,0	81,7	79,7	
Pereeluga - With family life	93,2	95,7	95,1	94,6	89,6	91,6	91,1	92,0	90,8	89,2	89,2	86,7	85,3	94,0	90,6	
Majandusliku olukorraga - With economical situation	84,7	76,3	76,1	72,7	73,4	63,1	62,4	64,6	61,7	71,1	71,5	71,5	70,0	72,8	69,3	
Vaba aja veetmisega - With leisure time activities	80,8	77,8	84,8	82,1	81,1	75,7	75,7	72,5	74,0	73,7	71,7	79,6	81,6	89,1	78,3	
Eluga üldse - With life in general	88,9	87,8	87,7	86,4	91,3	85,9	85,7	90,7	87,8	93,0	89,3	95,8	93,3	94,1	90,4	
Lähisugulastega üldse - With close relatives in general	96,0	97,1	98,1	96,4	95,9	93,3	95,6	94,3	92,4	95,3	93,5	91,6	95,7	96,1	94,7	
Füüsilise vormi ja kehalise võimekusega - With physical shape and physical abilities	52,3	56,5	62,3	64,1	65,5	65,5	70,2	72,9	71,4	76,2	74,6	80,4	84,3	88,7	73,9	
Emotsionaalsete suhetega abikaasa/partneriga - Emotional relations with spouse/partner	0,4	2,9	2,5	2,9	1,4	5,3	1,8	3,0	3,4	2,3	3,3	1,0	0,7	0,7	2,2	
Seksuaalsuhetega abikaasa/partneriga - Sexual relations with spouse/partner	87,4	91,9	87,4	90,7	90	86,4	88	93,2	91	92,7	92,1	94,9	92	91,9	91,2	
Pole millegagi rahul - Not satisfied at all	0,4	2,9	2,5	2,9	1,4	5,3	1,8	3,0	3,4	2,3	3,3	1,0	0,7	0,7	2,2	
Kokku - Total (N)	114	300	227	286	133	169	166	184	180	199	167	183	221	257	2786	
Vastamata - Missing (N)	15	41	34	46	12	26	28	19	24	14	23	10	16	17	325	

TABEL 115.1.A. Eluga üldse rahulolevate isikute protsent rahvastikurühmades sünnipõlvkonna järgi, mehed
TABLE 115.1.A. Percent of persons who are satisfied with life in general in background categories by birth cohort, males

Piiirkond - Region																
Harjumaa	89,0	84,4	90,2	81,8	88,4	80,0	86,5	93,3	87,1	92,4	91,6	97,3	92,8	94,8	90,4	
Ida-Virumaa	71,8	92,2	85,0	88,8	100,0	94,0	87,3	86,0	97,1	90,8	80,5	91,4	91,6	91,5	89,8	
Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	91,1	88,8	87,2	85,9	91,9	95,8	81,7	90,6	86,6	96,8	87,2	94,5	94,1	93,0	90,8	
Järva, Lääne-Viru, Rapla	100,0	95,2	80,8	95,6	93,1	79,0	84,9	93,5	82,2	95,7	100,0	100,0	94,3	91,2	91,0	
Lääne, Saare, Hiiumaa, Pärnumaa	89,5	87,3	90,5	91,5	91,1	82,9	89,8	86,0	86,7	85,4	89,0	92,4	94,6	98,1	90,1	
Asulatüüp - Type of residence																
Linn - Urban	87,8	86,8	86,3	85,7	92,1	85,9	86,4	91,3	86,0	92,7	86,5	95,3	92,2	92,7	89,8	
Maa - Rural	91,4	91,8	91,0	89,0	89,3	85,7	83,9	89,2	91,4	93,7	97,9	97,7	97,7	97,8	92,3	
Rahvus - Ethnicity																
Eestlane - Estonian	90,3	89,9	87,5	91,0	90,8	86,1	86,2	89,5	89,9	94,3	91,9	97,9	94,1	93,3	91,5	
Mitte-eestlane - Non-Estonian	84,6	83,4	88,2	78,9	92,5	85,6	85,1	92,7	83,2	90,2	84,8	92,0	91,8	96,2	88,5	
Põlisus - Native-born population																
Põlisrahvastik - Native-born	90,6	89,9	88,0	90,6	91,3	87,0	85,5	89,5	90,3	93,9	90,4	96,4	93,5	93,9	91,3	
Immigrantrahvastik - Not native-born	83,2	83,4	87,0	79,0	91,5	84,2	86,2	92,9	81,5	90,8	87,1	94,5	92,7	94,8	88,5	
Kooselu - Cohabiting																
Kooselus - Cohabiting	92,2	90,6	90,2	90,2	95,2	91,8	89,0	94,7	90,9	96,4	92,5	97,4	95,4	100,0	93,1	
Ei ole kooselus - Not cohabiting	83,1	81,0	77,0	71,1	70,7	53,8	70,5	73,2	73,4	79,7	80,3	92,6	92,1	93,8	85,3	
Haridus - Education																
Põhi või madalam - Lower secondary or less	84,6	87,2	86,9	77,6	86,2	77,6	74,1	78,4	100,0	67,4	69,0	100,0	86,5	94,7	87,8	
Kesk - Upper secondary	94,8	81,3	84,4	89,3	92,5	91,7	86,7	90,5	88,0	93,4	87,7	92,4	95,3	92,6	90,7	
Kõrg - University	91,5	95,8	93,3	88,3	91,8	82,1	88,1	92,9	85,1	96,5	97,8	100,0	91,3	100,0	91,8	
Majanduslik aktiivsus - Economical activity																
Aktiivne - Active	100,0	100,0	96,6	95,0	98,0	91,6	90,9	94,7	91,8	95,7	91,3	96,2	93,0	92,3	93,5	
Mitteaktiivne - Non-active	88,3	87,2	86,5	83,7	85,9	71,8	64,6	61,8	47,2	48,8	65,9	88,5	94,2	94,6	84,1	
Sissetulek - Income																
Allpool suhtelise vaesuse piiri - Below the risk of poverty	70,8	86,8	75,5	76,1	83,3	71,7	71,9	77,1	69,0	80,0	66,7	75,0	85,7	92,0	78,7	
Üle suhtelise vaesuse piiri - Above the risk of poverty	92,9	89,0	90,1	89,9	93,5	91,8	87,8	93,8	92,2	96,9	90,0	96,9	93,9	92,4	92,0	
Tervise seisund - Health status																
Terve - No health disorders	100,0	100,0	88,3	83,3	100,0	93,4	100,0	95,7	94,5	94,9	91,5	97,7	95,4	94,8	95,0	
Tervisehäired - Less severe health disorders	96,4	97,2	97,1	96,9	96,4	90,5	90,1	89,7	87,1	97,4	92,1	94,0	93,3	91,6	92,2	
Tõsisemad tervisehäired - Severe health disorders	91,1	95,4	88,9	86,6	96,2	88,6	77,0	86,7	68,7	84,8	81,4	83,6	75,5	91,6	85,6	
Toimetuleku piirangud - Managing restrictions	85,4	79,0	77,4	71,5	78,0	63,9	60,2	85,2	75,1	67,9	67,1	86,7	82,0	100,0	74,8	
Tervisekäitumine - Health behaviour																
Tervist hoidev - Health protective	92,2	90,7	97,4	85,5	100,0	77,9	91,5	100,0	100,0	85,4	91,1	100,0	93,4	100,0	93,5	
Tervist kahjustav - Health harming	95,1	89,7	78,9	86,6	93,5	95,0	85,2	85,7	86,0	94,8	95,7	100,0	92,5	82,0	90,5	
Kontrollikese - Locus of control																
Seesmine - Internal	92,6	98,1	94,2	97,5	98,1	97,6	92,1	93,9	92,3	98,3	94,6	97,6	96,1	96,5	95,7	
Väline - External	77,9	64,9	65,6	57,9	61,3	59,4	55,2	56,8	56,1	0,0	40,9	100,0	36,9	100,0	57,8	
Enesehinnanguline tervis - Self-estimated health																
Väga hea või hea - Very good or good	93,2	97,1	95,2	93,9	97,6	92,6	95,7	96,0	94,5	97,2	93,6	97,0	95,8	94,7	95,5	
Väga halb või halb - Very bad or bad	83,7	71,5	71,6	63,0	66,0	75,6	61,8	54,8	69,3	32,3	73,2	100,0	86,7	100,0	69,0	
Kehamassiindeks - Body Mass Index																
Alakaal - Underweight	83,3	100,0	33,3	100,0	0,0	0,0	0,0	50,0	0,0	100,0	0,0	75,0	100,0	92,3	81,4	
Normaal - Normal weight	89,1	89,0	88,2	85,2	83,0	87,3	82,4	86,8	80,0	94,7	88,3	94,1	91,8	94,5	89,2	
Ülekaal - Overweight	88,7	85,6	87,5	85,9	96,6	85,9	83,1	92,4	94,3	92,2	90,4	96,8	96,6	90,2	89,7	
Rasumine - Obesity	86,7	95,3	86,4	89,2	94,9	88,9	97,6	95,0	90,5	94,3	85,7	100,0	91,7	100,0	92,0	
80 + 75-79 70-74 65-69 60-64 55-59 50-54 45-49 40-44 35-39 30-34 25-29 20-24 15-19 Kokku Vanus - Age Total																

TABEL 115.B. Rahulolu elu erinevate külgedega (%) sünnipõlvkonna järgi, naised
TABLE 115.B. Being satisfied with different aspects of life (%) by birth cohort, females

		Sünnipõlvkond - Birth cohort															
		1921	1926	1931	1936	1941	1946	1951	1956	1961	1966	1971	1976	1981	1986	Kokku	
		1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	Total	
	Tööga - With work	81,7	94,2	97,1	93,7	93,7	87,7	82,9	87,2	88,8	87,4	88,9	89,3	88,1	78,6	87,7	
	Karjääriga, elus edasijõudmisega - With career, advancement in life	85,0	91,4	87,3	85,3	91,0	80,8	71,4	75,1	79,5	75,2	79,4	80,2	79,0	89,8	80,2	
	Pereeluga - With family life	86,0	86,1	89,4	84,1	90,6	84,1	86,7	90,5	86,8	85,2	87,7	89,7	89,1	92,4	87,8	
	Majandusliku olukorraga - With economical situation	70,8	69,5	66,6	67,5	70,5	63,9	58,6	61,3	69,6	65,7	71,0	71,8	70,6	76,6	68,0	
	Vaba aja veetmisega - With leisure time activities	69,7	71,4	76,8	76,2	83,7	80,1	69,6	72,4	77,0	76,1	70,0	77,8	75,4	91,0	76,5	
	Eluga üldse - With life in general	80,5	79,9	83,8	84,8	89,1	87,7	84,3	88,8	93,9	93,1	90,7	94,4	94,8	96,3	89,4	
	Lähisugulastega üldse - With close relatives in general	94,1	93,9	94,5	94,9	96,0	94,4	94,1	96,6	95,1	93,8	93,6	87,7	94,9	95,7	94,2	
	Füüsilise vormi ja kehalise võimekusega - With physical shape and physical abilities	35,9	39,7	51,9	57,3	59,5	59,6	56,4	60,7	67,0	65,9	70,7	73,9	76,9	83,2	63,3	
	Emotsionaalsete suhetega abikaasa/partneriga - Emotional relations with spouse/partner	90,8	92,3	86,7	83,4	88,7	84,2	91,7	88,3	87,3	88,6	87,8	88,7	92,1	98,7	88,9	
	Seksuaalsuhetega abikaasa/partneriga - Sexual relations with spouse/partner	89,2	83,3	83,3	84,5	87,4	84,9	83,1	89,9	89,1	89,8	89,8	91,2	92,0	98,5	89,3	
	Pole millegagi rahul - Not satisfied at all	8,5	4,7	3,9	4,5	2,9	2,6	2,1	3,0	2,0	1,4	2,9	2,2	0,6	1,2	2,7	
Kokku - Total (N)		154	231	230	292	160	216	198	228	208	187	224	171	195	231	2925	
Vastamata - Missing (N)		38	56	44	52	20	32	38	32	17	14	22	11	12	10	398	
TABEL 115.1.B. Eluga üldse rahulolevate isikute protsent rahvastikurühmades sünnipõlvkonna järgi, naised																	
TABLE 115.1.B. Percent of persons who are satisfied with life in general in background categories by birth cohort, females																	
Piirkond - Region																	
	Harjumaa	79,0	75,0	81,7	82,6	92,6	88,0	84,1	88,7	95,5	93,1	87,7	95,1	96,1	95,5	89,2	
	Ida-Virumaa	72,5	79,2	80,3	77,2	91,9	79,4	84,7	83,3	93,4	92,3	92,3	96,6	94,0	87,6	85,9	
	Tartu, Jõgeva, Põlva, Valga, Viljandi, Võru	78,9	77,2	87,4	88,3	85,5	89,5	86,7	89,1	91,1	91,2	90,8	92,0	93,3	100,0	89,4	
	Järva, Lääne-Viru, Rapla	93,3	90,3	74,6	90,7	80,5	86,0	83,8	94,7	92,6	100,0	93,4	94,6	87,5	95,6	89,9	
	Lääne, Saare, Hiiumaa, Pärnumaa	93,5	90,0	96,0	92,3	95,4	93,9	81,3	90,8	91,9	92,9	95,8	94,1	100,0	100,0	93,2	
Asulatüüp - Type of residence																	
	Linn - Urban	79,6	79,7	82,0	83,6	91,2	86,8	83,4	87,3	91,6	91,9	90,8	93,6	93,3	95,7	88,5	
	Maa - Rural	82,9	80,5	90,2	88,9	83,8	90,7	86,9	93,7	98,2	96,5	90,3	97,7	100,0	97,9	92,0	
Rahvus - Ethnicity																	
	Eestlane - Estonian	85,5	82,9	88,7	89,0	89,9	92,3	88,2	92,8	92,8	94,2	90,9	96,0	96,5	97,6	91,8	
	Mitte-eestlane - Non-Estonian	71,6	73,5	74,0	78,5	86,4	80,1	78,6	83,2	94,3	90,1	90,3	91,1	92,3	93,7	84,8	
Põlisus - Native-born population																	
	Põlisrahvastik - Native-born	84,1	82,4	87,7	87,7	88,5	92,7	86,8	92,6	92,4	93,5	91,2	95,4	95,9	97,4	91,2	
	Immigrantrahvastik - Not native-born	73,0	73,9	74,7	79,7	91,2	78,4	80,1	82,8	95,6	92,1	89,5	91,5	92,9	93,6	85,2	
Kooselu - Cohabiting																	
	Kooselus - Cohabiting	100,0	87,5	86,4	90,0	93,0	88,9	88,3	90,7	94,8	95,4	93,5	94,4	96,7	95,5	92,5	
	Ei ole kooselus - Not cohabiting	78,3	77,7	82,5	81,2	84,6	86,0	77,2	84,7	88,3	87,2	80,5	94,4	92,2	96,5	85,7	
Haridus - Education																	
	Põhi või madalam - Lower secondary or less	78,9	80,2	82,9	82,1	88,1	91,6	71,7	72,4	78,7	79,6	62,6	67,6	87,3	97,4	84,9	
	Kesk - Upper secondary	80,2	82,6	83,2	84,5	86,6	84,8	81,7	85,0	87,7	91,0	90,3	94,6	95,4	94,4	87,9	
	Kõrg - University	90,4	75,8	86,0	88,3	93,8	90,4	90,3	93,2	98,6	96,4	95,0	99,3	95,7	100,0	93,6	
Majanduslik aktiivsus - Economical activity																	
	Aktiivne - Active	100,0	100,0	89,5	93,2	95,3	89,9	87,5	91,7	93,5	92,4	89,6	94,5	94,0	92,2	91,8	
	Mitteaktiivne - Non-active	80,4	79,5	83,5	83,3	86,0	84,0	66,4	59,4	91,1	96,2	94,3	94,0	95,9	97,0	86,6	
Sissetulek - Income																	
	Allpool suhtelise vaesuse piiri - Below the risk of poverty	77,8	73,6	82,0	80,0	80,4	80,3	83,7	76,6	88,0	88,9	78,8	78,9	87,9	92,1	80,7	
	Üle suhtelise vaesuse piiri - Above the risk of poverty	82,5	85,9	86,1	88,3	92,8	88,8	85,1	91,8	95,5	94,0	93,2	95,9	95,5	97,4	91,2	
Tervise seisund - Health status																	
	Terve - No health disorders	100,0	100,0	87,6	100,0	89,9	95,1	83,7	94,9	95,7	94,4	92,2	96,9	95,5	98,1	95,2	
	Tervisehäired - Less severe health disorders	93,0	92,9	90,9	91,8	97,7	92,3	87,0	91,2	95,6	96,2	90,5	91,1	95,3	96,3	92,8	
	Tõsisemad tervisehäired - Severe health disorders	100,0	86,7	82,3	86,1	85,9	84,3	87,8	83,5	86,3	86,4	78,9	89,1	100,0	83,1	86,0	
	Toimetuleku piirangud - Managing restrictions	74,9	73,7	80,9	76,4	75,8	79,4	72,1	77,8	84,2	78,7	88,9	84,4	84,2	81,8	77,3	
Tervisekäitumine - Health behaviour																	
	Tervist hoidev - Health protective	78,3	76,2	80,5	87,1	89,0	89,0	94,7	93,3	97,2	96,0	96,2	97,1	97,2	85,2	91,8	
	Tervist kahjustav - Health harming	72,8	71,5	79,1	84,5	82,4	94,3	81,6	88,8	88,8	89,4	91,0	90,2	92,0	100,0	86,6	
Kontrollkese - Locus of control																	
	Seesmine - Internal	96,4	91,0	84,1	95,3	97,2	96,1	94,5	91,7	98,2	96,6	97,6	98,5	96,7	97,7	95,9	
	Väline - External	65,5	62,6	78,0	61,3	63,4	69,3	78,4	84,4	78,5	65,9	69,0	52,9	90,3	82,4	70,1	
Enesehinnanguline tervis - Self-estimated health																	
	Väga hea või hea - Very good or good	100,0	100,0	100,0	92,2	93,6	95,3	92,1	95,6	96,3	97,2	93,1	97,5	95,8	97,1	95,8	
	Väga halb või halb - Very bad or bad	71,7	67,7	74,7	67,9	69,9	72,7	72,4	57,5	72,8	65,3	84,1	52,9	100,0	100,0	70,5	
Kehamassiindeks - Body Mass Index																	
	Alakaal - Underweight	50,0	75,0	100,0	60,0	100,0	0,0	100,0	100,0	100,0	88,9	93,3	100,0	96,6	93,5	91,6	
	Normkaal - Normal weight	74,0	78,7	88,1	87,0	89,6	83,6	85,7	86,0	94,3	90,0	93,9	92,8	94,5	96,7	89,6	
	Ülekaal - Overweight	89,2	78,3	83,2	85,3	85,1	90,0	90,7	87,5	88,3	98,0	83,3	92,9	91,7	95,5	86,8	
	Rasumine - Obesity	86,8	86,3	81,1	83,8	93,5	87,1	74,6	91,1	93,9	100,0	87,5	100,0	87,5	100,0	86,4	
		80 +	75-79	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	Kokku	
								Vanus - Age								Total	

